(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(54) Title: BIALLELIC MARKERS DERIVED FROM GENOMIC REGIONS CARRYING GENES INVOLVED IN CENTRAL NERVOUS SYSTEM DISORDERS

(57) Abstract: The invention provides polynucleotides including biallelic markers derived from genes involved in CNS disorders and from genomic regions flanking those genes. Primers hybridizing to regions flanking these biallelic markers are also provided. This invention also provides polynucleotides and methods suitable for genotyping a nucleic acid containing sample for one or more biallelic markers of the invention. Further, the invention provides methods to detect a statistical correlation between a biallelic marker allele and a phenotype and/or between a biallelic marker haplotype and a phenotype.

BIALLELIC MARKERS DERIVED FROM GENOMIC REGIONS CARRYING GENES INVOLVED IN CENTRAL NERVOUS SYSTEM DISORDERS

FIELD OF THE INVENTION

5   The present invention is in the field of pharmacogenomics, and is primarily directed to biallelic markers that are located in or in the vicinity of genes that play a role in disorders of the brain and nervous system and to the uses of these markers. The present invention encompasses methods of establishing associations between these markers and central nervous system (CNS) disorders such as psychiatric disorders and neurodegenerative diseases as well as associations

10   between these markers and treatment response to a variety of therapeutic agents. The present invention also provides means to determine the genetic predisposition of individuals to such diseases and means to predict responses to such drugs.

BACKGROUND OF THE INVENTION

15   Advances in the technological armamentarium available to basic and clinical investigators have enabled increasingly sophisticated studies of brain and nervous system function in health and disease. Numerous hypotheses both neurobiological and pharmacological have been advanced with respect to the neurochemical and genetic mechanisms involved in central nervous system (CNS) disorders, including psychiatric disorders and neurodegenerative

20   diseases. However, CNS disorders have complex and poorly understood etiologies, as well as symptoms that are overlapping, poorly characterized, and difficult to measure. As a result future treatment regimes and drug development efforts will be required to be more sophisticated and focused on multigenic causes, and will need new assays to segment disease populations, and provide more accurate diagnostic and prognostic information on patients suffering from CNS

25   disorders.

A. Neurological Basis of CNS Disorders

Neurotransmitters serve as signal transmitters throughout the body; therefore, diseases that affect neurotransmission can have serious consequences. For example, for over 30 years the leading theory to explain the biological basis of many psychiatric disorders such as depression

30   has been the monoamine hypothesis. This hypothesis proposes that depression is partially due to a deficiency in one of the three major biogenic monoamines, namely dopamine, norepinephrine and serotonin. However, this hypothesis has been replaced by one that takes into account the overall function of the brain and no longer only considers a single neuronal system.

Dopamine

35   Dopamine is synthesized via the hydroxylation of tyrosine to dihydroxyphenylalanine (DOPA), involving the enzyme tyrosine hydroxylase (TH) and catechol O-methyl transferase (see Table 2: TH and COMT). Tyrosine hydroxylase is the rate-limiting enzyme in the synthesis

of catecholamines such as dopamine and norepinephrin . Dopamine and the enzymes involved in its biosynthesis and degradation are known to be involved in the pathophysiol gy of a depression, schizophrenia and Parkinson's disease. For example, it is believed tyrosine hydroxylase may be involved in the pathophysiology of psychiatric disorders and positive

5   associations have been reported for tyrosine hydroxylase gene markers in mood disorders. However, a recent study was unable to conclude tyrosine hydroxylase variants are related with depressive symptomatology in subjects affected by mood disorder (Serretti A. et al.; *American Journal of Medical Genetics* 81(2):127-130, 1998).

Dopamine, released from the nerve terminals, is largely recaptured by a re-uptake

10   mechanism involving dopamine transporter (DAT) (see Table 2: DAT). Following re-uptake, dopamine is metabolized by monoamine oxidases A and B (MAOA/B) (see Table 2: MAOA and MAOB). Monoamine oxidase A and B are critical enzymes in deamination of biogenic amines and may be involved in the pathophysiology of major psychoses, including mood disorder, Parkinson's disease and schizophrenia. Recently, evidence for genetic association between the

15   MAOA gene and bipolar mood disorder was demonstrated in a Caucasian population, but not seen in a Japanese population (Sasaki T. et al.; *Biological Psychiatry* 44(9):922-924, 1998).

Receptors for dopamine regulate dopaminergic neurotransmission. A plethora of dopamine receptors exist, including the presynaptic dopamine transporter and at least five pharmacologic subtypes (D_1 -which is linked to the enzyme adenyl cyclase, D_2 -not linked to

20   adenyl cyclase, D_3, D_4, and D_5). Classically, the most extensively investigated dopamine receptor is the D_2 receptor, as it is stimulated by dopaminergic agonists for the treatment of Parkinson's disease and blocked by dopamine antagonist neuroleptics for the treatment of schizophrenia (see Table 2: DRD2). Recently, other dopamine receptors, particularly the D_4 receptor, have become targets for new antipsychotics in the treatment of Parkinson's disease (see

25   Table 2: DRD4). It appears the interaction of all or some of the dopamine receptors play a role in many CNS disorders. However, only a limited number of studies investigating the association of such disorders with genes of the dopaminergic pathway have been completed and often with conflicting results.

Norepinephrine

30   The noradrenergic system is known to play a large role in the determination of mood, dysfunction of contributes to the "functional" disorders of depression, mania and anxiety. It is believed depressed patients are unable to produce sufficient norepinephrine in some parts of the brain for neuronal transmission, while mania may result from excessive activity or sensitivity of this system.

35   The amino acid tyrosine, having been actively taken up by adrenergic neurons, is converted to DOPA by means of tyrosine hydroxylase. DOPA is then converted to dopamine and later into norepinephrine in the synaptic vesicles. Conversion of norepinephrine to

epinephrine occurs in the adrenal medulla and also in certain restricted parts of the brain. Catecholamine degradation is enzymatically controlled by MAOA/B intraneuronally, with the main norepinephrine metabolite being 3-methoxy-4-hydroxyphenylglycol.

The noradrenergic neuron is regulated by a multiplicity of receptors and for norepinephrine, these being designated α_1, α_2, β_1 and β_2. Postsynaptic norepinephrine receptors bind norepinephrine released from the presynaptic neuron and activate a molecular cascade in the postsynaptic neuron. Specifically, the activation of α_2 receptors causes inhibition of norepinephrine, whereas activation of $\beta 1$ receptors leads to increased release of norepinephrine from adrenergic terminals (see Table 2: ADRB1R). Systemically, the adrenoreceptor subtypes $\alpha 1$, $\alpha 2$, $\beta 1$ and $\beta 2$ are functional in a variety of other ways ranging from vasodilatation to initiating smooth muscle relaxation. The action of norepinephrine is terminated by the norepinephrine transporter (NET), a membrane protein that serves as a reuptake pump for synaptic norepinephrine (see Table 2: NET). These receptors and transporter are the target of many therapeutic agents currently used to treat psychiatric disorders particularly depression.

Serotonin (5-hydroxytryptamine, 5HT)

The serotoninergic system is an anatomically diverse system with pathways that follow closely those of the noradrenergic system, but are quite different from those of the dopaminergic distribution. The physiological functions in which the serotoninergic system is involved include sleep, appetite, nociception, diurnal rhythmicity, neuroendocrine regulation and mood. At the level of consciousness there is also the suggestion that rational thought processes arise, using previously stored information, with the aid of the serotoninergic system. Serotoninergic projections innervating the hypothalamus influence the secretion of several anterior pituitary hormones. There is evidence that serotonin may serve as the final common pathway by which other neurotransmitters act in controlling secretion of many hormones.

Tryptophan is taken up by active transport into the neurons where it is hydroxylated by tryptophan hydroxylase to 5-hydroxytryptophan (5HTP). The latter is then decarboxylated to serotonin which, following release from the neurons, is recovered by a re-uptake mechanism. Degradation of serotonin occurs by way of MAOA/B and the majority of the metabolites are excreted in the urine.

Serotonin receptors come in 13 or more subtypes that can vary in their sensitivity to serotonin and in the effects they produce. An increasingly complex series of serotonin receptors is being identified. Presynaptic serotonin uptake sites and serotonin receptors designated $5HT_1$ (and further subdivided into $5HT_{1a}$, $5HT_{1b}$, $5HT_{1c}$), $5HT_2$, $5HT_3$, $5HT_4$, and $5HT_6$, have been identified by means of pharmacological studies (see Table 2: 5HTT, 5HT1A, 5HTR2C, 5HTR6, and 5HTR7). As a whole, communication between two neurons is complex and may be

mediated by more than one neurotransmitter; for example, the serotonergic system may co-exist with other neurotransmitter in the same synapses.

Gamma aminobutyric acid (GABA)

Gamma aminobutyric acid (GABA) is an important amino acid which functions as the

5   most prevalent inhibitory neurotransmitter in the central nervous system. Gamma aminobutyric acid works in partnership with a derivative of Vitamin B-6, pyridoxine, to cross from the axons to the dendrites through the synaptic cleft, in response to an electrical signal in the neuron and inhibits message transmission. This helps control the nerve cells from firing too fast, which would overload the system.

10   The gamma aminobutyric acid (a) receptor (see Table 2: GABRA5 and GABRG2) appears to play a key role in modulating anxiety and could be involved in either the etiology or the pathogenesis of anxiety disorders (Crowe et al. *Am J Psychiatry* 154:8). A benzodiazepine binding site is located on this receptor, and ligands that bind to this site can either increase or decrease anxiety.

15   Growth associated protein (GAP43)

Growth associated protein (GAP43) is localized exclusively to nerve tissue and is known to play a role in synaptic transmission and membrane permeability. The expression of GAP43 is associated with mammalian peripheral nerve regeneration (Kosik et al. *Neuron* 1:127-132, 1988). A polymorphism in the 3'-untranslated region of GAP43 is found at slightly lower

20   frequencies in Alzheimers and Parkinson's patients (Poduslo. *Hum Genet.* 92:635-636, 1993).

Subreceptor Activity

The activity of subreceptors has also been investigated in recent years for its role in a wide range of CNS disorders. When neurotransmitters bind to receptors on the membranes of postsynaptic neurons, they elicit a target response in the cell via a second or third messenger.

25   Several different messenger chemicals are known including cyclic adenosine monophosphate (AMP). G proteins serve as signal transduction subunits in the cyclic AMP pathway (see Table 2: Gbeta3). G protein coupled receptors are thought to have seven membrane spanning domains and have been divided into 2 subclasses: those in which the binding site is in the extracellular domain for example receptors for glycoprotein hormones, such as thyroid stimulating hormone

30   (TSH) and follicle stimulating hormone (FSH) and those in which the ligand binding site is likely to be in the plane of the 7 transmembrane domains for example rhodopsin and receptors for small neurotransmitters and hormones for example muscarinic acetylcholine receptor. However, orphan G-protein coupled receptor (see Table 2: HM77) does not contain N-linked glycosylation sites near the N-terminus like other members of this protein family.

35   There is evidence that various monoamine or monoaminergic receptors are able to alter cyclic AMP levels through the same G protein. Therefore, G proteins serve as an important cross-talk mechanism between transmitter systems in the CNS. An abnormality in a G protein or

in the responsiveness of cyclic AMP to any of the receptors may result in an alteration in monoaminergic neurotransmissi n. For example, guanine nucleotide binding protein olfactory type (see Table 2: GOLF) is believed t play a role in signaling involving the cAMP mediated signaling pathway as well as the norepinephrine pathway.

5   B. Endocrine Basis of CNS Disorders

Biological theories of many CNS disorders have long revolved around the main monoamine systems, namely dopamine, norepinephrine and serotonin. It is apparent, however, that these three systems do not completely explain the pathophysiology of many CNS disorders. The hypothalamic-pituitary-adrenal (HPA) axis, including the effects of corticotrophin-releasing
10   factor and glucocorticoids, plays an important role in the pathophysiology of CNS disorders.

The hypothalamus lies at the top of the hierarchy regulating hormone secretion via the hypothalamus-pituitary-adrenal (HPA) axis. It manufactures and releases peptides that act on the pituitary, thus stimulating or inhibiting the pituitary's release of various hormones into the blood. These hormones, among them growth hormone, thyroid-stimulating hormone and
15   adrenocorticotrophic hormone (ACTH), control the release of other hormones from target glands. In addition to functioning outside the nervous system, the hormones released in response to pituitary hormones feed back to the pituitary and hypothalamus. There they deliver inhibitory signals that serve to limit excess hormone biosynthesis.

Also included in the regulation of the HPA axis is vasopressin receptor 1A (see Table 2:
20   AVPR1A). Vasopressin receptors are present in a number of tissues including the anterior pituitary, where they stimulate adrenocorticotrophic hormone (ACTH) release (Thibonnier et al. *Genomics* 31: 327-334, 1996).

Dysregulation of the HPA axis appears to be an important feature of many psychiatric disorders and neurodegenerative diseases. When a threat to physical or psychological well-being
25   is detected, the hypothalamus amplifies production of corticotrophin-releasing factor (CRF), which induces the pituitary to secrete ACTH (see Table 2: CRF, CRHBP, CRFR1 and CRFR2). ACTH then instructs the adrenal glands to release cortisol. Therefore, it is believed chronic activation of the HPA axis may lay the ground for illness.

The increased HPA drive is primarily mediated by hypersecretion of corticotrophin-
30   releasing factor. Patients with major depression show increased levels of lumbar cerebrospinal fluid (CSF) corticotrophin-releasing factor as compared to matched controls or patients with other neurologic illnesses (Plotsky, P.M., *Psych. Clin. Of North Am.*, 21(2):293-307, 1998). Dysregulation of hypothalamic corticotrophin-releasing factor neurons, whether intrinsic or extrinsic to these neurons, can result in corticotrophin-releasing factor hypersectretion leading to
35   elevations in cortisol followed by adaptive down regulation of both pituitary and central glucocorticoid receptors and corticotrophic-releasing receptors.

The anxi lytic effects of corticotrophin-releasing factor appear to be mediated by the activation of the central noradrenergic system. A CRF-positive projection has been identified linking limbic structures to the noradrenergic locus ceruleus, stimulation of which plays an important role in emotional memory and increases tyrosine hydroxylase activity. Therefore,

5   primary or secondary dysfunction of corticotrophin-releasing factor would be expected to initiate a cascade of maladaptations.

Glucocorticoids and mineralocorticoids are both classes of steroid hormones that play an important role in the HPA axis; and have therefore been implicated in the pathophysiology of various psychiatric disorders and neurodegenerative diseases (see Table 2: GRL and MLR).

10   Glucocorticoids exert numerous effects on metabolism, reproduction, inflammation and immunity. In addition, glucocorticoids serve as the primary negative feedback mechanism that regulates the HPA axis. Mineralocorticoids maintain electrolyte balance by regulating salt and water retention in the kidneys.

Brain-derived neurotrophic factor (see Table 2: BDNF) is a member of a group of

15   proteins that includes neurotrophin-3/4/5 and nerve growth factor (NGF) and are believed to play a role in the etiology of a number of CNS-related disorders including schizophrenia and Parkinson's disease (Hawi et al. *Psychiatry Research* 81: 111-116, 1998 and Gasser et al. *Annals of Neurology* 36(3)387-396, 1994). BDNF plays an important role in promoting growth and maintenance during normal development and differentiation of the vertebrate system (Hanson et

20   al. *Genomics* 13: 1331-1333, 1992). Further, it is believed BDNF has an effect on the differentiation of dopaminergic and serotonergic neurons (Studer et al. *Euro. J. of Neuroscience* 7: 223-233, 1995).

C. Examples of CNS Disorders

Neurotransmitter and hormonal abnormalities are implicated in disorders of movement

25   (e.g. Parkinson's disease, Huntington's disease, motor neuron disease, etc.), disorders of mood (e.g. unipolar depression, bipolar disorder, anxiety, etc.) and diseases involving the intellect (e.g. Alzheimer's disease, Lewy body dementia, schizophrenia, etc.). In addition, Neurotransmitter and hormonal abnormalities have been implicated in a wide range of disorders, such as coma, head injury, cerebral infarction, epilepsy, alcoholism and the mental retardation states of metabolic

30   origin seen particularly in childhood.

Schizophrenia

In developed countries schizophrenia occurs in approximately one per cent of the adult population at some point during their lives. There are an estimated 45 million people with schizophrenia in the world, with more than 33 million of them in the developing countries.

35   Moreover, schizophrenia accounts for a fourth of all mental health costs and takes up one in three psychiatric hospital beds. Most schizophrenia patients are never able to work. The cost of schizophrenia to society is enormous. In the United States, for example, the direct cost of

treatment of schizophrenia has been estimated to be close to 0.5% of the gross national product. Standardized mortality ratios (SMRs) for schizophrenic patients are estimated to be two to four times higher than th general population and their life expectancy overall is 20 % shorter than for the general population.

5   The most common cause of death among schizophrenic patients is suicide (in 10% of patients) which represents a 20 times higher risk than for the general population. Deaths from heart disease and from diseases of the respiratory and digestive system are also increased among schizophrenic patients.

          Schizophrenia comprises a group of psychoses with either 'positive' or 'negative'
10   symptoms. Positive symptoms consist of hallucinations, delusions and disorders of thought; negative symptoms include emotional flattening, lack of volition and a decrease in motor activity.

          A number of biochemical abnormalities have been identified and, in consequence, several neurotransmitter-based hypotheses have been advanced over recent years; the most
15   popular one has been "the dopamine hypothesis," one variant of which states that there is over-activity of the mesolimbic dopamine pathways at the level of the D_2 receptor. However, researchers have been unable to consistently find an association between various receptors of the dopaminergic system and schizophrenia.

          In addition to the hypotheses which are briefly presented here, and which attempt to
20   draw together the neurochemical observations in schizophrenia, one should add that some abnormalities of cortical neuropeptides are well documented. These abnormalities include changes in the levels of somatostatin, substance P, cholecystokinin (CCK) and vasoactive intestinal peptide (VIP) found in association with negative symptom defect states in the temporal area of the brain (i.e. the hippocampus, amygdala and neocortex), in particular.

25   Bipolar Disorder

          Bipolar disorders are relatively common, occurring in about 1.3% of the population, and have been reported to constitute about half of the mood disorders seen in psychiatric clinics. Bipolar disorders have been found to vary with gender depending of the type of disorder; for example, bipolar disorder I is found equally among men and women, while bipolar disorder II is
30   reportedly more common in women. The age of onset of bipolar disorders is typically in the teenage years and diagnosis is typically made in the patient's early twenties. Bipolar disorders also occur among the elderly, generally as a result of a neurological disorder or other medical conditions. In addition to the severe effects on patients' social development, suicide completion rates among bipolar patients are reported to be about 15%.

35   Bipolar disorders are characterized by phases of excitement and depression; the excitement phases (mania) and depressive phases can alternate or occur in numerous admixtures with varying degrees of severity and duration. Because bipolar disorders can exist in different

forms and display different symptoms, the classification of bipolar disorder has been the subject of extensive studies resulting in the definition of bipolar disorder subtypes and widening of the overall concept to include patients previously thought to be suffering from different disorders. Bipolar disorders often share certain clinical signs, symptoms, treatments and neurobiological features with psychotic illnesses in general and therefore present a challenge to the psychiatrist to make an accurate diagnosis. Furthermore, because the course of bipolar disorders and various mood and psychotic disorders can differ greatly, it is critical to characterize the illness as early as possible in order to offer means to manage the illness over a long term.

Diagnosis of bipolar disorder can be very challenging. One particularly troublesome difficulty is that some patients exhibit mixed states, simultaneously manic and dysphoric or depressive, but do not fall into the DSM-IV classification because not all required criteria for mania and major depression are met daily for at least one week. Other difficulties include classification of patients in the DSM-IV groups based on duration of phase since patients often cycle between excited and depressive episodes at different rates. In particular, it is reported that the use of antidepressants may alter the course of the disease for the worse by causing "rapid-cycling". Also making diagnosis more difficult is the fact that bipolar patients, particularly at what is known as Stage III mania, share symptoms of disorganized thinking and behavior with bipolar disorder patients. Furthermore, psychiatrists must distinguish between agitated depression and mixed mania; it is common that patients with major depression exhibit agitation, resulting in bipolar-like features.

For both schizophrenia and bipolar disorder, all the known molecules used for treatment have side effects and act only against the symptoms of the disease. There is a strong need for new molecules without associated side effects or reduced side effects which are directed against targets that are involved in the causal mechanisms of schizophrenia and bipolar disorder. Therefore, tools facilitating the discovery and characterization of these targets are necessary and useful.

The aggregation of schizophrenia and bipolar disorder in families, the evidence from twin and adoption studies, and the lack of variation in incidence worldwide, indicate that schizophrenia and bipolar disorder are primarily genetic conditions, although environmental risk factors are also involved at some level as necessary, sufficient, or interactive causes. For example, schizophrenia occurs in 1% of the general population. However, if a subject has one grandparent with schizophrenia, the risk of getting the illness increases to about 3%, while one parent with Schizophrenia increases risk to about 10%. When both parents have schizophrenia, the risk rises to approximately 40%. Consequently, there is a strong need to identify genes involved in schizophrenia and bipolar disorder. The knowledge of these genes will allow researchers to understand the etiology of schizophrenia and bipolar disorder and could lead to

drugs and medications which are directed against the cause of the diseases, not just against their symptoms.

There is also a great need for new methods to detect susceptibility to schizophrenia and bipolar disorder, as well as for preventing or following up the development of the disease.

5   Diagnostic tools could also prove extremely useful. Indeed, early identification of subjects at risk of developing schizophrenia would enable early and/or prophylactic treatment to be administered. Moreover, accurate assessments of the eventual efficacy of a medicament as well as the patent's eventual tolerance to it may enable clinicians to enhance the benefit/risk ratio of schizophrenia and bipolar disorder treatment regimes.

10   Depression

Depression is a serious medical illness that affects 340 million people worldwide. In contrast to the normal emotional experiences of sadness, loss, or passing mood states, clinical depression is persistent and can interfere significantly with an individual's ability to function. As a result, depression is the leading cause of disability throughout the world with an estimated cost

15   of $53 billion each year in the United States alone.

Symptoms of depression include depressed mood, diminished interest or pleasure in activities, change in appetite or weight, insomnia or hypersomnia, psycho-motor agitation or retardation, fatigue or loss of energy, feelings of worthlessness or excessive guilt, anxiety, inability to concentrate or act decisively, and recurrent thoughts of death or suicide. A diagnosis

20   of unipolar major depression (or major depressive disorder) is made if a person has five or more of these symptoms and impairment in usual functioning nearly every day during the same two-week period. The onset of depression generally begins in late adolescence or early adult life; however, recent evidence suggests depression may be occurring earlier in life in people born in the past thirty years.

25   The World Health Organization predicts that by the year 2020 depression will be the greatest burden of ill-health to people in the developing world, and that by then depression will be the second largest cause of death and disability. Beyond the almost unbearable misery it causes, the big risk in major depression is suicide. Within five years of suffering a major depression, an estimated 25% of sufferers try to kill themselves. In addition, depression is a

30   frequent and serious complication of heart attack, stroke, diabetes, and cancer. According to one recent study that covered a 13-year period, individuals with a history of major depression were four times as likely to suffer a heart attack compared to people without such a history.

Depression may be a feature in up to 50% of patients with CNS disorders such as Parkinson's disease and Alzheimer's disease. The neuronal loss in the locus ceruleus, typical of

35   Alzheimer's disease, is greatest in those patients who have depression; such patients also have lower norepinephrine levels than do those who lack depressive features. Approximately 50% of

patients with Alzheimer's disease have less norepinephrine than n rmal in the majority f cortical and subcortical areas of the brain that have been examined to date.

Many neurochemical findings are coming to light implicating a biological basis for the depression, at least for certain subtypes. Abnormalities of monoamine function have been recognized in depression for many years involving norepinephrine, serotonin and dopamine. Changes in adrenoceptor density and function as well as changes in adrenoceptors associated with the pituitary-adrenal axis function strongly implicate a disorder in central noradrenergic transmission in depression. This dysfunction may be caused by changes in the activity of tyrosine hydroxylase. The effect of corticotrophin releasing factor in modulating the activity of noradrenergic neurons in the locus ceruleus may provide the link between environmental trigger factors and central noradrenergic dysfunction, along with dysfunction of the HPA axis.

Dysfunction of serotonin metabolism, as shown by decreased concentrations of the metabolite 5HIAA in cerebrospinal fluid (CSF), is linked with depression; nevertheless, it is not a feature in all patients with depression. Therefore, a subgroup entitled "serotonin depression" has been proposed. Often included among those who suffer from serotonin depression are patients who also suffer a number of neurological diseases. A reduction in the number of serotonin-containing neurons in the median raphe in Parkinson's disease, Alzheimer's disease and, possibly, the elderly, is associated with the development of depression.

Low levels of the dopamine metabolite HVA are found in the CSF in patients with depression. In addition, dopamine agonists produce a therapeutic response in depression.

Presently, antidepressants are designed to address many of the symptoms of depression by increasing neurotransmitter concentration in aminergic synapses. Distinct pharmacologic mechanisms allow the antidepressants to be separated into seven different classes. The two classical mechanisms are those of tricyclic antidepressants (TCAs) and monoamine oxidase inhibitors (MAOIs). The most widely prescribed agents are the serotonin selective reuptake inhibitors (SSRIs). Three other classes of antidepressants, like the SSRIs, increase serotonergic neurotransmission, but they also have additional actions, namely dual serotonin and norepinephrine reuptake inhibition; serotonin-2 antagonism/reuptake inhibition; and α_2 antagonism plus serotonin-2 and -3 antagonism. The selective norepinephrine and dopamine reuptake inhibitors define a novel class of antidepressant that has no direct actions on the serotonin system.

Recent findings suggest some re-appraisal and modifications of the monoamine hypothesis are necessary. The increased levels of monoamine transmitters at the synapses, although quickly produced in response to antidepressant therapy, are in contrast with the much slower clinical recovery of the patient from depression, which takes about two weeks to begin and may only reach maximal levels several weeks later. Moreover, should acute depletion of either norepinephrine and/or serotonin occur experimentally in a normal individual, then

depression does not, in the short-term, occur. Not in keeping with the hypothesis, too, is the cerebral resistance generated in response to the pharmacological changes induced by antidepressant compounds. These counteractive changes comprise reduction in the number of post-synaptic β-receptors, together with a lowered firing rate of noradrenergic neurons.

5   In addition, there are subsets of patients with differential responses to antidepressants. Thus far, biochemical predictors of treatment response have failed to identify definite parameters that could correctly identify patients more likely to respond to particular classes of antidepressants (Schatzberg, Alan F., *Journal of Clinical Psychiatry*, 59:15-18, 1998). As a result, psychiatrists often must choose a treatment based on intuition or trail and error. However,

10   probes such as biallelic markers could serve as an invaluable tool to successfully identify patients who might respond preferentially to existing and new antidepressants (Charney, Dennis S, *Journal of Clinical Psychiatry*, 59:11-14, 1998). In particular, markers from genes known to affect drug response such as transcription factors (see Table 2: SEF-1B) and drug metabolizing enzymes (see Table 2: CYP3A4) need to be investigated to determine "responders" and "non-

15   responders" to medicaments.

          While modulating monoamine activity as a therapeutic strategy continues to dominate research, an important new development has been the emergence of novel mechanisms of action, notably modulation of the activity of neuropeptides, namely through the neuropeptide receptor Y1, the tachykinin NK1 receptor and nicotinic receptors (see Table 2: NPY1R, TACR1 and

20   CHRNA7). Recent clinical trails showed that tachykinin NK1 receptor antagonists are effective in treating depression and chemotherapy-induced emesis. Therefore, it is well possible that such antagonists will be clinically useful for treatment of specific CNS disorders. Nicotinic receptors are known to serve as important ligand-gated ion channels active in classical, excitatory neurotransmission and perhaps more novel forms of neurochemical signaling. Their critical

25   functional roles both centrally and peripherally make them ideal targets for regulation of the nervous system. Finally, new antidepressants that may render the HPA axis more sensitive to glucocorticoid feedback are being investigated as well.

          In addition to monoamine dysfunction as a possible cause of depression, researchers have reported increased activity in the HPA axis in untreated depressed patients, as evinced by

30   raised levels of cortisol in urine, blood and cerebrospinal fluid, as well as by other measures. Numerous studies have confirmed that substantial numbers of depressed patients, particularly those most severely affected, display HPA axis hyperactivity. Patients with depression frequently have symptom clusters which point strongly to involvement of the HPA system as a relay station between neurocircuitries in the brain and peripheral hormone and autonomic

35   nervous function. It has been proposed that this increased, state-dependent hyperactivity of the HPA system in depression is probably initiated and/or maintained by the combination of enhanced central production of corticotrophin-releasing factor and desensitization of the binary,

glucocorticoid receptor binding system in the hippocampus, which is the central regulator of HPA system activity.

Deeper investigation of the phenomenon has now revealed alterations at each level of the HPA axis in depressed patients. For instance, both the adrenal gland and the pituitary are

5   enlarged, and the adrenal gland hypersecretes cortisol. But many researchers, have become persuaded that aberrations in CRF-producing neurons of the hypothalamus and elsewhere bear most of the responsibility for HPA axis hyperactivity and the emergence of depressive symptoms.

Many studies have shown corticotrophin-releasing factor concentrations in cerebrospinal

10   fluid to be elevated in depressed patients, compared with control subjects or individuals with other psychiatric disorders. This magnification of corticotrophin-releasing factor levels is reduced by treatment with antidepressants and by effective electroconvulsive therapy. Further, postmortem brain tissue studies have revealed a marked exaggeration both in the number of CRF-producing neurons in the hypothalamus and in the expression of the corticotrophin-

15   releasing factor gene (resulting in elevated corticotrophin-releasing factor synthesis) in depressed patients as compared with controls. Moreover, delivery of corticotrophin-releasing factor to the brains of laboratory animals produces behavioral effects that are cardinal features of depression in humans, namely, insomnia, decreased appetite, decreased libido and anxiety.

Geneticists have provided some of the oldest proof of a biological component to

20   depression in many people. Depression and manic-depression frequently run in families. Thus, close blood relatives of patients with severe depressive or bipolar disorder are much more likely to suffer from those or related conditions than are members of the general population. Studies of identical and fraternal twins also support an inherited component. Illness in both members of a pair is much higher for manic-depression in identical twins than in fraternal and is somewhat

25   elevated for depression alone.

In the past 20 years, genetic researchers have expended great effort trying to identify the genes which contribute to depression. So far, though, those genes have evaded discovery, perhaps because a predisposition to depression involves several genes, each of which makes only a small, hard-to-detect contribution. As a result, psychiatrists today have to choose

30   antidepressant medications by intuition and trial and error; a situation that can put suicidal patients in jeopardy for weeks or months until the right compound is selected. Therefore, there is a strong need to successfully identify genes involved in depression; thus allowing researchers to understand the etiology of depression and address its cause, rather than symptoms.

Alzheimer's Disease

35   Alzheimer's disease is characterized by the onset in middle age of a slowly progressive dementia; there is loss of memory for past events, inability to develop new memories and impairment of intellect, all leading to a lessened capacity for dealing with the tasks and problems

of daily living. It is the most common cause of both presenile and senile dementia. Alzheimer's disease is not the non-specific degenerative disorder of the CNS that it was once thought to be, as neurochemical studies on postmortem material now reveal the degeneration to be selective for certain neuronal populations in the subcortical and cortical areas; ther cell populations seem to

5   be unaffected. Senile plaques and neurofibrillary tangles are the characteristic histological feature, found throughout the cerebral cortex and especially in certain regions of the limbic system (the amygdala and hippocampus), perhaps accounting for the memory loss so typical of the early phase of the disease. In addition, there is reduction of acetylcholine, norepinephrine, serotonin and somatostatin in the subcortical areas in Alzheimer's disease.

10   The activity of CAT, the enzyme involved in acetylcholine synthesis, is markedly decreased in Alzheimer's disease. This decrease does not occur in all areas of the brain, but does so particularly in the hippocampus and amygdala, which are some of the main sites where senile plaques and neurofibrillary tangles accumulate. The loss of such cortical cholinergic activity correlates well with the degree of dementia in patients with this disease. A further finding is that

15   nerve growth factor (NGF) is now known to be involved in the maintenance of cholinergic neurons in the forebrain; also, nicotine, a cholinomimetic compound, is able to stimulate dopaminergic neurons via their nicotinic receptors; thus, seemingly, to provide smokers with some protection against degeneration of the dopaminergic neurons. The forebrain cholinergic system degenerates not only in Alzheimer's disease, but also in alcohol-induced dementia, Pick's

20   disease, Lewy body dementia, progressive supranuclear palsy and in Parkinson's disease.

In Alzheimer's disease there is a reduction of both serotonin and its receptor proteins in the temporal lobe of the brain, as revealed from studies on autopsy and biopsy material. The loss of serotonin is, however, less than in Parkinson's disease and it would be unlikely, therefore, that the severe memory loss of Alzheimer's disease could be accounted for on this basis alone,

25   although in Parkinson's disease there is an important difference in that the $5HT_2$ receptor is not decreased. Of interest in this context, but not necessarily related, is the bradyphrenia (characterized by difficulty in concentration, slowing of thought processes and inability to associate ideas) of Parkinson's disease where serotonin is low in most of the cortical regions. In the Lewy body type of senile dementia it is common for visual hallucinations to occur, and it is

30   of great interest that in the temporal lobe the serotonergic activity is higher (as shown by the raised serotonergic:cholinergic ratio) in those patients who suffer from hallucinations compared with those who do not.

In addition to the involvement of serotonin in Alzheimer's disease, patients also suffer from decreased levels of norepinephrine and several neuropeptides. It is in those patients with

35   Alzheimer's disease who also have depression that there is not only greatest reduction in the number of neurons within the locus ceruleus but also a markedly reduced norepinephrine content. There is also associated reduction in cortical somatostatin and corticotrophin-releasing factor,

and loss of the somatostatin content of neurons in the temporal cortex develops early in the condition.

There is no known definitive cure for Alzheimer's disease; therefore, treatment is aimed at relief of symptoms and protection from the effects of the deteriorating condition. Most
5   treatments are still considered experimental or have had variable results. Treatment is also aimed at underlying disorders that contribute to confusion such as heart failure, hypoxia, thyroid disorders, anemia, nutritional disorders, infections, and psychiatric conditions such as depression. The correction of coexisting medical and psychiatric disorders often improves the patient's mental function.

10   Parkinson's Disease

Parkinson's disease is a disabling progressive neurodegenerative disorder characterized by tremor, rigidity, bradykinesia, and loss of postural reflexes. In the United States, about a million people are believed to suffer from Parkinson's disease, and about 50,000 new cases are reported every year. Because the symptoms typically appear later in life, these Tables are
15   expected to grow as the average age of the population increases over the next several decades. The disorder is most frequent among people in there 70s and 80s, and appears to be slightly more common in men than in women. Parkinson's disease is found all over the world. The rates vary from country to country, but it is not clear whether this reflects true ethnic or geographic differences or simply variations in data collection.

20   The pathology is not completely understood, but there appears to be consistent changes in the melanin-containing nerve cells in the brainstem (substantia nigra, locus ceruleus), where there are varying degrees of nerve cell loss with reactive gliosis along with eosinophilic intracytoplasmic inclusions (Lewy bodies). As a result, the primary neurochemical defect in Parkinson's disease is the loss of dopaminergic projections to the striatum. Moreover, the loss
25   of these populations of neurons also leads to neurotransmitter deficits, but to a lesser extent than that which accompanies the massive degeneration of dopaminergic neurons. For example, norepinephrine, serotonin and acetylcholine are variably decreased in Parkinson's disease due to loss of neurons in the locus ceruleus, raphe nuclei and the nucleus basalis of Meynert. Thus, some of the secondary clinical features of Parkinson's disease have been ascribed to these
30   neurotransmitter deficits.

The neurochemical defect associated with Parkinson's disease can be partially corrected by L-DOPA, which helps replace the brain's dopamine, but cannot reverse the progression of the disease. There is no specific biological test for the diagnosis of Parkinson's disease. Twin studies have shown variable results and suggest that the genetics of this disorder will prove to be
35   complex. Despite the importance and severity of Parkinson's disease and many years of research, a cause has not been identified and there is neither means of preventing the disease nor a proven permanent cure.

Findings f considerable importance in this search would be the location of a genetic marker, determination of the probability of penetrance, determination of possible genetic heterogeneity, and evidence of multifactorial inheritance with environmental interaction. Genetic factors determining susceptibility to Parkinson's disease will enhance epidemiological studies

5   and possibly lead to identification of susceptible groups and of significant risk factors.

Huntington's Disease

Huntington's disease is a hereditary neurodegenerative disease that generally develops subtly in a person's thirties or forties; though it can begin any time between childhood and old age. In the United States alone, about 30,000 people have Huntington's disease, while at least

10   150,000 others have a 50 percent risk of developing the disease and thousands more of their relatives live with the possibility that they, too, might develop Huntington's disease.

Huntington's disease is characterized by difficulties in three areas: a movement disorder, dementia, and psychiatric disturbances. The movement disorder consists of two parts: involuntary twitching movement which first tend to involve the fingers and toes and then

15   progress to include the whole body, and difficulties with voluntary movements in the form of clumsiness, stiffness, or trouble with walking. Dementia refers to a gradual loss of intellectual abilities such as memory, concentration, problem solving, and judgment. Psychiatric disturbances do not strike every person with Huntington's disease, but when they do, usually take the form of depression, irritability, and apathy. Depression and other psychiatric conditions in

20   people with Huntington's disease, which seem to result from damage to the brain, can be debilitating.

Loss of neurotransmitter receptors, especially glutamate and dopamine receptors, is one of the pathologic hallmarks of patients with Huntington's disease (Cha J.H. et al.; *Proc National Acad Sci USA* may 26;95(11):6480-5, 1998). In addition, deficiency of GABA permits excessive

25   dopaminergic activity in the corpus striatum resulting in onset of Huntington's disease, on account of the imbalance generated between cholinergic and dopaminergic systems.

Researchers have identified a single gene product thought to be causal when mutated by a tri-nucleotide repeat expansion. However, there is at present no cure for Huntington's disease or even any direct treatments, although researchers are presently working on a number of

30   treatments which may slow down the progression of the disease. In the early and middle stages of the disease, medications called neuroleptics, which are given in larger doses for psychiatric complaints, can be given in small doses to Huntington's disease patients to suppress the involuntary movements. Drugs that cause increased dopamine release in the brain and dopamine receptor agonists are used, but both precipitate nausea and vomiting as side effects and dopamine

35   antagonists are anti-emetic.

Pharmacogenomics and CNS Disorders

The vast majority of common diseases, such as all of the CNS disorders described above, are polygenic, meaning multiple genes cause them. In addition, these diseases are modulated by environmental factors such as pollutants, chemicals and diet. This is why many diseases are considered to be multifactorial; they result from a synergistic combination of factors, both

5 genetic and environmental. Therapeutic management and drug development could be markedly improved by the identification of specific genetic polymorphisms that determine and predict patient susceptibility to diseases or patient responses to drugs.

To assess the origins of individual variations in disease susceptibility or drug response, pharmacogenomics uses the genomic technologies to identify polymorphisms within genes

10 which are part of biological pathways involved in disease susceptibility, etiology, and development, or more specifically in drug response pathways responsible for a drug's efficacy, tolerance or toxicity. Pharmacogenomics can also provide tools to refine the design of drug development by decreasing the incidence of adverse events in drug tolerance studies, by better defining patient subpopulations of responders and non-responders in efficacy studies and, by

15 combining the results obtained therefrom, to further allow better enlightened individualized drug usage based on efficacy/tolerance prognosis. Pharmacogenomics can also provide tools to identify new targets for designing drugs and to optimize the use of already existing drugs, in order to either increase their response rate and/or exclude non-responders from corresponding treatment, or decrease their undesirable side effects and/or exclude from corresponding treatment

20 patients with marked susceptibility to undesirable side effects. However, for pharmacogenomics to become clinically useful on a large scale, additional molecular tools and diagnostics tests must become available.

Genetic Analysis of Complex Traits

Until recently, the identification of genes linked with detectable traits has relied mainly

25 on a statistical approach called linkage analysis. Linkage analysis is based upon establishing a correlation between the transmission of genetic markers and that of a specific trait throughout generations within a family. Linkage analysis involves the study of families with multiple affected individuals and is useful in the detection of inherited-traits, which are caused by a single gene, or possibly a very small number of genes. Linkage analysis has been successfully applied

30 to map simple genetic traits that show clear Mendelian inheritance patterns and which have a high penetrance (the probability that a person with a given genotype will exhibit a trait). About 100 pathological trait-causing genes have been discovered using linkage analysis over the last 10 years. But, linkage studies have proven difficult when applied to complex genetic traits. Most traits of medical relevance do not follow simple Mendelian monogenic inheritance. However,

35 complex diseases often aggregate in families, which suggests that there is a genetic component to be found. Such complex traits are often due to the combined action of multiple genes as well as environmental factors. Such complex trait, include susceptibilities to heart disease, hypertension,

16

diabetes, cancer and inflammatory diseases. Drug efficacy, response and tolerance/toxicity can also be considered as multifactoral traits involving a genetic component in the same way as complex diseases. Linkage analysis cannot be applied to the study of such traits for which no large informative families are available. Moreover, because of their low penetrance, such

5   complex traits do not segregate in a clear-cut Mendelian manner as they are passed from one generation to the next. Attempts to map such diseases have been plagued by inconclusive results, demonstrating the need for more sophisticated genetic tools.

Knowledge of genetic variation in the neuronal and endocrine systems is important for understanding why some people are more susceptible to disease or respond differently to

10   treatments. Ways to identify genetic polymorphism and to analyze how they impact and predict disease susceptibility and response to treatment are needed.

Although the genes involved in the neuronal and endocrine systems represent major drug targets and are of high relevance to pharmaceutical research, we still have scant knowledge concerning the extent and nature of, sequence variation in these genes and their regulatory

15   elements. In the case where polymorphisms have been identified the relevance of the variation is rarely understood. While polymorphisms hold promise for use as genetic markers in determining which genes contribute to multigenic or quantitative traits, suitable markers and suitable methods for exploiting those markers have not been found and brought to bare on the genes related to disorders of the brain and nervous system.

20   In the cases where polymorphisms have been identified, the relevance of the variation is rarely understood. While polymorphisms hold promise for use as genetic markers in determining which genes contribute to multigenic or quantitative traits, suitable markers and suitable methods for exploiting those markers have not been found and brought to bare on the genes related to central nervous system disorders.

25

SUMMARY OF THE INVENTION

The present invention is based on the discovery of a set of novel CNS disorder-related biallelic markers. See Table 7. These markers are located in the coding regions as well as non-coding regions adjacent to genes which express proteins associated with CNS disorders. The

30   position of these markers and knowledge of the surrounding sequence has been used to design polynucleotide compositions which are useful in determining the identity of nucleotides at the marker position, as well as more complex association and haplotyping studies which are useful in determining the genetic basis for disease states involving the neuronal and endocrine systems. In addition, the compositions and methods of the invention find use in the identification of the

35   targets for the development of pharmaceutical agents and diagnostic methods, as well as the characterization of the differential efficacious responses to and side effects from pharmaceutical agents acting on CNS disorders. Further, the compositions and methods of the invention may be

17

employed in a process for screening for antagonists and/or agonists for the polypeptides of the invention. Such molecules may prove useful as therapeutics in the diagnosis and/or treatment of CNS disorders, particularly depression.

A first embodiment of the invention encompasses polynucleotides consisting of,

5   consisting essentially of, or comprising a contiguous span of nucleotides of a sequence selected as an individual or in any combination from the group consisting of SEQ ID NO: 1-542, the complements thereof, the sequences described in any one or more of Tables 8, 9, 10, 11, 12, 13 and 14 and the complements thereof, wherein said contiguous span is at least 6, 8, 10, 12, 15, 20, 25, 30, 35, 40, 50, 75, 100, 200, 500 or 1000 nucleotides in length, to the extent that such a ·

10   length is consistent with the lengths of the particular Sequence ID. The present invention also relates to polynucleotides hybridizing under stringent or intermediate conditions to a sequence selected from the group consisting of SEQ ID NO: 1-542; and the complements thereof. In addition, the polynucleotides of the invention encompass polynucleotides with any further limitation described in this disclosure, or those following, specified alone or in any combination:

15   Said contiguous span may optionally include the CNS disorder-related biallelic marker in said sequence; Optionally either the original or the alternative allele of Table 9 may be specified as being present at said CNS disorder-related biallelic marker; Optionally either the first or the second allele of Tables 8 or 10 may be specified as being present at said CNS disorder-related biallelic marker; Optionally, said polynucleotide may consists of, or consist essentially of a ·

20   contiguous span which ranges in length from 8, 10, 12, 15, 18 or 20 to 25, 35, 40, 50, 60, 70, or 80 nucleotides, or be specified as being 12, 15, 18, 20, 25, 35, 40, or 50 nucleotides in length and including a CNS disorder-related biallelic marker of said sequence, and optionally the original allele of Table 9 is present at said biallelic marker; Optionally, said biallelic marker may be within 6, 5, 4, 3, 2, or 1 nucleotides of the center of said polynucleotide or at the center of said

25   polynucleotide; Optionally, the 3' end of said contiguous span may be present at the 3' end of said polynucleotide; Optionally, biallelic marker may be present at the 3' end of said polynucleotide; Optionally, the 3' end of said polynucleotide may be located within or at least 2, 4, 6, 8, 10, 12, 15, 18, 20, 25, 50, 100, 250, 500 or 1000 nucleotides upstream of a CNS disorder-related biallelic marker in said sequence, to the extent that such a distance is consistent with the

30   lengths of the particular Sequence ID; Optionally, the 3' end of said polynucleotide may be located 1 nucleotide upstream of a CNS disorder-related biallelic marker in said sequence; and Optionally, said polynucleotide may further comprise a label.

A second embodiment of the invention encompasses any polynucleotide of the invention attached to a solid support. In addition, the polynucleotides of the invention which are attached

35   to a solid support encompass polynucleotides with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said polynucleotides may be specified as attached individually or in groups of at least 2, 5, 8, 10, 12,

18

15, 20, or 25 distinct polynucleotides of the inventions to a single solid support; Optionally, polynucleotides other than those of the invention may be attached to the same solid support as polynucleotides of the invention; Optionally, when multiple polynucleotides are attached to a solid support they may be attached at random locations, or in an ordered array; Optionally, said

5   ordered array may be addressable.

A third embodiment of the invention encompasses the use of any polynucleotide for, or any polynucleotide for use in, determining the identity of one or more nucleotides at a CNS disorder-related biallelic marker. Microsequencing primers are provided in Table 12. In addition, the polynucleotides of the invention for use in determining the identity of one or more

10   nucleotides at a CNS disorder-related biallelic marker encompass polynucleotides with any further limitation described in this disclosure, or those following, specified alone or in any combination. Optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ ID NO: 1-542; and the complements thereof; Optionally, said polynucleotide may comprise a sequence disclosed in

15   the present specification; Optionally, said polynucleotide may consist of, or consist essentially of any polynucleotide described in the present specification; Optionally, said determining may be performed in a hybridization assay, sequencing assay, microsequencing assay, or an enzyme-based mismatch detection assay; Optionally, said polynucleotide may be attached to a solid support, array, or addressable array; Optionally, said polynucleotide may be labeled. ·

20   A fourth embodiment of the invention encompasses the use of any polynucleotide for, or any polynucleotide for use in, amplifying a segment of nucleotides comprising a CNS disorder-related biallelic marker. Amplification primers are provided in Table 13. In addition, the polynucleotides of the invention for use in amplifying a segment of nucleotides comprising a CNS disorder-related biallelic marker encompass polynucleotides with any further limitation

25   described in this disclosure, or those following, specified alone or in any combination: Optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ ID 1-130; and the complements thereof; Optionally, said CNS disorder-related biallelic marker may be selected individually or in any combination from the biallelic markers described in Table 7; Optionally, said CNS disorder-

30   related biallelic marker may be selected from the following biallelic markers: 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-

35   185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-

298, 99-28722-90 and 99-32306-409; Optionally, said CNS disorder-related biallelic marker may be selected fr m the following biallelic markers: 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174; Optionally, said

5 polynucleotide may comprise a sequence disclosed in the present specification; Optionally, said polynucleotide may consist of, or consist essentially of any polynucleotide described in the present specification; Optionally, said amplifying may be performed by a PCR or LCR. Optionally, said polynucleotide may be attached to a solid support, array, or addressable array. Optionally, said polynucleotide may be labeled.

10   A fifth embodiment of the invention encompasses methods of genotyping a biological sample comprising determining the identity of a nucleotide at a CNS disorder-related biallelic marker. In addition, the genotyping methods of the invention encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said CNS disorder-related biallelic marker may be in a sequence

15 selected individually or in any combination from the group consisting of SEQ ID NO: 1-542, and the complements thereof; Optionally, said CNS disorder-related biallelic marker may be selected individually or in any combination from the biallelic markers described in Table 7; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-

20 20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-

25 88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174;

30 Optionally, said method further comprises determining the identity of a second nucleotide at said biallelic marker, wherein said first nucleotide and second nucleotide are not base paired (by Watson & Crick base pairing) to one another; Optionally, said biological sample is derived from a single individual or subject; Optionally, said method is performed in vitro; Optionally, said biallelic marker is determined for both copies of said biallelic marker present in said individual's

35 genome; Optionally, said biological sample is derived from multiple subjects or individuals; Optionally, said method further comprises amplifying a portion of said sequence comprising the biallelic marker prior to said determining step; Optionally, wherein said amplifying is performed

by PCR, LCR, or replication of a recombinant vector comprising an origin of replication and said portion in a host cell; Optionally, wherein said determining is performed by a hybridization assay, sequencing assay, microsequencing assay, or an enzyme-based mismatch detection assay.

A sixth embodiment of the invention comprises methods of estimating the frequency of
5   an allele in a population comprising genotyping individuals from said population for a CNS disorder-related biallelic marker and determining the proportional representation of said biallelic marker in said population. In addition, the methods of estimating the frequency of an allele in a population of the invention encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said CNS
10   disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ NO: 1-542; and the complements thereof; Optionally, said CNS disorder-related biallelic marker may be selected from the biallelic markers described in Table 7; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192,
15   99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67,
20   18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215,
25   99-32181-192, 19-17-188 and 19-19-174; Optionally, determining the frequency of a biallelic marker allele in a population may be accomplished by determining the identity of the nucleotides for both copies of said biallelic marker present in the genome of each individual in said population and calculating the proportional representation of said nucleotide at said CNS disorder-related biallelic marker for the population; Optionally, determining the frequency of a
30   biallelic marker allele in a population may be accomplished by performing a genotyping method on a pooled biological sample derived from a representative number of individuals, or each individual, in said population, and calculating the proportional amount of said nucleotide compared with the total.

A seventh embodiment of the invention comprises methods of detecting an association
35   between an allele and a phenotype, comprising the steps of a) determining the frequency of at least one CNS disorder-related biallelic marker allele in a trait positive population, b) determining the frequency of said CNS disorder-related biallelic marker allele in a control

population and; c) determining whether a statistically significant association exists between said genotype and said phenotype. In addition, the methods of detecting an association between an allele and a phenotype of the invention encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said

5   CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ ID NO: 1-542, and the complements thereof; Optionally, said CNS disorder-related biallelic marker may be selected from the biallelic markers described in Table 7; Optionally, said control population may be a trait negative population, or a random population; Optionally, said phenotype is a CNS disorder, a response to an agent acting

10   on a CNS disorder, or side effect to an agent acting on a CNS disorder; Optionally, the identity of the nucleotides at the biallelic markers in everyone of the following sequences: SEQ ID NO: 1-542 is determined in steps a) and b).

An eighth embodiment of the present invention encompasses methods of estimating the frequency of a haplotype for a set of biallelic markers in a population, comprising the steps of: a)

15   genotyping each individual in said population for at least one CNS disorder-related biallelic marker, b) genotyping each individual in said population for a second biallelic marker by determining the identity of the nucleotides at said second biallelic marker for both copies of said second biallelic marker present in the genome; and c) applying a haplotype determination method to the identities of the nucleotides determined in steps a) and b) to obtain an estimate of said

20   frequency. In addition, the methods of estimating the frequency of a haplotype of the invention encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally said haplotype determination method is selected from the group consisting of asymmetric PCR amplification, double PCR amplification of specific alleles, the Clark method, or an expectation maximization algorithm; Optionally, said

25   second biallelic marker is a CNS disorder-related biallelic marker in a sequence selected from the group consisting of the biallelic markers of SEQ ID NO: 1-542, and the complements thereof; Optionally, said CNS disorder-related biallelic markers may be selected individually or in any combination from the biallelic markers described in Table 7; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-27207-117, 99-

30   28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-

35   32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-4097; Optionally, said CNS disorder-related biallelic marker

22

may be selected from the following biallelic markers: 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174; Optionally, the identity of the nucleotides at the biallelic markers in everyone of the sequences of SEQ ID NO:

5   1-542 is determined in steps a) and b).

A ninth embodiment of the present invention encompasses methods of detecting an association between a haplotype and a phenotype, comprising the steps of: a) estimating the frequency of at least one haplotype in a trait positive population according to a method of estimating the frequency of a haplotype of the invention; b) estimating the frequency of said

10   haplotype in a control population according to the method of estimating the frequency of a haplotype of the invention; and c) determining whether a statistically significant association exists between said haplotype and said phenotype. In addition, the methods of detecting an association between a haplotype and a phenotype of the invention encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any

15   combination: Optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ ID NO: 1-542, and the complements thereof; Optionally, said CNS disorder-related biallelic markers may be selected individually or in any combination from the biallelic markers described in Table 7; Optionally, said CNS disorder-related biallelic marker may be selected from the following

20   biallelic markers: 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315,

25   19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-

30   205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174; Optionally, said control population may be a trait negative population, or a random population; Optionally, said phenotype is a CNS disorder, a response to an agent acting on a CNS disorder, or side effect to an agent acting on a CNS disorder; Optionally, the identity of the nucleotides at the biallelic markers in everyone of the following sequences: SEQ ID NO: 1-542 is

35   included in the estimating steps a) and b).

A tenth embodiment of the present invention encompasses polypeptides encoded by SEQ ID NO: 543 or 544, as well as antisense analogs thereof and biologically active and

23

diagnostically or therapeutically useful fragments and derivatives thereof. The polypeptides of
the present invention are of human origin. In accordance with a further aspect of the present
invention, there is provided a method for producing such polypeptides by recombinant
techniques which comprises culturing recombinant prokaryotic and/or eukaryotic host cells,
5   containing a nucleic acid sequence encoding a polypeptide of the present invention, under
conditions promoting expression of said protein and subsequent recovery of said protein. A
further embodiment of the present invention encompasses antibodies against such polypeptides.

An eleventh embodiment of the present invention is a method for using one or more of
the polypeptides according to the invention to screen for polypeptide antagonists and/or agonists
10   and/or receptor ligands. A further embodiment of the present invention is a method of using such
agonists to activate the polypeptides of the present invention for the treatment of conditions
related to the underexpression of the polypeptide of the present invention, preferably depression.
In accordance with another aspect of the present invention there is provided a method of using
such antagonists for inhibiting the polypeptide of the present invention for treating conditions
15   associated with overexpression of the polypeptides of the present invention.

A twelfth embodiment of the present invention encompasses non-naturally occurring
synthetic, isolated and/or recombinant polypeptides which are fragments, consensus fragments
and/or sequences having conservative amino acid substitutions, of at least one transmembrane
domain, such that the polypeptides of the present invention may bind ligands, or which may also
20   modulate, quantitatively or qualitatively, ligand binding to the polypeptides of the present
invention. A further embodiment of the present invention encompasses synthetic or recombinant
polypeptides, conservative substitution derivatives thereof, antibodies, anti-idiotype antibodies,
compositions and methods that can be useful as potential modulators of CNS-related protein
function, by binding to ligands or modulating ligand binding, due to their expected biological
25   properties, which may be used in diagnostic, therapeutic and/or research applications relating to
CNS disorders. In yet a further embodiment of the present invention, there is provided synthetic,
isolated or recombinant polypeptides which are designed to inhibit or mimic various
polypeptides of the invention or fragments thereof, as receptor types and subtypes.

A thirteenth embodiment of the present invention encompasses a diagnostic assay for
30   detecting a disease or susceptibility to a disease related to a mutation in a nucleic acid sequence
encoding a polypeptide of the present invention. Preferably said disease is depression.

A fourteenth embodiment of the present invention is a method of administering a drug or
a treatment comprising the steps of: a) obtaining a nucleic acid sample from an individual; b)
determining the identity of the polymorphic base of at least one CNS disorder-related biallelic
35   marker which is associated with a positive response to the treatment or the drug; or at least one
biallelic CNS disorder-related marker which is associated with a negative response to the
treatment or the drug; and c) administering the treatment or the drug to the individual if the

24

nucleic acid sample contains said biallelic marker associated with a positive response to the treatment or the drug or if the nucleic acid sample lacks said biallelic marker associated with a negative response to the treatment or the drug. In addition, the methods of the present invention for administering a drug or a treatment encompass methods with any further limitation described

5   in this disclosure, or those following, specified alone or in any combination: optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ. ID. NO: 1-542 and the complements thereof-, or optionally, the administering step comprises administering the drug or the treatment to the individual if the nucleic acid sample contains said biallelic marker associated with a positive

10 response to the treatment or the drug and the nucleic acid sample lacks said biallelic marker associated with a negative response to the treatment or the drug.

A fifteenth embodiment of the present invention is a method of selecting an individual for inclusion in a clinical trial of a treatment or drug comprising the steps of: a) obtaining a nucleic acid sample from an individual; b) determining the identity of the polymorphic base of at

15 least one CNS disorder-related biallelic marker which is associated with a positive response to the treatment or the drug, or at least one CNS disorder-related biallelic marker which is associated with a negative response to the treatment or the drug in the nucleic acid sample, and c) including the individual in the clinical trial if the nucleic acid sample contains said CNS disorder-related biallelic marker associated with a positive response to the treatment or the drug or if the

20 nucleic acid sample lacks said biallelic marker associated with a negative response to the treatment or the drug. In addition, the methods of the present invention for selecting an individual for inclusion in a clinical trial of a treatment or drug encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said CNS disorder-related biallelic marker may be in a sequence

25 selected individually or in any combination from the group consisting of SEQ. ID. NO: 1-542 and the complements thereof, optionally, the including step comprises administering the drug or the treatment to the individual if the nucleic acid sample contains said biallelic marker associated with a positive response to the treatment or the drug and the nucleic acid sample lacks said biallelic marker associated with a negative response to the treatment or the drug.

30 Additional embodiments are set forth in the Detailed Description of the Invention and in the Examples.

BRIEF DESCRIPTION OF THE TABLES

Tables 7A and 7C are charts containing a list of all of the CNS-related biallelic markers

35 for each gene with an indication of the gene for which the marker is in closest physical proximity, an indication of whether the markers have been validated by microsequencing (with a Y indicating that the markers have been validated by microsequencing and an N indicating that it

has not), and an indication of the identity and frequency f the least common allele determined by genotyping (with a blank left to indicate that the frequency has not yet been reported for some markers).

Tables 7B and 7D contain all of the CNS-related biallelic markers provided in Tables 7A and 7C; however, they are provided in shorter, easier to search sequences of 47 nucleotides. Accordingly, Table 7A begins with SEQ ID NO: 1 and ends with SEQ ID NO: 130, while corresponding Table 7B begins with SEQ ID NO: 131 and ends with SEQ ID NO: 260. Also Table 7C begins with SEQ ID NO: 261 and ends with SEQ ID NO: 401, while corresponding Table 7D begins with SEQ ID NO: 402 and ends with SEQ ID NO: 542. Table 1 contains the first five markers listed in the sequence listing and their corresponding SEQ ID numbers in Tables 7A and 7C to illustrate the relationship between Tables 7A and 7B:

Table 1

BIALLELIC MARKER ID	SEQ ID NO. IN TABLE 7A	BIALLELIC MARKER POSITION IN SEQ ID NO.	SEQ ID NO. IN TABLE 7B	BIALLELIC MARKER POSITION IN SEQ ID NO.
99-27199-207	1	207	131	24
99-27207-117	2	117	132	24
99-27213-53	3	53	133	24
99-27218-333	4	333	134	24
99-28108-233	5	233	135	24

Tables 7B and 7D are the same as Tables 7A and 7C, respectively, in that they are a list of all of the CNS-related biallelic markers for each gene with an indication of the gene for which the marker is in closest physical proximity, an indication of whether the markers have been validated by microsequencing (with a Y indicating that the markers have been validated by microsequencing and an N indicating that it has not), and an indication of the identity and frequency of the least common allele determined by genotyping (with a blank left to indicate that the frequency has not yet been reported for some markers). However, the "Biallelic Marker Position in SEQ ID No." for all of the CNS-related biallelic markers provided in Tables 7B and 7D is position 24 (representing the midpoint of the 47mers that make up Tables 7B and 7D).

Tables 8, 9, and 10 are charts containing lists of the CNS disorder-related biallelic markers. Each marker is described by indicating its SEQ ID, the biallelic marker ID, and the two most common alleles. Table 8 is a chart containing a list of biallelic markers surrounded by preferred sequences. In the column labeled, "POSITION RANGE OF PREFERRED SEQUENCE" of Table 8 regions of particularly preferred sequences are listed for each SEQ ID, which contain a CNS disorder-related biallelic marker, as well as particularly preferred regions

of sequences that do not contain a CNS disorder-related biallelic marker but, which are in sufficiently clos proximity to a CNS disorder-related biallelic marker to be useful as amplification or sequencing primers.

Table 11 is a chart listing particular sequences that are useful for designing some of the primers and probes of the invention. Each sequence is described by indicating its Sequence ID and the positions of the first and last nucleotides (position range) of the particular sequence in the Sequence ID.

Table 12 is a chart listing microsequencing primers which have been used to genotype CNS disorder-related biallelic markers (indicated by an *) and other preferred microsequencing primers for use in genotyping CNS disorder-related biallelic markers. Each of the primers which falls within the strand of nucleotides included in the Sequence Listing are described by indicating their Sequence ID number and the positions of the first and last nucleotides (position range) of the primers in the Sequence ID. Since the sequences in the Sequence Listing are single stranded and half the possible microsequencing primers are composed of nucleotide sequences from the complementary strand, the primers that are composed of nucleotides in the complementary strand are described by indicating their SEQ ID numbers and the positions of the first and last nucleotides to which they are complementary (complementary position range) in the Sequence ID.

Table 13 is a chart listing amplification primers which have been used to amplify polynucleotides containing one or more CNS disorder-related biallelic markers. Each of the primers which falls within the strand of nucleotides included in the Sequence Listing are described by indicating their Sequence ID number and the positions of the first and last nucleotides (position range) of the primers in the Sequence ID. Since the sequences in the Sequence Listing are single stranded and half the possible amplification primers are composed of nucleotide sequences from the complementary strand, the primers that are composed of nucleotides in the complementary strand are defined by the SEQ ID numbers and the positions of the first and last nucleotides to which they are complementary (complementary position range) in the Sequence ID.

Table 14 is a chart listing preferred probes useful in genotyping CNS disorder-related biallelic markers by hybridization assays. The probes are 25-mers with a CNS disorder-related biallelic markers in the center position, and described by indicating their Sequence ID number and the positions of the first and last nucleotides (position range) of the probes in the Sequence ID. The probes complementary to the sequences in each position range in each Sequence ID are also understood to be a part of this preferred list even though they are not specified separately.

Table 15 is a table showing the results of single marker association tests between both biallelic marker alleles and genotypes of candidate genes and major depression.

Table 16 is a table showing the results of the LR rank of haplotypes using combinations of 2, 3 and 4 biallelic markers from each gene.

Table 17 is a table showing th rank of permutation tests for individual haplotypes confirming the statistical significance of the association between biallelic marker haplotypes
5   from the candidate genes and major depression.

Table 18 is a table showing the results of single marker association tests between both biallelic marker alleles and genotypes of candidate genes and major depression using additional markers and a new population set as described in Example 4.

Table 19 is a table showing the results of the LR rank of haplotypes using combinations
10   of 2, 3 and 4 biallelic markers from additional candidate genes and using data from a new population set as described in Example 4.

Table 20 is a table showing the rank of permutation tests for individual haplotypes from Table 19 confirming the statistical significance of the association between biallelic marker haplotypes from additional candidate genes and major depression.

15

DETAILED DESCRIPTION OF THE INVENTION

I. Candidate Genes of the Present Invention

Different approaches can be employed to perform association studies: genome-wide association studies, candidate region association studies and candidate gene association studies.
20   Genome-wide association studies rely on the screening of genetic markers evenly spaced and covering the entire genome. Candidate region association studies rely on the screening of genetic markers evenly spaced covering a region identified as linked to the trait of interest. The candidate gene approach is based on the study of genetic markers specifically derived from genes potentially involved in the pathophysiology of a disease. In the present invention, genes
25   involved in the central nervous system and/or the endocrine system have been chosen as candidate genes. The candidate genes of the present invention are listed in Table 2.

Table 2

Candidate Gene Name	Gene Symbol	Description
Serotonin receptor 6	5HTR6	A postsynaptic serotonin receptor.
Serotonin receptor 7	5HTR7	A postsynaptic serotonin receptor.
Neuronal nicotinic acid receptor α7	CHRNA7	An ion channel in the reward pathway.
Corticotrophin releasing factor receptor 1	CRFR1	A corticotrophin releasing factor receptor in the hypothalamus-pituitary-adrenal axis.
Mineralocorticoid receptor	MLR	A mineralocorticoid receptor.

Corticotrophin releasing factor receptor 2	CRFR2	A corticotrophin releasing factor receptor in the hypothalamus-pituitary-adrenal axis.
Glucocorticoid receptor	GRL	A glucocorticoid receptor in the hypothalamus-pituitary-adrenal axis.
Monoamine oxidase A	MAOA	Key enzyme in catecholamine metabolism.
Monoamine oxidase B	MAOB	Key enzyme in catecholamine metabolism.
Serotonin receptor 2C	5HTR2c	Postsynaptic receptor for serotonin.
Tyrosine hydroxylase	TH	The rate-limiting enzyme in the synthesis of dopamine and norepinephrine.
Corticotrophin releasing factor	CRF	A hormone released by the hypothalamus that stimulates the release of corticotrophin by the anterior pituitary gland.
Dopamine receptor 4	DRD4	A postsynaptic dopamine receptor.
Serotonin transporter	5HTT	A presynaptic membrane receptor that serves as a reuptake mechanism for serotonin.
Dopamine receptor 3	DRD3	A postsynaptic dopamine receptor.
Cytochrome P450 3A4	CYP3A4	A principal drug metabolizing enzyme.
Norepinephrine transporter	NET	A membrane protein responsible for termination of the action of synaptic norepinephrine.
Neurokinin or tachykinin receptor 1	NK1/TACR1	A receptor for the neuropeptide substance P.
Neuropeptide Y1 receptor	NPY1R	A receptor for the neuropeptide Y1. Belongs to family of g-protein coupled receptors with it highest similarity to tachykinins receptors.
Dopamine receptor 2	DRD2	G protein-coupled dopamine receptor.
Guanine nucleotide binding protein, $\beta3$	Gbeta3	An important component of cAMP mediated signaling pathways.
Wolfram Syndrome 1 gene	WFS1	A gene that plays a role in the etiology of Wolfram syndrome.
Beta 1 adrenergic receptor	ADRB1R	An important component of the norepinephrine signaling pathway. Antidepressants are known to suppress expression.
Brain derived neurotrophic factor	BDNF	A protein known to affect the differentiation of dopaminergic and serotonergic neurons.

		Increased by antidepressants and electro-convulsive therapy.
Orphan G-protein coupled receptor	HM74	A putative chemokine receptor.
Vasopressin receptor 1A	AVPR1A	A receptor that stimulates adrenocorticotrophic hormone (ACTH) release in the anterior pituitary.
Serotonin receptor 1-A	5HT1A	A receptor that is misregulated in depression, as well as anxiety and stress.
Growth associated protein 43	GAP43	A protein known to play a role in synaptic plasticity. Increased levels in suicide victims.
Guanine nucleotide binding protein, α subunit, olfactory type	GOLF (GNAL)	A protein known to play a role in signaling: possibly in cAMP mediated signaling pathways and norepinephrine-related pathways.
Clock protein	CLOCK	A protein associated with sleeping patterns in humans.
Corticotrophin hormone binding protein	CRHBP	A protein capable of binding to corticotrophin releasing factor.
Dopamine transporter	DAT (SLC6A3)	A protein involved in the re-uptake of dopamine.
Phosphodiesterase type 4b	PDE4b	An enzyme believed to be involved in mediating central nervous system effects of therapeutic agents ranging from antidepressants to anti-inflammatory agents.
Catechol O-methyl transferase	COMT	An enzyme that catalyzes the transfer of a methyl group from s-adenosylmethionine to a catecholamine such as dopamine, epinephrine, or norepinephrine.
Melanin concentrating hormone receptor	SLC1	A transmembrane protein that serves as the functional receptor of melanin concentrating hormone.
Transcription factor	SEF2-1B (TCF4)	A transcription factor that binds to the e-box present in the somatostatin receptor 2 initiator element (sstr2-inr) to activate transcription (by similarity).

Heat shock protein	HSP70	A protein believed to interact with polypeptides during a variety of assembly processes in such a way as to prevent the formation of nonfunctional structures.
GABA-A receptor subunit	GABRG2	A receptor known to mediate inhibitory neurotransmission, complexing with DRD5 and promoting mutually inhibitory functional interactions between these receptor systems, putatively involved in the physiological dependence on alcohol, and in the maintenance of psychomotor disease states.
GABA-A receptor subunit 5	GABRA5	A receptor known to be part of the ligand-gated ionic channels protein family. Associated with bipolar disorder.

Both the central nervous system and the endocrine system play an important role in the pathophysiology of CNS disorders, moreover, these systems contain important drug targets and genetic polymorphisms in these genes are highly relevant in the response to a number of drugs.

5   The candidate gene analysis clearly provides a short-cut approach to the identification of genes and gene polymorphisms related to a particular disease when some information concerning the pathophysiology of the disorder is available as is the case for many CNS disorders. However, it should be noted that all of the biallelic markers disclosed in the instant application can be employed as part of genome-wide association studies or as part of candidate region association

10   studies and such uses are specifically contemplated in the present invention and claims. All of the markers are known to be in close proximity to the genes with which they are listed in Table 7. For a portion of the markers, the precise position of the marker with respect to the various coding and non-coding elements of the genes has also been determined.

15   II. Definitions

Before describing the invention in greater detail, the following definitions are set forth to illustrate and define the meaning and scope of the terms used to describe the invention herein.

As used interchangeably herein, the terms "nucleic acid molecule", "oligonucleotide", and "polynucleotide", unless specifically stated otherwise, include RNA or, DNA (either single

20   or double stranded, coding, complementary or antisense), or RNA/DNA hybrid sequences of more than one nucleotide in either single chain or duplex form (although each of the above species may be particularly specified). The term "nucleotide" as used herein as an adjective to describe molecules comprising RNA, DNA, or RNA/DNA hybrid sequences of any length in

single-stranded or duplex form. More precisely, the expression "nucleotide sequence"
encompasses the nucleic material itself and is thus not restricted to the sequence information (i.e.
the succession of letters chosen among the four base letters) that biochemically characterizes a
specific DNA or RNA molecule. The term "nucleotide" is also used herein as a noun to refer to
individual nucleotides or varieties of nucleotides, meaning a molecule, or individual unit in a
larger nucleic acid molecule, comprising a purine or pyrimidine, a ribose or deoxyribose sugar
moiety, and a phosphate group, or phosphodiester linkage in the case of nucleotides within an
oligonucleotide or polynucleotide. Although the term "nucleotide" is also used herein to
encompass "modified nucleotides" which comprise at least one modifications (a) an alternative
linking group, (b) an analogous form of purine, (c) an analogous form of pyrimidine, or (d) an
analogous sugar, for examples of analogous linking groups, purine, pyrimidines, and sugars see
for example PCT publication No. WO 95/04064. Preferred modifications of the present invention
include, but are not limited to, 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil,
hypoxanthine, xantine, 4-acetylcytosine, 5-(carboxyhydroxylmethyl) uracil, 5-
carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil,
beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine,
2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine,
N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil,
beta-D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-
isopentenyladenine, uracil-5-oxyacetic acid (v) ybutoxosine, pseudouracil, queosine, 2-
thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic
acid methylester, uracil-5-oxyacetic acid, 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-
carboxypropyl) uracil, and 2,6-diaminopurine. The polynucleotide sequences of the invention
may be prepared by any known method, including synthetic, recombinant, ex vivo generation, or
a combination thereof, as well as utilizing any purification methods known in the art.
Methylenemethylimino linked oligonucleosides as well as mixed backbone compounds having,
may be prepared as described in U.S. Pat. Nos. 5,378,825; 5,386,023; 5,489,677; 5,602,240; and
5,610,289. Formacetal and thioformacetal linked oligonucleosides may be prepared as described
in U.S. Pat. Nos. 5,264,562 and 5,264,564. Ethylene oxide linked oligonucleosides may be
prepared as described in U.S. Pat. No. 5,223,618. Phosphinate oligonucleotides may be prepared
as described in U.S. Pat. No. 5,508,270.. Alkyl phosphonate oligonucleotides may be prepared
as described in U.S. Pat. No. 4,469,863. 3'-Deoxy-3'-methylene phosphonate oligonucleotides
may be prepared as described in U.S. Pat. Nos. 5,610,289 or 5,625,050. Phosphoramidite
oligonucleotides may be prepared as described in U.S. Pat. No. 5,256,775 or U.S. Pat. No.
5,366,878. Alkylphosphonothioate oligonucleotides may be prepared as described in published
PCT applications WO 94/17093 and WO 94/02499. 3'-Deoxy-3'-amino phosphoramidate
oligonucleotides may be prepared as described in U.S. Pat. No. 5,476,925. Phosphotriester

oligonucleotides may be prepared as described in U.S. Pat. No. 5,023,243. Borano phosphate
oligonucleotides may be prepared as described in U.S. Pat. Nos. 5,130,302 and 5,177,198. The
polynucleotide sequences of the invention may be prepared by any known method, including
synthetic, recombinant, *ex vivo* generation, or a combination thereof, as well as utilizing any
5   purification methods known in the art.

The term "isolated" further requires that the material be removed from its original
environment (e.g., the natural environment if it is naturally occurring). For example, a naturally-
occurring polynucleotide present in a living animal is not isolated, but the same polynucleotide,
separated from some or all of the coexisting materials in the natural system, is isolated.

10   Specifically excluded from the definition of "isolated" are: naturally-occurring chromosomes
(such as chromosome spreads), artificial chromosome libraries, genomic libraries, and cDNA
libraries that exist either as an *in vitro* nucleic acid molecule preparation or as a
transfected/transformed host cell preparation, wherein the host cells are either an *in vitro*
heterogeneous preparation or plated as a heterogeneous population of single colonies. Also

15   specifically excluded are the above libraries wherein a specified polynucleotide of the present
invention makes up less than 5% of the number of nucleic acid molecule inserts in the vector
molecules. Further specifically excluded are whole cell·genomic DNA or whole cell·RNA or
mRNA preparations (including said whole cell preparations which are mechanically sheared or
enzymatically digested). Further specifically excluded are the above whole cell preparations as

20   either an *in vitro* preparation or as a heterogeneous mixture separated by electrophoresis
(including blot transfers of the same) wherein the polynucleotide of the invention has not further
been separated from the heterologous polynucleotides in the electrophoresis medium (e.g.,
further separating by excising a single band from a heterogeneous band population in an agarose
gel or nylon blot).

25   As used herein, the term "purified" does not require absolute purity; rather, it is intended as
a relative definition. Individual 5' EST clones isolated from a cDNA library have been
conventionally purified to electrophoretic homogeneity. The sequences obtained from these clones
could not be obtained directly either from the library or from total human DNA. The cDNA clones
are not naturally occurring as such, but rather are obtained via manipulation of a partially purified

30   naturally occurring substance (messenger RNA). The conversion of mRNA into a cDNA library
involves the creation of a synthetic substance (cDNA) and pure individual cDNA clones can be
isolated from the synthetic library by clonal selection. Thus, creating a cDNA library from
messenger RNA and subsequently isolating individual clones from that library results in an
approximately 10^4-10^6 fold purification of the native message. Purification of starting material or

35   natural material to at least one order of magnitude, preferably two or three orders, and more
preferably four or five orders of magnitude is expressly contemplated. Alternatively, purification
may be expressed as "at least" a percent purity relative to heterologous polynucleotides (DNA, RNA

or both). As a preferred embodiment, the polynucleotides of the present invention are at least; 10%,
20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 95%, 96%, 96%, 98%, 99%, or 100% pure relative
to heterologous polynucleotides. As a further preferred embodiment the polynucleotides have an
"at least" purity ranging from any number, to the thousandth position, between 90% and 100% (e.g.,
5   5' EST at least 99.995% pure) relative to heterologous polynucleotides. Additionally, purity of the
polynucleotides may be expressed as a percentage (as described above) relative to all materials
and compounds other than the carrier solution. Each number, to the thousandth position, may be
claimed as individual species of purity.

The term "primer" denotes a specific oligonucleotide sequence which is complementary
10   to a target nucleotide sequence and used to hybridize to the target nucleotide sequence. A primer
serves as an initiation point for nucleotide polymerization catalyzed by DNA polymerase, RNA
polymerase or reverse transcriptase.

The term "probe" denotes a defined nucleic acid segment (or nucleotide analog segment,
e.g., polynucleotide as defined herein) which can be used to identify a specific polynucleotide
15   sequence present in samples, said nucleic acid segment comprising a nucleotide sequence
complementary of the specific polynucleotide sequence to be identified.

The term "CNS disorder" refers to any condition linked to dysfunction of the central
nervous system which is known in the art. A CNS disorder includes dysfunction of one or
several physiological systems contributing to the function of the central nervous system, which
20   includes the endocrine system and the peripheral nervous system. A CNS disorder further refers
to disorders in neurotransmitter synthesis and degradation, neurotransmitter function,
neurotransmitter receptor function, neurotransmitter signal transduction, neurotransmitter
transporter function, motor neuron function, hormone synthesis and degradation, hormone
function, hormone receptor function and hormone signal transduction. "CNS disorders" include
25   mood disorders such as depression, bipolar disorder, anxiety, attention deficit disorder and
schizophrenia. "CNS disorders" also include neurodegenerative disorders such as Parkinson's
disease, Huntington's disease, Pick's disease, progressive supranuclear palsy, Lewy body
dementia and Wolfram syndrome (diabetes insipidus, diabetes mellitus, optic atrophy and
deafness). "CNS disorders" also include disorders of movement such as motor neuron disease as
30   well as diseases involving the intellect such as Alzheimer's disease, Wernicke's encephalopathy
and Jakob-Creutzfeldt disease. "CNS disorders" further include other disorders such as coma,
head injury, cerebral infarction, epilepsy, alcoholism and states of mental retardation. All of the
possible CNS disorders listed herein are included in, or may be excluded from, the present
invention as individual species.

35   The term "depression" as used herein refers to both unipolar major depression (or major
depressive disorder) and bipolar disorder.

An "agent acting on a CNS disorder" includes any drug or compound known in the art that addresses, reduces or alleviates one or more symptoms of a CNS disorder. "Agents acting on a CNS disorder" includes any drug or a compound modulating the activity or concentration of an enzyme or regulatory molecule involved in a CNS disorder that is known in the art. An agent

5   acting on a CNS disorder includes but is not limited to tyrosine hydroxylase, monoamine oxidase A/B, dopamine β-hydroxylase, aldehyde dehydrogenase, phenylethanolamine N-methyltransferase, catechol o-methyltransferase, tryptophan hydroxylase, acetyl coenzyme A, proteinases, oestrogens, glucocorticoids, mineralocorticoids, nicotine, substance P and precursors to neurotransmitters such as tryptophan. "Agent acting on a CNS disorder" further refers to

10   compounds modulating the synthesis, degradation, reuptake and action of neurotransmitters and hormones such as tricyclic antidepressants (TCAs), monoamine oxidase inhibitors (MAOIs), serotonin selective reuptake inhibitors (SSRIs), selective norepinephrine reuptake inhibitor (NRI) such as reboxetine, dual serotonin and norepinephrine reuptake inhibitor (SNRI), serotonin-2 antagonist/reuptake inhibitors (SARIs), noradrenergic and specific serotonergic antidepressants

15   (NaSSAs), drugs that cause increased dopamine release in the brain such as levodopa, dopamine receptor agonists such as bromocriptine, dopamine antagonists such as metoclopramide, neuroleptic drugs such as phenothiazines, adrenergic agonists such as clonidine, N-methyl-D-asparate antagonists such as phencyclidine, anticholinergic compounds, benzodiazepine drugs and anxiolytic compounds. Preferably, "agent acting on a CNS disorder" refers to the

20   antidepressant drug Reboxetine.

The terms "response to an agent acting on a CNS disorder" refer to drug efficacy, including but not limited to the ability to metabolize a compound, the ability to convert a pro-drug to an active drug, and to the pharmacokinetics (absorption, distribution, elimination) and the pharmacodynamics (receptor-related) of a drug in an individual.

25   The terms "side effects to an agent acting on a CNS disorder" refer to adverse effects of therapy resulting from extensions of the principal pharmacological action of the drug or to idiosyncratic adverse reactions resulting from an interaction of the drug with unique host factors. "Side effects to an agent acting on a CNS disorder" include, but are not limited to autonomic side effects such as orthostatic hypotension, blurred vision, dry mouth, nasal congestion and

30   constipation. "Side effects to an agent acting on a CNS disorder" also include anxiety, sleep disturbances, sexual dysfunction, gastrointestinal disturbances, nausea, diarrhea, orthostasis, dizziness, sedation, hypertension and shock.

The terms "trait" and "phenotype" are used interchangeably herein and refer to any visible, detectable or otherwise measurable property of an organism such as symptoms of, or

35   susceptibility to a disease for example. Typically the terms "trait" or "phenotype" are used herein to refer to symptoms of, or susceptibility to a CNS disorder; or to refer to an individual's

response to an agent acting on a CNS disorder; or to refer to symptoms of, or susceptibility to side effects to an agent acting on a CNS disorder.

The term "allele" is used herein to refer to variants of a nucleotide sequence. A biallelic polymorphism has two forms. Typically the first identified allele is designated as the original

5   allele whereas other alleles are designated as alternative alleles. Diploid organisms may be homozygous or heterozygous for an allelic form.

The term "heterozygosity rate" is used herein to refer to the incidence of individuals in a population, which are heterozygous at a particular allele. In a biallelic system the heterozygosity rate is on average equal to $2P_a(1-P_a)$, where P_a is the frequency of the least common allele. In

10   order to be useful in genetic studies a genetic marker should have an adequate level of heterozygosity to allow a reasonable probability that a randomly selected person will be heterozygous.

The term "genotype" as used herein refers to the identity of the alleles present in an individual or a sample. In the context of the present invention a genotype preferably refers to the

15   description of the biallelic marker alleles present in an individual or a sample. The term "genotyping" a sample or an individual for a biallelic marker consists of determining the specific allele or the specific nucleotide carried by an individual at a biallelic marker.

The term "mutation" as used herein refers to a difference in DNA sequence between or among different genomes or individuals which has a frequency below 1%.

20   The term "haplotype" refers to a combination of alleles present in an individual or a sample. In the context of the present invention a haplotype preferably refers to a combination of biallelic marker alleles found in a given individual and which may be associated with a phenotype.

The term "polymorphism" as used herein refers to the occurrence of two or more

25   alternative genomic sequences or alleles between or among different genomes or individuals. "Polymorphic" refers to the condition in which two or more variants of a specific genomic sequence can be found in a population. A "polymorphic site" is the locus at which the variation occurs. A single nucleotide polymorphism is a single base pair change. Typically a single nucleotide polymorphism is the replacement of one nucleotide by another nucleotide at the

30   polymorphic site. Deletion of a single nucleotide or insertion of a single nucleotide, also give rise to single nucleotide polymorphisms. In the context of the present invention "single nucleotide polymorphism" preferably refers to a single nucleotide substitution. Typically, between different genomes or between different individuals, the polymorphic site may be occupied by two different nucleotides.

35   The terms "biallelic polymorphism" and "biallelic marker" are used interchangeably herein to refer to a polymorphism having two alleles at a fairly high frequency in the population, preferably a single nucleotide polymorphism. A "biallelic marker allele" refers to the nucleotide

variants present at a biallelic marker site. Typically the frequency of the less common allele of the biallelic markers of the present invention has been validated to be greater than 1%, preferably the frequency is greater than 10%, more preferably the frequency is at least 20% (i.e. heterozygosity rate of at least 0.32), even more preferably the frequency is at least 30% (i.e.

5   heterozygosity rate of at least 0.42). A biallelic marker wherein the frequency of the less common allele is 30% or more is termed a "high quality biallelic marker."

The location of nucleotides in a polynucleotide with respect to the center of the polynucleotide are described herein in the following manner. When a polynucleotide has an odd number of nucleotides, the nucleotide at an equal distance from the 3' and 5' ends of the

10   polynucleotide is considered to be "at the center" of the polynucleotide, and any nucleotide immediately adjacent to the nucleotide at the center, or the nucleotide at the center itself is considered to be "within 1 nucleotide of the center." With an odd number of nucleotides in a polynucleotide any of the five nucleotide positions in the middle of the polynucleotide would be considered to be within 2 nucleotides of the center, and so on. When a polynucleotide has an

15   even number of nucleotides, there would be a bond and not a nucleotide at the center of the polynucleotide. Thus, either of the two central nucleotides would be considered to be "within 1 nucleotide of the center" and any of the four nucleotides in the middle of the polynucleotide would be considered to be "within 2 nucleotides of the center", and so on. For polymorphisms which involve the substitution, insertion or deletion of 1 or more nucleotides, the polymorphism,

20   allele or biallelic marker is "at the center" of a polynucleotide if the difference between the distance from the substituted, inserted, or deleted polynucleotides of the polymorphism and the 3' end of the polynucleotide, and the distance from the substituted, inserted, or deleted polynucleotides of the polymorphism and the 5' end of the polynucleotide is zero or one nucleotide. If this difference is 0 to 3, then the polymorphism is considered to be "within 1

25   nucleotide of the center." If the difference is 0 to 5, the polymorphism is considered to be "within 2 nucleotides of the center." If the difference is 0 to 7, the polymorphism is considered to be "within 3 nucleotides of the center," and so on. For polymorphisms which involve the substitution, insertion or deletion of 1 or more nucleotides, the polymorphism, allele or biallelic marker is "at the center" of a polynucleotide if the difference between the distance from the

30   substituted, inserted, or deleted polynucleotides of the polymorphism and the 3' end of the polynucleotide, and the distance from the substituted, inserted, or deleted polynucleotides of the polymorphism and the 5' end of the polynucleotide is zero or one nucleotide. If this difference is 0 to 3, then the polymorphism is considered to be "within 1 nucleotide of the center." If the difference is 0 to 5, the polymorphism is considered to be "within 2 nucleotides of the center." If

35   the difference is 0 to 7, the polymorphism is considered to be "within 3 nucleotides of the center," and so on.

The term "upstream" is used herein to refer to a location which is toward the 5' end of the polynucleotide from a specific reference point.

The terms "base paired" and "Watson & Crick base paired" are used interchangeably herein to refer to nucleotides which can be hydrogen bonded to one another be virtue of their
5   sequence identities in a manner like that found in double-helical DNA with thymine or uracil residues linked to adenine residues by two hydrogen bonds and cytosine and guanine residues linked by three hydrogen bonds (See Stryer, L., *Biochemistry,* 4th edition, 1995).

The terms "complementary" or "complement thereof" are used herein to refer to the sequences of polynucleotides which is capable of forming Watson & Crick base pairing with
10   another specified polynucleotide throughout the entirety of the complementary region. This term is applied to pairs of polynucleotides based solely upon their sequences and not any particular set of conditions under which the two polynucleotides would actually bind.

As used herein the term "CNS disorder-related biallelic marker" relates to a set of biallelic markers in linkage disequilibrium with genes disclosed in Tables 7(A-D) which express
15   proteins that are involved in the pathophysiology CNS disorders. The term CNS disorder-related biallelic marker encompasses all of the biallelic markers disclosed in Tables 7(A-D). The preferred CNS disorder-related biallelic marker alleles of the present invention include each one of the alleles described in Tables 7, 8, 9, and 10 individually or in groups consisting of all the possible combinations of the alleles included in Tables 7, 8, 9, and 10. In addition, Table 7 may
20   include Tables 7A-7D, or Tables 7A, 7B, 7C or 7D as individual embodiments of the present invention or in any combination of the four.

The term "sequence described in Table 8" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 8. The SEQ ID that contains each "sequence described in Table 8" is provided in the column labeled, "SEQ ID NO."
25   The range of nucleotide positions within the Sequence ID of which each sequence consists is provided in the same row as the Sequence ID in a column labeled, "POSITION RANGE OF PREFERRED SEQUENCE". It should be noted that some of the Sequence ID numbers have multiple sequence ranges listed, because they contain multiple "sequences described in Table 8." Unless otherwise noted the term "sequence described in Table 8" is to be construed as
30   encompassing sequences that contain either of the two alleles listed in the columns labeled, "1ST ALLELE" and "2ND ALLELE" at the position identified in field <222> of the allele feature in the appended Sequence Listing for each Sequence ID number referenced in Table 8.

The term "sequence described in Table 9" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 9. Unless otherwise noted,
35   the "sequences described in Table 9" consist of the entire sequence of each Sequence ID provided in the column labeled, "SEQ ID NO." Also unless otherwise noted the term "sequence described in Table 9" is to be construed as encompassing sequences that contain either of the two

alleles listed in the columns labeled, "ORIGINAL ALLELE" and "ALTERNATIVE ALLELE" at the position identified in field <222> of the allele feature in the appended Sequence Listing for each Sequence ID number referenced in Table 9.

The term "sequence described in Table 10" is used herein to refer to the entire collection
5   of nucleotide sequences or any individual sequence defined in Table 10. Unless otherwise noted, the "sequences described in Table 10" consist of the entire sequence of each Sequence ID provided in the column labeled, "SEQ ID NO." Also unless otherwise noted the term "sequence described in Table 10" is to be construed as encompassing sequences that contain either of the two alleles listed in the columns labeled, "1ST ALLELE" and "2ND ALLELE" at the position
10   identified in field <222> of the allele feature in the appended Sequence Listing for each Sequence ID number referenced in Table 10.

The term "sequence described in Table 11" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 11. The SEQ ID that contains each "sequence described in Table 11" is provided in the column labeled, "SEQ ID
15   NO." The range of nucleotide positions within the Sequence ID of which each sequence consists is provided in the same row as the Sequence ID in a column labeled, "POSITION RANGE OF PREFERRED SEQUENCE". It should be noted that some of the Sequence ID numbers have multiple sequence ranges listed, because they contain multiple "sequences described in Table 11."

20   The term "sequence described in Table 12" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 12. The SEQ ID that contains each "sequence described in Table 12" is provided in the column labeled, "SEQ ID NO." The range of nucleotide positions within the Sequence ID of which half of the sequences consists is provided in the same row as the Sequence ID in a column labeled, "POSITION
25   RANGE OF MICROSEQUENCING PRIMERS". The remaining half of the sequences described in Table 12 are complementary to the range of nucleotide positions within the Sequence ID provided in the same row as the Sequence ID in a column labeled, "COMPLEMENTARY POSITION RANGE OF MICROSEQUENCING PRIMERS".

The term "sequence described in Table 13" is used herein to refer to the entire collection
30   of nucleotide sequences or any individual sequence defined in Table 13. The SEQ ID that contains each "sequence described in Table 13" is provided in the column labeled, "SEQ ID NO." The range of nucleotide positions within the Sequence ID of which half of the sequences consists is provided in the same row as the Sequence ID in a column labeled, "POSITION RANGE OF AMPLIFICATION PRIMERS". The remaining half of the sequences described in
35   Table 13 are complementary to the range of nucleotide positions within the Sequence ID provided in the same row as the Sequence ID in a column labeled, "COMPLEMENTARY POSITION RANGE OF AMPLIFICATION PRIMERS".

The term "sequence described in Table 14" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 14. The SEQ ID that contains each "sequence described in Table 14" is provided in the column labeled, "SEQ ID NO.". The range of nucleotide positions within the Sequence ID of which each sequence consists

5   is provided in the same row as the Sequence ID in a column labeled, "POSITION RANGE OF PROBES". The sequences which are complementary to the ranges listed in the column labeled, "POSITION RANGE OF PROBES" are also encompassed by the term, "sequence described in Table 14." Unless otherwise noted the term "sequence described in Table 14" is to be construed as encompassing sequences that contain either of the two alleles listed in the allele feature in the

10   appended Sequence Listing for each Sequence ID number referenced in Table 14.

The terms "biallelic marker described in Table" and "allele described in Table" are used herein to refer to any or all alleles which are listed in the allele feature in the appended Sequence Listing for each Sequence ID number referenced in the particular Table being mentioned.

The following abbreviations are used in this disclosure: serotonin receptor 6 gene is

15   abbreviated 5HTR6; serotonin receptor 7 gene is abbreviated 5HTR7; neuronal nicotinic acid receptor α7 gene is abbreviated CHRNA7; corticotrophin releasing factor receptor 1 gene is abbreviated CRFR1; mineralocorticoid receptor gene is abbreviated MLR; corticotrophin releasing factor receptor 2 gene is abbreviated CRFR2; glucocorticoid receptor gene is abbreviated GRL; monoamine oxidases A and B genes are abbreviated MAOA/B; serotonin

20   receptor 2C gene is abbreviated 5HTR2c; tyrosine hydroxylase gene is abbreviated TH; corticotrophin releasing factor gene is abbreviated CRF; dopamine receptor 4 gene is abbreviated DRD4; serotonin transporter gene is abbreviated 5HTT; dopamine receptor 3 gene is abbreviated DRD3; cytochrome P450 3A4 gene is abbreviated CYP3A4; norepinephrine transporter gene is abbreviated NET; neurokinin or tachykinin receptor 1 gene is abbreviated NK1/TACR1;

25   dopamine receptor 4 gene is abbreviated DRD2; guanine nucleotide binding protein, β3 gene is abbreviated Gbeta3; Wolfram Syndrome 1 gene is abbreviated WFS1; Beta 1 adrenergic receptor gene is abbreviated ADRB1R; Brain derived neurotrophic factor gene is abbreviated BDNF; Orphan G-protein coupled receptor gene is abbreviated HM74; Vasopressin receptor 1A gene is abbreviated AVPR1A; Serotonin receptor 1-A gene is abbreviated 5HT1A; Growth associated

30   protien 43 gene is abbreviated GAP43; Guanine nucleotide binding protein, α subunit, olfactory type gene is abbreviated GOLF (GNAL); Clock protein gene is abbreviated CLOCK; Corticotrophin hormone binding protein gene is abbreviated CRHBP; Dopamine transporter gene is abbreviated DAT (SLC6A3); Phosphodiesterase type 4b gene is abbreviated PDE4b; Catechol O-methyl transferase gene is abbreviated COMT; Melanin concentrating hormone receptor gene

35   is abbreviated SLC1; Transcription factor gene is abbreviated SEF2-1B (TCF4); Heat shock protein gene is abbreviated HSP70; GABA-A receptor subunit gene is abbreviated GABRG2; and GABA-A receptor subunit 5 gene is abbreviated GABRA5.

III. Biallelic Markers and Polynucleotides Comprising Biallelic Markers

A. Advantages of the Biallelic Markers of the Present Invention

The CNS disorder-related biallelic markers of the present invention offer a number of

5   important advantages over other genetic markers such as RFLP (Restriction fragment length

polymorphism) and VNTR (Variable Number of Tandem Repeats) markers.

The first generation of markers, were RFLPs, which are variations that modify the length

of a restriction fragment. But methods used to identify and to type RFLPs are relatively wasteful

of materials, effort, and time. The second generation of genetic markers were VNTRs, which can

10   be categorized as either minisatellites or microsatellites. Minisatellites are tandemly repeated

DNA sequences present in units of 5-50 repeats which are distributed along regions of the human

chromosomes ranging from 0.1 to 20 kilobases in length. Since they present many possible·

alleles, their informative content is very high. Minisatellites are scored by performing Southern

blots to identify the number of tandem repeats present in a nucleic acid sample from the ·

15   individual being tested. However, there are only 10^4 potential VNTRs that can be typed by

Southern blotting. Moreover, both RFLP and VNTR markers are costly and time-consuming to

develop and assay in large numbers.

Single nucleotide polymorphism or biallelic markers can be used in the same manner as

RFLPs and VNTRs but offer several advantages. Single nucleotide polymorphisms are densely ·

20   spaced in the human genome and represent the most frequent type of variation. An estimated

number of more than 10^7 sites are scattered along the 3×10^9 base pairs of the human genome.

Therefore, single nucleotide polymorphism occur at a greater frequency and with greater ·

uniformity than RFLP or VNTR markers which means that there is a greater probability that such

a marker will be found in close proximity to a genetic locus of interest. Single nucleotide

25   polymorphisms are less variable than VNTR markers but are mutationally more stable.

Also, the different forms of a characterized single nucleotide polymorphism, such as the

biallelic markers of the present invention, are often easier to distinguish and can therefore be

typed easily on a routine basis. Biallelic markers have single nucleotide based alleles and they

have only two common alleles, which allows highly parallel detection and automated scoring.

30   The biallelic markers of the present invention offer the possibility of rapid, high-throughput

genotyping of a large number of individuals.

Biallelic markers are densely spaced in the genome, sufficiently informative and can be

assayed in large numbers. The combined effects of these advantages make biallelic markers

extremely valuable in genetic studies. Biallelic markers can be used in linkage studies in

35   families, in allele sharing methods, in linkage disequilibrium studies in populations, in

association studies of case-control populations. An important aspect of the present invention is

that biallelic markers allow association studies to be performed to identify genes involved in

complex traits. Association studies examine the frequency of marker alleles in unrelated case-
and control-populations and are generally employed in the detection of polygenic or sporadic
traits. Association studies may be conducted within the general population and are not limited to
studies performed on related individuals in affected families (linkage studies). Biallelic markers
5   in different genes can be screened in parallel for direct association with disease or response to a
treatment. This multiple gene approach is a powerful tool for a variety of human genetic studies
as it provides the necessary statistical power to examine the synergistic effect of multiple genetic
factors on a particular phenotype, drug response, sporadic trait, or disease state with a complex
genetic etiology.

10   B. Polynucleotides of the Present Invention
           The present invention encompasses polynucleotides for use as primers and probes in the
methods of the invention. These polynucleotides may consist of, consist essentially of, or
comprise a contiguous span of nucleotides of a sequence from any sequence in the Sequence
Listing as well as sequences which are complementary thereto ("complements thereof"). The
15   "contiguous span" may be at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500,
1000, 2000 or 3000 nucleotides in length, to the extent that a contiguous span of these lengths is
consistent with the lengths of the particular Sequence ID. It should be noted that the
polynucleotides of the present invention are not limited to having the exact flanking sequences
surrounding the polymorphic bases which are enumerated in the Sequence Listing. Rather, it
20   will be appreciated that the flanking sequences surrounding the biallelic markers, or any of the
primers of probes of the invention which are more distant from the markers, may be lengthened
or shortened to any extent compatible with their intended use and the present invention
specifically contemplates such sequences. It will be appreciated that the polynucleotides referred
to in the Sequence Listing may be of any length compatible with their intended use. Also the
25   flanking regions outside of the contiguous span need not be homologous to native flanking
sequences which actually occur in human subjects. The addition of any nucleotide sequence,
which is compatible with the nucleotides intended use is specifically contemplated. The
contiguous span may optionally include the CNS disorder-related biallelic marker in said
sequence. Biallelic markers generally consist of a polymorphism at one single base position.
30   Each biallelic marker therefore corresponds to two forms of a polynucleotide sequence which,
when compared with one another, present a nucleotide modification at one position. Usually, the
nucleotide modification involves the substitution of one nucleotide for another. Optionally either
the original or the alternative allele of the biallelic markers disclosed in Table 9, or the first or
second allele disclosed in Table 8 and 10 may be specified as being present at the CNS disorder-
35   related biallelic marker.
           The invention also relates to polynucleotides that hybridize, under conditions of high or
intermediate stringency, to a polynucleotide of a sequence from any sequence in the Sequence

Listing as well as sequences, which are complementary thereto. Preferably such polynucleotides are at least 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000 nucleotides in length, to the extent that a polynucleotide of these lengths is consistent with the lengths of the particular Sequence ID. Preferred polynucleotides comprise a CNS disorder-related biallelic marker.

5   Optionally either the original or the alternative allele of the biallelic markers disclosed in Table 9 may be specified as being present at the CNS disorder-related biallelic marker. Conditions of high and intermediate stringency are further described herein.

The preferred polynucleotides of the invention include the sequence ranges included in any one the sequence ranges of Tables 8 and 11 to 14 individually or in groups consisting of all

10   the possible combinations of the ranges of included in Tables 8, and 11 to 14. The preferred polynucleotides of the invention also include fragments of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500 or 1000 consecutive nucleotides of the sequence ranges included in any one of the sequence ranges of Tables 9, and 12 to 15 to the extent that fragments of these lengths are consistent with the lengths of the particular sequence range. The preferred

15   polynucleotides of the invention also include fragments of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500 or 1000 consecutive nucleotides of the sequence complementary to the sequence ranges included in any one of the sequence ranges of Tables 8 and 11 to 14 to the extent that fragments of these lengths are consistent with the lengths of the particular sequence range.

20   The primers of the present invention may be designed from the disclosed sequences for any method known in the art. A preferred set of primers is fashioned such that the 3' end of the contiguous span of identity with the sequences of the Sequence Listing is present at the 3' end of the primer. Such a configuration allows the 3' end of the primer to hybridize to a selected nucleic acid sequence and dramatically increases the efficiency of the primer for amplification or

25   sequencing reactions. In a preferred set of primers the contiguous span is found in one of the sequences described in Table 11. Allele specific primers may be designed such that a biallelic marker is at the 3' end of the contiguous span and the contiguous span is present at the 3' end of the primer. Such allele specific primers tend to selectively prime an amplification or sequencing reaction so long as they are used with a nucleic acid sample that contains one of the two alleles

30   present at a biallelic marker. The 3' end of primer of the invention may be located within or at least 2, 4, 6, 8, 10, 12, 15, 18, 20, 25, 50, 100, 250, 500, 1000, 2000 or 3000 to the extent that this distance is consistent with the particular Sequence ID, nucleotides upstream of a CNS disorder-related biallelic marker in said sequence or at any other location which is appropriate for their intended use in sequencing, amplification or the location of novel sequences or markers. A list

35   of preferred amplification primers is disclosed in Table 13. Primers with their 3' ends located 1 nucleotide upstream of a CNS disorder-related biallelic marker have a special utility as microsequencing assays. Preferred microsequencing primers are described in Tables 12.

43

The probes f the present invention may be designed from the discl sed sequences for any method known in the art, particularly methods which allow for testing if a particular sequence or marker disclosed herein is present. A preferred set of probes may be designed for use in the hybridization assays f the invention in any manner known in the art such that they selectively bind to one allele of a biallelic marker, but not the other under any particular set of assay conditions. Preferred hybridization probes may consists of, consist essentially of, or comprise a contiguous span which ranges in length from 8, 10, 12, 15, 18 or 20 to 25, 35, 40, 50, 60, 70, or 80 nucleotides, or be specified as being 12, 15, 18, 20, 25, 35, 40, or 50 nucleotides in length and including a CNS disorder-related biallelic marker of said sequence. Optionally the original allele or alternative allele disclosed in Table 9 and the first or second allele disclosed in Tables 8 and 10 may be specified as being present at the biallelic marker site. Optionally, said biallelic marker may be within 6, 5, 4, 3, 2, or 1 nucleotides of the center of the hybridization probe or at the center of said probe. A particularly preferred set of hybridization probes is disclosed in Table 14 or a sequence complementary thereto.

Any of the polynucleotides of the present invention can be labeled, if desired, by incorporating a label detectable by spectroscopic, photochemical, biochemical, immunochemical, or chemical means. For example, useful labels include radioactive substances, fluorescent dyes or biotin. Preferably, polynucleotides are labeled at their 3' and 5' ends. A label can also be used to capture the primer, so as to facilitate the immobilization of either the primer or a primer extension product, such as amplified DNA, on a solid support. A capture label is attached to the primers or probes and can be a specific binding member which forms a binding pair with the solid's phase reagent's specific binding member (e.g. biotin and streptavidin). Therefore depending upon the type of label carried by a polynucleotide or a probe, it may be employed to capture or to detect the target DNA. Further, it will be understood that the polynucleotides, primers or probes provided herein, may, themselves, serve as the capture label. For example, in the case where a solid phase reagent's binding member is a nucleic acid sequence, it may be selected such that it binds a complementary portion of a primer or probe to thereby immobilize the primer or probe to the solid phase. In cases where a polynucleotide probe itself serves as the binding member, those skilled in the art will recognize that the probe will contain a sequence or "tail" that is not complementary to the target. In the case where a polynucleotide primer itself serves as the capture label, at least a portion of the primer will be free to hybridize with a nucleic acid on a solid phase. DNA Labeling techniques are well known to the skilled technician.

Any of the polynucleotides, primers and probes of the present invention can be conveniently immobilized on a solid support. Solid supports are known to those skilled in the art and include the walls of wells of a reaction tray, test tubes, polystyrene beads, magnetic beads, nitrocellulose strips, membranes, microparticles such as latex particles, sheep (or other animal) red blood cells, duracytes® and others. The solid support is not critical and can be selected by

one skilled in the art. Thus, latex particles, microparticles, magnetic or non-magnetic beads, membranes, plastic tubes, walls of microtiter wells, glass or silicon chips, sheep (or other suitable animal's) red blood cells and duracytes are all suitable examples. Suitable methods for immobilizing nucleic acids on solid phases include ionic, hydrophobic, covalent interactions and

5   the like. A solid support, as used herein, refers to any material which is insoluble, or can be made insoluble by a subsequent reaction. The solid support can be chosen for its intrinsic ability to attract and immobilize the capture reagent. Alternatively, the solid phase can retain an additional receptor which has the ability to attract and immobilize the capture reagent. The additional receptor can include a charged substance that is oppositely charged with respect to the

10 capture reagent itself or to a charged substance conjugated to the capture reagent. As yet another alternative, the receptor molecule can be any specific binding member which is immobilized upon (attached to) the solid support and which has the ability to immobilize the capture reagent through a specific binding reaction. The receptor molecule enables the indirect binding of the capture reagent to a solid support material before the performance of the assay or during the

15 performance of the assay. The solid phase thus can be a plastic, derivatized plastic, magnetic or non-magnetic metal, glass or silicon surface of a test tube, microtiter well, sheet, bead, microparticle, chip, sheep (or other suitable animal's) red blood cells, duracytes® and other configurations known to those of ordinary skill in the art. The polynucleotides of the invention can be attached to or immobilized on a solid support individually or in groups of at least 2, 5, 8,

20 10, 12, 15, 20, or 25 distinct polynucleotides of the inventions to a single solid support. In addition, polynucleotides other than those of the invention may be attached to the same solid support as one or more polynucleotides of the invention.

Any polynucleotide provided herein may be attached in overlapping areas or at random locations on the solid support. Alternatively the polynucleotides of the invention may be

25 attached in an ordered array wherein each polynucleotide is attached to a distinct region of the solid support which does not overlap with the attachment site of any other polynucleotide. Preferably, such an ordered array of polynucleotides is designed to be "addressable" where the distinct locations are recorded and can be accessed as part of an assay procedure. Addressable polynucleotide arrays typically comprise a plurality of different oligonucleotide probes that are

30 coupled to a surface of a substrate in different known locations. The knowledge of the precise location of each polynucleotides location makes these "addressable" arrays particularly useful in hybridization assays. Any addressable array technology known in the art can be employed with the polynucleotides of the invention. One particular embodiment of these polynucleotide arrays is known as the Genechips™, and has been generally described in US Patent 5,143,854; PCT

35 publications WO 90/15070 and 92/10092. These arrays may generally be produced using mechanical synthesis methods or light directed synthesis methods, which incorporate a combination of photolithographic methods and solid phase oligonucleotide synthesis (Fodor et

45

al., Science, 251:767-777, 1991). The immobilization of arrays f oligonucleotides on solid
supports has been rendered possible by the development of a technology generally identified as
"Very Larg Scale Immobilized Polymer Synthesis" (VLSIPS™) in which, typically, probes are
immobilized in a high density array on a solid surface of a chip. Examples of VLSIPS™

5   technologies are provided in US Patents 5,143,854 and 5,412,087 and in PCT Publications WO
90/15070, WO 92/10092 and WO 95/11995, which describe methods for forming
oligonucleotide arrays through techniques such as light-directed synthesis techniques. In
designing strategies aimed at providing arrays of nucleotides immobilized on solid supports,
further presentation strategies were developed to order and display the oligonucleotide arrays on

10 the chips in an attempt to maximize hybridization patterns and sequence information. Examples
of such presentation strategies are disclosed in PCT Publications WO 94/12305, WO 94/11530,
WO 97/29212 and WO 97/31256.

       Oligonucleotide arrays may comprise at least one of the sequences selected from the
group consisting of SEQ ID No. 1-130; and the sequences complementary thereto or a fragment

15 thereof of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000
consecutive nucleotides, to the extent that fragments of these lengths is consistent with the
lengths of the particular Sequence ID, for determining whether a sample contains one or more
alleles of the biallelic markers of the present invention. Oligonucleotide arrays may also
comprise at least one of the sequences selected from the group consisting of SEQ ID No. 1-130;

20 and the sequences complementary thereto or a fragment thereof of at least 8, 10, 12, 15, 18, 20,
25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000 consecutive nucleotides, to the extent
that fragments of these lengths is consistent with the lengths of the particular Sequence ID, for
amplifying one or more alleles of the biallelic markers of Table 7. In other embodiments, arrays
may also comprise at least one of the sequences selected from the group consisting of SEQ ID

25 No. 1-130; and the sequences complementary thereto or a fragment thereof of at least 8, 10, 12,
15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000 consecutive nucleotides, to
the extent that fragments of these lengths is consistent with the lengths of the particular Sequence
ID, for conducting microsequencing analyses to determine whether a sample contains one or
more alleles of the biallelic markers of the invention. In still further embodiments, the

30 oligonucleotide array may comprise at least one of the sequences selecting from the group
consisting of SEQ ID No. 1-130; and the sequences complementary thereto or a fragment thereof
of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000
nucleotides in length, to the extent that fragments of these lengths is consistent with the lengths
of the particular Sequence ID, for determining whether a sample contains one or more alleles of

35 the biallelic markers of the present invention. In still further embodiments, the oligonucleotide
array may comprise at least one of the novel sequences listed in the fifth column of Table 8 or the
sequences complementary thereto or a fragment comprising at least 8, 10, 12, 15, 18, 20, 25, 35,

40, 50, 70, 80, 100, 250, 500 or 1000 consecutive nucleotides thereof to the extent that fragments of these lengths are consistent with the lengths of the particular novel sequences.

The present invention also encompasses diagnostic kits comprising one or more polynucleotides of the invention, optionally with a portion or all of the necessary reagents and instructions for genotyping a test subject by determining the identity of a nucleotide at a CNS disorder-related biallelic marker. The determining of the identity may optionally be at a CNS disorder-related biallelic marker that predicts the response of a therapeutic agent, preferably Reboxetine, when administered to a patient suffering from depression. The polynucleotides of a kit may optionally be attached to a solid support, or be part of an array or addressable array of polynucleotides. The kit may provide for the determination of the identity of the nucleotide at a marker position by any method known in the art including, but not limited to, a sequencing assay method, a microsequencing assay method, a hybridization assay method, or an allele specific amplification method. Optionally such a kit may include instructions for scoring the results of the determination with respect to the test subjects' risk of contracting a CNS disorder, or likely response to an agent acting on CNS disorders, or chances of suffering from side effects to an agent acting on CNS disorders.

C. Polypeptides of the Invention

The polynucleotides which encode the WFS1 and the NET polypeptide may include: only the coding sequence for the mature polypeptide; the coding sequence for the polypeptide and additional coding sequence such as a leader or secretory sequence or a proprotein sequence; the coding sequence for the polypeptide (and optionally additional coding sequence) and non-coding sequence, such as introns or non-coding sequence 5' and/or 3' of the coding sequence for the mature polypeptide.

Thus, the term "polynucleotide encoding a polypeptide" encompasses a polynucleotide which includes only coding sequence for the polypeptide as well as a polynucleotide which includes additional coding and/or non-coding sequence.

As hereinabove indicated, the polynucleotides may have a coding sequence which is a naturally occurring allelic variant of the coding sequence of SEQ ID NO: 543 or 544. As known in the art, an allelic variant is an alternate form of a polynucleotide sequence which may have a substitution, deletion or addition of one or more nucleotides, which does not substantially alter the function of the encoded polypeptide.

D. Host Cells

Host cells are genetically engineered (transduced or transformed or transfected) with the vectors of this invention which may be, for example, a cloning vector or an expression vector. The vector may be, for example, in the form of a plasmid, a viral particle, a phage, etc. The engineered host cells can be cultured in conventional nutrient media modified as appropriate for activating promoters, selecting transformants or amplifying the WFS1 or NET gene. The culture

conditions, such as temperature, pH and the like, are those previously used with the host cell
selected for expression, and will be apparent to the ordinarily skilled artisan.

The polynucleotides of the present invention may be employed for producing
polypeptides by recombinant techniques. Thus, for example, the polynucleotide may be included
5   in any one of a variety of expression vectors for expressing a polypeptide. Such vectors include
chromosomal, nonchromosomal and synthetic DNA sequences, e.g., derivatives of SV40;
bacterial plasmids; phage DNA; baculovirus; yeast plasmids; vectors derived from combinations
of plasmids and phage DNA, viral DNA such as vaccinia, adenovirus, fowl pox virus, and
pseudorabies. However, any other vector may be used as long as it is replicable and viable in the
10   host.

·The appropriate DNA sequence may be inserted into the vector by a variety of
·procedures. In general, the DNA sequence is inserted into an appropriate.restriction
endonuclease site(s) by procedures known in the art. Such procedures and others.are deemed to
be within the·scope of those skilled in the art.

15   The DNA sequence in the expression vector is operatively linked to an appropriate
expression control sequence(s) (promoter) to direct mRNA synthesis. As representative examples
of such promoters, there may be mentioned: LTR or SV40 promoter, the E. coli. lac or trp, the
phage lambda P.sub.L promoter and other promoters known to control expression of genes in
prokaryotic or eukaryotic cells or their viruses. The expression vector also contains a ribosome
20   binding site for translation initiation and a transcription terminator. The vector may also include
appropriate sequences for amplifying expression.

·In addition, the expression vectors preferably contain one or more selectable marker ·
genes to provide a phenotypic trait for selection of transformed host cells such as dihydrofolate
reductase or neomycin resistance for eukaryotic cell culture, or such as tetracycline or ampicillin
25   resistance in E. coli.

The vector containing the appropriate DNA sequence as hereinabove described, as well
as an appropriate promoter or control sequence, may be employed to transform an appropriate·
host to permit the host to express the protein.

As representative examples of appropriate hosts, there may be mentioned: bacterial cells,
30   such as E. coli, Streptomyces, Salmonella typhimurium; fungal cells, such as yeast; insect cells
such as Drosophila S2 and Spodoptera Sf9; animal cells such as CHO, COS or Bowes ·
melanoma; adenoviruses; plant cells, etc. The selection of an appropriate host is deemed to be
within the scope of those skilled in the art from the teachings herein.

E. Screening Assays

35   The polynucleotides of the present invention may be employed for producing
polypeptides by recombinant techniques. Thus, for example, the polynucleotide may be included
in any one of a variety of expression vectors for expressing a polypeptide. Such vectors include

48

chromosomal, nonchromosomal and synthetic DNA sequences, e.g., derivatives of SV40; bacterial plasmids; phage DNA; baculovirus; yeast plasmids; vectors derived from combinations of plasmids and phage DNA, viral DNA such as vaccinia, adenovirus, fowl pox virus, and pseudorabies. However, any other vector may be used as long as it is replicable and viable in the

5   host.

       The appropriate DNA sequence may be inserted into the vector by a variety of procedures. In general, the DNA sequence is inserted into an appropriate restriction endonuclease site(s) by procedures known in the art. Such procedures and others are deemed to be within the scope of those skilled in the art.

10   The DNA sequence in the expression vector is operatively linked to an appropriate expression control sequence(s) (promoter) to direct mRNA synthesis. As representative examples of such promoters, there may be mentioned: LTR or SV40 promoter, the E. coli. lac or trp, the phage lambda P.sub.L promoter and other promoters known to control expression of genes in prokaryotic or eukaryotic cells or their viruses. The expression vector also contains a ribosome

15   binding site for translation initiation and a transcription terminator. The vector may also include appropriate sequences for amplifying expression.

       In addition, the expression vectors preferably contain one or more selectable marker genes to provide a phenotypic trait for selection of transformed host cells such as dihydrofolate reductase or neomycin resistance for eukaryotic cell culture, or such as tetracycline or ampicillin

20   resistance in E. coli.

       The vector containing the appropriate DNA sequence as hereinabove described, as well as an appropriate promoter or control sequence, may be employed to transform an appropriate host to permit the host to express the protein.

       As representative examples of appropriate hosts, there may be mentioned: bacterial cells,

25   such as E. coli, Streptomyces, Salmonella typhimurium; fungal cells, such as yeast; insect cells such as Drosophila S2 and Spodoptera Sf9; animal cells such as CHO, COS or Bowes melanoma; adenoviruses; plant cells, etc. The selection of an appropriate host is deemed to be within the scope of those skilled in the art from the teachings herein.

       More particularly, the present invention also includes recombinant constructs comprising

30   one or more of the sequences as broadly described above. The constructs comprise a vector, such as a plasmid or viral vector, into which a sequence of the invention has been inserted, in a forward or reverse orientation. In a preferred aspect of this embodiment, the construct further comprises regulatory sequences, including, for example, a promoter, operably linked to the sequence. Large numbers of suitable vectors and promoters are known to those of skill in the art,

35   and are commercially available. The following vectors are provided by way of example. Bacterial: pQE70, pQE60, pQE-9 (Qiagen), pbs, pD10, phagescript, psiX174, pbluescript SK, pbsks, pNH8A, pNH16a, pNH18A, pNH46A (Stratagene); ptrc99a, pKK223-3, pKK233-3,

pDR540, pRIT5 (Pharmacia). Eukaryotic: pWLNEO, pSV2CAT, pOG44, pXT1, pSG
(Stratagene) pSVK3, pBPV, pMSG, PSVL (Pharmacia). However, any other plasmid or vector
may be used as long as they are replicable and viable in the host.

5   Promoter regions can be selected from any desired gene using CAT (chloramphenicol
transferase) vectors or other vectors with selectable markers. Two appropriate vectors are
PKK232-8 and PCM7. Particular named bacterial promoters include lacI, lacZ, T3, T7, gpt,
lambda P.sub.R, P.sub.L and trp. Eukaryotic promoters include CMV immediate early, HSV
thymidine kinase, early and late SV40, LTRs from retrovirus, and mouse metallothionein-I.
Selection of the appropriate vector and promoter is well within the level of ordinary skill in the

10   art.

         In a further embodiment, the present invention relates to host cells containing the above-
described constructs. The host cell can be a higher eukaryotic cell, such as a mammalian cell, or
a lower eukaryotic cell, such as a yeast cell, or the host cell can be a prokaryotic cell, such as a
bacterial cell. Introduction of the construct into the host cell can be effected by calcium

15   phosphate transfection, DEAE-Dextran mediated transfection, or electroporation: (Davis, L.,
Dibner, M., Battey, I., Basic Methods in Molecular Biology, (1986)).

         The constructs in host cells can be used in a conventional manner to produce the gene
product encoded by the recombinant sequence. Alternatively, the polypeptides of the invention
can be synthetically produced by conventional peptide synthesizers.

20   Mature proteins can be expressed in mammalian cells, yeast, bacteria, or other cells
under the control of appropriate promoters. Cell-free translation systems can also be employed to
produce such proteins using RNAs derived from the DNA constructs of the present invention. ·
Appropriate cloning and expression vectors for use with prokaryotic and eukaryotic hosts are
described by Sambrook, et al., Molecular Cloning: A Laboratory Manual, Second Edition, Cold

25   Spring Harbor, N.Y., (1989), the disclosure of which is hereby incorporated by reference.

         Transcription of the DNA encoding the polypeptides of the present invention by higher
eukaryotes is increased by inserting an enhancer sequence into the vector. Enhancers are cis-
acting elements of DNA, usually about from 10 to 300 bp that act on a promoter to increase its
transcription. Examples including the SV40 enhancer on the late side of the replication origin bp

30   100 to 270, a cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of
the replication origin, and adenovirus enhancers.

         Generally, recombinant expression vectors will include origins of replication and
selectable markers permitting transformation of the host cell, e.g., the ampicillin resistance gene
of E. coli and S. cerevisiae TRP1 gene, and a promoter derived from a highly-expressed gene to

35   direct transcription of a downstream structural sequence. Such promoters can be derived from
operons encoding glycolytic enzymes such as 3-phosphoglycerate kinase (PGK), .alpha.-factor,
acid phosphatase, or heat shock proteins, among others. The heterologous structural sequence is

50

assembled in appropriate phase with translation initiation and termination sequences, and preferably, a leader sequence capable of directing secretion of translated protein into the periplasmic space or extracellular medium. Optionally, the heterologous sequence can encode a fusion protein including an N-terminal identification peptide imparting desired characteristics,

5   e.g., stabilization or simplified purification of expressed recombinant product.

Useful expression vectors for bacterial use are constructed by inserting a structural DNA sequence encoding a desired protein together with suitable translation initiation and termination signals in operable reading phase with a functional promoter. The vector will comprise one or more phenotypic selectable markers and an origin of replication to ensure maintenance of the

10   vector and to, if desirable, provide amplification within the host. Suitable prokaryotic hosts for transformation include E. coli, Bacillus subtilis, Salmonella typhimurium and various species within the genera Pseudomonas, Streptomyces, and Staphylococcus, although others may also be employed as a matter of choice.

As a representative but nonlimiting example, useful expression vectors for bacterial use

15   can comprise a selectable marker and bacterial origin of replication derived from commercially available plasmids comprising genetic elements of the well known cloning vector pBR322 (ATCC 37017). Such commercial vectors include, for example, pKK223-3 (Pharmacia Fine Chemicals, Uppsala, Sweden) and GEM1 (Promega Biotec, Madison, Wis., USA). These pBR322 "backbone" sections are combined with an appropriate promoter and the structural

20   sequence to be expressed.

Following transformation of a suitable host strain and growth of the host strain to an appropriate cell density, the selected promoter is induced by appropriate means (e.g., temperature shift or chemical induction) and cells are cultured for an additional period.

Cells are typically harvested by centrifugation, disrupted by physical or chemical means,

25   and the resulting crude extract retained for further purification. Microbial cells employed in expression of proteins can be disrupted by any convenient method, including freeze-thaw cycling, sonication, mechanical disruption, or use of cell lysing agents, such methods are well know to those skilled in the art.

Various mammalian cell culture systems can also be employed to express recombinant

30   protein. Examples of mammalian expression systems include the COS-7 lines of monkey kidney fibroblasts, described by Gluzman, Cell, 23:175 (1981), and other cell lines capable of expressing a compatible vector, for example, the C127, 3T3, CHO, HeLa and BHK cell lines. Mammalian expression vectors will comprise an origin of replication, a suitable promoter and enhancer, and also any necessary ribosome binding sites, polyadenylation site, splice donor and acceptor sites,

35   transcriptional termination sequences, and 5' flanking nontranscribed sequences. DNA sequences derived from the SV40 splice, and polyadenylation sites may be used to provide the required nontranscribed genetic elements.

The WFS1 and NET polypeptides can be recovered and purified from recombinant cell cultures by methods including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. Protein refolding steps can be used, as necessary, in completing configuration of the mature protein. Finally, high performance liquid chromatography (HPLC) can be employed for final purification steps.

The polypeptides of the present invention may be a naturally purified product, or a product of chemical synthetic procedures, or produced by recombinant techniques from a prokaryotic or eukaryotic host (for example, by bacterial, yeast, higher plant, insect and mammalian cells in culture). Depending upon the host employed in a recombinant production procedure, the polypeptides of the present invention may be glycosylated or may be non-glycosylated. Polypeptides of the invention may also include an initial methionine amino acid residue.

F. Screening Assays

The WFS1 protein receptor of the present invention may be employed in a process for screening for antagonists and/or agonists for the receptor.

In general, such screening procedures involve providing appropriate cells which express the receptor on the surface thereof. In particular, a polynucleotide encoding the receptor of the present invention is employed to transfect cells to thereby express the WFS1 receptor. Such transfection may be accomplished by procedures as hereinabove described.

One such screening procedure involves the use of the melanophores which are transfected to express the WFS1 receptor of the present invention. Such a screening technique is described in PCT WO 92/01810 published Feb. 6, 1992.

Thus, for example, such assay may be employed for screening for a receptor antagonist by contacting the melanophore cells which encode the WFS1 receptor with both the receptor ligand and a compound to be screened. Inhibition of the signal generated by the ligand indicates that a compound is a potential antagonist for the receptor, i.e., inhibits activation of the receptor.

The screen may be employed for determining an agonist by contacting such cells with compounds to be screened and determining whether such compound generates a signal, i.e., activates the receptor.

Other screening techniques include the use of cells which express WFS1 receptor (for example, transfected CHO cells) in a system which measures extracellular pH changes caused by receptor activation, for example, as described in Science, volume 246, pages 181-296 (October 1989). For example, potential agonists or antagonists may be contacted with a cell which expresses the WFS1 receptor and a second messenger response, e.g. signal transduction or pH changes, may be measured to determine whether the potential agonist or antagonist is effective.

Another such screening technique involves introducing RNA encoding the WFS1 receptor into xenopus oocytes to transiently express the receptor. The receptor oocytes may then be contacted in the case of antagonist screening with the receptor ligand and a compound to be screened, followed by detection of inhibition of a calcium signal.

5   Another screening technique involves expressing the WFS1 receptor in which the receptor is linked to a phospholipase C or D. As representative examples of such cells, there may be mentioned endothelial cells, smooth muscle cells, embryonic kidney cells, etc. The screening for an antagonist or agonist may be accomplished as hereinabove described by detecting activation of the receptor or inhibition of activation of the receptor from the phospholipase

10   second signal.

Another method involves screening for antagonists by determining inhibition of binding of labeled ligand to cells which have the receptor on the surface thereof. Such a method involves transfecting a eukaryotic cell with DNA encoding the WFS1 receptor such that the cell expresses the receptor on its surface and contacting the cell with a potential antagonist in the presence of a

15   labeled form of a known ligand. The ligand can be labeled, e.g., by radioactivity. The amount of labeled ligand bound to the receptors is measured, e.g., by measuring radioactivity of the receptors. If the potential antagonist binds to the receptor as determined by a reduction of labeled ligand which binds to the receptors, the binding of labeled ligand to the receptor is inhibited.

The present invention also provides a method for determining whether a ligand not

20   known to be capable of binding to a WFS1 receptor can bind to such receptor which comprises contacting a mammalian cell which expresses a WFS1 receptor with the ligand under conditions permitting binding of ligands to the WFS1 receptor, detecting the presence of a ligand which binds to the receptor and thereby determining whether the ligand binds to the WFS1 receptor. The systems hereinabove described for determining agonists and/or antagonists may also be

25   employed for determining ligands which bind to the receptor.

In general, antagonists for WFS1 receptors which are determined by screening procedures may be employed for a variety of therapeutic purposes. For example, such antagonists have been employed for treatment of hypertension, angina pectoris, myocardial infarction, ulcers, asthma, allergies, psychoses, depression, migraine, vomiting, stroke, eating disorders, migraine

30   headaches, cancer and benign prostatic hypertrophy.

Agonists for WFS1 receptors are also useful for therapeutic purposes, such as the treatment of Wolfram syndrome and/or depression.

Examples of WFS1 receptor antagonists include an antibody, or in some cases an oligonucleotide, which binds to the WFS1 receptor but does not elicit a second messenger

35   response such that the activity of the WFS1 receptor is prevented. Antibodies include anti-idiotypic antibodies which recognize unique determinants generally associated with the antigen-binding site of an antibody.

Potential antagonists also include proteins which are closely related to the ligand of the WFS1 receptor, i.e. a fragment of the ligand, which have lost biological function and when binding to the WFS1 receptor, elicit no response.

A potential antagonist also includes an antisense construct prepared through the use of antisense technology. Antisense technology can be used to control gene expression through triple-helix formation or antisense DNA or RNA, both of which methods are based on binding of a polynucleotide to DNA or RNA. For example, the 5' coding portion of the polynucleotide sequence, which encodes for the mature polypeptides of the present invention, is used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is designed to be complementary to a region of the gene involved in transcription (triple helix -see Lee et al., Nucl. Acids Res., 6:3073 (1979); Cooney et al, Science, 241:456 (1988); and Dervan et al., Science, 251: 1360 (1991)), thereby preventing transcription and the production of WFS1 receptor. The antisense RNA oligonucleotide hybridizes to the mRNA in vivo and blocks translation of the mRNA molecule into the WFS1 receptor (antisense--Okano, J. Neurochem., 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, Fla. (1988)). The oligonucleotides described above can also be delivered to cells such that the antisense RNA or DNA may be expressed in vivo to inhibit production of WFS1 receptor.

Another potential antagonist is a small molecule which binds to the WFS1 receptor, making it inaccessible to ligands such that normal biological activity is prevented. Examples of small molecules include but are not limited to small peptides or peptide-like molecules.

Potential antagonists also include a soluble form of a WFS1 receptor, e.g. a fragment of the receptor, which binds to the ligand and prevents the ligand from interacting with membrane bound WFS1 receptors.

The WFS1 receptor and antagonists or agonists may be employed in combination with a suitable pharmaceutical carrier. Such compositions comprise a therapeutically effective amount of the polypeptide, and a pharmaceutically acceptable carrier or excipient. Such a carrier includes but is not limited to saline, buffered saline, dextrose, water, glycerol, ethanol, and combinations thereof. The formulation should suit the mode of administration.

G. Antibodies

The polypeptides, their fragments or other derivatives, or analogs thereof, or cells expressing them can be used as an immunogen to produce antibodies thereto. These antibodies can be, for example, polyclonal or monoclonal antibodies. The present invention also includes chimeric, single chain, and humanized antibodies, as well as Fab fragments, or the product of an Fab expression library. Various procedures known in the art may be used for the production of such antibodies and fragments.

Antibodies generated against the polypeptides corresponding to a sequence of the present invention can be obtained by direct injection of the polypeptides into an animal or by administering the polypeptides to an animal, preferably a nonhuman. The antibody so obtained will then bind the polypeptides itself. In this manner, even a sequence encoding only a fragment

5   of the polypeptides can be used to generate antibodies binding the whole native polypeptides. Such antibodies can then be used to isolate the polypeptide from tissue expressing that polypeptide.

IV. Methods for *De Novo* Identification of Biallelic Markers

10   Large fragments of human DNA, carrying genes of interest involved in CNS disorders, were cloned, sequenced and screened for biallelic markers. Biallelic markers within the candidate genes themselves as well as markers located on the same genomic fragment were identified. It will be clear to one of skill in the art that large fragments of human genomic DNA may be obtained from any appropriate source and may be cloned into a number of suitable

15   vectors.

In a preferred embodiment of the invention, BAC (Bacterial Artificial Chromosomes) vectors were used to construct DNA libraries covering the entire human genome. Specific amplification primers were designed for each candidate gene and 'the BAC library was screened by PCR until there was at least one positive BAC clone per candidate gene. Genomic sequence,

20   screened for biallelic markers, was generated by sequencing ends of BAC subclones. Details of a preferred embodiment are provided in Example 1. As a preferred alternative to sequencing the ends of an adequate number of BAC subclones, high throughput deletion-based sequencing vectors, which allow the generation of a high quality sequence information covering fragments of about 6kb, may be used. Having sequence fragments longer than 2.5 or 3kb enhances the

25   chances of identifying biallelic markers therein. Methods of constructing and sequencing a nested set of deletions are disclosed in the related U.S. Patent Application entitled "High Throughput DNA Sequencing Vector" (Serial No. 09/058,746).

In another embodiment of the invention, genomic sequences of candidate genes were available in public databases allowing direct screening for biallelic markers.

30   Any of a variety of methods can be used to screen a genomic fragment for single nucleotide polymorphisms such as differential hybridization with oligonucleotide probes, detection of changes in the mobility measured by gel electrophoresis or direct sequencing of the amplified nucleic acid. A preferred method for identifying biallelic markers involves comparative sequencing of genomic DNA fragments from an appropriate number of unrelated individuals.

35   In a first embodiment, DNA samples from unrelated individuals are pooled together, following which the genomic DNA of interest is amplified and sequenced. The nucleotide sequences thus obtained are then analyzed to identify significant polymorphisms. One of the

major advantages of this method resides in the fact that the po ling of the DNA samples substantially reduces the number of DNA amplification reactions and sequencing reactions, which must be carried out. Moreover, this method is sufficiently sensitive so that a biallelic marker obtained thereby usually demonstrates a sufficient frequency of its less common allele to

5   be useful in conducting association studies. Usually, the frequency of the least common allele of a biallelic marker identified by this method is at least 10%.

In a second embodiment, the DNA samples are not pooled and are therefore amplified and sequenced individually. This method is usually preferred when biallelic markers need to be identified in order to perform association studies within candidate genes. Preferably, highly

10   relevant gene regions such as promoter regions or exon regions may be screened for biallelic markers. A biallelic marker obtained using this method may show a lower degree of informativeness for conducting association studies, e.g. if the frequency of its less frequent allele may be less than about 10%. Such a biallelic marker will however be sufficiently informative to conduct association studies and it will further be appreciated that including less informative

15   biallelic markers in the genetic analysis studies of the present invention, may allow in some cases the direct identification of causal mutations, which may, depending on their penetrance, be rare mutations.

The following is a description of the various parameters of a preferred method used by the inventors for the identification of the biallelic markers of the present invention.

20   A. Genomic DNA Samples

The genomic DNA samples from which the biallelic markers of the present invention are generated are preferably obtained from unrelated individuals corresponding to a heterogeneous population of known ethnic background. The number of individuals from whom DNA samples are obtained can vary substantially, preferably from about 10 to about 1000, more preferably

25   from about 50 to about 200 individuals. Usually, DNA samples are collected from at least about 100 individuals in order to have sufficient polymorphic diversity in a given population to identify as many markers as possible and to generate statistically significant results.

As for the source of the genomic DNA to be subjected to analysis, any test sample can be foreseen without any particular limitation. These test samples include biological samples, which

30   can be tested by the methods of the present invention described herein, and include human and animal body fluids such as whole blood, serum, plasma, cerebrospinal fluid, urine, lymph fluids, and various external secretions of the respiratory, intestinal and genitourinary tracts, tears, saliva, milk, white blood cells, myelomas and the like; biological fluids such as cell culture supernatants; fixed tissue specimens including tumor and non-tumor tissue and lymph node

35   tissues; bone marrow aspirates and fixed cell specimens. The preferred source of genomic DNA used in the present invention is from peripheral venous blood of each donor. Techniques to prepare genomic DNA from biological samples are well known to the skilled technician. Details

of a preferred embodiment are provided in Example 1. The person skilled in the art can choose
to amplify pooled or unpooled DNA samples.

B. DNA Amplification

The identification of biallelic markers in a sample of genomic DNA may be facilitated

5   through the use of DNA amplification methods. DNA samples can be pooled or unpooled for the
amplification step. DNA amplification techniques are well known to those skilled in the art.
Various methods to amplify DNA fragments carrying biallelic markers are further described
herein. The PCR technology is the preferred amplification technique used to identify new
biallelic markers.

10   In a first embodiment, biallelic markers are identified using genomic sequence
information generated by the inventors. Genomic DNA fragments, such as the inserts of the
BAC clones described above, are sequenced and used to design primers for the amplification of
500 bp fragments. These 500 bp fragments are amplified from genomic DNA and are scanned
for biallelic markers. Primers may be designed using the OSP software (Hillier L. and Green P.,

15   1991). All primers may contain, upstream of the specific target bases, a common oligonucleotide
tail that serves as a sequencing primer. Those skilled in the art are familiar with primer
extensions, which can be used for these purposes.

In another embodiment of the invention, genomic sequences of candidate genes are
available in public databases allowing direct screening for biallelic markers. Preferred primers,

20   useful for the amplification of genomic sequences encoding the candidate genes, focus on
promoters, exons and splice sites of the genes. A biallelic marker present in these functional
regions of the gene has a higher probability to be a causal mutation.

Preferred primers include those disclosed in Table 13.

C. Sequencing of Amplified Genomic DNA and Identification of Single Nucleotide

25   ### Polymorphisms

The amplification products generated as described above, are then sequenced using any
method known and available to the skilled technician. Methods for sequencing DNA using either
the dideoxy-mediated method (Sanger method) or the Maxam-Gilbert method are widely known
to those of ordinary skill in the art. Such methods are for example disclosed in Maniatis et al.

30   (Molecular Cloning, A Laboratory Manual, Cold Spring Harbor Press, Second Edition, 1989).
Alternative approaches include hybridization to high-density DNA probe arrays as described in
Chee et al. (Science 274, 610, 1996).

Preferably, the amplified DNA is subjected to automated dideoxy terminator sequencing
reactions using a dye-primer cycle sequencing protocol. The products of the sequencing

35   reactions are run on sequencing gels and the sequences are determined using gel image analysis.
The polymorphism search is based on the presence of superimposed peaks in the electrophoresis
pattern resulting from different bases occurring at the same position. Because each dideoxy

terminator is labeled with a different fluorescent molecule, the two peaks c rresponding to a
biallelic site present distinct colors corresponding to two different nucleotides at the same
position on the sequence. However, the presence of two peaks can be an artifact due to
background noise. To exclude such an artifact, the two DNA strands are sequenced and a ·

5   comparison between the peaks is carried out. In order to be registered as a polymorphic
sequence, the polymorphism has to be detected on both strands.

The above procedure permits those amplification products, which contain biallelic
markers to be identified. The detection limit for the frequency of biallelic polymorphisms
detected by sequencing pools of 100 individuals is approximately 0.1 for the minor allele, as

10   verified by sequencing pools of known allelic frequencies. However, more than 90% of the
biallelic polymorphisms detected by the pooling method have a frequency for the minor allele ·
higher than 0.25. Therefore, the biallelic markers selected by this method have a frequency of at
least 0.1 for the minor allele and less than 0.9 for the major allele. Preferably at least 0.2 for the
minor allele and less than 0.8 for the major allele, more preferably at least 0.3 for the minor allele

15   and less than 0.7 for the major allele, thus a heterozygosity rate higher than 0.18, preferably
higher than 0.32, more preferably higher than 0.42.

In another embodiment, biallelic markers are detected by sequencing individual DNA ·
samples; the frequency of the minor allele of such a biallelic marker may be less than 0.1.

The markers carried by the same fragment of genomic DNA, such as the insert in a BAC·

20   clone, need not necessarily be ordered with respect to one another within the genomic fragment
to conduct association studies. However, in some embodiments of the present invention, the
order of biallelic markers carried by the same fragment of genomic DNA are determined. ·

D. Validation of the Biallelic Markers of the Present Invention

The polymorphisms are evaluated for their usefulness as genetic markers by validating

25   that both alleles are present in a population. Validation of the biallelic markers is accomplished
by genotyping a group of individuals by a method of the invention and demonstrating that both
alleles are present. Microsequencing is a preferred method of genotyping alleles. ' The validation
by genotyping step may be performed on individual samples derived from each individual in the·
group or by genotyping a pooled sample derived from more than one individual. The group can

30   be as small as one individual if that individual is heterozygous for the allele in question. ·
Preferably the group contains at least three individuals, more preferably the group contains five
or six individuals, so that a single validation test will be more likely to result in the validation of
more of the biallelic markers that are being tested. It should be noted, however, that when the
validation test is performed on a small group it may result in a false negative result if as a result

35   of sampling error none of the individuals tested carries one of the two alleles. Thus, the
validation process is less useful in demonstrating that a particular initial result is an artifact, than
it is at demonstrating that there is a *bona fide* biallelic marker at a particular position in a

sequence. For an indication of whether a particular biallelic marker has been validated see Table 7. All of the genotyping, haplotyping, association, and interaction study methods of the invention may optionally be performed solely with validated biallelic markers.

E. Evaluation of the Frequency of the Biallelic Markers of the Present Invention

5   The validated biallelic markers are further evaluated for their usefulness as genetic markers by determining the frequency of the least common allele at the biallelic marker site. The determination of the least common allele is accomplished by genotyping a group of individuals by a method of the invention and demonstrating that both alleles are present. This determination of frequency by genotyping step may be performed on individual samples derived

10   from each individual in the group or by genotyping a pooled sample derived from more than one individual. The group must be large enough to be representative of the population as a whole. Preferably the group contains at least 20 individuals, more preferably the group contains at least 50 individuals, most preferably the group contains at least 100 individuals. Of course the larger the group the greater the accuracy of the frequency determination because of reduced sampling

15   error. For an indication of the frequency for the less common allele of a particular biallelic marker of the invention see Table 7. A biallelic marker wherein the frequency of the less common allele is 30% or more is termed a "high quality biallelic marker." All of the genotyping, haplotyping, association, and interaction study methods of the invention may optionally be performed solely with high quality biallelic markers.

20

V. Methods of Genotyping an Individual for Biallelic Markers

Methods are provided to genotype a biological sample for one or more biallelic markers of the present invention, all of which may be performed *in vitro*. Such methods of genotyping comprise determining the identity of a nucleotide at a CNS disorder-related biallelic marker by

25   any method known in the art. These methods find use in genotyping case-control populations in association studies as well as individuals in the context of detection of alleles of biallelic markers which, are known to be associated with a given trait, in which case both copies of the biallelic marker present in individual's genome are determined so that an individual may be classified as homozygous or heterozygous for a particular allele.

30   These genotyping methods can be performed nucleic acid samples derived from a single individual or pooled DNA samples.

Genotyping can be performed using similar methods as those described above for the identification of the biallelic markers, or using other genotyping methods such as those further described below. In preferred embodiments, the comparison of sequences of amplified genomic

35   fragments from different individuals is used to identify new biallelic markers whereas microsequencing is used for genotyping known biallelic markers in diagnostic and association study applications.

A. Source of DNA for Genotyping

Any source of nucleic acids, in purified or non-purified form, can be utilized as the
starting nucleic acid, provided it contains or is suspected of containing the specific nucleic acid
sequence desired. DNA or RNA may be extracted from cells, tissues, body fluids and the like as
5   described herein. While nucleic acids for use in the genotyping methods of the invention can be
derived from any mammalian source, the test subjects and individuals from which nucleic acid
samples are taken are generally understood to be human.

B. Amplification of DNA Fragments Comprising Biallelic Markers

Methods and polynucleotides are provided to amplify a segment of nucleotides
10   comprising one or more biallelic marker of the present invention. It will be appreciated that
amplification of DNA fragments comprising biallelic markers may be used in various methods
and for various purposes and is not restricted to genotyping. Nevertheless, many genotyping
methods, although not all, require the previous amplification of the DNA region carrying the
biallelic marker of interest. Such methods specifically increase the concentration or total number
15   of sequences that span the biallelic marker or include that site and sequences located either distal
or proximal to it. Diagnostic assays may also rely on amplification of DNA segments carrying a
biallelic marker of the present invention.

Amplification of DNA may be achieved by any method known in the art. The
established PCR (polymerase chain reaction) method or by developments thereof or alternatives.
20   Amplification methods which can be utilized herein include but are not limited to Ligase Chain
Reaction (LCR) as described in EP A 320 308 and EP A 439 182, Gap LCR (Wolcott, M.J., *Clin.
Microbiol. Rev.* 5:370-386), the so-called "NASBA" or "3SR" technique described in Guatelli
J.C. et al. (*Proc. Natl. Acad. Sci. USA* 87:1874-1878, 1990) and in Compton J. (*Nature* 350:91-
92, 1991), Q-beta amplification as described in European Patent Application no 4544610, strand
25   displacement amplification as described in Walker et al. (*Clin. Chem.* 42:9-13, 1996) and EP A
684 315 and, target mediated amplification as described in PCT Publication WO 9322461.

LCR and Gap LCR are exponential amplification techniques, both depend on DNA
ligase to join adjacent primers annealed to a DNA molecule. In Ligase Chain Reaction (LCR),
probe pairs are used which include two primary (first and second) and two secondary (third and
30   fourth) probes, all of which are employed in molar excess to target. The first probe hybridizes to
a first segment of the target strand and the second probe hybridizes to a second segment of the
target strand, the first and second segments being contiguous so that the primary probes abut one
another in 5' phosphate-3'hydroxyl relationship, and so that a ligase can covalently fuse or ligate
the two probes into a fused product. In addition, a third (secondary) probe can hybridize to a
35   portion of the first probe and a fourth (secondary) probe can hybridize to a portion of the second
probe in a similar abutting fashion. Of course, if the target is initially double stranded, the
secondary probes also will hybridize to the target complement in the first instance. Once the

ligated strand of primary probes is separated from the target strand, it will hybridize with the third and fourth probes which can be ligated to form a complementary, secondary ligated product. It is important to realize that the ligated products are functionally equivalent to either the target or its complement. By repeated cycles of hybridization and ligation, amplification of the

5   target sequence is achieved. A method for multiplex LCR has also been described (WO 9320227). Gap LCR (GLCR) is a version of LCR where the probes are not adjacent but are separated by 2 to 3 bases.

         For amplification of mRNAs, it is within the scope of the present invention to reverse transcribe mRNA into cDNA followed by polymerase chain reaction (RT-PCR); or, to use a

10   single enzyme for both steps as described in U.S. Patent No. 5,322,770 or, to use Asymmetric Gap LCR (RT-AGLCR) as described by Marshall R.L. et al. (*PCR Methods and Applications* 4:80-84, 1994). AGLCR is a modification of GLCR that allows the amplification of RNA.

         Some of these amplification methods are particularly suited for the detection of single nucleotide polymorphisms and allow the simultaneous amplification of a target sequence and the

15   identification of the polymorphic nucleotide as it is further described herein.

         The PCR technology is the preferred amplification technique used in the present invention. A variety of PCR techniques are familiar to those skilled in the art. For a review of PCR technology, see Molecular Cloning to Genetic Engineering White, B.A. Ed. in *Methods in Molecular Biology* 67: Humana Press, Totowa (1997) and the publication entitled "PCR Methods

20   and Applications" (1991, Cold Spring Harbor Laboratory Press). In each of these PCR procedures, PCR primers on either side of the nucleic acid sequences to be amplified are added to a suitably prepared nucleic acid sample along with dNTPs and a thermostable polymerase such as Taq polymerase, Pfu polymerase, or Vent polymerase. The nucleic acid in the sample is denatured and the PCR primers are specifically hybridized to complementary nucleic acid sequences in the sample.

25   The hybridized primers are extended. Thereafter, another cycle of denaturation, hybridization, and extension is initiated. The cycles are repeated multiple times to produce an amplified fragment containing the nucleic acid sequence between the primer sites. PCR has further been described in several patents including US Patents 4,683,195, 4,683,202 and 4,965,188.

         The identification of biallelic markers as described above allows the design of

30   appropriate oligonucleotides, which can be used as primers to amplify DNA fragments comprising the biallelic markers of the present invention. Amplification can be performed using the primers initially used to discover new biallelic markers which are described herein or any set of primers allowing the amplification of a DNA fragment comprising a biallelic marker of the present invention. Primers can be prepared by any suitable method. As for example, direct

35   chemical synthesis by a method such as the phosphodiester method f Narang S.A. et al. (*Methods Enzymol.* 68:90-98, 1979), the phosphodiester method of Brown E.L. et al. (*Methods*

Enzymol. 68:109-151, 1979), the diethylphosphoramidite method of Beaucage et al. (*Tetrahedron Lett.* 22:1859-1862, 1981) and the solid support method described in EP 0 707 592.

In some embodiments the present invention provides primers for amplifying a DNA fragment containing one or more biallelic markers of the present invention. Preferred amplification primers are listed in Table 13. It will be appreciated that the primers listed are merely exemplary and that any other set of primers which produce amplification products containing one or more biallelic markers of the present invention.

The primers are selected to be substantially complementary to the different strands of each specific sequence to be amplified. The length of the primers of the present invention can range from 8 to 100 nucleotides, preferably from 8 to 50, 8 to 30 or more preferably 8 to 25 nucleotides. Shorter primers tend to lack specificity for a target nucleic acid sequence and generally require cooler temperatures to form sufficiently stable hybrid complexes with the template. Longer primers are expensive to produce and can sometimes self-hybridize to form hairpin structures. The formation of stable hybrids depends on the melting temperature (Tm) of the DNA. The Tm depends on the length of the primer, the ionic strength of the solution and the G+C content. The higher the G+C content of the primer, the higher is the melting temperature because G:C pairs are held by three H bonds whereas A:T pairs have only two. The G+C content of the amplification primers of the present invention preferably ranges between 10 and 75 %, more preferably between 35 and 60 %, and most preferably between 40 and 55 %. The appropriate length for primers under a particular set of assay conditions may be empirically determined by one of skill in the art.

The spacing of the primers determines the length of the segment to be amplified. In the context of the present invention amplified segments carrying biallelic markers can range in size from at least about 25 bp to 35 kbp. Amplification fragments from 25-3000 bp are typical, fragments from 50-1000 bp are preferred and fragments from 100-600 bp are highly preferred. It will be appreciated that amplification primers for the biallelic markers may be any sequence which allow the specific amplification of any DNA fragment carrying the markers. Amplification primers may be labeled or immobilized on a solid support as described in I.

C. Methods of Genotyping DNA samples for Biallelic Markers

Any method known in the art can be used to identify the nucleotide present at a biallelic marker site. Since the biallelic marker allele to be detected has been identified and specified in the present invention, detection will prove simple for one of ordinary skill in the art by employing any of a number of techniques. Many genotyping methods require the previous amplification of the DNA region carrying the biallelic marker of interest. While the amplification of target or signal is often preferred at present, ultrasensitive detection methods which do not require amplification are also encompassed by the present genotyping methods. Methods well-known to those skilled in the art that can be used to detect biallelic polymorphisms

include methods such as, conventional dot blot analyzes, single strand conformational polymorphism analysis (SSCP) described by Orita et al. (*Proc. Natl. Acad. Sci. U.S.A* 86:27776-2770, 1989), denaturing gradient gel electrophoresis (DGGE), heteroduplex analysis, mismatch cleavage detection, and other conventional techniques as described in Sheffield, V.C. et al. (*Proc. Natl. Acad. Sci. USA* 49:699-706, 1991), White et al. (*Genomics* 12:301-306, 1992), Grompe, M. et al. (*Proc. Natl. Acad. Sci. USA* 86:5855-5892, 1989) and Grompe, M. (*Nature Genetics* 5:111-117, 1993). Another method for determining the identity of the nucleotide present at a particular polymorphic site employs a specialized exonuclease-resistant nucleotide derivative as described in US patent 4,656,127.

Preferred methods involve directly determining the identity of the nucleotide present at a biallelic marker site by sequencing assay, enzyme-based mismatch detection assay, or hybridization assay. The following is a description of some preferred methods. A highly preferred method is the microsequencing technique. The term "sequencing assay" is used herein to refer to polymerase extension of duplex primer/template complexes and includes both traditional sequencing and microsequencing.

i) Sequencing assays

The nucleotide present at a polymorphic site can be determined by sequencing methods. In a preferred embodiment, DNA samples are subjected to PCR amplification before sequencing as described above. DNA sequencing methods are described herein.

Preferably, the amplified DNA is subjected to automated dideoxy terminator sequencing reactions using a dye-primer cycle sequencing protocol. Sequence analysis allows the identification of the base present at the biallelic marker site.

ii) Microsequencing assays

In microsequencing methods, a nucleotide at the polymorphic site that is unique to one of the alleles in a target DNA is detected by a single nucleotide primer extension reaction. This method involves appropriate microsequencing primers which, hybridize just upstream of a polymorphic base of interest in the target nucleic acid. A polymerase is used to specifically extend the 3' end of the primer with one single ddNTP (chain terminator) complementary to the selected nucleotide at the polymorphic site. Next the identity of the incorporated nucleotide is determined in any suitable way.

Typically, microsequencing reactions are carried out using fluorescent ddNTPs and the extended microsequencing primers are analyzed by electrophoresis on ABI 377 sequencing machines to determine the identity of the incorporated nucleotide as described in EP 412 883. Alternatively capillary electrophoresis can be used in order to process a higher number of assays simultaneously. An example of a typical microsequencing procedure that can be used in the context of the present invention is provided in Example 2.

63

Different approaches can be used to detect the nucleotide added to the microsequencing primer. A homogeneous phase detection method based on fluorescence resonance energy transfer has been described by Chen and Kwok (*Nucleic Acids Research* 25:347-353 1997) and Chen et al. (*Proc. Natl. Acad. Sci. USA* 94/20 10756-10761,1997). In this method amplified genomic

5   DNA fragments containing polymorphic sites are incubated with a 5'-fluorescein–labeled primer in the presence of allelic dye-labeled dideoxyribonucleoside triphosphates and a modified Taq polymerase. The dye-labeled primer is extended one base by the dye-terminator specific for the allele present on the template. At the end of the genotyping reaction, the fluorescence intensities of the two dyes in the reaction mixture are analyzed directly without separation or purification.

10   All these steps can be performed in the same tube and the fluorescence changes can be monitored in real time. Alternatively, the extended primer may be analyzed by MALDI-TOF Mass Spectrometry. The base at the polymorphic site is identified by the mass added onto the microsequencing primer (see Haff L.A. and Smirnov I.P., *Genome Research*, 7:378-388, 1997).

Microsequencing may be achieved by the established microsequencing method or by

15   developments or derivatives thereof. Alternative methods include several solid-phase microsequencing techniques. The basic microsequencing protocol is the same as described previously, except that the method is conducted as a heterogenous phase assay, in which the primer or the target molecule is immobilized or captured onto a solid support. To simplify the primer separation and the terminal nucleotide addition analysis, oligonucleotides are attached to

20   solid supports or are modified in such ways that permit affinity separation as well as polymerase extension. The 5' ends and internal nucleotides of synthetic oligonucleotides can be modified in a number of different ways to permit different affinity separation approaches, e.g., biotinylation. If a single affinity group is used on the oligonucleotides, the oligonucleotides can be separated from the incorporated terminator reagent. This eliminates the need of physical or size separation.

25   More than one oligonucleotide can be separated from the terminator reagent and analyzed simultaneously if more than one affinity group is used. This permits the analysis of several nucleic acid species or more nucleic acid sequence information per extension reaction. The affinity group need not be on the priming oligonucleotide but could alternatively be present on the template. For example, immobilization can be carried out via an interaction between

30   biotinylated DNA and streptavidin-coated microtitration wells or avidin-coated polystyrene particles. In the same manner oligonucleotides or templates may be attached to a solid support in a high-density format. In such solid phase microsequencing reactions, incorporated ddNTPs can be radiolabeled (Syvänen, *Clinica Chimica Acta* 226:225-236, 1994) or linked to fluorescein (Livak and Hainer, *Human Mutation* 3:379-385,1994). The detection of radiolabeled ddNTPs

35   can be achieved through scintillation-based techniques. The detection of fluorescein-linked ddNTPs can be based on the binding of antifluorescein antibody conjugated with alkaline phosphatase, followed by incubation with a chromogenic substrate (such as *p*-nitrophenyl

phosphate). Other possible reporter-detection pairs include: ddNTP linked to dinitrophenyl (DNP) and anti-DNP alkaline phosphatase conjugate (Harju et al., *Clin. Chem.* 39/11 2282-2287, 1993) or biotinylated ddNTP and horseradish peroxidase-conjugated streptavidin with *o*-phenylenediamine as a substrate (WO 92/15712). As yet another alternative solid-phase

5   microsequencing procedure, Nyren et al. (*Analytical Biochemistry* 208:171-175, 1993) described a method relying on the detection of DNA polymerase activity by an enzymatic luminometric inorganic pyrophosphate detection assay (ELIDA).

Pastinen et al. (*Genome research* 7:606-614, 1997) describe a method for multiplex detection of single nucleotide polymorphism in which the solid phase minisequencing principle

10   is applied to an oligonucleotide array format. High-density arrays of DNA probes attached to a solid support (DNA chips) are further described herein.

In one aspect the present invention provides polynucleotides and methods to genotype one or more biallelic markers of the present invention by performing a microsequencing assay. Preferred microsequencing primers include those being featured in Table 12. It will be

15   appreciated that the microsequencing primers listed in Table 12 are merely exemplary and that, any primer having a 3' end immediately adjacent to a polymorphic nucleotide may be used. Similarly, it will be appreciated that microsequencing analysis may be performed for any biallelic marker or any combination of biallelic markers of the present invention. One aspect of the present invention is a solid support which includes one or more microsequencing primers

20   listed in Table 12, or fragments comprising at least 8, at least 12, at least 15, or at least 20 consecutive nucleotides thereof and having a 3' terminus immediately upstream of the corresponding biallelic marker, for determining the identity of a nucleotide at a biallelic marker site.

iii) Mismatch detection assays based on polymerases and ligases

25   In one aspect the present invention provides polynucleotides and methods to determine the allele of one or more biallelic markers of the present invention in a biological sample, by mismatch detection assays based on polymerases and/or ligases. These assays are based on the specificity of polymerases and ligases. Polymerization reactions places particularly stringent requirements on correct base pairing of the 3' end of the amplification primer and the joining of

30   two oligonucleotides hybridized to a target DNA sequence is quite sensitive to mismatches close to the ligation site, especially at the 3' end. The terms "enzyme based mismatch detection assay" are used herein to refer to any method of determining the allele of a biallelic marker based on the specificity of ligases and polymerases. Preferred methods are described below. Methods, primers and various parameters to amplify DNA fragments comprising biallelic markers of the

35   present invention are further described herein.

1. Allele specific amplification

Discrimination between the two alleles of a biallelic marker can also be achieved by allele specific amplification, a selective strategy, whereby one of the alleles is amplified without amplification of the other allele. This is accomplished by placing a polymorphic base at the 3' end of one of the amplification primers. Because the extension forms from the 3'end of the

5   primer, a mismatch at or near this position has an inhibitory effect on amplification. Therefore, under appropriate amplification conditions, these primers only direct amplification on their complementary allele. Designing the appropriate allele-specific primer and the corresponding assay conditions are well with the ordinary skill in the art.

2. Ligation/amplification based methods

10   The "Oligonucleotide Ligation Assay" (OLA) uses two oligonucleotides which are designed to be capable of hybridizing to abutting sequences of a single strand of target molecules. One of the oligonucleotides is biotinylated, and the other is detectably labeled. If the precise complementary sequence is found in a target molecule, the oligonucleotides will hybridize such that their termini abut, and create a ligation substrate that can be captured and

15   detected. OLA is capable of detecting biallelic markers and may be advantageously combined with PCR as described by Nickerson D.A. et al. (*Proc. Natl. Acad. Sci. U.S.A.* 87:8923-8927, 1990). In this method, PCR is used to achieve the exponential amplification of target DNA, which is then detected using OLA.

Other methods which are particularly suited for the detection of biallelic markers include

20   LCR (ligase chain reaction), Gap LCR (GLCR) which are described herein. As mentioned above LCR uses two pairs of probes to exponentially amplify a specific target. The sequences of each pair of oligonucleotides, is selected to permit the pair to hybridize to abutting sequences of the same strand of the target. Such hybridization forms a substrate for a template-dependant ligase. In accordance with the present invention, LCR can be performed with oligonucleotides having

25   the proximal and distal sequences of the same strand of a biallelic marker site. In one embodiment, either oligonucleotide will be designed to include the biallelic marker site. In such an embodiment, the reaction conditions are selected such that the oligonucleotides can be ligated together only if the target molecule either contains or lacks the specific nucleotide(s) that is complementary to the biallelic marker on the oligonucleotide. In an alternative embodiment, the

30   oligonucleotides will not include the biallelic marker, such that when they hybridize to the target molecule, a "gap" is created as described in WO 90/01069. This gap is then "filled" with complementary dNTPs (as mediated by DNA polymerase), or by an additional pair of oligonucleotides. Thus at the end of each cycle, each single strand has a complement capable of serving as a target during the next cycle and exponential allele-specific amplification of the

35   desired sequence is obtained.

Ligase/Polymerase-mediated Genetic Bit Analysis™ is another method for determining the identity of a nucleotide at a preselected site in a nucleic acid molecule (WO 95/21271). This

method involves the incorporation of a nucleoside triphosphate that is complementary to the nucleotide present at the preselected site onto the terminus of a primer molecule, and their subsequent ligation to a second olig nucleotide. The reacti n is monitored by detecting a specific label attached to the reaction's solid phase or by detection in solution.

5   iv) Hybridization assay methods

A preferred method of determining the identity of the nucleotide present at a biallelic marker site involves nucleic acid hybridization. The hybridization probes, which can be conveniently used in such reactions, preferably include the probes defined herein. Any hybridization assay may be used including Southern hybridization, Northern hybridization, dot

10   blot hybridization and solid-phase hybridization (see Sambrook et al., Molecular Cloning – A Laboratory Manual, Second Edition, Cold Spring Harbor Press, N.Y., 1989).

Hybridization refers to the formation of a duplex structure by two single stranded nucleic acids due to complementary base pairing. Hybridization can occur between exactly complementary nucleic acid strands or between nucleic acid strands that contain minor regions of

·15   mismatch. Specific probes can be designed that hybridize to one form of a biallelic marker and not to the other and therefore are able to discriminate between different allelic forms. Allele-specific probes are often used in pairs, one member of a pair showing perfect match to a target sequence containing the original allele and the other showing a perfect match to the target sequence containing the alternative allele. Hybridization conditions should be sufficiently ·

20   stringent that there is a significant difference in hybridization intensity between alleles, and preferably an essentially binary response, whereby a probe hybridizes to only one of the alleles. Stringent, sequence specific hybridization conditions, under which a probe will hybridize only to the exactly complementary target sequence are well known in the art (Sambrook et al., Molecular Cloning – A Laboratory Manual, Second Edition, Cold Spring Harbor Press, N.Y., 1989).

25   Stringent conditions are sequence dependent and will be different in different circumstances. Generally, stringent conditions are selected to be about 5°C lower than the thermal melting point ·(Tm) for the specific sequence at a defined ionic strength and pH. By way of example and not limitation, procedures using conditions of high stringency are as follows: Prehybridization of filters containing DNA is carried out for 8 h to overnight at 65°C in buffer composed of 6X SSC,·

30   50 mM Tris-HCl (pH 7.5), 1 mM EDTA, 0.02% PVP, 0.02% Ficoll, 0.02% BSA, and 500 µg/ml· denatured salmon sperm DNA. Filters are hybridized for 48 h at 65°C, the preferred hybridization temperature, in prehybridization mixture containing 100 µg/ml denatured salmon sperm DNA and 5-20 X 10^6 cpm of ^32P-labeled probe. Alternatively, the hybridization step can be performed at 65°C in the presence of SSC buffer, 1 x SSC corresponding to 0.15M NaCl and ·

35   0.05 M Sodium citrate. Subsequently, filter washes can be done at 37°C for 1 h in a solution containing 2X SSC, 0.01% PVP, 0.01% Ficoll, and 0.01% BSA, followed by a wash in 0.1X SSC at 50°C for 45 min. Alternatively, filter washes can be performed in a solution containing 2

x SSC and 0.1% SDS, or 0.5 x SSC and 0.1% SDS, or 0.1 x SSC and 0.1% SDS at 68°C for 15

minute intervals. F llowing the wash steps, the hybridized probes are detectable by

autoradiography. By way of example and not limitation, procedures using conditions of

intermediate stringency are as follows: Filters containing DNA are prehybridized, and then

5   hybridized at a temperature of 60°C in the presence of a 5 x SSC buffer and labeled probe.

Subsequently, filters washes are performed in a solution containing 2x SSC at 50°C and the

hybridized probes are detectable by autoradiography. Other conditions of high and intermediate

stringency which may be used are well known in the art and as cited in Sambrook et al.

(Molecular Cloning - A Laboratory Manual, Second Edition, Cold Spring Harbor Press, N.Y.,

10   1989) and Ausubel et al. (Current Protocols in Molecular Biology, Green Publishing Associates

and Wiley Interscience, N.Y., 1989).

        Although such hybridizations can be performed in solution, it is preferred to employ a

solid-phase hybridization assay. The target DNA comprising a biallelic marker of the present

invention may be amplified prior to the hybridization reaction.   The presence of a specific allele

15   in the sample is determined by detecting the presence or the absence of stable hybrid duplexes

formed between the probe and the target DNA. The detection of hybrid duplexes can be carried

out by a number of methods. Various detection assay formats are well known which utilize

detectable labels bound to either the target or the probe to enable detection of the hybrid

duplexes. Typically, hybridization duplexes are separated from unhybridized nucleic acids and

20   the labels bound to the duplexes are then detected. Those skilled in the art will recognize that

wash steps may be employed to wash away excess target DNA or probe. Standard heterogeneous

assay formats are suitable for detecting the hybrids using the labels present on the primers and

probes.

        Two recently developed assays allow hybridization-based allele discrimination with no

25   need for separations or washes (see Landegren U. et al., *Genome Research*, 8:769-776,1998).

The TaqMan assay takes advantage of the 5' nuclease activity of Taq DNA polymerase to digest

a DNA probe annealed specifically to the accumulating amplification product. TaqMan probes

are labeled with a donor-acceptor dye pair that interacts via fluorescence energy transfer.

Cleavage of the TaqMan probe by the advancing polymerase during amplification dissociates the

30   donor dye from the quenching acceptor dye, greatly increasing the donor fluorescence. All

reagents necessary to detect two allelic variants can be assembled at the beginning of the reaction

and the results are monitored in real time (see Livak et al., *Nature Genetics*, 9:341-342, 1995).

In an alternative homogeneous hybridization-based procedure, molecular beacons are used for

allele discriminations. Molecular beacons are hairpin-shaped oligonucleotide probes that report

35   the presence f specific nucleic acids in homogeneous solutions. When they bind to their targets

they undergo a conformational reorganization that restores the fluorescence of an internally

quenched fluorophore (Tyagi et al., *Nature Biotechnology*, 16:49-53, 1998).

The polynucleotides provided herein can be used in hybridization assays for the detection of biallelic marker alleles in biological samples. These probes are characterized in that they preferably comprise between 8 and 50 nucleotides, and in that they are sufficiently complementary to a sequence comprising a biallelic marker of the present invention to hybridize thereto and preferably sufficiently specific to be able to discriminate the targeted sequence for only one nucleotide variation. The GC content in the probes of the invention usually ranges between 10 and 75 %, preferably between 35 and 60 %, and more preferably between 40 and 55 %. The length of these probes can range from 10, 15, 20, or 30 to at least 100 nucleotides, preferably from 10 to 50, more preferably from 18 to 35 nucleotides. A particularly preferred probe is 25 nucleotides in length. Preferably the biallelic marker is within 4 nucleotides of the center of the polynucleotide probe. In particularly preferred probes the biallelic marker is at the center of said polynucleotide. Shorter probes may lack specificity for a target nucleic acid sequence and generally require cooler temperatures to form sufficiently stable hybrid complexes with the template. Longer probes are expensive to produce and can sometimes self-hybridize to form hairpin structures. Methods for the synthesis of oligonucleotide probes have been described above and can be applied to the probes of the present invention.

Preferably the probes of the present invention are labeled or immobilized on a solid support. Labels and solid supports are further described in I. Detection probes are generally nucleic acid sequences or uncharged nucleic acid analogs such as, for example peptide nucleic acids which are disclosed in International Patent Application WO 92/20702; morpholino analogs which are described in U.S. Patents Numbered 5,185,444; 5,034,506 and 5,142,047. The probe may have to be rendered "non-extendable" in that additional dNTPs cannot be added to the probe. In and of themselves analogs usually are non-extendable and nucleic acid probes can be rendered non-extendable by modifying the 3' end of the probe such that the hydroxyl group is no longer capable of participating in elongation. For example, the 3' end of the probe can be functionalized with the capture or detection label to thereby consume or otherwise block the hydroxyl group. Alternatively, the 3' hydroxyl group simply can be cleaved, replaced or modified, U.S. Patent Application Serial No. 07/049,061 filed April 19, 1993 describes modifications, which can be used to render a probe non-extendable.

The probes of the present invention are useful for a number of purposes. They can be used in Southern hybridization to genomic DNA or Northern hybridization to mRNA. The probes can also be used to detect PCR amplification products. By assaying the hybridization to an allele specific probe, one can detect the presence or absence of a biallelic marker allele in a given sample.

High-Throughput parallel hybridizations in array format are specifically encompassed within "hybridization assays" and are described below.

i. Hybridization to addressable arrays of oligonucleotides

Hybridization assays based on ligonucleotide arrays rely on the differences in hybridization stability of short oligonucleotides to perfectly matched and mismatched target sequence variants. Efficient access to polymorphism information is obtained through a basic structure comprising high-density arrays of oligonucleotide probes attached to a solid support

5   (the chip) at selected positions. Each DNA chip can contain thousands to millions of individual synthetic DNA probes arranged in a grid-like pattern and miniaturized to the size of a dime.

The chip technology has already been applied with success in numerous cases. For example, the screening of mutations has been undertaken in the BRCA1 gene, in *S. cerevisiae* mutant strains, and in the protease gene of HIV-1 virus (Hacia et al., *Nature Genetics*, 14(4):441-

10   447, 1996; Shoemaker et al., *Nature Genetics*, 14(4):450-456, 1996 ; Kozal et al., *Nature Medicine*, 2:753-759, 1996). Chips of various formats for use in detecting biallelic polymorphisms can be produced on a customized basis by Affymetrix (GeneChip™), Hyseq (HyChip and HyGnostics), and Protogene Laboratories.

In general, these methods employ arrays of oligonucleotide probes that are

15   complementary to target nucleic acid sequence segments from an individual which, target sequences include a polymorphic marker. EP785280 describes a tiling strategy for the detection of single nucleotide polymorphisms. Briefly, arrays may generally be "tiled" for a large number of specific polymorphisms. By "tiling" is generally meant the synthesis of a defined set of oligonucleotide probes which is made up of a sequence complementary to the target sequence of

20   interest, as well as preselected variations of that sequence, e.g., substitution of one or more given positions with one or more members of the basis set of monomers, i.e. nucleotides. Tiling strategies are further described in PCT application No. WO 95/11995. In a particular aspect, arrays are tiled for a number of specific, identified biallelic marker sequences. In particular the array is tiled to include a number of detection blocks, each detection block being specific for a

25   specific biallelic marker or a set of biallelic markers. For example, a detection block may be tiled to include a number of probes, which span the sequence segment that includes a specific polymorphism. To ensure probes that are complementary to each allele, the probes are synthesized in pairs differing at the biallelic marker. In addition to the probes differing at the polymorphic base, monosubstituted probes are also generally tiled within the detection block.

30   These monosubstituted probes have bases at and up to a certain number of bases in either direction from the polymorphism, substituted with the remaining nucleotides (selected from A, T, G, C and U). Typically the probes in a tiled detection block will include substitutions of the sequence positions up to and including those that are 5 bases away from the biallelic marker. The monosubstituted probes provide internal controls for the tiled array, to distinguish actual

35   hybridization from artefactual cross-hybridization. Upon completion of hybridization with the target sequence and washing of the array, the array is scanned to determine the position on the array to which the target sequence hybridizes. The hybridization data from the scanned array is

then analyzed to identify which allele or alleles of the biallelic marker are present in the sample. Hybridization and scanning may be carried ut as described in PCT application No. WO 92/10092 and WO 95/11995 and US patent No. 5,424,186.

Thus, in some embodiments, the chips may comprise an array f nucleic acid sequences of fragments of about 15 nucleotides in length. In further embodiments, the chip may comprise an array including at least one of the sequences selected from the group consisting of SEQ ID No. 1-130 and the sequences complementary thereto, or a fragment thereof at least about 8 consecutive nucleotides, preferably 10, 15, 20, more preferably 25, 30, 40, 47, or 50 consecutive nucleotides. In some embodiments, the chip may comprise an array of at least 2, 3, 4, 5, 6, 7, 8 or more of these polynucleotides of the invention. Solid supports and polynucleotides of the present invention attached to solid supports are further described in I.

v) Integrated systems

Another technique, which may be used to analyze polymorphisms, includes multicomponent integrated systems, which miniaturize and compartmentalize processes such as PCR and capillary electrophoresis reactions in a single functional device. An example of such technique is disclosed in US patent 5,589,136, which describes the integration of PCR amplification and capillary electrophoresis in chips.

Integrated systems can be envisaged mainly when microfluidic systems are used. These systems comprise a pattern of microchannels designed onto a glass, silicon, quartz, or plastic wafer included on a microchip. The movements of the samples are controlled by electric, electroosmotic or hydrostatic forces applied across different areas of the microchip. For genotyping biallelic markers, the microfluidic system may integrate nucleic acid amplification, microsequencing, capillary electrophoresis and a detection method such as laser-induced fluorescence detection.

VI. Methods of Genetic Analysis Using the Biallelic Markers of the Present Invention

Different methods are available for the genetic analysis of complex traits (see Lander and Schork, *Science*, 265, 2037-2048, 1994). The search for disease-susceptibility genes is conducted using two main methods: the linkage approach in which evidence is sought for cosegregation between a locus and a putative trait locus using family studies, and the association approach in which evidence is sought for a statistically significant association between an allele and a trait or a trait causing allele (Khoury J. et al., *Fundamentals of Genetic Epidemiology*, *Oxford University Press, NY*, 1993). In general, the biallelic markers of the present invention find use in any method known in the art to demonstrate a statistically significant correlation between a genotype and a phenotype. The biallelic markers may be used in parametric and nonparametric linkage analysis methods. Preferably, the biallelic markers of the present invention are used to identify genes associated with detectable traits using association studies, an approach

71

which does not require the use of affected families and which permits the identification of genes associated with complex and sporadic traits.

The genetic analysis using the biallelic markers of the present invention may be conducted on any scale. The whole set of biallelic markers of the present invention or any subset

5   of biallelic markers of the present invention may be used. In some embodiments a subset of biallelic markers corresponding to one or several candidate genes of the present invention may be used. In other embodiments a subset of biallelic markers corresponding to CNS disorder candidate genes may be used. Alternatively, a subset of biallelic markers of the present invention localised on a specific chromosome segment may be used. Further, any set of genetic markers

10   including a biallelic marker of the present invention may be used. A set of biallelic polymorphisms that, could be used as genetic markers in combination with the biallelic markers of the present invention, has been described in WO 98/20165. As mentioned above, it should be noted that the biallelic markers of the present invention may be included in any complete or partial genetic map of the human genome. These different uses are specifically contemplated in

15   the present invention and claims.

A. Linkage Analysis

Linkage analysis is based upon establishing a correlation between the transmission of genetic markers and that of a specific trait throughout generations within a family. Thus, the aim of linkage analysis is to detect marker loci that show cosegregation with a trait of interest in

20   pedigrees.

i. Parametric methods

·· When data are available from successive generations there is the opportunity to study the degree of linkage between pairs of loci. Estimates of the recombination fraction enable loci to be ordered and placed onto a genetic map. With loci that are genetic markers, a genetic map can be

25   established, and then the strength of linkage between markers and traits can be calculated and used to indicate the relative positions of markers and genes affecting those traits (Weir, B.S., *Genetic data Analysis II: Methods for Discrete population genetic Data, Sinauer Assoc., Inc., Sunderland, MA, USA*, 1996). The classical method for linkage analysis is the logarithm of odds (lod) score method (see Morton N.E., *Am.J. Hum.Genet.*, 7:277-318, 1955; Ott J., *Analysis of*

30   *Human Genetic Linkage, John Hopkins University Press, Baltimore*, 1991). Calculation of lod scores requires specification of the mode of inheritance for the disease (parametric method). Generally, the length of the candidate region identified using linkage analysis is between 2 and 20Mb. Once a candidate region is identified as described above, analysis of recombinant individuals using additional markers allows further delineation of the candidate region. Linkage

35   analysis studies have generally relied on the use of a maximum of 5,000 microsatellite markers, thus limiting the maximum theoretical attainable resolution of linkage analysis to about 600 kb on average.

Linkage analysis has been successfully applied to map simple genetic traits that show clear Mendelian inheritance patterns and which have a high penetrance (i.e., the ratio between the number of trait positive carriers of allele *a* and the total number of *a* carriers in the population). However, parametric linkage analysis suffers from a variety of drawbacks. First, it is limited by

5   its reliance on the choice of a genetic model suitable for each studied trait. Furthermore, as already mentioned, the resolution attainable using linkage analysis is limited, and complementary studies are required to refine the analysis of the typical 2Mb to 20Mb regions initially identified through linkage analysis. In addition, parametric linkage analysis approaches have proven difficult when applied to complex genetic traits, such as those due to the combined action of

10   multiple genes and/or environmental factors. It is very difficult to model these factors adequately in a lod score analysis. In such cases, too large an effort and cost are needed to recruit the adequate number of affected families required for applying linkage analysis to these situations, as recently discussed by Risch, N. and Merikangas, K. (*Science*, 273:1516-1517, 1996).

ii. Non-parametric methods

15   The advantage of the so-called non-parametric methods for linkage analysis is that they do not require specification of the mode of inheritance for the disease, they tend to be more useful for the analysis of complex traits. In non-parametric methods, one tries to prove that the inheritance pattern of a chromosomal region is not consistent with random Mendelian segregation by showing that affected relatives inherit identical copies of the region more often

20   than expected by chance. Affected relatives should show excess "allele sharing" even in the presence of incomplete penetrance and polygenic inheritance. In non-parametric linkage analysis the degree of agreement at a marker locus in two individuals can be measured either by the number of alleles identical by state (IBS) or by the number of alleles identical by descent (IBD). Affected sib pair analysis is a well-known special case and is the simplest form of these methods.

25   The biallelic markers of the present invention may be used in both parametric and non-parametric linkage analysis. Preferably biallelic markers may be used in non-parametric methods which allow the mapping of genes involved in complex traits. The biallelic markers of the present invention may be used in both IBD- and IBS- methods to map genes affecting a complex trait. In such studies, taking advantage of the high density of biallelic markers, several adjacent

30   biallelic marker loci may be pooled to achieve the efficiency attained by multi-allelic markers (Zhao et al., *Am. J. Hum. Genet.*, 63:225-240, 1998).

However, both parametric and non-parametric linkage analysis methods analyse affected relatives, they tend to be of limited value in the genetic analysis of drug responses or in the analysis of side effects to treatments. This type of analysis is impractical in such cases due to the

35   lack of availability of familial cases. In fact, the likelihood of having more than one individual in a family being exposed to the same drug at the same time is extremely low.

B. Population Association Studies

73

The present invention comprises methods for identifying one r several genes among a set of candidate genes that are associated with a detectable trait using the biallelic markers of the present invention. In one embodiment the present invention comprises methods to detect an association between a biallelic marker allele or a biallelic marker haplotype and a trait. Further,

5   the invention comprises methods to identify a trait causing allele in linkage disequilibrium with any biallelic marker allele of the present invention.

As described above, alternative approaches can be employed to perform association studies: genome-wide association studies, candidate region association studies and candidate gene association studies. In a preferred embodiment, the biallelic markers of the present

10   invention are used to perform candidate gene association studies. The candidate gene analysis clearly provides a short-cut approach to the identification of genes and gene polymorphisms related to a particular trait when some information concerning the biology of the trait is available. Further, the biallelic markers of the present invention may be incorporated in any map of genetic markers of the human genome in order to perform genome-wide association studies. Methods to

15   generate a high-density map of biallelic markers has been described in US Provisional Patent application serial number 60/082,614. The biallelic markers of the present invention may further be incorporated in any map of a specific candidate region of the genome (a specific chromosome or a specific chromosomal segment for example).

As mentioned above, association studies may be conducted within the general population

20   and are not limited to studies performed on related individuals in affected families. Association studies are extremely valuable as they permit the analysis of sporadic or multifactor traits. Moreover, association studies represent a powerful method for fine-scale mapping enabling much finer mapping of trait causing alleles than linkage studies. Studies based on pedigrees often only narrow the location of the trait causing allele. Association studies using the biallelic

25   markers of the present invention can therefore be used to refine the location of a trait causing allele in a candidate region identified by Linkage Analysis methods. Moreover, once a chromosome segment of interest has been identified, the presence of a candidate gene such as a candidate gene of the present invention, in the region of interest can provide a shortcut to the identification of the trait causing allele. Biallelic markers of the present invention can be used to

30   demonstrate that a candidate gene is associated with a trait. Such uses are specifically contemplated in the present invention and claims.

i. Determining the frequency of a biallelic marker allele or of a biallelic marker haplotype in a population

Association studies explore the relationships among frequencies for sets of alleles

35   between loci.

1) Determining the frequency of an allele in a population

74

Allelic frequencies of the biallelic markers in a population can be determined using one of the methods described abov under the heading "Methods for genotyping an individual for biallelic markers", or any genotyping procedure suitable for this intended purpose. Genotyping pooled samples or individual samples can determine the frequency of a biallelic marker allele in

5   a population. One way to reduce the number of genotypings required is to use pooled samples. A major obstacle in using pooled samples is in terms of accuracy and reproducibility for determining accurate DNA concentrations in setting up the pools. Genotyping individual samples provides higher sensitivity, reproducibility and accuracy and; is the preferred method used in the present invention. Preferably, each individual is genotyped separately and simple

10   gene counting is applied to determine the frequency of an allele of a biallelic marker or of a genotype in a given population.

2) Determining the frequency of a haplotype in a population

The gametic phase of haplotypes is unknown when diploid individuals are heterozygous at more than one locus. Using genealogical information in families gametic phase can sometimes

15   be inferred (Perlin et al., *Am. J. Hum. Genet.*, 55:777-787, 1994). When no genealogical information is available different strategies may be used. One possibility is that the multiple-site heterozygous diploids can be eliminated from the analysis, keeping only the homozygotes and the single-site heterozygote individuals, but this approach might lead to a possible bias in the sample composition and the underestimation of low-frequency haplotypes. Another possibility is

20   that single chromosomes can be studied independently, for example, by asymmetric PCR amplification (see Newton et al., *Nucleic Acids Res.*, 17:2503-2516, 1989; Wu et al., *Proc. Natl. Acad. Sci. USA*, 86:2757, 1989) or by isolation of single chromosome by limit dilution followed by PCR amplification (see Ruano et al., *Proc. Natl. Acad. Sci. USA*, 87:6296-6300, 1990). Further, a sample may be haplotyped for sufficiently close biallelic markers by double PCR

25   amplification of specific alleles (Sarkar, G. and Sommer S.S., *Biotechniques*, 1991). These approaches are not entirely satisfying either because of their technical complexity, the additional cost they entail, their lack of generalisation at a large scale, or the possible biases they introduce. To overcome these difficulties, an algorithm to infer the phase of PCR-amplified DNA genotypes introduced by Clark A.G. (*Mol. Biol. Evol.*, 7:111-122, 1990) may be used. Briefly, the principle

30   is to start filling a preliminary list of haplotypes present in the sample by examining unambiguous individuals, that is, the complete homozygotes and the single-site heterozygotes. Then other individuals in the same sample are screened for the possible occurrence of previously recognized haplotypes. For each positive identification, the complementary haplotype is added to the list of recognized haplotypes, until the phase information for all individuals is either resolved

35   or identified as unresolved. This method assigns a single haplotype to each multiheterozygous individual, whereas several haplotypes are possible when there are more than one heterozygous site. Alternatively, one can use methods estimating haplotype frequencies in a population without

assigning haplotypes to each individual. Preferably, a method based on an expectation-maximization (EM) algorithm (Dempster et al., *J. R. Stat. Soc.*, 39B: 1-38, 1977) leading to maximum-likelihood estimates of haplotype frequencies under the assumption of Hardy-Weinberg proportions (random mating) is used (see Excoffier L. and Slatkin M., *Mol. Biol. Evol.*,

5   12(5): 921-927, 1995). The EM algorithm is a generalized iterative maximum-likelihood approach to estimation that is useful when data are ambiguous and/or incomplete. The EM algorithm is used to resolve heterozygotes into haplotypes. Haplotype estimations are further described below under the heading "Statistical methods". Any other method known in the art to determine or to estimate the frequency of a haplotype in a population may also be used.

10   .   ii. Linkage disequilibrium analysis

Linkage disequilibrium is the non-random association of alleles at two or more loci and represents a powerful tool for mapping genes involved in disease traits (see Ajioka R.S. et al., *Am. J. Hum. Genet.*, 60:1439-1447, 1997). Biallelic markers, because they are densely spaced in the human genome and can be genotyped in more numerous numbers than other types of genetic

15   markers (such as RFLP or VNTR markers), are particularly useful in genetic analysis based on linkage disequilibrium. The biallelic markers of the present invention may be used in any linkage disequilibrium analysis method known in the art.

    .   Briefly, when a disease mutation is first introduced into a population (by a new mutation or the immigration of a mutation carrier), it necessarily resides on a single chromosome and thus

20   on a single "background" or "ancestral" haplotype of linked markers. Consequently, there is complete disequilibrium between these markers and the disease mutation: one finds the disease mutation only in the presence of a specific set of marker alleles. Through subsequent generations recombinations occur between the disease mutation and these marker polymorphisms, and the disequilibrium gradually dissipates. The pace of this dissipation is a function of the

25   recombination frequency, so the markers closest to the disease gene will manifest higher levels of disequilibrium than those further away. When not broken up by recombination, "ancestral", haplotypes and linkage disequilibrium between marker alleles at different loci can be tracked not only through pedigrees but also through populations. Linkage disequilibrium is usually seen as an association between one specific allele at one locus and another specific allele at a second

30   locus.

The pattern or curve of disequilibrium between disease and marker loci is expected to exhibit a maximum that occurs at the disease locus. Consequently, the amount of linkage disequilibrium between a disease allele and closely linked genetic markers may yield valuable information regarding the location of the disease gene. For fine-scale mapping of a disease

35   locus, it is useful to have some knowledge of the patterns of linkage disequilibrium that exist between markers in the studied region. As mentioned above the mapping resolution achieved through the analysis of linkage disequilibrium is much higher than that of linkage studies. The

high density of biallelic markers combined with linkage disequilibrium analysis provides powerful tools for fine-scale mapping. Different methods to calculate linkage disequilibrium are described below under the heading "Statistical Methods".

iii. Population-based case-control studies of trait-marker associations

5   As mentioned above, the occurrence of pairs of specific alleles at different loci on the same chromosome is not random and the deviation from random is called linkage disequilibrium. Association studies focus on population frequencies and rely on the phenomenon of linkage disequilibrium. If a specific allele in a given gene is directly involved in causing a particular trait, its frequency will be statistically increased in an affected (trait positive) population, when

10   compared to the frequency in a trait negative population or in a random control population. As a consequence of the existence of linkage disequilibrium, the frequency of all other alleles present in the haplotype carrying the trait-causing allele will also be increased in trait positive individuals compared to trait negative individuals or random controls. Therefore, association between the trait and any allele (specifically a biallelic marker allele) in linkage disequilibrium with the trait-

15   causing allele will suffice to suggest the presence of a trait-related gene in that particular region. Case-control populations can be genotyped for biallelic markers to identify associations that narrowly locate a trait causing allele. As any marker in linkage disequilibrium with one given marker associated with a trait will be associated with the trait. Linkage disequilibrium allows the relative frequencies in case-control populations of a limited number of genetic polymorphisms

20   (specifically biallelic markers) to be analyzed as an alternative to screening all possible functional polymorphisms in order to find trait-causing alleles. Association studies compare the frequency of marker alleles in unrelated case-control populations, and represent powerful tools for the dissection of complex traits.

1) Case-control populations (inclusion criteria)

25   Population-based association studies do not concern familial inheritance but compare the prevalence of a particular genetic marker, or a set of markers, in case-control populations. They are case-control studies based on comparison of unrelated case (affected or trait positive) individuals and unrelated control (unaffected or trait negative or random) individuals. Preferably the control group is composed of unaffected or trait negative individuals. Further, the

30   control group is ethnically matched to the case population. Moreover, the control group is preferably matched to the case-population for the main known confusion factor for the trait under study (for example age-matched for an age-dependent trait). Ideally, individuals in the two samples are paired in such a way that they are expected to differ only in their disease status. In the following "trait positive population", "case population" and "affected population" are used

35   interchangeably.

An important step in the dissection of complex traits using association studies is the choice of case-control populations (see Lander and Schork, *Science*, 265, 2037-2048, 1994). A

major step in the choice of case-control populations is the clinical definition of a given trait or phenotype. Any genetic trait may be analyzed by the association method proposed here by carefully selecting the individuals to be included in the trait positive and trait negative phenotypic groups. F ur criteria are often useful: clinical phenotype, age at onset, family history

5 and severity. The selection procedure for continuous or quantitative traits (such as blood pressure for example) involves selecting individuals at opposite ends of the phenotype distribution of the trait under study, so as to include in these trait positive and trait negative populations individuals with non-overlapping phenotypes. Preferably, case-control populations consist of phenotypically homogeneous populations. Trait positive and trait negative populations

10 consist of phenotypically uniform populations of individuals representing each between 1 and 98%, preferably between 1 and 80%, more preferably between 1 and 50%, and more preferably between 1 and 30%, most preferably between 1 and 20% of the total population under study, and selected among individuals exhibiting non-overlapping phenotypes. The clearer the difference between the two trait phenotypes, the greater the probability of detecting an association with

15 biallelic markers. The selection of those drastically different but relatively uniform phenotypes enables efficient comparisons in association studies and the possible detection of marked differences at the genetic level, provided that the sample sizes of the populations under study are significant enough.

In preferred embodiments, a first group of between 50 and 300 trait positive individuals,

20 preferably about 100 individuals, are recruited according to their phenotypes. A similar number of trait negative individuals are included in such studies.

In the present invention, typical examples of inclusion criteria include a CNS disorder or the evaluation of the response to a drug acting on a CNS disorder or side effects to treatment with drugs acting on a CNS disorder.

25 Suitable examples of association studies using biallelic markers including the biallelic markers of the present invention, are studies involving the following populations:

a case population suffering from a CNS disorder and a healthy unaffected control population, or

a case population treated with agents acting on a CNS disorder suffering from side-

30 effects resulting from the treatment and a control population treated with the same agents showing no side-effects, or

a case population treated with agents acting on a CNS disorder showing a beneficial response and a control population treated with same agents showing no beneficial response.

2) Association analysis

35 The general strategy to perform association studies using biallelic markers derived from a region carrying a candidate gene is to scan two groups of individuals (case-control populations)

in order to measure and statistically compare the allele frequencies of the biallelic markers f the
present invention in both groups.

If a statistically significant association with a trait is identified for at least one or more of
the analyzed biallelic markers, one can assume that either the associated allele is directly

5   responsible for causing the trait (the associated allele is the trait causing allele), or more likely
the associated allele is in linkage disequilibrium with the trait causing allele. The specific
characteristics of the associated allele with respect to the candidate gene function usually gives
further insight into the relationship between the associated allele and the trait (causal or in
linkage disequilibrium). If the evidence indicates that the associated allele within the candidate

10   gene is most probably not the trait causing allele but is in linkage disequilibrium with the real
trait causing allele, then the trait causing allele can be found by sequencing the vicinity of the
associated marker.

Association studies are usually run in two successive steps. In a first phase, the
frequencies of a reduced number of biallelic markers from one or several candidate genes are

15   determined in the trait positive and trait negative populations. In a second phase of the analysis,
the identity of the candidate gene and the position of the genetic loci responsible for the given
trait is further refined using a higher density of markers from the relevant region. However, if
the candidate gene under study is relatively small in length, as it is the case for many of the
candidate genes analyzed included in the present invention, a single phase may be sufficient to

20   establish significant associations.

3) Haplotype analysis

As described above, when a chromosome carrying a disease allele first appears in a
population as a result of either mutation or migration, the mutant allele necessarily resides on a
chromosome having a set of linked markers: the ancestral haplotype. This haplotype can be

25   tracked through populations and its statistical association with a given trait can be analyzed.
Complementing single point (allelic) association studies with multi-point association studies also
called haplotype studies increases the statistical power of association studies. Thus, a haplotype
association study allows one to define the frequency and the type of the ancestral carrier
haplotype. A haplotype analysis is important in that it increases the statistical power of an

30   analysis involving individual markers.

In a first stage of a haplotype frequency analysis, the frequency of the possible
haplotypes based on various combinations of the identified biallelic markers of the invention is
determined. The haplotype frequency is then compared for distinct populations of trait positive
and control individuals. The number of trait positive individuals, which should be, subjected to

35   this analysis to obtain statistically significant results usually ranges between 30 and 300, with a
preferred number of individuals ranging between 50 and 150. The same considerations apply to
the number of unaffected individuals (or random control) used in the study. The results of this

79

first analysis provide haplotype frequencies in case-control populations, for each evaluated haplotype frequency a p-value and an odd ratio are calculated. If a statistically significant association is found the relative risk for an individual carrying the given haplotype of being affected with the trait under study can be approximated.

4) Interaction analysis

The biallelic markers of the present invention may also be used to identify patterns of biallelic markers associated with detectable traits resulting from polygenic interactions. The analysis of genetic interaction between alleles at unlinked loci requires individual genotyping using the techniques described herein. The analysis of allelic interaction among a selected set of biallelic markers with appropriate level of statistical significance can be considered as a haplotype analysis. Interaction analysis consists in stratifying the case-control populations with respect to a given haplotype for the first loci and performing a haplotype analysis with the second loci with each subpopulation.

Statistical methods used in association studies are further described below in IV.C.

iv. Testing for linkage in the presence of association

The biallelic markers of the present invention may further be used in TDT (transmission/disequilibrium test). TDT tests for both linkage and association and is not affected by population stratification. TDT requires data from affected individuals and their parents or data from unaffected sibs instead of from parents (see Spielmann S. et al., *Am. J. Hum. Genet.*; 52:506-516, 1993; Schaid D.J. et al., *Genet. Epidemiol.*,13:423-450, 1996; Spielmann S. and Ewens W.J., *Am. J. Hum. Genet.*, 62:450-458, 1998). Such combined tests generally reduce the false – positive errors produced by separate analyses.

C. Statistical Methods

In general, any method known in the art to test whether a trait and a genotype show a statistically significant correlation may be used.

i. Methods in linkage analysis

Statistical methods and computer programs useful for linkage analysis are well-known to those skilled in the art (see Terwilliger J.D. and Ott J., *Handbook of Human Genetic Linkage,* John Hopkins University Press, London, 1994; Ott J., *Analysis of Human Genetic Linkage, John Hopkins University Press, Baltimore,* 1991).

ii. Methods to estimate haplotype frequencies in a population

As described above, when genotypes are scored, it is often not possible to distinguish heterozygotes so that haplotype frequencies cannot be easily inferred. When the gametic phase is not known, haplotype frequencies can be estimated from the multilocus genotypic data. Any method known to person skilled in the art can be used to estimate haplotype frequencies (see Lange K., *Mathematical and Statistical Methods for Genetic Analysis, Springer, New York,* 1997; Weir, B.S., *Genetic data Analysis II: Methods for Discrete population genetic Data, Sinauer*

Assoc., Inc., Sunderland, MA, USA, 1996). Preferably, maximum-likelihood haplotype
frequencies are computed using an Expectation- Maximization (EM) algorithm (see Dempster et
al., *J. R. Stat. Soc.*, 39B:1-38, 1977; Excoffier L. and Slatkin M., *Mol. Biol. Evol.*, 12(5): 921-
927, 1995). This procedure is an iterative process aiming at obtaining maximum-likelihood
5 estimates of haplotype frequencies from multi-locus genotype data when the gametic phase is
unknown. Haplotype estimations are usually performed by applying the EM algorithm using for
example the EM-HAPLO program (Hawley M.E. et al., *Am. J. Phys. Anthropol.*, 18:104, 1994)
or the Arlequin program (Schneider et al., *Arlequin: a software for population genetics data
analysis*, University of Geneva, 1997). The EM algorithm is a generalized iterative maximum
10 likelihood approach to estimation and is briefly described below.

In what follows, phenotypes will refer to multi-locus genotypes with unknown
haplotypic phase. Genotypes will refer to mutli-locus genotypes with known haplotypic phase.

Suppose one has a sample of N unrelated individuals typed for K markers. The data
observed are the unknown-phase K-locus phenotypes that can be categorized with F different
15 phenotypes. Further, suppose that we have H possible haplotypes (in the case of K biallelic
markers, we have for the maximum number of possible haplotypes $H=2^K$).

For phenotype j with c_j possible genotypes, we have:

$$P_j = \sum_{i=1}^{c_j} P(genotype(i)) = \sum_{i=1}^{c_j} P(h_k, h_l).$$ Equation 1

Here, P_j is the probability of the j^{th} phenotype, and $P(h_k, h_l)$ is the probability of the i^{th} genotype
20 composed of haplotypes h_k and h_l. Under random mating (*i.e.* Hardy-Weinberg Equilibrium),
$P(h_k, h_l)$ is expressed as:

$$P(h_k, h_l) = P(h_k)^2 \text{ for } h_k = h_l, \text{ and}$$

$$P(h_k, h_l) = 2P(h_k)P(h_l) \text{ for } h_k \neq h_l.$$ Equation 2

The E-M algorithm is composed of the following steps: First, the genotype frequencies
25 are estimated from a set of initial values of haplotype frequencies. These haplotype frequencies
are denoted $P_1^{(0)}, P_2^{(0)}, P_3^{(0)}, \ldots, P_H^{(0)}$. The initial values for the haplotype frequencies may be
obtained from a random number generator or in some other way well known in the art. This step
is referred to the Expectation step. The next step in the method, called the Maximization step,
consists of using the estimates for the genotype frequencies to re-calculate the haplotype
30 frequencies. The first iteration haplotype frequency estimates are denoted by $P_1^{(1)}, P_2^{(1)}, P_3^{(1)}, \ldots,$
$P_H^{(1)}$. In general, the Expectation step at the s^{th} iteration consists of calculating the probability of
placing each phenotype into the different possible genotypes based on the haplotype frequencies
of the previous iteration:

$$P(h_k, h_l)^{(s)} = \frac{n_j}{N}\left[\frac{P_j(h_k, h_l)^{(s)}}{P_j}\right],$$ Equation 3

where n_j is the number of individuals with the j^{th} phenotype and $P_j(h_k, h_l)^{(s)}$ is the probability

of genotype h_k, h_l in phenotype j. In the Maximization step, which is equivalent to the gene-

counting method (Smith, *Ann. Hum. Genet.*, 21:254-276, 1957), the haplotype frequencies are re-

5   estimated based on the genotype estimates:

$$P_t^{(s+1)} = \frac{1}{2}\sum_{j=1}^{F} \sum_{i=1}^{c_j} \delta_{it} P_j(h_k, h_l)^{(s)}.$$ Equation 4

Here, δ_{it} is an indicator variable which counts the number of occurrences that haplotype t is

present in i^{th} genotype; it takes on values 0, 1, and 2.

The E-M iterations cease when the following criterion has been reached. Using

10   Maximum Likelihood Estimation (MLE) theory, one assumes that the phenotypes j are

distributed multinomially. At each iteration s, one can compute the likelihood function L.

Convergence is achieved when the difference of the log-likehood between two consecutive

iterations is less than some small number, preferably 10^{-7}.

iii. Methods to calculate linkage disequilibrium between markers

15   A number of methods can be used to calculate linkage disequilibrium between any two

genetic positions, in practice linkage disequilibrium is measured by applying a statistical

association test to haplotype data taken from a population.

Linkage disequilibrium between any pair of biallelic markers comprising at least one of the

biallelic markers of the present invention (M_i, M_j) having alleles (a_i/b_i) at marker M_i and alleles

20   (a_j/b_j) at marker M_j can be calculated for every allele combination (a_i,a_j; a_i,b_j; b_i,a_j and b_i,b_j),

according to the Piazza formula :

$\Delta_{aiaj} = \sqrt{\theta 4} - \sqrt{(\theta 4 + \theta 3)(\theta 4 + \theta 2)}$, where :

$\theta 4 = - - =$ frequency of genotypes not having allele a_i at M_i and not having allele a_j at M_j

$\theta 3 = - + =$ frequency of genotypes not having allele a_i at M_i and having allele a_j at M_j

25    $\theta 2 = + - =$ frequency of genotypes having allele a_i at M_i and not having allele a_j at M_j

Linkage disequilibrium (LD) between pairs of biallelic markers (M_i, M_j) can also be calculated

for every allele combination (ai,aj; ai,bj ; b_i,a_j and b_i,b_j), according to the maximum-likelihood

estimate (MLE) for delta (the composite genotypic disequilibrium coefficient), as described by

Weir (Weir B.S., *Genetic Data Analysis, Sinauer Ass. Eds*, 1996). The MLE for the composite

30   linkage disequilibrium is:

$D_{aiaj} = (2n_1 + n_2 + n_3 + n_4/2)/N - 2(pr(a_i).pr(a_j))$

Where $n_1 = \Sigma$ phenotype (a_i/a_i, a_j/a_j), $n_2 = \Sigma$ phenotype (a_i/a_i, a_j/b_j), $n_3 = \Sigma$ phenotype (a_i/b_i, a_j/a_j),

$n_4 = \Sigma$ phenotype (a_i/b_i, a_j/b_j) and N is the number of individuals in the sample.

This formula allows linkage disequilibrium between alleles to be estimated when only genotype, and not haplotype, data are available.

Another means of calculating the linkage disequilibrium between markers is as follows. For a couple of biallelic markers, M_i (a_i/b_i) and M_j (a_j/b_j), fitting the Hardy-Weinberg equilibrium, one can estimate the four possible haplotype frequencies in a given population according to the approach described above.

The estimation of gametic disequilibrium between ai and aj is simply:

$$D_{aiaj} = pr(haplotype(a_i, a_j)) - pr(a_i) . pr(a_j).$$

Where $pr(a_i)$ is the probability of allele a_i and $pr(a_j)$ is the probability of allele a_j and where $pr(haplotype (a_i, a_j))$ is estimated as in Equation 3 above.

For a couple of biallelic marker only one measure of disequilibrium is necessary to describe the association between M_i and M_j.

Then a normalised value of the above is calculated as follows:

$$D'_{aiaj} = D_{aiaj} / max (-pr(a_i).pr(a_j) , -pr(b_i).pr(b_j)) \text{ with } D_{aiaj} < 0$$

$$D'_{aiaj} = D_{aiaj} / max (pr(b_i).pr(a_j) , pr(a_i).pr(b_j)) \text{ with } D_{aiaj} > 0$$

The skilled person will readily appreciate that other LD calculation methods can be used without undue experimentation.

Linkage disequilibrium among a set of biallelic markers having an adequate heterozygosity rate can be determined by genotyping between 50 and 1000 unrelated individuals, preferably between 75 and 200, more preferably around 100.

iv. Testing for association

Methods for determining the statistical significance of a correlation between a phenotype and a genotype, in this case an allele at a biallelic marker or a haplotype made up of such alleles, may be determined by any statistical test known in the art and with any accepted threshold of statistical significance being required. The application of particular methods and thresholds of significance are well with in the skill of the ordinary practitioner of the art.

Testing for association is performed by determining the frequency of a biallelic marker allele in case and control populations and comparing these frequencies with a statistical test to determine if their is a statistically significant difference in frequency which would indicate a correlation between the trait and the biallelic marker allele under study. Similarly, a haplotype analysis is performed by estimating the frequencies of all possible haplotypes for a given set of biallelic markers in case and control populations, and comparing these frequencies with a statistical test to determine if their is a statistically significant correlation between the haplotype and the phenotype (trait) under study. Any statistical tool useful to test for a statistically significant association between a genotype and a phenotype may be used. Preferably the statistical test employed is a chi-square test with one degree of freedom. A p-value is then

determined (the P-value is the probability that a statistic as large or larger than the observed one would occur by chanc).

1) Statistical significance

In preferred embodiments, significance for diagnostic purposes, either as a positive basis for further diagnostic tests or as a preliminary starting point for early preventive therapy, the p value related to a biallelic marker association is preferably about 1 x 10-2 or less, more preferably about 1 x 10-4 or less, for a single biallelic marker analysis and about 1 x 10-3 or less, still more preferably 1 x 10-6 or less and most preferably of about 1 x 10-8 or less, for a haplotype analysis involving several markers. These values are believed to be applicable to any association studies involving single or multiple marker combinations.

The skilled person can use the range of values set forth above as a starting point in order to carry out association studies with biallelic markers of the present invention. In doing so, significant associations between the biallelic markers of the present invention and CNS disorders can be revealed and used for diagnosis and drug screening purposes.

2) Phenotypic permutation

In order to confirm the statistical significance of the first stage haplotype analysis described above, it might be suitable to perform further analyses in which genotyping data from case-control individuals are pooled and randomized with respect to the trait phenotype. Each individual genotyping data is randomly allocated to two groups, which contain the same number of individuals as the case-control populations used to compile the data obtained in the first stage. A second stage haplotype analysis is preferably run on these artificial groups, preferably for the markers included in the haplotype of the first stage analysis showing the highest relative risk coefficient. This experiment is re-iterated preferably at least between 100 and 10000 times. The repeated iterations allow the determination of the percentage of obtained haplotypes with a significant p-value level.

3) Assessment of statistical association

To address the problem of false positives similar analysis may be performed with the same case-control populations in random genomic regions. Results in random regions and the candidate region are compared as described in US Provisional Patent Application entitled "Methods, software and apparati for identifying genomic regions harbouring a gene associated with a detectable trait".

v. Evaluation of risk factors

The association between a risk factor (in genetic epidemiology the risk factor is the presence or the absence of a certain allele or haplotype at marker loci) and a disease is measured by the odds ratio (OR) and by the relative risk (RR). If $P(R^+)$ is the probability of developing the disease for individuals with risk factor R and $P(R^-)$ is the probability for individuals without the risk factor, then the relative risk is simply the ratio of the two probabilities, that is:

RR= P(R⁺)/P(R⁻)

In case-control studies, direct measures of the relative risk cannot be obtained because of the sampling design. However, the odds ratio allows a good approximation of the relative risk for low-incidence diseases and can be calculated:

$$OR = \left[\frac{F^+}{1-F^+}\right] / \left[\frac{F^-}{(1-F^-)}\right]$$

5   OR = [F⁺/(1-F⁺)] / [F⁻/(1-F⁻)]

F⁺ is the frequency of the exposure to the risk factor in cases and F⁻ is the frequency of the exposure to the risk factor in controls. F⁺ and F⁻ are calculated using the allelic or haplotype frequencies of the study and further depend on the underlying genetic model (dominant, recessive, additive...).

10   One can further estimate the attributable risk (AR) which describes the proportion of individuals in a population exhibiting a trait due to a given risk factor. This measure is important in quantitating the role of a specific factor in disease etiology and in terms of the public health impact of a risk factor. The public health relevance of this measure lies in estimating the proportion of cases of disease in the population that could be prevented if the exposure of interest

15   were absent. AR is determined as follows:

AR = P_E (RR-1) / (P_E (RR-1)+1)

AR is the risk attributable to a biallelic marker allele or a biallelic marker haplotype. P_E is the frequency of exposure to an allele or a haplotype within the population at large; and RR is the relative risk which is approximated with the odds ratio when the trait under study has a relatively

20   low incidence in the general population.

D. Association of Biallelic Markers of the Invention with Major Depression

In the context of the present invention, an association between biallelic marker alleles from candidate genes of the present invention and a CNS disorder was demonstrated. The considered CNS disorder was major depression.

25   Depression is a serious medical illness that affects 340 million people worldwide. In contrast to the normal emotional experiences of sadness, loss, or passing mood states, clinical depression is persistent and can interfere significantly with an individual's ability to function. Many neurochemical findings are coming to light implicating a biological basis for the depression, at least for certain subtypes. Abnormalities of monoamine function as well as over

30   stimulation of the HPA axis have been recognized in depression for many years. Patterns of clustering and segregation in depressive families have suggested a genetic component to depression. However, the lack of a defined and specific depression phenotype and of suitable markers for genetic analysis is proving to be a major hurdle for reliably identifying genes associated with depression. As a result, psychiatrists today have to choose antidepressant

medications by intuition and trial and error; a situation that can put suicidal patients in jeopardy for weeks or months until the right compound is selected. Clearly, there is a strong need to successfully identify genes involved in depression; thus allowing researchers to understand the etiology of depression and address its cause, rather than symptoms.

5   As mentioned above, both the nervous system and endocrine system play a major role in the etiology of depression. More specifically, the neurotransmitters dopamine, norepinephrine and serotonin as well as the hormones corticotrophin releasing factor, glucocorticoids, mineralocorticoids and various neuropeptides are thought to play a major role in the pathophysiology of depression.

10   In order to investigate and identify a genetic origin of depression, a candidate gene scan for depression was conducted. The rational of this approach was to: 1) select candidate genes potentially involved in the pathophysiology of interest, in this case major depression, 2) to identify biallelic markers in those genes and finally 3) to measure the frequency of biallelic marker alleles in order to determine if some alleles are more frequent in depressed populations

15   than in non-affected populations. Results were further validated by haplotype studies. Significant associations between biallelic marker alleles from the serotonin receptor 6 (5HTR6), serotonin 7 (5HTR7), serotonin transporter (5HTT), dopamine receptor 3 (DRD3), norepinephrine transporter (NET), guanine nucleotide binding protein, β3 (Gbeta3), glucocorticoid receptor (GRL), drug metabolizing enzyme cytochrome P450 3A4 (CYP3A4) and

20   Wolfram Syndrome 1 (WFS1) genes and depression were demonstrated in the context of the present invention. Association studies are further described in Examples 3, 4 and 5.

        This information is extremely valuable. The knowledge of a potential genetic predisposition, even if this predisposition is not absolute, might contribute in a very significant manner to treatment efficacy of depressed patients and to the development of diagnostic tools.

25   E. Identification of Biallelic Markers in Linkage Disequilibrium with the Biallelic
        Markers of the Invention

        Once a first biallelic marker has been identified in a genomic region of interest, the practitioner of ordinary skill in the art, using the teachings of the present invention, can easily identify additional biallelic markers in linkage disequilibrium with this first marker. As

30   mentioned before any marker in linkage disequilibrium with a first marker associated with a trait will be associated with the trait. Therefore, once an association has been demonstrated between a given biallelic marker and a trait, the discovery of additional biallelic markers associated with this trait is of great interest in order to increase the density of biallelic markers in this particular region. The causal gene or mutation will be found in the vicinity of the marker or set of markers

35   showing the highest correlation with the trait.

        Identification of additional markers in linkage disequilibrium with a given marker involves: (a) amplifying a genomic fragment comprising a first biallelic marker from a plurality

of individuals; (b) identifying of second biallelic markers in the genomic region harboring said first biallelic marker; (c) conducting a linkage disequilibrium analysis between said first biallelic marker and second biallelic markers; and (d) selecting said second biallelic markers as being in linkage disequilibrium with said first marker. Subcombinations comprising steps (b) and (c) are also contemplated.

Methods to identify biallelic markers and to conduct linkage disequilibrium analysis are described herein and can be carried out by the skilled person without undue experimentation. The present invention then also concerns biallelic markers which are in linkage disequilibrium with the specific biallelic markers shown in Table 7 and which are expected to present similar characteristics in terms of their respective association with a given trait.

F. Identification of Functional Mutations

Once a positive association is confirmed with a biallelic marker of the present invention, the associated candidate gene can be scanned for mutations by comparing the sequences of a selected number of trait positive and trait negative individuals. In a preferred embodiment, functional regions such as exons and splice sites, promoters and other regulatory regions of the candidate gene are scanned for mutations. Preferably, trait positive individuals carry the haplotype shown to be associated with the trait and trait negative individuals do not carry the haplotype or allele associated with the trait. The mutation detection procedure is essentially similar to that used for biallelic site identification.

The method used to detect such mutations generally comprises the following steps: (a) amplification of a region of the candidate gene comprising a biallelic marker or a group of biallelic markers associated with the trait from DNA samples of trait positive patients and trait negative controls; (b) sequencing of the amplified region; (c) comparison of DNA sequences from trait-positive patients and trait-negative controls; and (d) determination of mutations specific to trait-positive patients. Subcombinations which comprise steps (b) and (c) are specifically contemplated.

It is preferred that candidate polymorphisms be then verified by screening a larger population of cases and controls by means of any genotyping procedure such as those described herein, preferably using a microsequencing technique in an individual test format. Polymorphisms are considered as candidate mutations when present in cases and controls at frequencies compatible with the expected association results.

VII. Biallelic Markers of the Invention in Methods of Genetic Diagnostics

The biallelic markers of the present invention can also be used to develop diagnostics tests capable of identifying individuals who express a detectable trait as the result of a specific genotype or individuals whose genotype places them at risk of developing a detectable trait at a subsequent time. The trait analyzed using the present diagnostics may be any detectable trait,

including a CNS disorder, a response to an agent acting on a CNS disorder or side effects to an agent acting on a CNS disorder.

The diagnostic techniques of the present invention may employ a variety of methodologies to determine whether a test subject has a biallelic marker pattern associated with
5   an increased risk of developing a detectable trait or whether the individual suffers from a detectable trait as a result of a particular mutation, including methods which enable the analysis of individual chromosomes for haplotyping, such as family studies, single sperm DNA analysis or somatic hybrids.

The present invention provides diagnostic methods to determine whether an individual is
10 at risk of developing a disease or suffers from a disease resulting from a mutation or a polymorphism in a candidate gene of the present invention. The present invention also provides methods to determine whether an individual is likely to respond positively to an agent acting on a CNS disorder or whether an individual is at risk of developing an adverse side effect to an agent acting on a CNS disorder.

15 These methods involve obtaining a nucleic acid sample from the individual and, determining, whether the nucleic acid sample contains at least one allele or at least one biallelic marker haplotype, indicative of a risk of developing the trait or indicative that the individual expresses the trait as a result of possessing a particular candidate gene polymorphism or mutation (trait-causing allele).

20 Preferably, in such diagnostic methods, a nucleic acid sample is obtained from the individual and this sample is genotyped using methods described herein. The diagnostics may be based on a single biallelic marker or on a group of biallelic markers.

In each of these methods, a nucleic acid sample is obtained from the test subject and the biallelic marker pattern of one or more of the biallelic markers listed in Table 7 is determined.

25 In one embodiment, PCR amplification is conducted on the nucleic acid sample to amplify regions in which polymorphisms associated with a detectable phenotype have been identified. The amplification products are sequenced to determine whether the individual possesses one or more polymorphisms associated with a detectable phenotype. The primers used to generate amplification products may comprise the primers listed in Table 13. Alternatively,
30 the nucleic acid sample is subjected to microsequencing reactions as described above to determine whether the individual possesses one or more polymorphisms associated with a detectable phenotype resulting from a mutation or a polymorphism in a candidate gene. The primers used in the microsequencing reactions may include the primers listed in Table 12. In another embodiment, the nucleic acid sample is contacted with one or more allele specific
35 oligonucleotide probes which, specifically hybridize to one or more candidate gene alleles associated with a detectable phenotype. The probes used in the hybridization assay may include the probes listed in Table 14.

In a preferred embodiment the identity of the nucleotide present at, at least one, 5HTR6 related biallelic marker selected from the group consisting of 99-27207-117, 99-28110-75, and 99-28134-215, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, 5HTR7 related biallelic marker selected from the group consisting of 99-32181-192 and 99-28106-185, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, GRL related biallelic marker selected from the group consisting of 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, and 99-30853-364, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, NET related biallelic marker selected from the group consisting of 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, and 16-50-196, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, DRD3 related biallelic marker selected from the group consisting of 8-19-372, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, CYP3A4 related biallelic marker selected from the group consisting of 12-254-180, 10-214-279, and 10-217-91, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, 5HTT related biallelic marker selected from the group consisting of 18-194-130, 18-186-391, 18-198-252, and 18-242-300, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, Gbeta3 related biallelic marker selected from the group consisting of 20-205-302, 19-58-162, 19-9-45, 19-22-74, and 19-88-185, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, WFS1 related biallelic marker selected from the group consisting of 19-18-310, 19-19-174, 19-17-188, and 19-16-127, is determined and the detectable trait is depression.

Diagnostic kits comprising polynucleotides of the present invention are further described in section I.

These diagnostic methods are extremely valuable as they can, in certain circumstances, be used to initiate preventive treatments or to allow an individual carrying a significant haplotype to foresee warning signs such as minor symptoms. In diseases in which attacks may be extremely violent and sometimes fatal if not treated on time, such as asthma, the knowledge of a potential predisposition, even if this predisposition is not absolute, might contribute in a very significant manner to treatment efficacy. Similarly, a diagnosed predisposition to a potential side

effect could immediately direct the physician toward a treatment for which such side effects have not been observed during clinical trials.

Diagnostics, which analyze and predict response to a drug or side effects to a drug, may be used to determine whether an individual should be treated with a particular drug. For

5   example, if the diagnostic indicates a likelihood that an individual will respond positively to treatment with a particular drug, the drug may be administered to the individual. Conversely, if the diagnostic indicates that an individual is likely to respond negatively to treatment with a particular drug, an alternative course of treatment may be prescribed. A negative response may be defined as either the absence of an efficacious response or the presence of toxic side effects.

10   Clinical drug trials represent another application for the markers of the present invention. One or more markers indicative of response to an agent acting on a CNS disorder or to side effects to an agent acting on a CNS disorder may be identified using the methods described above. Thereafter, potential participants in clinical trials of such an agent may be screened to identify those individuals most likely to respond favorably to the drug and exclude those likely to

15   experience side effects. In that way, the effectiveness of drug treatment may be measured in individuals who respond positively to the drug, without lowering the measurement as a result of the inclusion of individuals who are unlikely to respond positively in the study and without risking undesirable safety problems.

20   VIII. DNA Typing Methods and Systems

The present invention also encompasses a DNA typing system having a much higher discriminatory power than currently available typing systems. The systems and associated methods are particularly applicable in the identification of individuals for forensic science and paternity determinations. These applications have become increasingly important; in forensic

25   science, for example, the identification of individuals by polymorphism analysis has become widely accepted by courts as evidence.

While forensic geneticists have developed many techniques to compare homologous segments of DNA to determine if the segments are identical or if they differ in one or more nucleotides, each technique still has certain disadvantages. In particular, the techniques vary

30   widely in terms of expense of analysis, time required to carry out an analysis and statistical power.

RFLP analysis methods

The best known and most widespread method in forensic DNA typing is the restriction fragment length polymorphism (RFLP) analysis. In RFLP testing, a repetitive DNA sequence

35   referred to as a variable number tandem repeat (VNTR) which varies between individuals is analyzed. The core repeat is typically a sequence of about 15 base pairs in length; and highly polymorphic VNTR loci can have an average of about 20 alleles. DNA restriction sites located

on either site of the VNTR are exploited to create DNA fragments from about 0.5Kb to less than 10Kb which are then separated by electrophoresis, indicating the number of repeats found in the individual at the particular loci. RFLP methods generally consist of (1) extraction and isolation of DNA, (2) restriction endonuclease digestion; (3) separation of DNA fragments by

5   electrophoresis; (4) capillary transfer; (5) hybridization with radiolabelled probes; (6) autoradiography; and (7) interpretation of results (Lee, H.C. et al., Am. J. Forensic. Med. Pathol. 15(4): 269-282 (1994)). RFLP methods generally combine analysis at about 5 loci and have much higher discriminate potential than other available test due the highly polymorphic nature of the VNTRs. However, autoradiography is costly and time consuming and an analysis generally

10   takes weeks or months for turnaround. Additionally, a large amount of sample DNA is required, which is often not available at a crime scene. Furthermore, the reliability of the system and its credibility as evidence is decreased because the analysis of tightly spaced bands on electrophoresis results in a high rate of error.

PCR methods

15   PCR based methods offer an alternative to RFLP methods. In a first method called AmpFLP, DNA fragments containing VNTRs are amplified and then separated electrophoretically, without the restriction step of RFLP method. While this method allows small quantities of sample DNA to be used, decreases analysis time by avoiding autoradiography, and retains high discriminatory potential, it nevertheless requires electrophoretic separation which

20   takes substantial time and introduces an significant error rate. In another AmpFLP method, short tandem repeats (STRs) of 2 to 8 base pairs are analyzed. STRs are more suitable to analysis of degraded DNA samples since they require smaller amplified fragments but have the disadvantage of requiring separation of the amplified fragments. While STRs are far less informative than longer repeats, similar discriminatory potential can be achieved if enough STRs are used in a

25   single analysis.

         Other methods include sequencing of mitochondrial DNA, which is especially suitable for situations where sample DNA is very degraded or in small quantities. However, only a small region of 1Kb of the mitochondrial DNA referred to as the D-Loop locus has been found useful for typing because of its polymorphic nature, resulting in lower discriminatory potential than

30   with RFLP or AmpFLP methods. Furthermore, DNA sequencing is expensive to carry out on a large number of samples.

         Further available methods include dot-blot methods, which involve using allele specific oligonucleotide probes which hybridize sequence specifically to one allele of a polymorphic site. Systems include the HLA DQ-alpha kit developed by Cetus Corp. which has a discriminatory

35   value of about 1 in 20, and a dot-blot strip referred to as the Polymarker strip combining five genetic loci for a discriminatory value of about one in a few thousand. (Weedn, V., Clinics in Lab. Med. 16(1): 187-196 (1996)).

In addition to difficulties in analysis and time consuming laboratory procedures, it remains desirable for all DNA typing systems to have a higher discriminatory power. Several applications exist in which even the most discriminating tests need improvement in order to remove the considerable remaining doubt resulting from such analyses. Table 3 below lists

5   characteristics of currently available forensic testing systems (Weedn, (1996)) and compares them with the method of the invention.

Table 3

Test type	Technology	Turnaround time	Discriminatory potential	Sensitivity (amount DNA)	Sample
RFLP	VNTR (autoradiography)	Weeks or months	10^6 to 10^9	10ng	Highly intact DNA
AmpFLP	VNTR (PCR based)	Days	10^3 to 10^6	100pg	Moderate degradation
Dot blot (ex. HLADQA1)	Sequence specific oligonucleotide probes	Days	10^1 to 10^3	1ng	Moderate degradation
Mitochondrial DNA	D-loop sequence (PCR based)	Days	10^2	1pg	Severe degradation
Present marker set	Biallelic Markers (set of 13, set of 100, set of 200, set of 270)	Hours to Days (throughput dependent)	10^6, 10^{47}, 10^{238}	100pg	Moderate degradation

Applications

10   As described above, an important application of DNA typing tests is to determine whether a DNA sample (e.g. from a crime scene) originated from an individual suspected of leaving said DNA sample.

There are several applications for DNA typing which require a particularly powerful genotyping system. In a first application, a high powered typing system is advantageous when

15   for example a suspect is identified by searching a DNA profile database such as that maintained by the U.S. Federal Bureau of Investigation. Since databases may contain large numbers of data entries that are expected to increase consistently, currently used forensic systems can be expected to identify several matching DNA profiles due to their relative lack of power. While database searches generally reinforce the evidence by excluding other possible suspects, low powered

20   typing systems resulting in the identification of several individuals may often tend to diminish the overall case against a defendant.

In another application, a target population is systematically tested to identify an individual having the same DNA profile as that of a DNA sample. In such a situation, a defendant is chosen at random based on DNA profile from a large population of innocent individuals. Since the population tested can often be large enough that at least one positive

5   match is identified, and it is usually not possible to exhaustively test a population, the usefulness of the evidence will depend on the level of significance of the forensic test. In order to render such an application useful as a sole or primary source of evidence, DNA typing systems of extremely high discriminatory potential are required.

In yet another application, it is desirable to be able to discriminate between related

10   individuals. Because related individuals will be expected to share a large portion of alleles at polymorphic sites, a very high powered DNA typing assay would be required to discriminate between them. This can have important effects if a sample is found to match the defendant's DNA profile and no evidence that the perpetrator is a relative can be found.

Accordingly, there a need in this art for a rapid, simple, inexpensive and accurate

15   technique having a very high resolution value to determine relationships between individuals and differences in degree of relationships. Also, there is a need in the art for a very accurate genetic relationship test procedure which uses very small amounts of an original DNA sample, yet produces very accurate results.

The present invention thus involves methods for the identification of individuals

20   comprising determining the identity of the nucleotides at set of genetic markers in a biological sample, wherein said set of genetic markers comprises at least one CNS disorder-related marker. The present invention provides an extensive set of biallelic markers allowing a higher discriminatory potential than the genetic markers used in current forensic typing systems. Also, biallelic markers can be genotyped in individuals with much higher efficiency and accuracy than

25   the genetic markers used in current forensic typing systems. In preferred embodiments, the invention comprises determining the identity of a nucleotide at a CNS disorder-related marker by single nucleotide primer extension, which does not require electrophoresis as in techniques described above and results in lower rate of experimental error. As shown in Table 3, above, in comparison with PCR based VNTR based methods which allow discriminatory potential of

30   thousands to millions, and RFLP based methods which allow discriminatory potential of merely millions to billions under optimal assumptions, the biallelic marker based method of the present invention provides a radical increase in discriminatory potential.

Any suitable set of genetic markers and biallelic markers of the invention may be used, and may be selected according to the discriminatory power desired. Biallelic markers, sets of

35   biallelic markers, probes, primers, and methods for determining the identity of said biallelic markers are further described herein.

Discriminatory potential of biallelic marker typing

Calculating discriminatory potential

The discriminatory potential of the forensic test can be determined in terms of the profile frequency, also referred to as the random match probability, by applying the product rule. The product rule involves multiplying the allelic frequencies of all the individual alleles tested, and 5 multiplying by an additional factor of 2 for each heterozygous locus.

In one example discussed below, the discriminatory potential of biallelic marker typing can be considered in the context of forensic science. In order to determine the discriminatory potential with respect to the numbers of biallelic markers to be used in a genetic typing system, the formulas and calculations below assume that (1) the population under study is sufficiently 10 large (so that we can assume no consanguinity); (2) all markers chosen are not correlated, so that the product rule (Lander and Budlowle (1992)) can be applied; and (3) the ceiling rule can be applied or that the allelic frequencies of markers in the population under study are known with sufficient accuracy.

As noted in Weir, B.S., *Genetic data Analysis II: Methods for Discrete population* 15 *genetic Data, Sinauer Assoc., Inc., Sunderland, MA, USA,* 1996, the example assumes a crime has been committed and a sample of DNA from the perpetrator (P) is available for analysis. The genotype of this DNA sample can be determined for several genetic markers, and the profile A of the perpetrator can thereby be determined.

In this example, one suspect (S) is available for typing. The same set of genetic markers, 20 such as the biallelic markers of the invention, are typed and the same profile A is obtained for (S) and (P). Two hypotheses are thus presented as follows:

    (1) either S is P (event C)

    (2) either S is not P (event $\overline{C}$).

The ratio L of both probabilities can then be calculated using the following equation:

$$L = \frac{pr(S = A, P = A / C)}{pr(S = A, P = A / \overline{C})}$$

L can then further be calculated by the following equation:

$$L = \frac{1}{pr(P = A / S = A, \overline{C})} \quad (1) \; \underline{\text{Equation 1}}$$

These probabilities as well as L can be calculated in several settings, notably for different kinship coefficients between P and S for a genetic marker (see Weir, (1996)).

30 Assuming that all genetic markers chosen are independent of each other, the global ratio L for a set of genetic markers will be the product over each genetic marker of all L.

It is further possible to estimate the mean number of biallelic markers or VNTRs required to have a ratio L equal to 10^8 or 10^6 by calculating the expectancy of the random variable L using the following equation:

$$E(L) = \prod_{i=1}^{N} E(L_i) \text{ where N is the number of loci}$$

$$E(L_i) = \sum_{j=1}^{G_i} pr(P = A_{ij} / S = A_{ij}, \overline{C}).L_{ij}, \text{ where } A_{ij} \text{ is the genotype j at the ith marker,}$$

L_{ij} the ratio associated with such genotype, G_i being the number of genotypes at locus i.

From equation 1, it can easily be derived that the expectancy of L_i is G_i, the number of possible genotypes of this marker.

The general expectancy for a set of genetic markers can then be expressed by the following equation:

$$E(L) = \prod_{i=1}^{N} G_i \quad (2) \text{ Equation 2}$$

Biallelic marker-based DNA typing systems

Using the equations described above, it is possible to select biallelic marker-based DNA typing systems having a desired discriminatory potential.

Using biallelic markers, E(L) can thus be expressed as 3^N. When using VNTR-based DNA typing systems, assuming the VNTRs have 10 alleles, E(L) can be expressed as 55^N. Based on these results, the number of biallelic markers or VNTRs needed to obtain, in mean, a ratio of at least 10^6 or 10^8 can calculated, and are set forth below in Table 4.

Table 4

Marker sets	L=10^6	L=10^8
Biallelic	13	17
5-allele markers (e.g. VNTR)	5	7
10-allele markers (e.g. VNTR)	4	5

Thus, in a first embodiment, DNA typing systems and methods of the invention may comprise genotyping a set of at least 13 or at least 17 biallelic markers to obtain a ratio of at least 10^6 or 10^8, assuming a flat distribution of L across the biallelic markers. In preferred embodiments, a greater number of biallelic markers is genotyped to obtain a higher L value. Preferably at least 1, 2, 3, 4, 5, 10, 13, 15, 17, 20, 25, 30, 40, 50, 70, 85, 100, 150, 200, 250 or all of the CNS disorder-related markers are genotyped. Said DNA typing systems of the invention would result in L values as listed in Table 5 below as an indication of the discriminate potential of the systems of the invention.

Table 5

Number of biallelic markers	L

50	$7.2 * 10^{23}$
100	$5*10^{47}$
271	3^{271}

In situations where the distribution of L is not flat, such as in the worst case when the perpetrator is homozygous for the major allele at each genetic locus and L thus takes the lowest value, a larger number of biallelic markers is required for the same discriminatory potential. Therefore, in preferred embodiments, DNA typing systems and methods of the invention using a larger number of biallelic markers allow for uneven distributions of L across the biallelic markers. For example, assuming unrelated individuals, a set of independent markers having an allelic frequency of 0.1/0.9, and the genetic profile of a homozygote at each genetic loci for the major allele, 66 biallelic markers are required to obtain a ratio of 10^6, and 88 biallelic markers are required to obtain a ratio of 10^8. Thus, in preferred embodiments based on the use of markers having a major allele of sufficiently high frequency, this is a first estimation of the upper bound of markers required in a DNA typing system.

In further embodiments, it is also desirable to have the ability to discriminate between relatives. Although unrelated individuals have a low probability of sharing genetic profiles, the probability is greatly increased for relatives. For example, the DNA profile of a suspect matches the DNA profile of a sample at a crime scene, and the probability of obtaining the same DNA profile if left by an untyped relative is required. Table 6 below (Weir (1996)) lists probabilities for several different types of relationships, assuming alleles A_i and A_j, and population frequencies p_i and p_j, and lists likelihood ratios assuming genetic loci having allele frequencies of 0.1.

Table 6

Genotype	Relationship	Pr(p=A|S=A)	L
$A_i A_j$	Full brothers	$(1+p_i+p_j+2p_i p_j)/4$	3.3
	Father and son	$(p_i+p_j)/2$	10.0
	Half brothers	$(p_i+p_j+4p_i p_j)/4$	16.7
	Uncle and nephew	$(1+p_i+p_j+2p_i p_j)/4$	16.7
	First cousins	$(1+p_i+p_j+12p_i p_j)/8$	25.0
	Unrelated	$2p_i p_j$	50.0

$A_j A_j$	Full brothers	$(1+p_j)^2/4$	3.3

Father and son	p_i	10.0
Half brothers	$p_i (1+p_i)/2$	18.2
Uncle and nephew	$p_i (1+p_i)/2$	18.2
First cousins	$p_i (1+3p_i)/4$	30.8
Unrelated	p_i^2	100.0

In one example, where the suspect is the full brother of the perpetrator, the number of required biallelic markers will be 187 assuming the profile is that of a homozygote for the major allele at each biallelic marker.

5   In yet further embodiments, the DNA typing systems and methods of the present invention may further take into account effects of subpopulations on the discriminatory potential. In embodiments described above for example, DNA typing systems consider close familial relationships, but do not take into account membership in the same population. While population membership is expected to have little effect, the invention may further comprise genotyping a 10 larger set of biallelic markers to achieve higher discriminatory potential. Alternatively, a larger set of biallelic markers may be optimized for typing selected populations; alternatively, the ceiling principle may be used to study allele frequencies from individuals in various populations of interest, taking for any particular genotype the maximum allele frequency found among the populations.

15   The invention thus encompasses methods for genotyping comprising determining the identity of a nucleotide at least 13, 15, 17, 20, 25, 30, 40, 50, 66, 70, 85, 88, 100, 187, 200, or 250, 500, 700, 1000 or 2000 biallelic markers in a biological sample, wherein at least 1, 2, 3, 4, 5, 10, 13, 17, 20, 25, 30, 40, 50, 70, 85, 100, 150, 200, 250 or all of said biallelic markers are CNS disorder-related markers selected from the group consisting of SEQ ID NOS: 1-271.

20   Any markers known in the art may be used with the CNS disorder-related markers of the present invention in the DNA typing methods and systems described herein, for example in anyone of the following web sites offering collections of SNPs and information about those SNPs:

      The Genetic Annotation Initiative (http://cgap.nci.nih.gov/GAI/). An NIH run site 25 which contains information on candidate SNPs thought to be related to cancer and tumorigenesis generally.

      dbSNP Polymorphism Repository (http://www.ncbi.nlm.nih.gov/SNP/). A more comprehensive NIH-run database containing information on SNPs with broad applicability in biomedical research.

30   *HUGO Mutation Database Initiative* (http://ariel.ucs.unimelb.edu.au:80/~cotton/mdi.htm). A database meant to provide systematic

access to information about human mutations including SNPs. This site is maintained by the Human Genome Organisation (HUGO).

Human SNP Database (http://www-genome.wi.mit.edu/SNP/human/index.html). Managed by the Whitehead Institute for Biomedical Research Genome Institute, this site contains

5   information about SNPs resulting from the many Whitehead research projects on mapping and sequencing.

SNPs in the Human-Genome SNP database (http://www.ibc.wustl.edu/SNP). This website provides access to SNPs that have been organized by chromosomes and cytogenetic location. The site is run by Washington University.

10   *HGBase* (http://hgbase.cgr.ki.se/). HGBASE is an attempt to summarize all known sequence variations in the human genome, to facilitate research into how genotypes affect common diseases, drug responses, and other complex phenotypes, and is run by the Karolinska Institute of Sweden.

The SNP Consortium Database (http://snp.cshl.org/db/snp/map). A collection of SNPs

15   and related information resulting from the collaborative effort of a number of large pharmaceutical and information processing companies.

GeneSNPs (http://www.genome.utah.edu/genesnps/). Run by the University of Utah, this site contains information about SNPs resulting from the U. S. National Institute of Environmental Health's initiative to understand the relationship between genetic variation and response to

20   environmental stimuli and xenobiotics.

In addition, biallelic markers provided in the following patents and patent applications may also be used with the map-related biallelic markers of the invention in the DNA typing methods and systems described above: US Serial No. 60/206,615, filed 24 March 2000; US Serial No. 60/216,745, filed 30 June 2000; WIPO Serial No. PCT/IB00/00184, filed 11 February

25   2000; WIPO Serial No. PCT/IB98/01193, filed 17 July 1998; PCT Publication No. WO 99/54500, filed 21 April 1999; and WIPO Serial No. PCT/IB00/00403, filed 24 March 2000.

Biallelic markers, sets of biallelic markers, probes, primers, and methods for determining the identity of a nucleotide at said biallelic markers are also encompassed and are further described herein, and may encompass any further limitation described in this disclosure, alone or

30   in any combination.

Forensic matching by microsequencing is further described in Example 6 below.

Throughout this application, various publications, patents, and published patent applications are cited. The disclosures of the publications, patents, and published patent

35   specifications referenced in this application are hereby incorporated by reference into the present disclosure to more fully describe the state of the art to which this invention pertains.

EXAMPLES

Several of the methods of the present invention are described in the following examples, which are offered by way of illustration and not by way of limitation. Many other modifications and variations of the invention as herein set forth can be made without departing from the spirit and scope thereof and therefore only such limitations should be imposed as are indicated by the appended claims.

Example 1: *De Novo* Identification of Biallelic Markers

The biallelic markers set forth in this application were isolated from human genomic sequences. To identify biallelic markers, genomic fragments were amplified, sequenced and compared in a plurality of individuals.

DNA samples

Donors were unrelated and healthy. They represented a sufficient diversity for being representative of a French heterogeneous population. The DNA from 100 individuals was extracted and tested for the *de novo* identification of biallelic markers.

DNA samples were prepared peripheral venous blood as follows. 30 ml of peripheral venous blood were taken from each donor in the presence of EDTA. Cells (pellet) were collected after centrifugation for 10 minutes at 2000 rpm. Red cells were lysed in a lysis solution (50 ml final volume: 10 mM Tris pH7.6; 5 mM $MgCl_2$; 10 mM NaCl). The solution was centrifuged (10 minutes, 2000 rpm) as many times as necessary to eliminate the residual red cells present in the supernatant, after resuspension of the pellet in the lysis solution. The pellet of white cells was lysed overnight at 42°C with 3.7 ml of lysis solution composed of: (a) 3 ml TE 10-2 (Tris-HCl 10 mM, EDTA 2 mM) / NaCl 0.4 M; (b) 200 μl SDS 10%; and (c) 500 μl proteinase K (2 mg proteinase K in TE 10-2 / NaCl 0.4 M).

For the extraction of proteins, 1 ml saturated NaCl (6M) (1/3.5 v/v) was added. After vigorous agitation, the solution was centrifuged for 20 minutes at 10000 rpm. For the precipitation of DNA, 2 to 3 volumes of 100% ethanol were added to the previous supernatant, and the solution was centrifuged for 30 minutes at 2000 rpm. The DNA solution was rinsed three times with 70% ethanol to eliminate salts, and centrifuged for 20 minutes at 2000 rpm. The pellet was dried at 37°C, and resuspended in 1 ml TE 10-1 or 1 ml water. The DNA concentration was evaluated by measuring the optical density (OD) at 260 nm (1 unit OD = 50 μg/ml DNA). To determine the presence of proteins in the DNA solution, the OD 260 / OD 280 ratio was determined. Only DNA preparations having a OD 260 / OD 280 ratio between 1.8 and 2 were used in the subsequent examples described below. DNA pools were constituted by mixing equivalent quantities of DNA from each individual.

Amplification of genomic DNA by PCR

Amplification of specific genomic sequences was carried out n pooled DNA samples obtained as described above.

Amplification primers

5   The primers used for the amplification of human genomic DNA fragments were defined with the OSP software (Hillier & Green, 1991). Preferably, primers included, upstream of the specific bases targeted for amplification, a common oligonucleotide tail useful for sequencing. Primers PU contain the following additional PU 5' sequence : TGTAAAACGACGGCCAGT; primers RP contain the following RP 5' sequence : CAGGAAACAGCTATGACC..Primers are

10   listed in Table 12.

Amplification

PCR assays were performed using the following protocol:

Final volume	25 µl
DNA	2 ng/µl
$MgCl_2$	2 mM
dNTP (each)	200 µM
primer (each)	2.9 ng/µl
Ampli Taq Gold DNA polymerase	0.05 unit/µl
PCR buffer (10x = 0.1 M TrisHCl pH8.3 0.5M KCl) 1x	

DNA amplification was performed on a Genius II thermocycler. After heating at 94°C for 10 min, 40 cycles were performed. Cycling times and temperatures were: 30 sec at 94°C, 55°C for 1 min and 30 sec at 72°C. Holding for 7 min at 72°C allowed final elongation. The

25   quantities of the amplification products obtained were determined on 96-well microtiter plates, using a fluorometer and Picogreen as intercalant agent (Molecular Probes).

Sequencing of amplified genomic DNA and identification of biallelic polymorphisms

Sequencing of the amplified DNA was carried out on ABI 377 sequencers. The

30   sequences of the amplification products were determined using automated dideoxy terminator sequencing reactions with a dye terminator cycle sequencing protocol. The products of the sequencing reactions were run on sequencing gels and the sequences were determined using gel image analysis (ABI Prism DNA Sequencing Analysis software 2.1.2 version).

The sequence data were further evaluated to detect the presence of biallelic markers

35   within the amplified fragments. The polymorphism search was based on the presence of superimposed peaks in the electrophoresis pattern resulting from different bases occurring at the same position. H wever, the presence f two peaks can be an artifact due to background noise.

To exclude such an artifact, the two DNA strands were sequenced and a comparison between the two strands was carried out. In order to be registered as a polymorphic sequence, the polymorphism had to be detected on both strands. Further, some biallelic single nucleotide polymorphisms were confirmed by microsequencing as described below.

5   Biallelic markers were identified in the analyzed fragments and are shown in Table 7.

Example 2: Genotyping of Biallelic Markers

          The biallelic markers identified as described above were further confirmed and their respective frequencies were determined through microsequencing. Microsequencing was carried
10   out on individual DNA samples obtained as described herein.

 Microsequencing primers

          Amplification of genomic DNA fragments from individual DNA samples was performed as described in Example 1 using the same set of PCR primers (Table 12). Microsequencing was
15   carried out on the amplified fragments using specific primers. See Table 13. The preferred primers used in microsequencing had about 19 nucleotides in length and hybridized just upstream of the considered polymorphic base.

          The microsequencing reactions were performed as follows: 5 μl of PCR products were added to 5 μl purification mix (2U SAP (Shrimp alkaline phosphate) (Amersham E70092X)); 2U
20   Exonuclease I (Amersham E70073Z); and 1 μl SAP buffer (200 mM Tris-HCl pH8, 100 mM MgCl$_2$) in a microtiter plate. The reaction mixture was incubated 30 minutes at 37°C, and denatured 10 minutes at 94°C afterwards. To each well was then added 20 μl of microsequencing reaction mixture containing: 10 pmol microsequencing oligonucleotide (19mers, GENSET, crude synthesis, 5 OD), 1 U Thermosequenase (Amersham E79000G), 1.25
25   μl Thermosequenase buffer (260 mM Tris HCl pH 9.5, 65 mM MgCl$_2$), and the two appropriate fluorescent ddNTPs complementary to the nucleotides at the polymorphic site corresponding to both polymorphic bases (11.25 nM TAMRA-ddTTP ; 16.25 nM ROX-ddCTP ; 1.675 nM REG-ddATP ; 1.25 nM RHO-ddGTP ; Perkin Elmer, Dye Terminator Set 401095). After 4 minutes at 94°C, 20 PCR cycles of 15 sec at 55°C, 5 sec at 72°C, and 10 sec at 94°C were carried out in a
30   Tetrad PTC-225 thermocycler (MJ Research). The microtiter plate was centrifuged 10 sec at 1500 rpm. The unincorporated dye terminators were removed by precipitation with 19 μl MgCl$_2$ 2mM and 55 μl 100 % ethanol. After 15 minute incubation at room temperature, the microtiter plate was centrifuged at 3300 rpm 15 minutes at 4°C. After discarding the supernatants, the microplate was evaporated to dryness under reduced pressure (Speed Vac). Samples were
35   resuspended in 2.5 μl formamide EDTA loading buffer and heated for 2 min at 95°C. 0.8 μl microsequencing reaction were loaded on a 10 % (19:1) polyacrylamide sequencing gel. The

data were collected by an ABI PRISM 377 DNA sequencer and processed using the
GENESCAN software (Perkin Elmer).

Frequency of biallelic markers

Frequencies are reported for the less common allele only and are shown in Table 7.

Example 3: Association Study Between Major Depression and the Biallelic Markers of
Candidate Genes

Collection of DNA samples from affected and non-affected individuals

The disease trait followed in this association study was major depression, a complex
disorder believed to involve several neurotransmitter pathways including those utilizing
norepinephrine and serotonin.   The depressed patient population consists of 140 individuals that
participated in a clinical study for the evaluation of the anti-depressant compound Reboxetine
(Montgomery S.A. and Schatzberg A.F.; *Journal Clin. Psychiatry* 59(suppl 14): 3-7, 1998).
Approximately 90% of these individuals were from a Caucasian ethnic background. The control
population consisted of 94 individuals from a Caucasian population that had been found not to
have any personal or family evidence of psychiatric disease.

Genotyping of affected and control individuals

The general strategy was to individually determine allele frequencies of biallelic markers
in all individuals from each population described above. Allele frequencies of the biallelic
markers were determined by performing microsequencing reactions on amplified DNA
fragments obtained from genomic PCR performed on DNA samples from each individual.
Genomic PCR and microsequencing were performed as detailed above in Examples 1 and 2.

Frequency of the biallelic markers alleles and genotypes of candidate gene and association with
major depression

Frequencies of biallelic marker alleles were compared in the case-control populations
described above. The data in Table 15 show the p-value obtained for each marker typed for each
candidate gene for individual alleles and genotypes. Nine markers from 7 of 19 candidate genes
were significant at the 5% level for allele frequency differences while seven markers from 6 of
19 candidate genes were significant at the 5% level for genotype frequency differences.   In 4
cases, the same marker was significant at the 5% level for both allele and genotype frequency
differences. This occurred for markers from the genes 5HTR6, 5HTR7, NET, and Gbeta3.
These genes all participate in the mechanism f either serotonin or norepinephrine
neurotransmission.

Haplotype frequency analysis

The results f the haplotype analysis using combinations of 2, 3, and 4 biallelic markers from each gene are shown in Tables 17 and 18. Haplotype analyses for the candidate genes were performed by estimating the frequencies of all 2, 3, and 4 marker haplotypes in the depressed and control populati ns. Haplotype estimations were performed by applying the Expectation-

5   Maximization (EM) algorithm (Excoffier and Slatkin, *Mol. Biol. Evol.*, 12:921-927, 1995). Estimated haplotype frequencies in the depressed and control populations were compared by means of permutation tests based on individual haplotypes (Permutation test) as well as the distribution of frequencies from all possible haplotypes derived from a particular combination of given markers (Omnibus LR test).

10   ·   The results of the Omnibus LR test are shown in Table 16. Listed are the top 10 marker combinations for each category of 4, 3, and 2 marker combinations and boxed in·a double line border are the top 5% of each category (by p-value based on phenotypic reiteration of at least 1000 simulations). It is remarkable that several of the same genes identified by single marker association tests also appear in the top 5% of the Omnibus LR test. In particular, markers from

15   the genes NET and Gbeta3 appear as top 5% in each category of combinations for the Omnibus LR test.

The results of the Permutation test for individual haplotypes are shown in Table 17. Listed are the top 20 haplotypes for each category of 4, 3, and 2 marker haplotypes and boxed in a double line border are the top 1% of each category (by p-value based on phenotypic reiteration

20   of at least 1000 simulations). Again it is remarkable that several of the same genes identified by single marker association tests and Omnibus LR test also contribute haplotypes that appear in the top 1% of the Permutation test for individual haplotypes. Of all genes, only NET contributes to the top percentiles of each category of testing (individual markers for allele and genotype frequencies, Omnibus LR 4,3 and 2 marker combinations, and Permutation test for individual 4, .

25   3, and 2 marker haplotypes). However several other genes contribute to several testing categories including previously mentioned Gbeta3 and 5HTR7 as well as WFS1, GRL, 5HTT and DRD3.

·   Two preferred haplotypes can be constructed from markers derived from the NET gene. One consists of markers 99-28788/300, 99-32061/304, and 99-32121/242 each manifesting the G

30   allele. The GGG haplotype is present in only 1% of depressed cases vs. 7% of controls. While this haplotype is low in overall frequency, the p-value by permutation test is 2×10^{-4} and the p-value for this group of markers is 2×10^{-3} by Omnibus LR test suggesting that the result is highly significant. A second haplotype consists of markers 16-3/199, 16-28/93, and 16-50/196 manifesting alleles TCT respectively. The haplotype TCT is present in only 30% of cases vs.

35   43% of controls. The p-value by permutation test is 9×10^{-4} and the p-value for this group of markers is 8.9×10^{-4} by Omnibus LR test, also indicating a high level of significance.

Another example of a preferred haplotype comes from markers 16-16/285, 16-17/121, and 16-106/364 which are derived from the gene Gbeta3. The haplotype TTC is present in 21% of cases vs. 35% of controls. The p-value by permutation test is 1×10^{-3} and the p-value for this group of markers is 1×10^{-4} by Omnibus LR test, indicating a high level of significance.

5

Example 4: Association Study Between Major Depression and the Biallelic Markers of Candidate Genes

The association analysis of Example 3 was repeated using a different population set as described below. In general, these estimates agreed with the frequencies observed in the first

10   screening within a few percent. Statistical assessments of haplotype frequency differences between depressed cases and controls were made by Omnibus LR tests and individual haplotype tests.

For Omnibus analyses, WFS1 marker combinations showed the most significant (p<0.01) differences between the depressed cases and controls for 2, 3, and 4 locus haplotypes.

15   Strongest among these associations were combinations of markers spanning the core exonic region of the WFS1 gene including 19-17/188, 19-19/174, and 24-243/346. Several NET marker combinations showed significant associations (p<0.05) including those from the 5' flanking region and those from the exonic region. When compared to the distribution of Omnibus p-values observed in the 1st screening, 11 WFS1 marker combinations would have been among the

20   top 5% of observed Omnibus p-values whereas 2 NET marker combinations would have been among the top 5%.

For individual haplotypes, haplotype GT from WFS1 markers 19-17/188 and 24-243/346 showed an 11% difference (37% cases vs. 26% controls, p<0.001). A similar difference was observed for haplotype GC from WFS1 markers 19-17/188 and 19-19/174 and GCT from all

25   three markers (p<0.005). Several NET haplotypes showed >10% frequency differences between cases and controls (p<0.01). When compared to the distribution of individual haplotype p-values observed in the first screening, 6 WFS1 marker combinations would have been among the top 1% of observed individual haplotype p-values.

Frequency of the biallelic markers alleles and genotypes of candidate gene and association with

30   major depression

Frequencies of biallelic marker alleles were compared in the case-control populations described above. The data in Table 18 show the p-value obtained for each marker typed for each candidate gene for individual alleles and genotypes. Nine markers from 7 of 19 candidate genes were significant at the 5% level for allele frequency differences while seven markers from 6 of

35   19 candidate genes were significant at the 5% level for genotype frequency differences. In 4 cases, the same marker was significant at the 5% level for both allele and genotype frequency differences. This occurred for markers from the genes 5HTR6, 5HTR7, and WFS1.

Haplotype frequency analysis

The results of the haplotype analysis using combinations of 2, 3, and 4 biallelic markers from each gene are shown in Tables 19 and 20. Haplotype analyses for the candidate genes were performed by estimating the frequencies f all 2, 3, and 4 marker haplotypes in the depressed and control populations. Haplotype estimations were performed by applying the Expectation-Maximization (EM) algorithm (Excoffier and Slatkin, *Mol. Biol. Evol.*, 12:921-927, 1995). Estimated haplotype frequencies in the depressed and control populations were compared by means of permutation tests based on individual haplotypes (Permutation test) as well as the distribution of frequencies from all possible haplotypes derived from a particular combination of given markers (Omnibus LR test).

The results of the Omnibus LR test are shown in Table 19. Listed are the top 10 marker combinations for each category of 4, 3, and 2 marker combinations and boxed in a double line border are the top 5% of each category (by p-value based on phenotypic reiteration of at least 1000 simulations). It is remarkable that several of the same genes identified by single marker association tests also appear in the top 5% of the Omnibus LR test. In particular, markers from the gene WFS1 appears as top 5% in each category of combinations for the Omnibus LR test.

The results of the Permutation test for individual haplotypes are shown in Table 20. Listed are the top 20 haplotypes for each category of 4, 3, and 2 marker haplotypes and boxed in a double line border are the top 1% of each category (by p-value based on phenotypic reiteration of at least 1000 simulations). Again it is remarkable that several of the same genes identified by single marker association tests and Omnibus LR test also contribute haplotypes that appear in the top 1% of the Permutation test for individual haplotypes. Of all genes, WFS1 contributes to the top percentiles of nearly all categories of testing (individual markers for allele and genotype frequencies, Omnibus LR 4,3 and 2 marker combinations, and Permutation test for individual 3 and 2 marker haplotypes). However several other genes contribute to several testing categories including previously mentioned 5HTR7 as well as NET, GRL, 5HTT and DRD3.

A preferred haplotype can be constructed from markers derived from the WFS1 gene. This consists of markers 19-17/188, 19-19/174, and 24-243/176 manifesting alleles GCT respectively. The GCT haplotype is present in 34% of depressed cases vs. 24% of controls. While this haplotype is low in overall frequency, the p-value by permutation test is 3×10^{-3} and the p-value for this group of markers is 1×10^{-3} by Omnibus LR test suggesting that the result is highly significant.

Example 5: Response to Reboxetine in Depressed Patients

Single point analyses were also performed on data from the candidate genes to determine Reboxetine response among depressed patients as compared to controls. Two markers from NET

(99-32061/304 and 99-32121/242) showed allelic and genotypic association (p<0.05). A single marker from Gbeta3 (18-355/67) showed allelic association with drug response (p=0.05).

Multipoint analyses on the data revealed Omnibus LR-based associations to be minimal for these gen s with only two marker combinations from NET achieving a level of significance

5   of p<0.05. At the individual haplotype level, a number of NET haplotypes achieved this level of significance with 10-15% responder/non-responder differences in haplotype frequencies. Also of note is the observation that a few individual haplotypes from Gbeta3 showed a remarkable level of significance (p<0.0005) corresponding to a nearly infinite relative risk (15-20% in non-responders vs. 0% in responders). This difference in estimated haplotype frequency is based

10   largely on the observation that one particular haplotype cannot be unambiguously detected in the 204 responder haplotypes although there are at least 9 copies in 182 non-responder haplotypes.

In conclusion, modest association is present between NET and drug response. In addition, select individual haplotypes from Gbeta3 show a strong statistical association with drug response.

15

Example 6: Forensic Matching by Microsequencing

DNA samples are isolated from forensic specimens of, for example, hair, semen, blood or skin cells by conventional methods. A panel of PCR primers based on a number of the ·sequences of SEQ ID NOS: 1 to 542 is then utilized according to the methods described herein to

20   amplify DNA of approximately 500 bases in length from the forensic specimen. The alleles present at each of the selected biallelic markers site according to biallelic markers SEQ ID NOS: 1 to 542 are then identified according Example 2. A simple database comparison of the analysis results determines the differences, if any, between the sequences from a subject individual or from a database and those from the forensic sample. In a preferred method, statistically

25   significant differences between the suspect's DNA sequences and those from the sample conclusively prove a lack of identity. This lack of identity can be proven, for example, with only one sequence. Identity, on the other hand, should be demonstrated with a large number of sequences, all matching. Preferably, a minimum of 13, 17, 20, 25, 30, 40, 50, 66, 70, 85, 88, 100, 187, 200 or 250 biallelic markers are used to test identity between the suspect and the

30   sample.

In accordance with the regulations relating to Sequence Listings, the following codes have been used in the Sequence Listing to indicate the locations of biallelic markers within the sequences and to identify each of the alleles present at the polymorphic base. The code "r" in the

35   sequences indicates that one allele of the polymorphic base is a guanine, while the ther allele is an adenine. The code "y" in the sequences indicates that one allele of the polymorphic base is a thymine, while the other allele is a cytosine. The code "m" in the sequences indicates that one

allele of the polymorphic bas is an adenine, while the other allele is an cytosine. The code "k" in the sequences indicates that one allele of the polymorphic base is a guanine, while the other allele is a thymine. The code "s" in the sequences indicates that one allele f the polymorphic base is a guanine, while the other allele is a cytosine. The code "w" in the sequences indicates that one allele of the polymorphic base is an adenine, while the other allele is an thymine.

TABLE 7A

GENE	BIALLELIC MARKER ID	SEQ ID NO.	BIALLELIC MARKER POSITION IN SEQ ID NO.	VALIDATION MICRO-SEQUENCING	GENOTYPING LEAST COMMON ALLELE FREQUENCY	
5HTR6	99-27199-207	1	207	Y	T	0.30
5HTR6	99-27207-117	2	117	Y	C	0.37
5HTR6	99-27213-53	3	53	Y		
5HTR6	99-27218-333	4	333	Y		
5HTR6	99-28108-233	5	233	Y		
5HTR6	99-28109-275	6	275	N		
5HTR6	99-28110-75	7	74	Y	T	0.48
5HTR6	99-28125-81	8	81	Y		
5HTR6	99-28134-215	9	215	Y	T	0.37
5HTR6	99-28137-96	10	96	Y		
5HTR6	99-32204-305	11	305	N		
5HTR7	99-28149-118	12	118	Y	C	0.31
5HTR7	99-28160-285	13	285	Y	G	0.49
5HTR7	99-28171-458	14	457	Y	A	0.38
5HTR7	99-28173-395	15	395	Y		
5HTR7	99-32177-113	16	113	Y		
5HTR7	99-32181-192	17	192	Y	C	0.38
5HTR7	99-32193-258	18	257	Y	T	0.65
CHRNA7	99-28722-90	19	90	Y	C	0.32
CHRNA7	99-28730-351	20	351	Y	A	0.38
CHRNA7	99-32306-409	21	407	Y	G	0.33
CRFR1	99-27088-246	22	246	Y	A	0.38
CRFR1	99-27090-203	23	204	Y	G	0.22
CRFR1	99-27091-220	24	221	Y	A	0.49
CRFR1	99-27093-145	25	145	N		
CRFR1	99-27094-406	26	406	Y	T	0.21
CRFR1	99-27096-410	27	410	N		
CRFR1	99-27097-83	28	83	Y	T	0.47
CRFR1	99-27098-162	29	162	N		
CRFR1	99-27550-48	30	48	Y	A	0.26
CRFR1	99-27558-335	31	335	Y		
CRFR1	99-27561-106	32	106	Y		
CRFR1	99-27562-366	33	364	N		
MLR	16-31-738	34	738	Y	G	0.47
MLR	99-27110-301	35	300	Y		
MLR	99-27563-400	36	400	Y	A	0.44
MLR	99-27573-443	37	443	Y		
MLR	99-28732-133	38	133	Y	A	0.31
MLR	99-28735-56	39	56	Y	T	0.30
MLR	99-28736-399	40	399	Y		
MLR	99-28738-319	41	319	Y	C	0.37
MLR	99-28739-364	42	364	Y		
CRFR2	99-27875-185	43	185	Y	C	0.40
CRFR2	99-27880-176	44	176	Y	T	0.44
CRFR2	99-28747-371	45	373	Y	C	0.44
CRFR2	99-28753-353	46	352	Y	C	0.39
CRFR2	99-28755-206	47	207	Y	G	0.41
CRFR2	99-32333-366	48	366	N	C	
GRL	16-38-323	49	323	Y	A	0.33
GRL	99-28484-179	50	179	Y	A	0.40

TABLE 7A (c nt)

GRL	99-30853-364	51	364	Y		G	0.42
GRL	99-28485-198	52	198	Y		G	0.20
GRL	99-30858-354	53	354	Y		T	0.16
GRL	99-32002-313	54	311	Y		A	0.48
GRL	18-15-366	55	366	Y			
GRL	18-20-174	56	174	Y		G	0.27
GRL	18-31-178	57	178	Y		C	0.35
GRL	18-38-395	58	395	Y		T	0.37
MAOA	18-2-192	59	192	Y		T	0.32
MAOB	99-26921-210	60	211	Y		G	0.48
MAOA	16-215-80	61	250	Y		T	0.33
MAOA-B	18-132-368	62	368	Y		C	0.34
MAOA	18-133-293	63	292	Y		A	0.27
5HTR2c	18-12-191	64	191	Y		A	0.14
5HTR2c	18-11-137	65	138	Y		G	0.27
5HTR2c	18-93-96	66	96	Y			
TH	16-115-343	67	343	Y		C	0.24
TH	16-42-140	68	140	Y		G	0.30
TH	18-251-176	69	176	Y		T	0.43
TH	18-269-44	70	44	Y		A	0.38
CRF	16-218-624	71	624	N			
CRF	18-393-330	72	330	Y			
CRF	18-394-402	73	402	Y			
DRD4	16-217-55	74	55	Y			
DRD4	18-284-139	75	139	Y			
DRD4	18-285-305	76	305	Y			
DRD4	18-289-239	77	239	Y			
DRD4	18-291-91	78	91	Y			
5HTT	18-186-391	79	391	Y		T	0.47
5HTT	18-194-130	80	130	Y		T	0.48
5HTT	18-198-252	81	252	Y		A	0.49
5HTT	18-242-300	82	299	Y		G	0.46
DRD3	8-15-126	83	1501	Y		G	0.30
DRD3	8-19-372	84	1501	Y		A	0.28
DRD3	99-2409-298	85	428	Y		A	0.40
DRD3	99-339-54	86	1501	Y		G	0.46
CYP3A4-7	12-254-180	87	311	Y		G	0.46
CYP3A4-7	10-214-279	88	1501	Y		C	0.12
CYP3A4-7	10-217-91	89	1501	Y		T	0.07
NET	99-28779-168	90	168	Y			
NET	99-28788-300	91	300	Y		A	0.47
NET	99-32052-262	92	263	Y			
NET	99-32121-242	93	244	Y		G	0.48
NET	99-32059-169	94	169	N			
NET	99-32061-304	95	304	Y		A	0.39
NET	99-32065-303	96	303	Y			
NET	99-32123-118	97	118	Y			
NET	99-32148-315	98	314	Y			
NET	16-2-76	99	95	Y		A	0.27
NET	16-28-93	100	120	Y		C	0.44
NET	16-3-199	101	342	Y		C	0.32
NET	16-50-197	102	197	Y		C	0.21
NET	16-1-59	103	181	Y			
NET	16-2-187	104	206	Y			
TACR1	99-28761-311	105	311	Y		A	0.22

TABLE 7A (cont)

TACR1	99-28771-86	106	86	Y	T	0.48
TACR1	99-28791-291	107	291	Y	A	0.26
TACR1	99-32077-66	108	66	Y		
TACR1	99-32078-466	109	467	Y		
TACR1	99-32376-426	110	426	Y		
TACR1	99-32361-419	111	420	Y	T	0.48
DRD2	16-21-228	112	228	Y	A	0.16
DRD2	16-22-156	113	156	Y	C	0.45
DRD2	16-23-404	114	404	Y	G	0.47
DRD2	16-24-175	115	175	Y	A	0.16
DRD2	16-25-286	116	286	Y	T	0.37
DRD2	16-25-279	117	279	Y		
DRD2	16-23-393	118	393	Y		
Gbeta3	16-106-364	119	364	Y	T	0.01
Gbeta3	16-16-285	120	285	Y	T	0.38
Gbeta3	16-17-121	121	121	Y	T	0.36
Gbeta3	16-84-185	122	185	Y	C	0.40
Gbeta3	16-87-74	123	74	Y	A	0.34
Gbeta3	16-91-333	124	333	Y	A	0.43
WFS1	16-128-142	125	142	Y	C	0.27
WFS1	16-133-205	126	245	Y	G	0.34
WFS1	16-135-181	127	232	Y	A	0.28
WFS1	16-145-405	128	455	Y	C	0.11
WFS1	16-177-320	129	320	Y	A	0.07
WFS1	16-4-354	130	354	Y	C	0.36

TABLE 7B

GENE	BIALLELIC MARKER ID	SEQ ID NO.	BIALLELIC MARKER POSITION IN SEQ ID NO.	VALIDATION MICRO-SEQUENCING	GENOTYPING LEAST COMMON ALLELE FREQUENCY	
5HTR6	99-27199-207	131	24	Y	T	0.30
5HTR6	99-27207-117	132	24	Y	C	0.37
5HTR6	99-27213-53	133	24	Y		
5HTR6	99-27218-333	134	24	Y		
5HTR6	99-28108-233	135	24	Y		
5HTR6	99-28109-275	136	24	N		
5HTR6	99-28110-75	137	24	Y	T	0.48
5HTR6	99-28125-81	138	24	Y		
5HTR6	99-28134-215	139	24	Y	T	0.37
5HTR6	99-28137-96	140	24	Y		
5HTR6	99-32204-305	141	24	N		
5HTR7	99-28149-118	142	24	Y	C	0.31
5HTR7	99-28160-285	143	24	Y	G	0.49
5HTR7	99-28171-458	144	24	Y	A	0.38
5HTR7	99-28173-395	145	24	Y		
5HTR7	99-32177-113	146	24	Y		
5HTR7	99-32181-192	147	24	Y	C	0.38
5HTR7	99-32193-258	148	24	Y	T	0.65
CHRNA7	99-28722-90	149	24	Y	C	0.32
CHRNA7	99-28730-351	150	24	Y	A	0.38
CHRNA7	99-32306-409	151	24	Y	G	0.33
CRFR1	99-27088-246	152	24	Y	A	0.38
CRFR1	99-27090-203	153	24	Y	G	0.22

TABLE 7B (cont)

CRFR1	99-27091-220	154	24	Y		A	0.49
CRFR1	99-27093-145	155	24	N			
CRFR1	99-27094-406	156	24	Y		T	0.21
CRFR1	99-27096-410	157	24	N			
CRFR1	99-27097-83	158	24	Y		T	0.47
CRFR1	99-27098-162	159	24	N			
CRFR1	99-27550-48	160	24	Y		A	0.26
CRFR1	99-27558-335	161	24	Y			
CRFR1	99-27561-106	162	24	Y			
CRFR1	99-27562-366	163	24	N			
MLR	16-31-738	164	24	Y		G	0.47
MLR	99-27110-301	165	24	Y			
MLR	99-27563-400	166	24	Y		A	0.44
MLR	99-27573-443	167	24	Y			
MLR	99-28732-133	168	24	Y		A	0.31
MLR	99-28735-56	169	24	Y		T	0.30
MLR	99-28736-399	170	24	Y			
MLR	99-28738-319	171	24	Y		C	0.37
MLR	99-28739-364	172	24	Y			
CRFR2	99-27875-185	173	24	Y		C	0.40
CRFR2	99-27880-176	174	24	Y		T	0.44
CRFR2	99-28747-371	175	24	Y		C	0.44
CRFR2	99-28753-353	176	24	Y		C	0.39
CRFR2	99-28755-206	177	24	Y		G	0.41
CRFR2	99-32333-366	178	24	N		C	
GRL	16-38-323	179	24	Y		A	0.33
GRL	99-28484-179	180	24	Y		A	0.40
GRL	99-30853-364	181	24	Y		G	0.42
GRL	99-28485-198	182	24	Y		G	0.20
GRL	99-30858-354	183	24	Y		T	0.16
GRL	99-32002-313	184	24	Y		A	0.48
GRL	18-15-366	185	24	Y			
GRL	18-20-174	186	24	Y		G	0.27
GRL	18-31-178	187	24	Y		C	0.35
GRL	18-38-395	188	24	Y		T	0.37
MAOA	18-2-192	189	24	Y		T	0.32
MAOB	99-26921-210	190	24	Y		G	0.48
MAOA	16-215-80	191	24	Y		T	0.33
MAOA-B	18-132-368	192	24	Y		C	0.34
MAOA	18-133-293	193	24	Y		A	0.27
5HTR2c	18-12-191	194	24	Y		A	0.14
5HTR2c	18-11-137	195	24	Y		G	0.27
5HTR2c	18-93-96	196	24	Y			
TH	16-115-343	197	24	Y		C	0.24
TH	16-42-140	198	24	Y		G	0.30
TH	18-251-176	199	24	Y		T	0.43
TH	18-269-44	200	24	Y		A	0.38
CRF	16-218-624	201	24	N			
CRF	18-393-330	202	24	Y			
CRF	18-394-402	203	24	Y			
DRD4	16-217-55	204	24	Y			
DRD4	18-284-139	205	24	Y			
DRD4	18-285-305	206	24	Y			
DRD4	18-289-239	207	24	Y			
DRD4	18-291-91	208	24	Y			

TABLE 7B (cont)

5HTT	18-186-391	209	24	Y	T	0.47
5HTT	18-194-130	210	24	Y	T	0.48
5HTT	18-198-252	211	24	Y	A	0.49
5HTT	18-242-300	212	24	Y	G	0.46
DRD3	8-15-126	213	24	Y	G	0.30
DRD3	8-19-372	214	24	Y	A	0.28
DRD3	99-2409-298	215	24	Y	A	0.40
DRD3	99-339-54	216	24	Y	G	0.46
CYP3A4-7	12-254-180	217	24	Y	G	0.46
CYP3A4-7	10-214-279	218	24	Y	C	0.12
CYP3A4-7	10-217-91	219	24	Y	T	0.07
NET	99-28779-168	220	24	Y		
NET	99-28788-300	221	24	Y	A	0.47
NET	99-32052-262	222	24	Y		
NET	99-32121-242	223	24	Y	G	0.48
NET	99-32059-169	224	24	N		
NET	99-32061-304	225	24	Y	A	0.39
NET	99-32065-303	226	24	Y		
NET	99-32123-118	227	24	Y		
NET	99-32148-315	228	24	Y		
NET	16-2-76	229	24	Y	A	0.27
NET	16-28-93	230	24	Y	C	0.44
NET	16-3-199	231	24	Y	C	0.32
NET	16-50-197	232	24	Y	C	0.21
NET	16-1-59	233	24	Y		
NET	16-2-187	234	24	Y		
TACR1	99-28761-311	235	24	Y	A	0.22
TACR1	99-28771-86	236	24	Y	T	0.48
TACR1	99-28791-291	237	24	Y	A	0.26
TACR1	99-32077-66	238	24	Y		
TACR1	99-32078-466	239	24	Y		
TACR1	99-32376-426	240	24	Y		
TACR1	99-32361-419	241	24	Y	T	0.48
DRD2	16-21-228	242	24	Y	A	0.16
DRD2	16-22-156	243	24	Y	C	0.45
DRD2	16-23-404	244	24	Y	G	0.47
DRD2	16-24-175	245	24	Y	A	0.16
DRD2	16-25-286	246	24	Y	T	0.37
DRD2	16-25-279	247	24	Y		
DRD2	16-23-393	248	24	Y		
Gbeta3	16-106-364	249	24	Y	T	0.01
Gbeta3	16-16-285	250	24	Y	T	0.38
Gbeta3	16-17-121	251	24	Y	T	0.36
Gbeta3	16-84-185	252	24	Y	C	0.40
Gbeta3	16-87-74	253	24	Y	A	0.34
Gbeta3	16-91-333	254	24	Y	A	0.43
WFS1	16-128-142	255	24	Y	C	0.27
WFS1	16-133-205	256	24	Y	G	0.34
WFS1	16-135-181	257	24	Y	A	0.28
WFS1	16-145-405	258	24	Y	C	0.11
WFS1	16-177-320	259	24	Y	A	0.07
WFS1	16-4-354	260	24	Y	C	0.36

TABLE 7

GENE	BIALLELIC MARKER ID	SEQ ID NO.	BIALLELIC MARKER POSITION IN SEQ ID NO.	VALIDATION MICRO-SEQUENCING	GENOTYPING LEAST COMMON ALLELE FREQUENCY	
MAO A/B	18-473-362	261	362	Y	C	0.43
MAO A/B	99-12361-88	262	88	Y	C	0.36
MAO A/B	99-12368-335	263	335	Y	C	0.36
MAO A/B	99-12370-67	264	67	Y	A	0.29
NET	99-32148-315	265	314	Y	C	0.27
NET	19-46-322	266	322	Y	C	0.31
NET	19-47-315	267	315	Y	T	0.14
NET	19-51-347	268	346	Y		
NET	99-32052-262	269	263	Y	T	0.38
CYP3A4/7	10-213-292	270	1501	Y	G	0.11
5HTT	18-419-135	271	135	Y		
5HTT	18-424-419	272	419	Y		
5HTT	18-429-289	273	290	Y		
5HTT	18-246-256	274	256	Y	C	0.48
Gbeta3	18-355-67	275	68	Y	C	0.49
Gbeta3	18-353-267	276	266	Y	T	0.27
Gbeta3	18-338-305	277	306	Y	G	0.3
WFS1	24-243-346	278	1501	Y	T	0.3
WFS1	99-62531-351	279	1501	Y	T	0.36
WFS1	99-54279-152	280	1501	Y	G	0.44
DRD2	18-168-245	281	245	Y	A	0.45
DRD2	18-171-291	282	291	Y	C	0.37
DRD2	18-172-346	283	346	Y	T	0.45
DRD2	18-177-406	284	406	Y	T	0.37
HM74	18-298-338	285	338	Y	G	0.49
HM74	18-298-110	286	110	Y		
HM74	18-299-105	287	104	Y		
HM74	18-884-30	288	31	Y	C	0.26
HM74	18-299-343	289	342	Y		
HM74	99-61513-139	290	140	Y	A	0.26
HM74	99-61514-179	291	179	Y	G	0.27
HM74	99-61516-323	292	323	Y	C	0.33
CRHBP	18-204-70	293	70	Y	C	0.20
CRHBP	18-207-441	294	442	Y	C	0.41
CRHBP	18-210-65	295	65	Y		
CRHBP	18-212-200	296	200	Y	T	0.31
CRHBP	18-229-334	297	334	Y	T	0.33
CRHBP	18-230-332	298	332	Y	T	0.32
AVPR1A	18-966-378	299	378	Y	C	0.41
AVPR1A	18-987-308	300	307	Y	A	0.35
AVPR1A	18-1169-118	301	118	Y		
AVPR1A	18-1172-138	302	138	Y	G	0.16
AVPR1A	18-1173-92	303	92	Y	T	0.32
AVPR1A	18-1174-387	304	387	Y	C	0.21
AVPR1A	18-1175-416	305	416	Y	G	0.21
AVPR1A	18-542-146	306	146	Y	G	0.21
5HT1A	8-42-211	307	1501	Y	G	0.46
5HT1A	8-45-389	308	1501	Y	G	0.01
5HT1A	18-994-270	309	270	Y	C	0.25
5HT1A	18-912-165	310	165	Y	T	0.46
5HT1A	18-991-124	311	124	Y	T	0.45

TABLE 7 (c nt)

5HT1A	18-920-219	312	219	Y		
5HT1A	18-911-312	313	312	Y		
5HT1A	99-65963-368	314	368	Y		
5HT1A	99-65966-225	315	225	Y		
5HT1A	99-65968-75	316	75	Y		
5HT1A	99-5069-331	317	1501	Y		
5HT1A	99-5070-176	318	175	Y	T	0.02
GABRG2	18-511-348	319	348	Y		
GABRG2	18-523-352	320	352	Y	C	0.49
GABRG2	18-545-478	321	480	Y	G	0.45
GABRG2	18-522-194	322	194	Y	G	0.32
GABRG2	18-524-284	323	284	Y	C	0.36
ADRB1R	18-626-52	324	52	Y	G	0.36
ADRB1R	18-629-189	325	189	Y	T	0.40
ADRB1R	18-1131-71	326	71	Y	T	0.41
ADRB1R	18-534-126	327	126	Y		
ADRB1R	18-596-59	328	59	Y		
ADRB1R	18-597-27	329	27	Y	A	0.20
GABRA5	18-730-203	330	203	Y	G	0.48
GABRA5	18-734-89	331	89	Y	C	0.48
GABRA5	18-895-321	332	321	Y	A	0.27
GABRA5	18-896-69	333	69	Y		
GABRA5	18-903-58	334	58	Y		
GOLF	18-590-216	335	216	Y	G	0.42
GOLF	18-817-436	336	433	Y	T	0.41
GOLF	18-829-85	337	85	Y	G	0.39
GOLF	18-832-387	338	387	Y		
GOLF	18-833-259	339	259	Y		
GOLF	18-839-271	340	271	Y	C	0.40
GOLF	18-770-194	341	194	Y	T	0.37
GOLF	18-771-302	342	302	Y	G	0.30
GOLF	18-827-53	343	53	Y	G	0.34
GOLF	18-768-318	344	318	Y	G	0.31
GOLF	18-769-26	345	26	Y	A	0.17
SLC6A3	18-709-321	346	320	Y	C	0.46
SLC6A3	18-714-280	347	281	Y	T	0.17
SLC6A3	18-843-271	348	271	Y	C	0.37
SLC6A3	18-850-265	349	265	Y	T	0.34
SLC6A3	18-853-296	350	296	Y	T	0.23
SLC6A3	18-867-331	351	332	Y	C	0.48
SLC6A3	18-877-73	352	73	Y		
SLC6A3	18-856-85	353	85	Y	C	0.42
SLC6A3	18-861-101	354	101	Y	T	0.33
PDE4b	18-635-323	355	323	Y		
PDE4b	18-636-205	356	205	Y	A	0.36
PDE4b	18-649-427	357	427	Y	C	0.46
PDE4b	18-1134-316	358	316	Y	G	0.38
PDE4b	18-633-316	359	316	Y		
COMT	18-489-425	360	425	Y		
COMT	18-492-212	361	212	Y	C	0.41
COMT	18-488-156	362	156	Y	T	0.45
COMT	18-491-266	363	266	Y	T	0.42
COMT	18-497-141	364	141	Y	T	0.43
COMT	18-503-174	365	174	Y	C	0.31
COMT	18-490-95	366	95	Y	A	0.31

TABLE 7C (cont)

NPY1R	18-699-115	367	114	Y		
NPY1R	18-1099-293	368	293	Y		
NPY1R	18-1105-22	369	22	Y		
SLC1	18-562-418	370	418	Y	C	0.49
SLC1	18-564-204	371	204	Y	C	0.50
SEF2-1B	18-1032-262	372	261	Y	C	0.33
SEF2-1B	18-1035-412	373	412	Y	C	0.50
SEF2-1B	18-1036-293	374	293	Y	C	0.34
SEF2-1B	18-1038-95	375	95	Y	T	0.34
SEF2-1B	18-1040-361	376	361	Y	G	0.44
SEF2-1B	18-748-356	377	356	Y	T	0.47
BDNF	18-937-181	378	179	Y	A	0.26
BDNF	18-942-175	379	175	Y	T	0.29
BDNF	18-1213-221	380	221	Y		
BDNF	18-937-147	381	145	Y		
BDNF	18-946-408	382	407	Y	C	0.20
GAP43	18-787-133	383	133	Y	A	0.39
GAP43	18-1149-239	384	239	Y	A	0.49
GAP43	18-1159-291	385	291	Y	G	0.23
GAP43	18-1135-273	386	273	Y	T	0.43
GAP43	18-1136-108	387	108	Y		
GAP43	18-1147-68	388	68	Y		
GAP43	18-1157-295	389	295	Y		
GAP43	18-802-460	390	459	Y	A	0.32
CLOCK	18-1064-110	391	109	Y	C	0.36
CLOCK	18-1068-327	392	327	Y	T	0.32
CLOCK	18-1069-365	393	365	Y	A	0.23
CLOCK	18-1073-367	394	367	Y	A	0.35
CLOCK	18-1070-272	395	272	Y	T	0.36
CLOCK	18-1057-35	396	35	Y		
CLOCK	18-1062-415	397	415	Y		
CLOCK	18-1082-165	398	165	Y		
CLOCK	18-1080-361	399	363	Y	C	0.18
HSP70	18-506-297	400	297	Y		
HSP70	18-570-38	401	38	Y		

TABLE 7D

GENE	BIALLELIC MARKER ID	SEQ ID NO.	BIALLELIC MARKER POSITION IN SEQ ID NO.	VALIDATION MICRO-SEQUENCING	GENOTYPING LEAST COMMON ALLELE FREQUENCY	
MAO A/B	18-473-362	402	24	Y	C	0.43
MAO A/B	99-12361-88	403	24	Y	C	0.36
MAO A/B	99-12368-335	404	24	Y	C	0.36
MAO A/B	99-12370-67	405	24	Y	A	0.29
NET	99-32148-315	406	24	Y	C	0.27
NET	19-46-322	407	24	Y	C	0.31
NET	19-47-315	408	24	Y	T	0.14
NET	19-51-347	409	24	Y		
NET	99-32052-262	410	24	Y	T	0.38
CYP3A4/7	10-213-292	411	24	Y	G	0.11
5HTT	18-419-135	412	24	Y		
5HTT	18-424-419	413	24	Y		
5HTT	18-429-289	414	24	Y		
5HTT	18-246-256	415	24	Y	C	0.48

TABLE 7D (c nt)

Gbeta3	18-355-67	416	24	Y	C	0.49
Gbeta3	18-353-267	417	24	Y	T	0.27
Gbeta3	18-338-305	418	24	Y	G	0.3
WFS1	24-243-346	419	24	Y	T	0.3
WFS1	99-62531-351	420	24	Y	T	0.36
WFS1	99-54279-152	421	24	Y	G	0.44
DRD2	18-168-245	422	24	Y	A	0.45
DRD2	18-171-291	423	24	Y	C	0.37
DRD2	18-172-346	424	24	Y	T	0.45
DRD2	18-177-406	425	24	Y	T	0.37
HM74	18-298-338	426	24	Y	G	0.49
HM74	18-298-110	427	24	Y		
HM74	18-299-105	428	24	Y		
HM74	18-884-30	429	24	Y	C	0.26
HM74	18-299-343	430	24	Y		
HM74	99-61513-139	431	24	Y	A	0.26
HM74	99-61514-179	432	24	Y	G	0.27
HM74	99-61516-323	433	24	Y	C	0.33
CRHBP	18-204-70	434	24	Y	C	0.20
CRHBP	18-207-441	435	24	Y	C	0.41
CRHBP	18-210-65	436	24	Y		
CRHBP	18-212-200	437	24	Y	T	0.31
CRHBP	18-229-334	438	24	Y	T	0.33
CRHBP	18-230-332	439	24	Y	T	0.32
AVPR1A	18-966-378	440	24	Y	C	0.41
AVPR1A	18-987-308	441	24	Y	A	0.35
AVPR1A	18-1169-118	442	24	Y		
AVPR1A	18-1172-138	443	24	Y	G	0.16
AVPR1A	18-1173-92	444	24	Y	T	0.32
AVPR1A	18-1174-387	445	24	Y	C	0.21
AVPR1A	18-1175-416	446	24	Y	G	0.21
AVPR1A	18-542-146	447	24	Y	G	0.21
5HT1A	8-42-211	448	24	Y	G	0.46
5HT1A	8-45-389	449	24	Y	G	0.01
5HT1A	18-994-270	450	24	Y	C	0.25
5HT1A	18-912-165	451	24	Y	T	0.46
5HT1A	18-991-124	452	24	Y	T	0.45
5HT1A	18-920-219	453	24	Y		
5HT1A	18-911-312	454	24	Y		
5HT1A	99-65963-368	455	24	Y		
5HT1A	99-65966-225	456	24	Y		
5HT1A	99-65968-75	457	24	Y		
5HT1A	99-5069-331	458	24	Y		
5HT1A	99-5070-176	459	24	Y	T	0.02
GABRG2	18-511-348	460	24	Y		
GABRG2	18-523-352	461	24	Y	C	0.49
GABRG2	18-545-478	462	24	Y	G	0.45
GABRG2	18-522-194	463	24	Y	G	0.32
GABRG2	18-524-284	464	24	Y	C	0.36
ADRB1R	18-626-52	465	24	Y	G	0.36
ADRB1R	18-629-189	466	24	Y	T	0.40
ADRB1R	18-1131-71	467	24	Y	T	0.41
ADRB1R	18-534-126	468	24	Y		
ADRB1R	18-596-59	469	24	Y		
ADRB1R	18-597-27	470	24	Y	A	0.20

TABLE 7D (c nt)

GABRA5	18-730-203	471	24	Y	G	0.48
GABRA5	18-734-89	472	24	Y	C	0.48
GABRA5	18-895-321	473	24	Y	A	0.27
GABRA5	18-896-69	474	24	Y		.
GABRA5	18-903-58	475	24	Y		
GOLF	18-590-216	476	24	Y	G	0.42
GOLF	18-817-436	477	24	Y	T	0.41
GOLF	18-829-85	478	24	Y	G	0.39
GOLF	18-832-387	479	24	Y		
GOLF	18-833-259	480	24	Y		
GOLF	18-839-271	481	24	Y	C	0.40
GOLF	18-770-194	482	24	Y	T	0.37
GOLF	18-771-302	483	24	Y	G	0.30
GOLF	18-827-53	484	24	Y	G	0.34
GOLF	18-768-318	485	24	Y	G	0.31
GOLF	18-769-26	486	24	Y	A	0.17
SLC6A3	18-709-321	487	24	Y	C	0.46
SLC6A3	18-714-280	488	24	Y	T	0.17
SLC6A3	18-843-271	489	24	Y	C	0.37
SLC6A3	18-850-265	490	24	Y	T	0.34
SLC6A3	18-853-296	491	24	Y	T	0.23
SLC6A3	18-867-331	492	24	Y	C	0.48
SLC6A3	18-877-73	493	24	Y		
SLC6A3	18-856-85	494	24	Y	C	0.42
SLC6A3	18-861-101	495	24	Y	T	0.33
PDE4b	18-635-323	496	24	Y		
PDE4b	18-636-205	497	24	Y	A	0.36
PDE4b	18-649-427	498	24	Y	C	0.46
PDE4b	18-1134-316	499	24	Y	G	0.38
PDE4b	18-633-316	500	24	Y		
COMT	18-489-425	501	24	Y		
COMT	18-492-212	502	24	Y	C	0.41
COMT	18-488-156	503	24	Y	T	0.45
COMT	18-491-266	504	24	Y	T	0.42
COMT	18-497-141	505	24	Y	T	0.43
COMT	18-503-174	506	24	Y	C	0.31
COMT	18-490-95	507	24	Y	A	0.31
NPY1R	18-699-115	508	24	Y		
NPY1R	18-1099-293	509	24	Y		
NPY1R	18-1105-22	510	24	Y		
SLC1	18-562-418	511	24	Y	C	0.49
SLC1	18-564-204	512	24	Y	C	0.496
SEF2-1B	18-1032-262	513	24	Y	C	0.33
SEF2-1B	18-1035-412	514	24	Y	C	0.50
SEF2-1B	18-1036-293	515	24	Y	C	0.34
SEF2-1B	18-1038-95	516	24	Y	T	0.34
SEF2-1B	18-1040-361	517	24	Y	G	0.44
SEF2-1B	18-748-356	518	24	Y	T	0.47
BDNF	18-937-181	519	24	Y	A	0.26
BDNF	18-942-175	520	24	Y	T	0.29
BDNF	18-1213-221	521	24	Y		
BDNF	18-937-147	522	24	Y		
BDNF	18-946-408	523	24	Y	C	0.20
GAP43	18-787-133	524	24	Y	A	0.39
GAP43	18-1149-239	525	24	Y	A	0.49

TABLE 7D (c nt)

GAP43	18-1159-291	526	24	Y	G	0.23
GAP43	18-1135-273	527	24	Y	T	0.43
GAP43	18-1136-108	528	24	Y		
GAP43	18-1147-68	529	24	Y		
GAP43	18-1157-295	530	24	Y		
GAP43	18-802-460	531	24	Y	A	0.32
CLOCK	18-1064-110	532	24	Y	C	0.36
CLOCK	18-1068-327	533	24	Y	T	0.32
CLOCK	18-1069-365	534	24	Y	A	0.23
CLOCK	18-1073-367	535	24	Y	A	0.35
CLOCK	18-1070-272	536	24	Y	T	0.36
CLOCK	18-1057-35	537	24	Y		
CLOCK	18-1062-415	538	24	Y		
CLOCK	18-1082-165	539	24	Y		
CLOCK	18-1080-361	540	24	Y	C	0.18
HSP70	18-506-297	541	24	Y		
HSP70	18-570-38	542	24	Y		

TABLE 8

SEQ ID NO.	BIALLELIC MARKER ID	1ST ALLELE	2ND ALLELE	POSITION RANGE OF PREFERRED SEQUENCE
12	99-28149-118	C	T	[1-478]
13	99-28160-285	A	G	[1-456]
14	99-28171-458	A	G	[1-48],[141-514]
15	99-28173-395	C	T	[1-550]
16	99-32177-113	C	T	[1-466]
17	99-32181-192	C	T	[1-449]
18	99-32193-258	G	T	[1-458]
20	99-28730-351	A	G	[1-452]
21	99-32306-409	G	C	[1-455]
28	99-27097-83	C	T	[1-273]
29	99-27098-162	C	T	[226-421]
32	99-27561-106	A	G	[1-465]
33	99-27562-366	G	T	[1-470]
35	99-27110-301	G	C	[1-455]
37	99-27573-443	G	T	[1-513]
38	99-28732-133	A	G	[1-411]
40	99-28736-399	C	T	[1-453]
41	99-28738-319	C	T	[1-458]
42	99-28739-364	C	T	[1-509]
62	18-132-368	C	T	[1-480]
64	18-12-191	A	C	[1-450]
65	18-11-137	A	G	[1-157],[348-390]
66	18-93-96	G	T	[1-454]
69	18-251-176	C	T	[104-494]
72	18-393-330	G	C	[1-93],[146-479]
73	18-394-402	A	C	[1-21],[119-518]
75	18-284-139	C	T	[146-450]
76	18-285-305	A	G	[1-520]
77	18-289-239	C	T	[1-486]
78	18-291-91	C	T	[1-453]
80	18-194-130	C	T	[1-460]
81	18-198-252	A	G	[1-316],[349-459]
82	18-242-300	A	G	[224-476]
85	99-2409-298	A	G	[117-127],[160-359],[395-711]
86	99-339-54	G	C	[1-247],[293-1514],[1544-2128],[2159-3001]
98	99-32148-315	G	C	[1-24]
108	99-32077-66	A	G	[37-63]
110	99-32376-426	A	G	[235-470]

TABLE 9A

SEQ. ID NO.	BIALLELIC MARKER ID	ORIGINAL ALLELE	ALTERNATIVE ALLELE
1	99-27199-207	T	C
2	99-27207-117	C	T
3	99-27213-53	A	G
4	99-27218-333	T	G
6	99-28109-275	G	A
7	99-28110-75	C	T
8	99-28125-81	A	C
9	99-28134-215	C	T
10	99-28137-96	A	G
11	99-32204-305	G	A
19	99-28722-90	T	C
22	99-27088-246	G	A
23	99-27090-203	G	A
24	99-27091-220	G	A
25	99-27093-145	T	C
26	99-27094-406	T	C
27	99-27096-410	G	A
30	99-27550-48	A	G
31	99-27558-335	C	T
34	16-31-738	C	G
39	99-28735-56	C	T
43	99-27875-185	T	C
44	99-27880-176	T	C
46	99-28753-353	T	C
47	99-28755-206	A	G
48	99-32333-366	T	C
49	16-38-323	A	C
50	99-28484-179	A	T
51	99-30853-364	G	A
52	99-28485-198	G	T
53	99-30858-354	T	C
54	99-32002-313	G	A
55	18-15-366	C	T
56	18-20-174	G	A
59	18-2-192	G	T
60	99-26921-210	G	A
63	18-133-293	C	A
68	16-42-140	A	G
70	18-269-44	A	G
71	16-218-624	G	C
74	16-217-55	A	G
88	10-214-79	C	T
90	99-28779-168	T	C
91	99-28788-300	G	A

TABLE 9B

94	99-32059-169	T	C
95	99-32061-304	A	G
96	99-32065-303	T	G
97	99-32123-118	G	A
99	16-2-76	A	G
101	16-3-199	C	T
102	16-50-197	C	T
103	16-1-59	C	T
104	16-2-187	A	G
105	99-28761-311	A	G
106	99-28771-86	T	C
109	99-32078-466	C	T
111	99-32361-419	T	G
112	16-21-228	G	A
117	16-25-279	G	C
118	16-23-393	G	T
119	16-106-364	T	C
122	16-84-185	T	C
124	16-91-333	G	A
126	16-133-205	A	G
127	16-135-181	T	A
128	16-145-405	C	T
129	16-177-320	A	G

TABLE 10

SEQ ID NO.	BIALLELIC MARKER ID	1ST ALLELE	2ND ALLELE
5	99-28108-233	A	C
36	99-27563-400	A	G
45	99-28747-371	C	T
61	16-215-80	C	T
67	16-115-343	A	C
79	18-186-391	G	T
83	8-15-126	A	G
87	12-254-180	A	G
92	99-32052-262	C	T
93	99-32121-242	A	G
100	16-28-93	A	C
107	99-28791-291	A	G
113	16-22-156	C	T
114	16-23-404	A	G
115	16-24-175	A	C
116	16-25-286	C	T
120	16-16-285	C	T
121	16-17-121	C	T
123	16-87-74	A	G
125	16-128-142	C	G
130	16-4-354	C	T

TABLE 11

SEQ. ID NO.	POSITION RANGE OF PREFERRED SEQUENCE
1	[103-147]
7	[1-25]
8	[508-518]
9	[398-432]
10	[295-364]
11	[301-342]
23	[246-287]
25	[369-413]
30	[126-153],[182-468]
31	[271-313],[443-452]
34	[408-461]
39	[147-235],[438-457]
43	[498-549]
46	[432-448]
49	[263-320]
54	[472-489]
59	[280-321]
63	[486-505]
71	[258-437],[669-927]
74	[90-165]
79	[1-82],[150-191]
83	[1-16],[144-498],[620-800],[1300-1366], [1823-1908],[2336-2365],[2398-3001]
88	[1-1297],[1998-2689],[2895-2965]
92	[255-348],[493-499]
93	[445-467]
94	[1-16],[396-438]
96	[246-288]
97	[1-91],[420-541]
111	[443-457]
121	[130-181]
122	[160-399]
123	[144-145],[351-435]
128	[283-551]
129	[375-458]

TABLE 12

SEQ ID NO.	POSITION RANGE OF MICROSEQUENCING PRIMERS	COMPLEMENTARY POSITION RANGE OF MICROSEQUENCING PRIMERS
1	188-206*	208-227
2	98-116*	118-136*
3	34-52*	54-73
4	314-332*	334-353
5	214-232*	234-253
6	255-274	276-295
7	54-73	75-94
8	62-80*	82-101
9	196-214*	216-235
10	77-95*	97-116
11	285-304	306-325
12	98-117	119-137*
13	266-284*	286-305
14	438-456*	458-477
15	375-394	396-414*
16	93-112	114-132*
17	172-191	193-212
18	238-256*	258-277
19	71-89*	91-110
20	332-350*	352-370*
21	387-406	408-427
22	226-245	247-266
23	185-203*	205-224
24	201-220	222-241
25	125-144	146-165
26	387-405*	407-426
27	390-409	411-430
28	63-82	84-103
29	142-161	163-182
30	28-47	49-67*
31	316-334*	336-355
32	87-105*	107-126
33	344-363	365-384
34	715-737*	739-761*
35	281-299*	301-319*
36	381-399*	401-420
37	423-442	444-462*
38	114-132*	134-153
39	36-55	57-76
40	379-398	400-418*
41	299-318	320-338*
42	345-363*	365-384
43	165-184	186-204*

TABLE 12 (c nt)

44	156-175	177-195*
45	353-372	374-392*
46	332-351	353-371*
47	187-206	208-226*
48	346-365	367-386
49	300-322*	324-346*
50	160-178*	180-199
51	345-363*	365-384
52	179-197*	199-217*
53	334-353	355-373*
54	292-310*	312-331
55	347-365*	367-385*
56	155-173*	175-194
57	158-177	179-197*
58	375-394	396-414*
59	172-191	193-211*
60	192-210*	212-231
61	231-249*	251-270
62	348-367	369-387*
63	273-291*	293-311*
64	172-190*	192-210*
65	118-137	139-157*
66	77-95*	97-115*
67	320-342*	344-366*
68	121-139*	141-163*
69	157-175*	177-196
70	25-43*	45-64
71	601-623*	625-644
72	311-329*	331-349*
73	382-401	403-421*
74	32-54*	56-74*
75	120-138*	140-159
76	286-304*	306-325
77	219-238	240-258*
78	71-90	92-110*
79	371-390	392-410*
80	110-129	131-149*
81	233-251*	253-272
82	280-298*	300-319
83	1481-1500	1502-1520*
84	1481-1500	1502-1520*
85	408-427	429-447*
86	1482-1500*	1502-1521
87	292-310*	312-331
88	1482-1500*	1502-1521
89	1482-1500*	1502-1521
90	149-167*	169-187*

TABLE 12 (cont.)

91	281-299*	301-320
92	244-262*	264-282*
93	225-243*	245-264
94	149-168	170-189
95	285-303*	305-324
96	284-302*	304-322*
97	99-117*	119-138
98	294-313	315-333*
99	76-94*	96-114*
100	101-119*	121-143*
101	323-341*	343-361*
102	178-196*	198-216*
103	158-180*	182-200*
104	183-205*	207-225*
105	292-310*	312-331
106	67-85*	87-106
107	272-290*	292-311
108	47-65*	67-85*
109	448-466*	468-486*
110	407-425*	427-446
111	400-419	421-439*
112	205-227*	229-251*
113	133-155*	157-175*
114	381-403*	405-427*
115	156-174*	176-194*
116	267-285*	287-305*
117	260-278*	280-298*
118	370-392*	394-416*
119	345-363*	365-383*
120	265-284	286-304*
121	102-120*	122-140*
122	162-184*	186-208*
123	51-73*	75-97*
124	310-332*	334-356*
125	123-141*	143-161*
126	222-244*	246-268*
127	209-231*	233-251*
128	436-454*	456-474*
129	297-319*	321-343*
130	335-353*	355-373*
261	343-361*	363-382
262	68-87	89-107*
263	316-334*	336-355
264	48-66*	68-87

TABLE 12 (cont.)

265	295-313*	315-333*
266	302-321	323-341*
267	296-314*	316-334*
268	327-345*	347-366
269	244-262*	264-282*
270	1482-1500*	1502-1521
271	115-134	136-154*
272	400-418*	420-439
273	271-289*	291-309*
274	237-255*	257-276
275	48-67	69-87*
276	246-265	267-285*
277	287-305*	307-326
278	1482-1500*	1502-1521
279	1482-1500*	1502-1521
280	1482-1500*	1502-1521
281	225-244	246-264*
282	271-290	292-310*
283	327-345*	347-366
284	387-405*	407-426
285	319-337*	339-357*
286	91-109*	111-130
287	85-103*	105-124
288	12-30*	32-50*
289	323-341*	343-362
290	121-139*	141-160
291	160-178*	180-199
292	304-322*	324-343
293	50-69	71-89*
294	422-441	443-461*
295	46-64*	66-85
296	181-199*	201-220
297	314-333	335-353*
298	313-331*	333-352
299	358-377	379-397*
300	288-306*	308-327
301	99-117*	119-138
302	119-137*	139-158
303	72-91	93-111*
304	368-386*	388-407
305	397-415*	417-436
306	127-145*	147-165*
307	1481-1500	1482-1500*
308	1481-1500	1502-1520*
309	250-269	271-289*
310	146-164*	166-184*
311	105-123*	125-144
312	199-218	220-238*
313	293-311*	313-331*
314	349-367*	369-388
315	206-224*	226-245
316	56-74*	76-95
317	1482-1500*	1502-1521

TABLE. 12 (cont.)

318	156-174*	176-194*
319	328-347	349-367*
320	332-351	353-371*
321	461-479*	481-500
322	175-193*	195-214
323	265-283*	285-304
324	33-51*	53-72
325	169-188	190-208*
326	51-70	72-90*
327	106-125	127-145*
328	40-58*	60-79
329	7-26	28-46*
330	184-202*	204-223
331	70-88*	90-108*
332	302-320*	322-341
333	50-68*	70-89
334	39-57*	59-77*
335	197-215*	217-236
336	414-432*	434-452*
337	66-84*	86-105
338	368-386*	388-407
339	239-258	260-278*
340	252-270*	272-291
341	175-193*	195-213*
342	283-301*	303-321*
343	33-52	54-72*
344	299-317*	319-338
345	6-25	27-45*
346	300-319	321-339*
347	262-280*	282-300*
348	252-270*	272-290*
349	246-264*	266-284*
350	277-295*	297-315*
351	313-331*	333-352
352	54-72*	74-93
353	66-84*	86-104*
354	82-100*	102-120*
355	304-322*	324-343
356	186-204*	206-225
357	408-426*	428-447
358	297-315*	317-336
359	297-315*	317-336
360	406-424*	426-445
361	193-211*	213-231*
362	137-155*	157-175*
363	247-265*	267-285*
364	122-140*	142-160*
365	155-173*	175-194
366	75-94	96-114*
367	95-113*	115-134
368	274-292*	294-312*
369	3-21*	23-42
370	399-417*	419-438

TABLE 12 (cont.)

371	185-203*	205-224
372	242-260*	262-281
373	393-411*	413-431*
374	274-292*	294-313
375	75-94	96-114*
376	342-360*	362-381
377	336-355	357-375*
378	160-178*	180-198*
379	156-174*	176-195
380	202-220*	222-241
381	126-144*	146-165
382	387-406	408-426*
383	113-132	134-152*
384	220-238*	240-259
385	272-290*	292-311
386	254-272*	274-293
387	89-107*	109-128
388	49-67*	69-88
389	276-294*	296-315
390	440-458*	460-479
391	89-108	110-128*
392	307-326	328-346*
393	345-364	366-384*
394	348-366*	368-387
395	253-271*	273-292
396	16-34*	36-54*
397	396-414*	416-435
398	146-164*	166-185
399	343-362	364-382*
400	278-296*	298-317
401	19-37*	39-58

TABLE 13

SEQ ID NO.	POSITION RANGE OF AMPLIFICATION PRIMERS	COMPLEMENTARY POSITION RANGE OF AMPLIFICATION PRIMERS
1	1-20	431-450
2	1-21	432-452
3	1-18	446-464
4	1-20	528-546
5	1-18	394-413
6	1-18	434-454
7	1-18	530-549
8	1-18	500-518
9	1-20	453-472
10	1-18	529-546
11	1-20	384-401
12	1-19	459-478
13	1-19	439-456
14	1-18	494-514
15	1-18	532-550
16	1-19	446-466
17	1-18	432-449
18	1-19	438-458
19	1-17	429-449
20	1-18	435-451
21	1-18	437-454
22	1-19	510-527
23	1-20	431-451
24	1-20	455-473
25	1-20	453-472
26	1-20	436-455
27	1-18	432-450
28	1-18	486-504
29	1-19	404-421
30	1-19	448-468
31	1-18	432-452
32	1-19	446-465
33	1-19	450-470
34	1-25	975-1003
35	1-18	438-455
36	1-18	526-546
37	1-18	496-513
38	1-19	391-410
39	1-19	438-456
40	1-20	434-452
41	1-18	441-457
42	1-17	489-508
43	1-18	531-549

TABLE 13 (cont)

44	1-18	444-462
45	1-19	478-496
46	1-20	427-447
47	1-17	452-470
48	1-20	520-540
49	1-28	389-416
50	1-17	488-505
51	1-17	465-485
52	1-17	449-466
53	1-17	456-473
54	1-19	472-488
55	1-20	507-525
56	1-17	408-425
57	1-19	437-457
58	1-19	456-473
59	1-19	450-468
60	1-21	431-451
61	171-188	284-303
62	1-18	461-479
63	1-17	487-504
64	1-18	431-449
65	1-18	516-535
66	1-17	436-453
67	1-24	533-553
68	1-18	154-171
69	1-19	474-493
70	1-17	457-477
71	1-22	906-927
72	1-18	459-479
73	1-20	500-518
74	1-20	568-587
75	1-17	430-449
76	1-17	499-519
77	1-17	466-485
78	1-17	432-452
79	1-18	442-459
80	1-17	439-459
81	1-17	438-458
82	1-17	455-475
83	1376-1395	1792-1810
84	1130-1148	1534-1552
85	131-148	560-580
86	1448-1467	1883-1902
87	132-152	586-603
88	1225-1244	1747-1764
89	1414-1430	1759-1775
90	1-17	390-409

TABLE 13 (cont)

91	1-17	458-478
92	1-18	478-498
93	1-17	448-466
94	1-17	448-468
95	1-19	430-449
96	1-17	469-486
97	1-20	520-540
98	1-18	428-448
99	20-39	240-260
100	28-47	354-374
101	143-162	374-393
102	1-20	227-245
103	123-142	290-309
104	20-39	240-260
105	1-18	446-465
106	1-18	444-461
107	1-18	432-451
108	1-18	471-488
109	1-17	470-488
110	1-18	449-469
111	1-18	442-456
112	1-25	399-424
113	1-24	458-481
114	1-26	455-478
115	1-22	405-428
116	1-22	412-433
117	1-22	412-433
118	1-26	455-478
119	1-22	723-742
120	1-19	516-535
121	1-19	508-529
122	1-22	525-540
123	1-22	504-525
124	1-19	641-665
125	1-20	308-327
126	41-59	472-490
127	52-71	482-501
128	51-69	523-540
129	1-22	472-492
130	1-20	740-759
261	1-21	482-502
262	1-21	438-457
263	1-20	482-502
264	1-19	441-461
265	1-18	428-448
266	1-19	409-426
267	1-19	403-422
268	1-19	401-419
269	1-18	478-498

TABLE 13(cont.)

270	1211-1229	1588-1606
271	1-18	448-465
272	1-20	507-527
273	1-18	434-451
274	1-17	466-486
275	1-19	436-453
276	1-18	452-471
277	1-18	450-468
278	1156-1173	1652-1672
279	1149-1166	1591-1608
280	1170-1187	1635-1652
281	1-18	440-460
282	1-18	433-453
283	1-17	538-558
284	1-17	450-467
285	1-18	439-456
286	1-18	439-456
287	1-20	431-451
288	1-20	431-451
289	1-20	431-451
290	1-19	458-476
291	1-18	497-517
292	1-18	419-436
293	1-17	487-504
294	1-17	443-463
295	1-18	438-455
296	1-18	463-483
297	1-20	464-484
298	1-19	439-456
299	1-18	458-478
300	1-18	443-463
301	1-18	442-460
302	1-18	457-475
303	1-18	515-533
304	1-18	443-463
305	1-19	434-451
306	1-21	430-450
307	1263-1281	1694-1711
308	1114-1133	1516-1533
309	1-19	481-498
310	1-18	447-467
311	1-20	444-463
312	1-19	534-551
313	1-19	437-457
314	1-19	459-477
315	1-19	486-502
316	1-18	432-452
317	1171-1189	1702-1719
318	1-18	476-493
319	1-20	430-450
320	1-20	455-475
321	1-21	489-509
322	1-21	457-477

TABLE 13 (cont.)

323	1-19	430-450
324	1-21	485-505
325	1-20	466-486
326	1-21	437-457
327	1-19	497-517
328	1-20	495-514
329	1-20	450-470
330	1-18	456-476
331	1-20	433-453
332	1-19	435-455
333	1-19	544-561
334	1-18	442-459
335	1-20	434-453
336	1-21	514-534
337	1-20	464-483
338	1-21	580-597
339	1-18	441-461
340	1-20	430-450
341	1-18	479-496
342	1-21	461-481
343	1-21	429-449
344	1-21	409-429
345	1-21	430-450
346	1-20	433-453
347	1-19	495-514
348	1-20	433-451
349	1-20	443-460
350	1-20	440-459
351	1-18	445-463
352	1-18	432-449
353	1-19	430-450
354	1-19	462-480
355	1-21	445-465
356	1-18	473-493
357	1-18	570-589
358	1-20	412-432
359	1-20	412-432
360	1-20	515-533
361	1-20	465-485
362	1-18	550-570
363	1-20	430-450
364	1-21	416-435
365	1-20	455-475
366	1-20	481-501
367	1-21	428-448
368	1-19	459-478
369	1-18	456-476
370	1-20	475-495
371	1-18	456-476
372	1-20	447-467
373	1-21	447-466
374	1-18	467-484
375	1-18	466-484

TABLE 13 (c nt.)

376	1-19	437-455
377	1-20	383-403
378	1-20	428-448
379	1-20	431-449
380	1-18	434-452
381	1-20	428-448
382	1-19	453-473
383	1-21	480-497
384	1-21	532-552
385	1-20	480-500
386	1-18	429-449
387	1-21	433-450
388	1-21	430-450
389	1-21	576-595
390	1-21	549-569
391	1-18	438-455
392	1-19	496-516
393	1-19	455-472
394	1-20	441-458
395	1-19	455-475
396	1-18	449-469
397	1-18	557-577
398	1-18	433-453
399	1-18	475-494
400	1-20	491-511
401	1-21	380-400

TABLE 14

SEQ ID NO.	POSITION RANGE OF PROBES
1	195-219
2	105-129
3	41-65
4	321-345
5	221-245
6	263-287
7	62-86
8	69-93
9	203-227
10	84-108
11	293-317
12	106-130
13	273-297
14	445-469
15	383-407
16	101-125
17	180-204
18	245-269
19	78-102
20	339-363
21	395-419
22	234-258
23	192-216
24	209-233
25	133-157
26	394-418
27	398-422
28	71-95
29	150-174
30	36-60
31	323-347
32	94-118
33	352-376
34	726-750
35	288-312
36	388-412
37	431-455
38	121-145
39	44-68
40	387-411
41	307-331
42	352-376
43	173-197
44	164-188
45	361-385

TABLE 14 (cont.)

TABLE 14 (cont.)

46	340-364
47	195-219
48	354-378
49	311-335
50	167-191
51	352-376
52	186-210
53	342-366
54	299-323
55	354-378
56	162-186
57	166-190
58	383-407
59	180-204
60	199-223
61	238-262
62	356-380
63	280-304
64	179-203
65	126-150
66	84-108
67	331-355
68	128-152
69	164-188
70	32-56
71	612-636
72	318-342
73	390-414
74	43-67
75	127-151
76	293-317
77	227-251
78	79-103
79	379-403
80	118-142
81	240-264
82	287-311
83	1489-1513
84	1489-1513
85	416-440
86	1489-1513
87	299-323
88	1489-1513
89	1489-1513
90	156-180
91	288-312
92	251-275
93	232-256
94	157-181
95	292-316
96	291-315
97	106-130

98	302-326
99	83-107
100	108-132
101	330-354
102	185-209
103	169-193
104	194-218
105	299-323
106	74-98
107	279-303
108	54-78
109	455-479
110	414-438
111	408-432
112	216-240
113	144-168
114	392-416
115	163-187
116	274-298
117	267-291
118	381-405
119	352-376
120	273-297
121	109-133
122	173-197
123	62-86
124	321-345
125	130-154
126	233-257
127	220-244
128	443-467
129	308-332
130	342-366
261	350-374
262	76-100
263	323-347
264	55-79
265	302-326
266	310-334
267	303-327
268	334-358
269	251-275
270	1489-1513
271	123-147
272	407-431
273	278-302
274	244-268
275	56-80
276	254-278
277	294-318
278	1489-1513
279	1489-1513
280	1489-1513

TABLE 14 (cont.)

TABLE 14 (cont.)

281	233-257
282	279-303
283	334-358
284	394-418
285	326-350
286	98-122
287	92-116
288	19-43
289	330-354
290	128-152
291	167-191
292	311-335
293	58-82
294	430-454
295	53-77
296	188-212
297	322-346
298	320-344
299	366-390
300	295-319
301	106-130
302	126-150
303	80-104
304	375-399
305	404-428
306	134-158
307	1489-1513
308	1489-1513
309	258-282
310	153-177
311	112-136
312	207-231
313	300-324
314	356-380
315	213-237
316	63-87
317	1489-1513
318	163-187
319	336-360
320	340-364
321	468-492
322	182-206
323	272-296
324	40-64
325	177-201
326	59-83
327	114-138
328	47-71
329	15-39
330	191-215
331	77-101
332	309-333
333	57-81

334	46-70
335	204-228
336	421-445
337	73-97
338	375-399
339	247-271
340	259-283
341	182-206
342	290-314
343	41-65
344	306-330
345	14-38
346	308-332
347	269-293
348	259-283
349	253-277
350	284-308
351	320-344
352	61-85
353	73-97
354	89-113
355	311-335
356	193-217
357	415-439
358	304-328
359	304-328
360	413-437
361	200-224
362	144-168
363	254-278
364	129-153
365	162-186
366	83-107
367	102-126
368	281-305
369	10-34
370	406-430
371	192-216
372	249-273
373	400-424
374	281-305
375	83-107
376	349-373
377	344-368
378	167-191
379	163-187
380	209-233
381	133-157
382	395-419
383	121-145
384	227-251
385	279-303
386	261-285

TABLE 14 (cont.)

387	96-120
388	56-80
389	283-307
390	447-471
391	97-121
392	315-339
393	353-377
394	355-379
395	260-284
396	23-47
397	403-427
398	153-177
399	351-375
400	285-309
401	26-50

TABLE 15

Gene	Marker	Allele 1	Allele 2	Allele 1 Frequencies			Genotype Frequencies							Numbers	
				Cases	Controls	p-value	Cases 11	12	22	Controls 11	12	22	p-value	Cases	Controls
5HTR6	99-27199/207	C	T	0.72	0.70	0.71	0.51	0.41	0.08	0.48	0.45	0.07	0.83	140	94
5HTR6	99-27207/117	C	T	0.48	0.37	0.02	0.24	0.47	0.29	0.13	0.47	0.40	0.06	139	93
5HTR6	99-2810/75	C	T	0.64	0.52	0.01	0.41	0.45	0.14	0.27	0.51	0.22	0.05	139	90
5HTR6	99-28134/215	C	T	0.51	0.63	0.01	0.26	0.50	0.24	0.42	0.43	0.15	0.04	136	93
5HTR7	99-28160/285	A	G	0.49	0.51	0.73	0.27	0.44	0.29	0.24	0.53	0.23	0.37	140	91
5HTR7	99-28171/458	A	G	0.34	0.38	0.44	0.13	0.42	0.45	0.17	0.42	0.41	0.74	136	90
5HTR7	99-28173/395	C	T	0.51	0.55	0.33	0.27	0.47	0.26	0.27	0.57	0.16	0.18	137	94
5HTR7	99-32181/192	C	T	0.28	0.38	0.02	0.09	0.38	0.54	0.13	0.51	0.36	0.04	136	85
5HTR7	99-32193/258	G	T	0.70	0.65	0.26	0.53	0.34	0.12	0.41	0.48	0.11	0.12	137	85
CHRNA7	99-28722/90	C	T	0.27	0.32	0.27	0.00	0.54	0.46	0.01	0.62	0.37	0.22	140	94
CHRNA7	99-28730/351	A	G	0.32	0.38	0.17	0.04	0.55	0.41	0.03	0.69	0.28	0.09	139	94
CHRNA7	99-32306/409	C	G	0.62	0.67	0.31	0.26	0.72	0.01	0.34	0.66	0.00	0.25	137	91
CRFR1	99-27088/246	A	G	0.42	0.38	0.31	0.20	0.44	0.36	0.15	0.45	0.40	0.57	138	93
CRFR1	99-27091/220	A	G	0.44	0.49	0.32	0.19	0.50	0.31	0.24	0.50	0.26	0.59	137	92
CRFR1	99-27097/83	C	T	0.55	0.53	0.73	0.34	0.41	0.24	0.26	0.56	0.19	0.11	140	90
CRFR1	99-27550/48	A	G	0.20	0.26	0.17	0.04	0.32	0.64	0.07	0.38	0.55	0.38	138	91
MLR	19-26/204/A23	C	G	0.55	0.53	0.70	0.28	0.55	0.18	0.28	0.50	0.22	0.69	137	92
MLR	99-27563/400	A	G	0.46	0.44	0.79	0.19	0.54	0.28	0.21	0.46	0.33	0.54	138	89
MLR	99-28732/133	A	G	0.39	0.31	0.09	0.16	0.47	0.37	0.09	0.44	0.47	0.23	137	86
MLR	99-28735/56	C	T	0.71	0.70	0.87	0.50	0.41	0.09	0.50	0.40	0.10	0.93	136	88
CRFR2	99-27875/185	C	T	0.36	0.40	0.30	0.16	0.39	0.45	0.16	0.49	0.35	0.25	140	94
CRFR2	99-27880/178	C	T	0.53	0.56	0.47	0.30	0.46	0.24	0.32	0.47	0.20	0.76	139	93
CRFR2	99-28747/371	C	T	0.39	0.44	0.34	0.16	0.47	0.37	0.23	0.42	0.35	0.39	138	91
CRFR2	99-28755/208	A	G	0.56	0.59	0.65	0.32	0.50	0.19	0.37	0.44	0.19	0.68	139	93

142

TABLE 15 (cont.)

GRL	99-30853/364	A	G	0.56	0.58	0.62	0.35	0.41	0.24	0.39	0.39	0.23	0.87	139	93
GRL	99-30858/354	C	T	0.76	0.84	0.04	0.59	0.34	0.06	0.71	0.27	0.02	0.13	140	89
GRL	99-28485/198	G	T	0.19	0.20	0.68	0.04	0.30	0.66	0.01	0.38	0.61	0.25	134	89
GRL	99-32002/313	A	G	0.48	0.48	0.97	0.23	0.51	0.26	0.16	0.65	0.19	0.10	140	94
GRL	18-20/174	A	G	0.76	0.73	0.38	0.57	0.39	0.04	0.53	0.39	0.07	0.55	140	94
GRL	18-31/178	C	T	0.30	0.35	0.21	0.11	0.38	0.51	0.15	0.40	0.45	0.49	140	94
GRL	18-38/395	A	T	0.59	0.63	0.38	0.36	0.46	0.18	0.36	0.54	0.10	0.17	140	94
MAO A/B	18-2/192	G	T	0.70	0.68	0.66	0.56	0.26	0.17	0.56	0.24	0.20	0.78	140	93
MAO A/B	19-25/407	C	T	0.67	0.67	1.00	0.54	0.26	0.20	0.54	0.24	0.21	0.96	138	90
MAO A/B	99-26921/210	A	G	0.48	0.52	0.47	0.33	0.30	0.37	0.31	0.41	0.28	0.20	139	93
MAO A/B	18-133/293	A	C	0.30	0.27	0.46	0.16	0.29	0.55	0.14	0.26	0.60	0.77	140	92
NET	19-56/140	A	G	0.34	0.27	0.11	0.12	0.44	0.44	0.02	0.49	0.48	0.03	134	93
NET	19-14/241	C	T	0.35	0.32	0.64	0.12	0.46	0.43	0.10	0.45	0.45	0.88	136	91
NET	19-28/136	A	C	0.68	0.56	0.01	0.44	0.48	0.08	0.28	0.57	0.15	0.02	140	93
NET	19-44/251	C	T	0.24	0.21	0.40	0.09	0.31	0.60	0.02	0.38	0.60	0.11	140	93
NET	99-28788/300	A	G	0.49	0.47	0.65	0.22	0.54	0.24	0.21	0.51	0.28	0.85	140	94
NET	99-32061/304	A	G	0.41	0.39	0.71	0.16	0.51	0.34	0.14	0.51	0.35	0.92	140	94
NET	99-32121/242	A	G	0.61	0.52	0.07	0.36	0.49	0.15	0.29	0.47	0.24	0.16	140	94
TACR1	99-28761/311	A	G	0.25	0.22	0.38	0.07	0.36	0.56	0.01	0.41	0.57	0.09	140	94
TACR1	99-28771/86	C	T	0.48	0.52	0.33	0.24	0.46	0.29	0.23	0.57	0.19	0.16	140	94
TACR1	99-28791/291	A	G	0.28	0.26	0.58	0.09	0.39	0.53	0.04	0.43	0.53	0.42	140	94
TACR1	99-32361/419	G	T	0.53	0.52	0.79	0.29	0.49	0.23	0.26	0.52	0.22	0.84	140	94
DRD3	8-15/126	A	G	0.64	0.70	0.16	0.43	0.42	0.15	0.47	0.47	0.06	0.13	140	94
DRD3	8-19/372	A	G	0.23	0.28	0.22	0.09	0.29	0.62	0.03	0.50	0.47	0.004	140	94
DRD3	99-2409/298	A	G	0.36	0.40	0.30	0.14	0.44	0.42	0.11	0.60	0.30	0.07	140	94
DRD3	99-339/54	C	G	0.55	0.54	0.93	0.34	0.42	0.24	0.28	0.53	0.19	0.25	140	94
CYP3A4	12-254/180	A	G	0.43	0.54	0.02	0.19	0.47	0.34	0.32	0.45	0.23	0.06	140	94
CYP3A4	10-214/279	C	T	0.14	0.12	0.55	0.02	0.23	0.75	0.02	0.19	0.79	0.79	140	94
CYP3A4	10-217/91	C	T	0.89	0.93	0.16	0.79	0.19	0.02	0.86	0.13	0.01	0.39	140	94

TABLE 15 (cont)

Gene	Marker														
5HTT	18-194/130	C	T	0.54	0.52	0.67	0.31	0.44	0.24	0.20	0.63	0.17	0.02	140	94
5HTT	18-198/252	A	G	0.52	0.49	0.57	0.29	0.47	0.24	0.20	0.59	0.21	0.20	140	94
5HTT	18-242/300	A	G	0.46	0.54	0.09	0.24	0.44	0.32	0.27	0.54	0.19	0.09	140	94
5HTT	18-186/391	G	T	0.50	0.53	0.52	0.27	0.45	0.28	0.26	0.54	0.20	0.31	140	94
DRD2	19-23/215	A	G	0.21	0.16	0.24	0.05	0.31	0.64	0.04	0.24	0.72	0.44	139	93
DRD2	19-5/377	A	G	0.55	0.53	0.76	0.30	0.50	0.20	0.26	0.55	0.19	0.78	139	93
DRD2	19-6/171	A	C	0.22	0.16	0.15	0.06	0.32	0.62	0.04	0.24	0.72	0.34	138	82
DRD2	19-7/275	C	T	0.70	0.63	0.12	0.49	0.43	0.08	0.38	0.52	0.11	0.24	135	93
DRD2	19-4/118	C	T	0.46	0.45	0.79	0.21	0.50	0.29	0.17	0.56	0.27	0.63	140	93
Gbeta3	19-58/162	C	T	0.70	0.62	0.07	0.49	0.42	0.09	0.36	0.51	0.13	0.16	139	91
Gbeta3	19-9/45	C	T	0.71	0.64	0.12	0.49	0.43	0.08	0.40	0.47	0.13	0.28	139	92
Gbeta3	19-88/185	C	T	0.43	0.40	0.50	0.24	0.38	0.38	0.25	0.29	0.46	0.41	133	82
Gbeta3	19-22/74	A	G	0.33	0.34	0.79	0.09	0.49	0.43	0.14	0.40	0.46	0.30	140	94
Gbeta3	20-205/302	C	T	0.94	0.99	0.002	0.88	0.12	0.00	0.99	0.01	0.00	0.002	140	84
WFS1	19-19/174	C	T	0.43	0.36	0.15	0.17	0.51	0.32	0.11	0.51	0.39	0.30	139	94
WFS1	19-16/127	C	G	0.33	0.27	0.19	0.09	0.49	0.43	0.05	0.44	0.51	0.38	140	94
WFS1	19-17/188	A	G	0.58	0.66	0.07	0.32	0.51	0.16	0.43	0.46	0.11	0.18	140	93
WFS1	19-18/310	A	G	0.14	0.07	0.04	0.02	0.23	0.75	0.01	0.13	0.86	0.12	140	94
TH	19-15/324	A	C	0.69	0.76	0.10	0.51	0.37	0.12	0.60	0.32	0.08	0.31	132	91
TH	18-251/176	C	T	0.58	0.57	0.87	0.36	0.44	0.20	0.29	0.57	0.14	0.11	140	94
TH	18-269/44	A	G	0.36	0.38	0.71	0.11	0.51	0.39	0.15	0.46	0.39	0.58	140	94
5HTR2c	18-12/191	A	C	0.15	0.14	0.73	0.66	0.17	0.77	0.03	0.21	0.76	0.40	137	94

TABLE 16A

OMNIBUS LR RANK of HAPLOTYPES

OMNIBUS LR Rank of 4-locus combinations

Gene	Cases	Controls	Marker1	Marker2	Marker3	Marker4	p-value	-log p-value
NET	Genset	Argent	19-56/140	99-28788/300	99-32061/304	99-32121/242	0.001	3.00
NET	Genset	Argent	19-28/136	99-28788/300	99-32061/304	99-32121/242	0.001	3.00
Gbeta3	Genset	Argent	19-58/162	19-9/45	19-22/74	20-205/302	0.002	2.70
NET	Genset	Argent	16-3/199	19-28/136	99-32061/304	99-32121/242	0.002	2.70
Gbeta3	Genset	Argent	19-58/162	19-9/45	19-88/185	20-205/302	0.003	2.52
NET	Genset	Argent	19-56/140	19-28/136	99-32061/304	99-32121/242	0.003	2.52
NET	Genset	Argent	19-56/140	16-3/199	99-32061/304	99-32121/242	0.005	2.30
NET	Genset	Argent	19-28/136	16-50/196	99-32061/304	99-32121/242	0.010	2.00
5HTT	Genset	Argent	18-186/391	18-194/130	18-198/252	18-242/300	0.013	1.89
NET	Genset	Argent	19-56/140	16-50/196	99-32061/304	99-32121/242	0.014	1.85

92 total combinations

TABLE 16B

OMNIBUS LR Rank of 3-locus combinations

Gene	Cases	Controls	Marker1	Marker2	Marker3	Marker4	p-value	-log p-value
Gbeta3	Genset	Argent	19-58/162	19-9/45	20-205/302	0	0.0001	4.00
WFS1	Genset	Argent	19-19/174	19-17/188	19-18/310	0	0.0003	3.55
NET	Genset	Argent	16-3/199	19-28/136	16-50/196	0	0.0009	3.05
NET	Genset	Argent	19-28/136	99-32061/304	99-32121/242	0	0.001	3.00
WFS1	Genset	Argent	19-19/174	19-16/127	19-17/188	0	0.001	3.00
Gbeta3	Genset	Argent	19-58/162	19-22/74	20-205/302	0	0.002	2.70
NET	Genset	Argent	99-28788/300	99-32061/304	99-32121/242	0	0.002	2.70
NET	Genset	Argent	19-56/140	99-32061/304	99-32121/242	0	0.004	2.40
NET	Genset	Argent	16-3/199	19-28/136	16-50/196	0	0.004	2.40
Gbeta3	Genset	Argent	19-9/45	19-22/74	20-205/302	0	0.006	2.22

136 total combinations

145

TABLE 16 C

OMNIBUS LR Rank of 2-locus combinations

Gene	Cases	Controls	Marker1	Marker2	Marker3	Marker4	p-value	-log p-value
Gbeta3	Genset	Argent	19-58/162	20-205/302	0	0	0.00003	4.52
WFS1	Genset	Argent	19-19/174	19-17/188	0	0	0.00021	3.68
Gbeta3	Genset	Argent	19-9/45	20-205/302	0	0	0.001	3.00
NET	Genset	Argent	99-32061/304	99-32121/242	0	0	0.003	2.52
Gbeta3	Genset	Argent	19-22/74	20-205/302	0	0	0.006	2.22
5HTR7	Genset	Argent	99-28106/185	99-32181/192	0	0	0.007	2.15
DRD3	Genset	Argent	8-15/126	99-2409/298	0	0	0.014	1.87
Gbeta3	Genset	Argent	19-88/185	20-205/302	0	0	0.014	1.85
5HTR7	Genset	Argent	99-32181/192	99-32193/258	0	0	0.015	1.82
5HTT	Genset	Argent	18-186/394	18-242/300	0	0	0.016	1.80

125 total combinations

TABLE 17A

Rank of Permutation Tests for Individual Haplotypes

4-Locus Combination

Gene	Marker1	Marker2	Marker3	Marker4	Haplotype	EM Methods					Permutation Test			Omnibus LR		
						Case	Control	Difference	Odds Ratio	Chi-Square	number	p-value	-log p-value	LR statistic	p-value	-log p-value
NET	19-56/140	19-14/241	19-28/136	16-50/196	GTCT	0.28	0.41	-0.13	0.56	4.02	100000	0.002	2.61	19.59	0.075	1.12
GRL	18-20/174	99-32002/313	18-31/178	18-38/395	AGCA	0.06	0.17	-0.12	0.28	8.19	100000	0.003	2.57	16.09	0.360	0.44
GRL	18-20/174	18-31/178	18-38/395	99-30858/354	GTAC	0.11	0.22	-0.10	0.46	4.56	100000	0.003	2.55	25.70	0.045	1.35
GRL	18-20/174	18-38/395	99-30853/364	99-30858/354	GAAC	0.03	0.12	-0.09	0.26	6.37	1000	0.003	2.52	21.83	0.078	1.11
GRL	99-32002/313	18-31/178	18-38/395	99-30858/354	GCAC	0.06	0.14	-0.09	0.36	4.91	1000	0.003	2.52	20.00	0.159	0.80
GRL	99-32002/313	18-31/178	18-38/395	99-30858/354	GTAT	0.13	0.05	0.09	3.26	4.77	1000	0.003	2.52	20.00	0.159	0.80
5HTT	18-186/391	18-194/130	18-198/252	18-242/300	GCAA	0.02	0.08	-0.06	0.27	4.13	1000	0.003	2.52	25.68	0.013	1.89
NET	19-28/136	99-28788/300	99-32061/304	99-32121/242	AGGG	0.01	0.05	-0.04	0.14	4.28	1000	0.004	2.40	31.97	0.001	3.00
GRL	99-32002/313	18-31/178	99-30853/364	99-30858/354	GTAT	0.18	0.08	0.10	2.42	4.20	1000	0.004	2.38	16.19	0.314	0.50
5HTR7	99-28106/185	99-28171/458	99-28173/395	99-32181/192	AACC	0.27	0.38	-0.11	0.60	2.90	1000	0.005	2.30	13.67	0.034	1.47
NET	19-14/241	19-28/136	16-50/196	99-32061/304	TCTG	0.17	0.28	-0.11	0.53	3.88	1000	0.006	2.22	20.75	0.084	1.08
GRL	18-31/178	18-38/395	99-30853/364	99-30858/354	TAAT	0.14	0.05	0.09	3.06	4.68	1000	0.006	2.22	22.38	0.090	1.05
DRD3	8-15/126	8-19/372	99-2409/288	99-339/54	GGAG	0.06	0.01	0.06	9.29	4.64	1000	0.006	2.22	23.14	0.045	1.35
GRL	18-20/174	99-32002/313	18-38/395	99-30858/354	GAAC	0.06	0.15	-0.09	0.34	5.65	1000	0.007	2.15	18.83	0.175	0.78
NET	16-50/196	99-28788/300	99-32061/304	99-32121/242	TGGG	0.01	0.05	-0.05	0.10	5.15	1000	0.008	2.10	24.11	0.034	1.47
NET	19-56/140	16-50/196	99-28788/300	99-32121/242	ATAA	0.18	0.06	0.12	3.45	6.78	1000	0.009	2.05	19.07	0.240	0.62
NET	19-14/241	16-50/196	99-32061/304	99-32121/242	TTGG	0.00	0.06	-0.05	0.08	5.70	1000	0.009	2.05	27.52	0.053	1.28
5HTR7	99-28106/185	99-28173/395	99-32181/192	99-32193/258	ACCG	0.27	0.38	-0.11	0.60	2.65	1000	0.012	1.92	14.10	0.023	1.64
5HTR7	99-28171/458	99-28173/395	99-32181/192	99-32193/258	ACCG	0.27	0.38	-0.11	0.61	2.56	1000	0.012	1.92	10.14	0.067	1.17
NET	19-14/241	99-28788/300	99-32061/304	99-32121/242	TGGG	0.01	0.05	-0.04	0.15	3.82	1000	0.012	1.92	25.41	0.025	1.60

846 Total Haplotypes

147

TABLE 17B

3-Locus Combination

Gene	Marker1	Marker2	Marker3	Marker4	EM Methods						Permutation Test			Omnibus LR		
					Haplotype	Case	Control	difference	Odds Ratio	Chi-Square	Number	p-value	-log p-value	LR statistic	p-value	-log p-value
NET	99-28788/300	99-32061/304	99-32121/242	0	GGG	0.01	0.07	-0.07	0.08	7.92	100000	0.0002	3.77	22.06	0.002	2.65
WFS1	19-19/174	19-17/188	19-18/310	0	CAG	0.01	0.07	-0.06	0.11	6.51	100000	0.0002	3.68	25.36	0.000	3.55
NET	16-50/196	99-32061/304	99-32121/242	0	TGG	0.00	0.07	-0.07	0.06	8.34	100000	0.0008	3.11	21.73	0.012	1.91
NET	19-14/241	19-28/136	16-50/196	0	TCT	0.30	0.43	-0.14	0.55	4.53	100000	0.0009	3.05	20.54	0.001	3.05
GRL	18-20/174	18-38/395	99-30858/354	0	GAC	0.11	0.23	-0.11	0.44	5.18	100000	0.001	2.98	15.29	0.049	1.31
Gbeta3	19-58/162	19-9/45	20-205/302	0	TTC	0.21	0.35	-0.13	0.51	4.89	10000	0.001	2.96	28.52	0.000	4.00
cyp3a4	12-254/180	10-214/279	10-217/91	0	ATC	0.38	0.52	-0.14	0.57	4.41	1000	0.002	2.70	14.23	0.042	1.38
NET	19-14/241	99-32061/304	99-32121/242	0	TGG	0.01	0.06	-0.05	0.08	6.12	1000	0.002	2.70	20.70	0.015	1.82
GRL	99-32002/313	18-31/178	99-30858/354	0	GTT	0.18	0.09	0.10	0.09	4.09	1000	0.003	2.52	9.36	0.188	0.73
GRL	18-31/178	99-30853/364	99-30858/354	0	TAT	0.19	0.10	0.10	2.24	3.83	1000	0.003	2.52	12.79	0.109	0.96
5HTT	18-186/391	18-194/130	18-242/300	0	GCA	0.02	0.08	-0.06	0.27	4.08	1000	0.003	2.52	18.07	0.028	1.55
5HTT	18-186/391	18-198/252	18-242/300	0	GAA	0.02	0.09	-0.06	0.24	5.11	1000	0.003	2.52	17.54	0.031	1.51
DRD3	8-15/126	8-19/372	99-2409/298	0	GGA	0.11	0.04	0.08	3.28	4.31	100000	0.003	2.46	11.57	0.038	1.42
WFS1	19-19/174	19-17/188	18-145/405	0	TGT	0.01	0.06	-0.04	0.24	3.44	100000	0.004	2.41	25.29	0.001	3.27
NET	19-56/140	19-14/241	19-28/136	0	GTC	0.30	0.41	-0.11	0.61	2.92	1000	0.004	2.40	7.06	0.355	0.45
NET	19-56/140	99-32061/304	99-32121/242	0	GGG	0.01	0.07	-0.07	0.11	6.87	1000	0.004	2.40	24.66	0.004	2.40
5HTR6	27199/207	272207/117	28134/215	0	CCT	0.26	0.14	0.12	2.17	4.83	1000	0.004	2.40	15.16	0.081	1.09
5HTT	18-194/130	18-198/252	18-242/300	0	CAA	0.02	0.08	-0.06	0.27	4.15	1000	0.004	2.40	16.28	0.021	1.68
WFS1	19-19/174	19-16/127	19-17/188	0	CGA	0.01	0.06	-0.05	0.21	4.02	1000	0.005	2.30	23.24	0.001	3.00
WFS1	19-19/174	19-17/188	19-18/310	0	CGA	0.12	0.06	0.06	2.16	2.32	1000	0.005	2.30	25.36	0.000	3.55

869 Total Haplotypes

TABLE 17C

2-Locus Combination

Gene	Marker1	Marker2	Marker3	Marker4	Haplotype	EM Methods					Permutation Test			Omnibus LR		
						Case	Control	difference	Odds Ratio	Chi-Square	number	p-value	-log p-value	LR statistic	p-value	-log p-value
WFS1	19-19/174	19-17/188	0	0	CA	0.02	0.08	-0.06	0.21	5.19	100000	0.0005	3.30	20.22	0.000	3.68
Gbeta3	19-58/162	20-205/302	0	0	TC	0.25	0.38	-0.13	0.53	4.68	100000	0.0009	3.04	21.82	0.000	4.52
DRD3	8-15/126	99-2409/298	0	0	AA	0.23	0.37	-0.13	0.52	4.95	100000	0.0012	2.93	10.17	0.014	1.87
WFS1	19-19/174	19-17/188	0	0	CG	0.41	0.28	0.13	1.79	4.09	100000	0.0016	2.79	20.22	0.0002	3.68
NET	19-14/241	19-28/136	0	0	TC	0.31	0.43	-0.12	0.59	3.46	1000	0.002	2.70	8.47	0.044	1.36
NET	99-32061/304	99-32121/242	0	0	GG	0.01	0.09	-0.08	0.15	7.53	1000	0.002	2.70	19.47	0.003	2.52
Gbeta3	19-9/45	20-205/302	0	0	TC	0.24	0.36	-0.12	0.58	3.58	1000	0.002	2.70	17.27	0.001	3.00
GRL	18-31/178	99-30858/354	0	0	TT	0.20	0.10	0.10	2.31	4.19	1000	0.003	2.52	8.22	0.029	1.54
5HTT	18-186/394	18-242/300	0	0	GA	0.03	0.11	-0.08	0.25	6.36	1000	0.003	2.52	13.34	0.016	1.80
5HTT	18-198/252	18-242/300	0	0	AA	0.02	0.09	-0.06	0.24	4.92	1000	0.003	2.52	10.72	0.021	1.68
CHRNA7	99-28722/90	99-32308/409	0	0	CC	0.07	0.29	-0.22	0.19	19.25	1000	0.003	2.52	9.19	0.042	1.38
DRD3	8-15/126	99-2409/298	0	0	GA	0.13	0.04	0.09	3.58	5.16	100000	0.003	2.49	10.17	0.014	1.87
WFS1	19-19/174	19-17/188	0	0	TG	0.01	0.06	-0.04	0.24	3.46	100000	0.004	2.45	20.22	0.000	3.68
5HTR7	99-32181/192	99-32193/258	0	0	TG	0.42	0.28	0.14	1.87	4.16	1000	0.004	2.40	9.27	0.015	1.82
GRL	18-38/395	99-30858/354	0	0	AC	0.44	0.58	-0.14	0.58	4.11	1000	0.004	2.40	8.98	0.023	1.64
CRFR1	99-27091/220	99-27550/48	0	0	GG	0.36	0.25	0.11	1.72	3.20	1000	0.004	2.40	9.03	0.022	1.66
cyp3a4	12-254/180	10-214/279	0	0	AT	0.39	0.52	-0.13	0.60	3.69	1000	0.005	2.30	7.10	0.085	1.07
NET	19-56/140	19-14/241	0	0	GT	0.35	0.46	-0.10	0.65	2.43	1000	0.005	2.30	5.05	0.134	0.87
CHRNA7	99-28722/90	99-28730/351	0	0	TG	0.55	0.36	0.19	2.17	8.05	1000	0.005	2.30	3.95	0.214	0.67
cyp3a4	12-254/180	10-217/91	0	0	AC	0.41	0.53	-0.13	0.60	3.57	100000	0.006	2.26	7.40	0.084	1.08

485 Total Haplotype

Table 18A

Gene	Marker	Allele 1	Allele 2	Allele 1 Frequencies				Genotype Frequencies									Numbers	
				Cases	Controls	Chi Square	p-value	Cases			Controls			Chi-square	p-value	Cases	Controls
								11	12	22	11	12	22				
5HTR6	99-27199-207	C	T	0.72	0.70	0.14	0.71	0.51	0.41	0.08	0.48	0.45	0.07	0.36	0.83	140	94
5HTR6	99-27207-117	C	T	0.48	0.37	5.78	0.02	0.24	0.47	0.29	0.13	0.47	0.40	5.79	0.06	139	93
5HTR6	99-28110-75	C	T	0.64	0.52	5.93	0.01	0.41	0.45	0.14	0.27	0.51	0.22	5.91	0.05	139	90
5HTR6	99-28134-215	C	T	0.51	0.63	8.43	0.01	0.26	0.50	0.24	0.42	0.43	0.15	6.58	0.04	136	93
5HTR7	99-28160-285	A	G	0.49	0.51	0.12	0.73	0.27	0.44	0.29	0.24	0.53	0.23	1.98	0.37	140	91
5HTR7	99-28171-458	A	G	0.34	0.38	0.61	0.44	0.13	0.42	0.45	0.17	0.42	0.41	0.61	0.74	136	90
5HTR7	99-28173-395	C	T	0.51	0.55	0.94	0.33	0.27	0.47	0.26	0.27	0.57	0.16	3.46	0.18	137	94
5HTR7	99-32181-192	C	T	0.28	0.38	5.50	0.02	0.09	0.38	0.54	0.13	0.51	0.36	6.25	0.04	136	85
5HTR7	99-32193-258	G	T	0.70	0.65	1.29	0.26	0.53	0.34	0.12	0.41	0.48	0.11	4.30	0.12	137	85
CHRNA7	99-28722-90	C	T	0.27	0.32	1.24	0.27	0.00	0.54	0.46	0.01	0.62	0.37	2.99	0.22	140	94
CHRNA7	99-28730-351	A	G	0.32	0.38	1.86	0.17	0.04	0.55	0.41	0.03	0.69	0.28	4.93	0.09	139	94
CHRNA7	99-32306-409	C	G	0.62	0.67	1.02	0.31	0.26	0.72	0.01	0.34	0.66	0.00	2.77	0.25	137	91
CRFR1	99-27088-246	A	G	0.42	0.38	1.04	0.31	0.20	0.44	0.36	0.15	0.45	0.40	1.12	0.57	138	93
CRFR1	99-27091-220	A	G	0.44	0.49	1.00	0.32	0.19	0.50	0.31	0.24	0.50	0.26	1.04	0.59	137	92
CRFR1	99-27097-83	C	T	0.55	0.53	0.12	0.73	0.34	0.41	0.24	0.26	0.56	0.19	4.40	0.11	140	90
CRFR1	99-27550-48	A	G	0.20	0.26	1.93	0.17	0.04	0.32	0.64	0.07	0.38	0.55	1.92	0.38	138	91
MLR	16-31-738-A23	C	G	0.55	0.53	0.15	0.70	0.28	0.55	0.18	0.28	0.50	0.22	0.75	0.69	137	92
MLR	99-27563-400	A	G	0.46	0.44	0.07	0.79	0.19	0.54	0.28	0.21	0.46	0.33	1.25	0.54	138	89
MLR	99-28732-133	A	G	0.39	0.31	2.94	0.09	0.16	0.47	0.37	0.09	0.44	0.47	2.98	0.23	137	86
MLR	99-28735-56	C	T	0.71	0.70	0.03	0.87	0.50	0.41	0.09	0.50	0.40	0.10	0.14	0.93	136	88
CRFR2	99-27875-185	C	T	0.36	0.40	1.06	0.30	0.16	0.39	0.45	0.16	0.49	0.35	2.76	0.25	140	94
CRFR2	99-27880-176	C	T	0.53	0.56	0.52	0.47	0.30	0.46	0.24	0.32	0.47	0.20	0.55	0.76	139	93
CRFR2	99-28747-371	C	T	0.39	0.44	0.90	0.34	0.16	0.47	0.37	0.23	0.42	0.35	1.88	0.39	138	91
CRFR2	99-28755-206	A	G	0.56	0.59	0.21	0.65	0.32	0.50	0.19	0.37	0.44	0.19	0.77	0.68	139	93

Table 18B

Gene	Marker	Allele 1	Allele 2	Allele 1 Frequencies				Genotype Frequencies								Numbers	
				Cases	Controls	Chi Square	p-value	Cases			Controls			Chi-square	p-value	Cases	Controls
								11	12	22	11	12	22				
GRL	99-30853-364	A	G	0.56	0.58	0.24	0.62	0.35	0.41	0.24	0.39	0.39	0.23	0.29	0.87	139	93
GRL	99-30858-354	C	T	0.76	0.84	4.10	0.04	0.59	0.34	0.06	0.71	0.27	0.02	4.04	0.13	140	89
GRL	99-28485-198	G	T	0.19	0.20	0.17	0.68	0.04	0.30	0.66	0.01	0.38	0.61	2.75	0.25	134	89
GRL	99-32002-313	A	G	0.48	0.48	0.00	0.97	0.23	0.51	0.26	0.16	0.65	0.19	4.61	0.10	140	94
GRL	18-20-174	A	G	0.76	0.73	0.76	0.38	0.57	0.39	0.04	0.53	0.39	0.07	1.18	0.55	140	94
GRL	18-31-178	C	T	0.30	0.35	1.55	0.21	0.11	0.38	0.51	0.15	0.40	0.45	1.41	0.49	140	94
GRL	18-38-395	A	T	0.59	0.63	0.76	0.38	0.36	0.46	0.18	0.36	0.54	0.10	3.49	0.17	140	94
MAO A-B	18-2-192	G	T	0.70	0.68	0.19	0.66	0.56	0.26	0.17	0.56	0.24	0.20	0.50	0.78	140	93
MAO A-B	18-215-80	C	T	0.67	0.67	0.00	1.00	0.54	0.26	0.20	0.54	0.24	0.21	0.08	0.96	138	90
MAO A-B	99-28921-210	A	G	0.48	0.52	0.52	0.47	0.33	0.30	0.37	0.31	0.41	0.28	3.17	0.20	139	93
MAO A-B	18-133-293	A	C	0.30	0.27	0.55	0.46	0.16	0.29	0.55	0.14	0.26	0.60	0.52	0.77	140	92
NET	99-28788-300	A	G	0.49	0.47	0.25	0.62	0.23	0.51	0.26	0.21	0.53	0.27	0.32	0.85	314	178
NET	99-32061-304	A	G	0.43	0.40	0.32	0.57	0.19	0.47	0.34	0.14	0.52	0.34	1.41	0.50	320	86
NET	99-32121-242	A	G	0.57	0.54	0.78	0.38	0.34	0.47	0.19	0.30	0.48	0.22	0.74	0.69	313	181
NET	99-32148-315	C	G	0.31	0.27	2.08	0.15	0.09	0.46	0.46	0.09	0.36	0.55	4.23	0.12	315	181
NET	19-28-136	A	C	0.68	0.61	4.35	0.04	0.44	0.47	0.09	0.37	0.49	0.14	4.77	0.09	322	183
NET	19-29-303	C	T	0.21	0.19	0.77	0.38	0.05	0.33	0.63	0.02	0.34	0.64	3.52	0.17	326	183
NET	19-46-322	C	T	0.31	0.31	0.01	0.92	0.07	0.48	0.45	0.07	0.47	0.45	0.03	0.99	317	177
NET	99-32065-303	G	T	0.42	0.43	0.04	0.85	0.18	0.49	0.34	0.14	0.57	0.29	3.02	0.22	317	182
NET	99-32131-312	C	T	0.68	0.71	0.82	0.43	0.47	0.42	0.11	0.49	0.43	0.08	1.12	0.57	315	178
TACR1	99-28761-311	A	G	0.25	0.22	0.78	0.38	0.07	0.36	0.56	0.01	0.41	0.57	4.81	0.09	140	94
TACR1	99-28771-86	C	T	0.48	0.52	0.96	0.33	0.24	0.46	0.29	0.23	0.57	0.19	3.65	0.16	140	94
TACR1	99-28791-291	A	G	0.28	0.26	0.31	0.58	0.09	0.39	0.53	0.04	0.43	0.53	1.76	0.42	140	94
TACR1	99-32361-419	G	T	0.53	0.52	0.07	0.79	0.29	0.49	0.23	0.26	0.52	0.22	0.34	0.84	140	94

Table 18B (cont)

DRD3	8-15-126	A	G	0.64	0.70	1.99	0.16	0.43	0.42	0.15	0.47	0.47	0.06	4.10	0.13	140	94
DRD3	8-19-372	A	G	0.23	0.28	1.48	0.22	0.09	0.29	0.62	0.03	0.50	0.47	11.32	0.004	140	94
DRD3	99-2409-298	A	G	0.36	0.40	1.06	0.30	0.14	0.44	0.42	0.11	0.60	0.30	5.31	0.07	140	94
DRD3	99-339-54	C	G	0.55	0.54	0.01	0.93	0.34	0.42	0.24	0.28	0.53	0.19	2.77	0.25	140	94

Table 18C

Gene	Marker	Allele 1	Allele 2	Allele 1 Frequencies				Genotype Frequencies									Numbers	
								Cases			Controls			Chi-				
				Cases	Controls	Chi Square	p-value	11	12	22	11	12	22	square	p-value		Cases	Controls
CYP3A4	12-254-180	A	G	0.43	0.54	5.86	0.02	0.19	0.47	0.34	0.32	0.45	0.23	5.73	0.06		140	94
CYP3A4	10-214-279	C	T	0.14	0.12	0.35	0.55	0.02	0.23	0.75	0.02	0.19	0.79	0.46	0.79		140	94
CYP3A4	10-217-91	C	T	0.89	0.93	2.01	0.16	0.79	0.19	0.02	0.86	0.13	0.01	1.88	0.39		140	94
5HTT	18-194-130	C	T	0.54	0.52	0.18	0.67	0.31	0.44	0.24	0.20	0.63	0.17	7.73	0.02		140	94
5HTT	18-198-252	A	G	0.52	0.49	0.32	0.57	0.29	0.47	0.24	0.20	0.59	0.21	3.19	0.20		140	94
5HTT	18-242-300	A	G	0.46	0.54	2.89	0.09	0.24	0.44	0.32	0.27	0.54	0.19	4.89	0.09		140	94
5HTT	18-186-391	G	T	0.50	0.53	0.41	0.52	0.27	0.45	0.28	0.26	0.54	0.20	2.37	0.31		140	94
DRD2	16-21-228	A	G	0.21	0.16	1.40	0.24	0.05	0.31	0.64	0.04	0.24	0.72	1.65	0.44		139	93
DRD2	16-23-404	A	G	0.55	0.53	0.09	0.76	0.30	0.50	0.20	0.26	0.55	0.19	0.50	0.78		139	93
DRD2	16-24-175	A	C	0.22	0.16	2.07	0.15	0.06	0.32	0.62	0.04	0.24	0.72	2.19	0.34		138	92
DRD2	16-25-286	C	T	0.70	0.63	2.41	0.12	0.49	0.43	0.08	0.38	0.52	0.11	2.87	0.24		135	93
DRD2	16-22-156	C	T	0.46	0.45	0.07	0.79	0.21	0.50	0.29	0.17	0.56	0.27	0.94	0.63		140	93
Gbeta3	19-58-162	C	T	0.68	0.63	2.24	0.13	0.45	0.47	0.09	0.41	0.43	0.15	4.35	0.11		229	182
Gbeta3	19-9-45	C	T	0.69	0.66	0.60	0.44	0.45	0.48	0.07	0.45	0.42	0.12	4.45	0.11		321	185
Gbeta3	18-355-67	C	T	0.47	0.49	0.43	0.51	0.20	0.55	0.26	0.25	0.47	0.27	2.95	0.23		311	173
Gbeta3	18-353-267	C	T	0.78	0.73	3.58	0.06	0.60	0.37	0.03	0.54	0.38	0.08	8.14	0.05		302	180
Gbeta3	18-388-305	A	G	0.65	0.70	2.05	0.15	0.43	0.44	0.13	0.47	0.45	0.08	2.78	0.25		319	174

Table 18C (cont)

WFS1	19-17-188	A	G	0.57	0.66	8.62	0.003	0.32	0.50	0.18	0.43	0.47	0.10	8.92	0.01	318	180
WFS1	19-19-174	C	T	0.40	0.31	7.66	0.006	0.16	0.48	0.36	0.09	0.43	0.47	7.61	0.02	311	173
WFS1	24-243-348	C	T	0.62	0.70	5.29	<0.02	0.37	0.50	0.13	0.48	0.43	0.09	5.70	0.06	321	166
WFS1	99-62531-351	C	T	0.59	0.64	2.77	0.10	0.34	0.51	0.16	0.40	0.49	0.11	2.92	0.23	316	177
WFS1	99-54279-152	C	G	0.59	0.56	0.79	0.37	0.33	0.52	0.15	0.32	0.49	0.20	1.63	0.44	308	174
TH	18-115-343	A	C	0.69	0.76	2.67	0.10	0.51	0.37	0.12	0.60	0.32	0.08	2.37	0.31	132	91
TH	18-251-176	C	T	0.58	0.57	0.02	0.87	0.36	0.44	0.20	0.29	0.57	0.14	4.43	0.11	140	94
TH	18-269-44	A	G	0.36	0.38	0.14	0.71	0.11	0.51	0.39	0.15	0.46	0.39	1.09	0.58	140	94
5HTR2c	18-12-191	A	C	0.15	0.14	0.12	0.73	0.66	0.17	0.77	0.03	0.21	0.76	1.84	0.40	137	94

154

Table 19

OMNIBUS LR Rank of Haplotypes

	GENE	Affected	Control	Marker1	Marker2	Marker3	Marker4	p-value	-log p-value
1	WFS1	288	148	19-17-188	19-19-174	24-243-346	99-62531-351	0.003	2.49
2		277	154	19-17-188	19-19-174	24-243-346	99-54279-152	0.003	2.47
3	WFS1	274	157	19-17-188	19-19-174	99-62531-351	99-54279-152	0.007	2.17
4	5HTT	140	94	18-186-391	18-194-130	18-198-252	18-242-300	0.013	1.89
5	NET	293	79	99-32061-304	99-32121-242	19-28-136	99-32131-312	0.020	1.69
6	WFS1	283	148	19-17-188	24-243-346	99-62531-351	99-54279-152	0.023	1.65
7	NET	290	78	99-32061-304	99-32121-242	19-28-136	19-46-322	0.032	1.50
8	NET	292	73	99-32061-304	19-28-136	19-46-322	99-32131-312	0.035	1.45
9	NET	291	85	99-32061-304	99-32121-242	19-28-136	99-32065-303	0.038	1.42
10	NET	291	76	99-28788-300	99-32061-304	19-28-136	99-32131-312	0.040	1.40

	GENE	Affected	Control	Marker1	Marker2	Marker3	Marker4	p-value	-log p-value
1	WFS1	297	158	19-17-188	19-19-174	24-243-346		0.001	3.00
2	WFS1	282	166	19-17-188	19-19-174	99-54279-152		0.001	2.85
3	WFS1	291	156	19-17-188	24-243-346	99-54279-152		0.002	2.62
4	WFS1	293	167	19-17-188	19-19-174	99-62531-351		0.005	2.34
5	WFS1	302	150	19-17-188	24-243-346	99-62531-351		0.008	2.11
6	NET	302	79	99-32061-304	19-28-136	99-32131-312		0.017	1.76
7	NET	309	170	19-28-136	19-29-303	19-46-322		0.027	1.57
8	WFS1	287	159	19-17-188	99-62531-351	99-54279-152		0.027	1.56
9	NET	300	85	99-32061-304	99-32121-242	19-28-136		0.037	1.44
10	Gbeta3	217	167	19-58-162	19-9-45	18-355-67		0.039	1.41

Table 19 (cont)

	GENE						
1	WFS1	303	178	19-17-188	19-19-174	0.001	2.92
2	WFS1	312	160	19-17-188	24-243-346	0.001	2.92
3	5HTR7	136	82	99-28106-185	99-32181-192	0.007	2.15
4	Gbeta3	228	180	19-58-162	19-9-45	0.008	2.11
5	WFS1	307	169	19-17-188	99-62531-351	0.012	1.94
6	WFS1	298	188	19-17-188	99-54279-152	0.012	1.94
7	DRD3	140	94	8-15-126	99-2409-298	0.014	1.87
8	5HTR7	133	76	99-32181-192	99-32193-258	0.015	1.82
9	5HTT	140	94	18-186-394	18-242-300	0.016	1.80
10	Gbeta3	294	168	18-353-267	18-338-305	0.033	1.48

Table 20A
Rank of Permutation Tests for Individual Haplotypes

	Gene	Marker1	Marker2	Marker3	Marker4	Haplotype	EM methods				Permutation Test			Omnibus LR	
							Case	Control	difference	Chi-Square	number	p-value	-log p-value	p-value	-log p-value
1	GRL	18-20-174	99-32002-313	18-31-178	18-38-395	AGCA	0.06	0.17	-0.12	16.39	100000	0.003	2.57	0.360	0.44
2	GRL	18-20-174	18-31-178	18-38-395	99-30858-354	GTAC	0.11	0.22	-0.10	9.13	100000	0.003	2.55	0.045	1.35
3	GRL	18-20-174	18-38-395	99-30853-364	99-30858-354	GAAC	0.03	0.12	-0.09	12.74	1000	0.003	2.52	0.078	1.11
4	GRL	99-32002-313	18-31-178	18-38-395	99-30858-354	GCAC	0.06	0.14	-0.09	9.82	1000	0.003	2.52	0.159	0.80
5	GRL	99-32002-313	18-31-178	18-38-395	99-30858-354	GTAT	0.13	0.05	0.09	9.55	1000	0.003	2.52	0.159	0.80
6	5HTT	18-186-391	18-194-130	18-198-252	18-242-300	GCAA	0.02	0.08	-0.06	8.26	1000	0.003	2.52	0.013	1.89
7	GRL	99-32002-313	18-31-178	99-30853-364	99-30858-354	GTAT	0.18	0.08	0.10	8.40	1000	0.004	2.38	0.314	0.50
8	5HTR7	99-28106-185	99-28171-458	99-28173-395	99-32181-192	AACC	0.27	0.38	-0.11	2.90	1000	0.005	2.30	0.034	1.47
9	NET	99-32121-242	99-32148-315	19-46-322	99-32131-312	AGTT	0.02	0.07	-0.05	13.54	5000	0.006	2.25	0.273	0.56
10	GRL	18-31-178	18-38-395	99-30853-364	99-30858-354	TAAT	0.14	0.05	0.09	9.35	1000	0.006	2.22	0.090	1.05
11	DRD3	8-15-126	8-19-372	99-2409-298	99-339-54	GGAG	0.06	0.01	0.06	9.29	1000	0.006	2.22	0.045	1.35
12	NET	99-32061-304	19-28-136	19-46-322	99-32065-303	GCTT	0.18	0.30	-0.12	11.71	5000	0.007	2.15	0.155	0.81
13	NET	99-28788-300	99-32061-304	99-32121-242	19-28-136	AGAC	0.16	0.26	-0.11	9.89	5000	0.007	2.14	0.073	1.14
14	GRL	18-20-174	99-32002-313	18-38-395	99-30858-354	GAAC	0.06	0.15	-0.09	11.29	1000	0.007	2.15	0.175	0.76
15	NET	99-32061-304	99-32121-242	19-28-136	99-32065-303	GACT	0.18	0.29	-0.11	10.22	5000	0.008	2.11	0.038	1.42
16	NET	99-32061-304	99-32148-315	19-29-303	99-32065-303	ACTG	0.11	0.03	0.08	9.73	5000	0.008	2.11	0.464	0.33
17	NET	99-32061-304	19-28-136	19-29-303	19-46-322	GCTT	0.17	0.29	-0.12	11.84	5000	0.008	2.10	0.186	0.73
18	NET	99-32061-304	99-32121-242	19-28-136	19-46-322	GACT	0.18	0.30	-0.12	11.06	5000	0.009	2.07	0.032	1.50
19	NET	99-32061-304	99-32148-315	19-28-136	19-46-322	GGCT	0.11	0.22	-0.11	12.79	5000	0.009	2.07	0.218	0.66
20	NET	99-28788-300	99-32061-304	99-32148-315	19-28-136	AGGC	0.11	0.21	-0.10	11.33	5000	0.009	2.06	0.140	0.85

Table 20B
Rank of Permutation Tests for Individual Haplotypes

	Gene	Marker1	Marker2	Marker3	Haplotype	EM methods				Permutation Test			Omnibus LR	
						Case	Control	difference	Chi-Square	number	p-value	-log p-value	p-value	-log p-value
1		18-20-174	18-38-395	99-30858-354	GAC	0.11	0.23	-0.11	10.35	100000	0.001	2.98	0.05	1.31
2	WFS1	19-17-188	19-19-174	99-62531-351	ACC	0.01	0.05	-0.04	12.09	5000	0.002	2.80	0.00	2.34
3	cyp3a4	12-254-180	10-214-279	10-217-91	ATC	0.38	0.52	-0.14	8.82	1000	0.002	2.70	0.04	1.38
4	WFS1	19-17-188	19-19-174	24-243-346	GCT	0.34	0.24	0.10	9.80	5000	0.003	2.52	0.00	3.00
5	GRL	99-32002-313	18-31-178	99-30858-354	GTT	0.18	0.09	0.10	8.18	1000	0.003	2.52	0.19	0.73
6	GRL	18-31-178	99-30853-364	99-30858-354	TAT	0.19	0.10	0.10	7.65	1000	0.003	2.52	0.11	0.96
7	5HTT	18-186-391	18-194-130	18-242-300	GCA	0.02	0.08	-0.06	8.17	1000	0.003	2.52	0.03	1.55
8	5HTT	18-186-394	18-198-252	18-242-300	GAA	0.02	0.09	-0.06	10.22	1000	0.003	2.52	0.03	1.51
9	DRD3	8-15-126	8-19-372	99-2409-298	GGA	0.11	0.04	0.08	8.62	100000	0.003	2.46	0.04	1.42
10	WFS1	19-17-188	24-243-346	99-54279-152	ATG	0.01	0.04	-0.03	9.90	5000	0.004	2.36	0.00	2.62
11	5HTR6	99-27199-207	99-27207-117	99-28134-215	CCT	0.26	0.14	0.12	9.66	1000	0.004	2.40	0.08	1.09
12	5HTT	18-194-130	18-198-252	18-242-300	CAA	0.02	0.08	-0.06	8.29	1000	0.004	2.40	0.02	1.68
13	NET	99-32061-304	99-32148-315	19-29-303	ACT	0.11	0.03	0.08	10.38	5000	0.006	2.25	0.38	0.42
14	NET	99-32148-315	19-28-136	19-29-303	GCT	0.21	0.30	-0.09	9.23	5000	0.006	2.24	0.42	0.38
15	cyp3a4	12-254-180	10-214-279	10-217-91	GTC	0.48	0.36	0.12	6.41	1000	0.006	2.22	0.04	1.38
16	NET	99-32061-304	19-28-136	19-46-322	GCT	0.17	0.29	-0.12	11.46	5000	0.007	2.18	0.05	1.33
17	5HTR7	99-28171-458	99-28173-395	99-32181-192	ACC	0.27	0.38	-0.11	5.71	1000	0.007	2.15	0.05	1.28
18	GRL	99-32002-313	18-31-178	18-38-395	GCA	0.07	0.18	-0.11	14.17	1000	0.007	2.15	0.25	0.61
19	GRL	18-31-178	18-38-395	99-30858-354	TAT	0.14	0.05	0.09	8.81	1000	0.008	2.10	0.06	1.25
20	CHRNA7	99-28722-90	99-28730-351	99-32306-409	CAC	0.01	0.05	-0.05	10.75	1000	0.008	2.10	0.04	1.46

Table 20C
Rank of Permutation Tests for Individual Haplotypes

	Gene	Marker1	Marker2	EM methods					Permutation Test			Omnibus LR	
				Haplotype	Case	Control	difference	Chi-Square	number	p-value	-log p-value	p-value	-log p-value
1	WFS1	19-17-188	24-243-346	GT	0.37	0.26	0.11	12.09	5000	0.0006	3.22	0.001	2.92
2	WFS1	19-17-188	19-19-174	GC	0.38	0.27	0.11	11.49	5000	0.0012	2.92	0.001	2.92
3	DRD3	8-15-126	99-2409-298	AA	0.23	0.37	-0.13	9.91	100000	0.0012	2.93	0.014	1.87
4	WFS1	19-17-188	99-62531-351	AC	0.44	0.55	-0.11	10.05	5000	0.002	2.74	0.012	1.94
5	WFS1	19-17-188	24-243-346	AT	0.02	0.05	-0.03	8.82	5000	0.003	2.52	0.001	2.92
6	GRL	18-31-178	99-30858-354	TT	0.20	0.10	0.10	8.38	1000	0.003	2.52	0.029	1.54
7	5HTT	18-186-394	18-242-300	GA	0.03	0.11	-0.08	12.72	1000	0.003	2.52	0.016	1.80
8	5HTT	18-198-252	18-242-300	AA	0.02	0.09	-0.06	9.84	1000	0.003	2.52	0.021	1.68
9	CHRNA7	99-28722-90	99-32306-409	CC	0.07	0.29	-0.22	19.25	1000	0.003	2.52	0.042	1.38
10	Gbeta3	19-58-162	19-9-45	CT	0.06	0.01	0.04	10.37	5000	0.003	2.49	0.008	2.11
11	DRD3	8-15-126	99-2409-298	GA	0.13	0.04	0.09	10.32	100000	0.003	2.49	0.014	1.87
12	5HTR7	99-32181-192	99-32193-258	TG	0.42	0.28	0.14	8.33	1000	0.004	2.40	0.015	1.82
13	GRL	18-38-395	99-30858-354	AC	0.44	0.58	-0.14	8.22	1000	0.004	2.40	0.023	1.64
14	CRFR1	99-27091-220	99-27550-48	GG	0.36	0.25	0.11	6.39	1000	0.004	2.40	0.022	1.66
15	cyp3a4	12-254-180	10-214-279	AT	0.39	0.52	-0.13	7.37	1000	0.005	2.30	0.085	1.07
16	CHRNA7	99-28722-90	99-28730-351	TG	0.55	0.36	0.19	8.05	1000	0.005	2.30	0.214	0.67
17	cyp3a4	12-254-180	10-217-91	AC	0.41	0.53	-0.13	7.14	100000	0.006	2.26	0.084	1.08
18	NET	99-32061-304	19-28-136	GC	0.17	0.27	-0.11	9.91	5000	0.006	2.22	0.039	1.41
19	5HTT	18-194-133	18-242-300	CA	0.02	0.08	-0.06	9.41	1000	0.006	2.22	0.03	1.51
20	5HTR6	99-27207-117	99-28110-75	TT	0.32	0.44	-0.12	6.64	1000	0.006	2.22	0.06	1.22

WHAT IS CLAIMED IS:

1.   An isolated polynucleotide comprising a contiguous span of at least 12 nucleotides of a sequence selected from the group consisting of the sequences described in Table 7 and the complements thereof.

2.   The polynucleotide according to claim 1, wherein said span includes a CNS disorder-related biallelic marker in said sequence.

3.   An isolated polynucleotide comprising a contiguous span of at least 12 nucleotides of a sequence selected from the group consisting of the sequences described in Table 9 and the complements thereof, wherein said span includes a CNS disorder-related biallelic marker in said sequence with the alternative allele present at said biallelic marker.

4.   An isolated polynucleotide consisting essentially of a contiguous span of 8 to 50 nucleotides of a sequence selected from the group consisting of the sequences described in Table 9 and the complements thereof, wherein said span includes a CNS disorder-related biallelic marker in said sequence with the original allele present at said biallelic marker.

5.   An isolated polynucleotide consisting essentially of a contiguous span of 8 to 50 nucleotides of a sequence selected from the group consisting of the sequences described in Table 10 and the complements thereof, wherein said span includes a CNS disorder-related biallelic marker in said sequence.

6.   The polynucleotide according to any one of claims 2 to 5, wherein said contiguous span is 18 to 35 nucleotides in length and said biallelic marker is within 4 nucleotides of the center of said polynucleotide.

7.   The polynucleotide according to claim 6, wherein said polynucleotide consists of said contiguous span and said contiguous span is 25 nucleotides in length and said biallelic marker is at the center of said polynucleotide.

8.   A polynucleotide for use in a hybridization assay for determining the identity of a nucleotide at a CNS disorder-related biallelic marker.

9.   A polynucleotide for use in a sequencing assay for determining the identity of a nucleotide at a CNS disorder-related biallelic marker.

10. A polynucleotide for use in an allele specific amplification assay for determining the identity f a CNS disorder-related biallelic marker.

11. A polynucleotide for use in amplifying a segment of nucleotides comprising a CNS disorder-related biallelic marker.

12. A use according to any one of claims 8 to 11, wherein said polynucleotide is selected from the sequences described in Table 7.

13. A method of genotyping an individual comprising: (a) obtaining a biological sample comprising a nucleic acid from said individual; (b) determining the identity of a polymorphic base at a biallelic marker from said nucleic acid; wherein said biallelic marker is selected from any one biallelic marker of Table 7; wherein the identity of the polymorphic base determines the genotype of the individual at said position.

14. A method according to claim 13, wherein said CNS disorder-related biallelic marker is selected from the biallelic markers described in Table 7.

15. The method according to claim 14, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409.

16. The method according to claim 14, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174.

17. The method according to claim 13, wherein said biological sample is derived from a single subject.

161

18.   The method according to claim 17, wherein the identity of the nucleotides at said biallelic marker.is determined for both copies of said biallelic marker present in said subject's genome.

5

19.   The method according claim 13, wherein said biological sample is derived from multiple subjects.

20.   The method according to claim 13, further comprising amplifying a portion of said sequence comprising the biallelic marker prior to said determining step.

10

21.   A method of determining the frequency in a population of an allele of a CNS disorder-related biallelic marker, comprising:
        a) genotyping individuals from said population for said biallelic marker
15   according to the method of claim 13; and
        b) determining the proportional representation of said biallelic marker in said
        population.

22.   The method according to claim 21, wherein said CNS disorder-related biallelic
20   marker is selected from the biallelic markers described in Table 7.

23.   The method according to claim 22, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-
25   ·30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152,
30   99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409.

24.   The method according to claim 22, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-28788-300, 99-32061-304, 99-32121-242, 19-
35   14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174.

25.   The method of detecting an association between an allele and a phenotype, comprising the steps of:

a) determining the frequency of at least one CNS disorder-related biallelic marker allele in a trait positive population according to the method of claim 21;

b) determining the frequency of said CNS disorder-related biallelic marker allele in a control population according to the method of claim 21; and

c) determining whether a statistically significant association exists between said allele and said phenotype.

26.   The method of estimating the frequency of a haplotype for a set of biallelic markers in a population, comprising:

a) genotyping each individual in said population for at least one CNS disorder-related biallelic marker according to claim 13;

b) genotyping each individual in said population for a second biallelic marker by determining the identity of the nucleotides at said second biallelic marker for both copies of said second biallelic marker present in the genome; and

c) applying a haplotype determination method to the identities of the nucleotides determined in steps a) and b) to obtain an estimate of said frequency.

27.   The method according to claim 26, wherein said haplotype determination method is selected from the group consisting of asymmetric PCR amplification, double PCR amplification of specific alleles, the Clark method, or an expectation maximization algorithm.

28.   The method according to claim 26, wherein said CNS disorder-related biallelic marker is selected from the biallelic markers described in Table 7.

29.   The method according to claim 28, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409.

30.   The method according to claim 28, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174.

5

31.   The method according to claim 28, wherein said haplotype comprises one of the following sets of biallelic markers:

        99-28106-185, and 99-32181-192;
        18-20-174, 99-32002-313, 18-31-178, and 18-38-395;
        18-20-174, 18-31-178, 18-38-395, and 99-30858-354;
        18-20-174, 18-38-395, 99-30853-364, and 99-30858-354;
        99-32002-313, 18-31-178, 18-38-395, and 99-30858-354;
        18-20-174, 18-38-395, and 99-30858-354;
        99-32002-313, 18-31-178, and 99-30858-354;
        18-31-178, 99-30853-364, and 99-30858-354;
        19-56-140, 99-28788-300, 99-32061-304, and 99-32121-242;
        19-28-136, 99-28788-300, 99-32061-304, and 99-32121-242;
        19-14-241, 19-28-136, 99-32061-304, and 99-32121-242;
        19-56-140, 19-28-136, 99-32061-304, and 99-32121-242;
        19-14-241, 19-28-136, and 16-50-196;
        19-28-136, 99-32061-304, and 99-32121-242;
        99-28788-300, 99-32061-304, and 99-32121-242;
        99-32061-304, and 99-32121-242;
        19-56-140, 19-14-241, 19-28-136, and 16-50-196;
        99-28788-300, 99-32061-304, and 99-32121-242;
        16-50-196, 99-32061-304, and 99-32121-242;
        19-14-241, 19-28-136, and 16-50-196;
        19-14-241, 99-32061-304, and 99-32121-242;
        19-14-241, and 19-28-136;
        99-32061-304, and 99-32121-242;
        8-15/126, and 99-2409/298;
        12-254/180, 10-214/279, and 10-217/91;
        18-186/391, 18-194/130, and 18-242/300;
        18-186/394, 18-198/252, and 18-242/300;
        19-58-162, 19-9-45, 19-22-74, and 20-205-302;
        19-58-162, 19-9-45, 19-88-185, and 20-205-302;
        19-58-162, 19-9-45, and 20-205-302;

164

19-58-162, 19-22-74, and 20-205-302;

19-58-162, and 20-205-302;

19-9-45, and 20-205-302;

19-22-74, and 20-205-302;

5   19-19-174, 19-17-188, and 19-18-310;

19-19-174, 19-16-127, and 19-17-188;

19-19-174, and 19-17-188; and

19-17-188, 19-19-174, 24-243-346, and 99-62531-351;

19-17-188, 19-19-174, 24-243-346, and 99-54279-152;

10   19-17-188, 19-19-174, 99-62531-351, and 99-54279-152;

99-32002-313, 18-31-178, 99-30853-364, and 99-30858-354;

99-32121-242, 99-32148-315, 19-46-322, and 99-32131-312;

99-28106-185, 99-28171-458, 99-28173-395, and 99-32181-192;

18-186-391, 18-194-130, 18-198-252, and 18-242-300.

15   19-17-188, 19-19-174, and 24-243-346;

19-17-188, 19-19-174, and 99-54279-152;

19-17-188, 24-243-346, and 99-54279-152;

19-17-188, 19-19-174, and 99-62531-351;

19-17-188, 24-243-346, and 99-62531-351;

20   99-32061-304, 19-28-136, and 99-32131-312;

12-254-180, 10-214-279, and 10-217-91;

18-186-391, 18-194-130, and 18-242-300;

18-186-394, 18-198-252, and 18-242-300;

8-15-126, 8-19-372, and 99-2409-298.

25   19-17-188, and 19-19-174;

19-17-188, and 24-243-346;

19-17-188, and 99-62531-351;

19-17-188, and 99-54279-152;

19-58-162, and 19-9-45;

30   8-15-126, and 99-2409-298;

18-31-178, and 99-30858-354;

18-186-394, and 18-242-300;

18-198-252, and 18-242-300; and

99-28722-90, and 99-32306-409.

35

32.   The method according to claim 28, wherein said CNS disorder-related biallelic marker comprises one of the following sets of biallelic markers:

165

99-28788-300, 99-32061-304, and 99-32121-242;

19-14-241, 19-28-136, and 16-50-196;

19-17-188, 19-19-174, and 24-243-176; and

19-58-162, 19-9-45, and 20-205-302.

33.   The method of detecting an association between a haplotype and a phenotype, comprising the steps of:

a) estimating the frequency of at least one haplotype in a trait positive population according to the method of claim 26;

b) estimating the frequency of said haplotype in a control population according to the method of claim 26; and

c) determining whether a statistically significant association exists between said haplotype and said phenotype.

34.   The method according to either claim 25 or 33, wherein said control population is a trait negative population.

35.   The method according to either claim 25 or 33, wherein said case control population is a random population.

36.   The method according to claim 56, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, and 19-16-127.

37.   The method according to claim 33, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, and 20-205-302.

38.   The method according to claim 33, wherein said haplotype comprises one of the following sets of biallelic markers:

99-28106-185, and 99-32181-192;

18-20-174, 99-32002-313, 18-31-178, and 18-38-395;

18-20-174, 18-31-178, 18-38-395, and 99-30858-354;

18-20-174, 18-38-395, 99-30853-364, and 99-30858-354;

99-32002-313, 18-31-178, 18-38-395, and 99-30858-354;

18-20-174, 18-38-395, and 99-30858-354;

99-32002-313, 18-31-178, and 99-30858-354;

5   18-31-178, 99-30853-364, and 99-30858-354;

19-56-140, 99-28788-300, 99-32061-304, and 99-32121-242;

19-28-136, 99-28788-300, 99-32061-304, and 99-32121-242;

19-14-241, 19-28-136, 99-32061-304, and 99-32121-242;

19-56-140, 19-28-136, 99-32061-304, and 99-32121-242;

10   19-14-241, 19-28-136, and 16-50-196;

19-28-136, 99-32061-304, and 99-32121-242;

99-28788-300, 99-32061-304, and 99-32121-242;

99-32061-304, and 99-32121-242;

19-56-140, 19-14-241, 19-28-136, and 16-50-196;

15   99-28788-300, 99-32061-304, and 99-32121-242;

16-50-196, 99-32061-304, and 99-32121-242;

19-14-241, 19-28-136, and 16-50-196;

19-14-241, 99-32061-304, and 99-32121-242;

19-14-241, and 19-28-136;

20   99-32061-304, and 99-32121-242;

8-15/126, and 99-2409/298;

12-254/180, 10-214/279, and 10-217/91;

18-186/391, 18-194/130, and 18-242/300;

18-186/394, 18-198/252, and 18-242/300;

25   19-58-162, 19-9-45, 19-22-74, and 20-205-302;

19-58-162, 19-9-45, 19-88-185, and 20-205-302;

19-58-162, 19-9-45, and 20-205-302;

19-58-162, 19-22-74, and 20-205-302;

19-58-162, and 20-205-302;

30   19-9-45, and 20-205-302;

19-22-74, and 20-205-302;

19-19-174, 19-17-188, and 19-18-310;

19-19-174, 19-16-127, and 19-17-188;

19-19-174, and 19-17-188; and

35   19-17-188, 19-19-174, 24-243-346, and 99-62531-351;

19-17-188, 19-19-174, 24-243-346, and 99-54279-152;

19-17-188, 19-19-174, 99-62531-351, and 99-54279-152;

99-32002-313, 18-31-178, 99-30853-364, and 99-30858-354;

99-32121-242, 99-32148-315, 19-46-322, and 99-32131-312;

99-28106-185, 99-28171-458, 99-28173-395, and 99-32181-192;

18-186-391, 18-194-130, 18-198-252, and 18-242-300.

19-17-188, 19-19-174, and 24-243-346;

19-17-188, 19-19-174, and 99-54279-152;

19-17-188, 24-243-346, and 99-54279-152;

19-17-188, 19-19-174, and 99-62531-351;

19-17-188, 24-243-346, and 99-62531-351;

99-32061-304, 19-28-136, and 99-32131-312;

12-254-180, 10-214-279, and 10-217-91;

18-186-391, 18-194-130, and 18-242-300;

18-186-394, 18-198-252, and 18-242-300;

8-15-126, 8-19-372, and 99-2409-298.

19-17-188, and 19-19-174;

19-17-188, and 24-243-346;

19-17-188, and 99-62531-351;

19-17-188, and 99-54279-152;

19-58-162, and 19-9-45;

8-15-126, and 99-2409-298;

18-31-178, and 99-30858-354;

18-186-394, and 18-242-300;

18-198-252, and 18-242-300; and

99-28722-90, and 99-32306-409.

39.   The method according to claim 33, wherein said haplotype comprises one of the following sets of biallelic markers:

99-28788-300, 99-32061-304, and 99-32121-242;

19-14-241, 19-28-136, and 16-50-196;

19-17-188, 19-19-174, and 24-243-176; and

19-58-162, 19-9-45, and 20-205-302.

40.   The method according to either claim 25 or 33, wherein said phenotype is a CNS disorder.

41.   The method according to either claim 25 or 33, wherein said phenotype is a response to an agent acting on a CNS disorder.

42.   The method according to either claim 25 or 33, wherein said phenotype is a side effect to an agent acting on a CNS disorder.

5   43.   The method according to claim 25, wherein the identity of the nucleotides at all of the biallelic markers described in Table 7 is determined in steps a) and b).

44.   The method of administering a drug or treatment comprising:
        a) obtaining a nucleic acid sample from an individual;
10   b) determining the identity of the polymorphic base of at least one CNS disorder-related biallelic marker according to the method of claim 13 which is associated with a positive response to said drug or treatment, or at least one CNS disorder-related marker which is associated with a negative response to said drug or treatment; and
        c) administering said drug or treatment to said individual if said nucleic acid
15   sample contains at least one biallelic marker associated with a positive response to said drug or treatment, or if said nucleic acid sample lacks at least one bialleic marker associated with a negative response to said drug or treatment.

45.   The method of selecting an individual for inclusion in a clinical trial of a drug or
20   treatment comprising:
        a) obtaining a nucleic acid sample from an individual;
        b) determining the identity of the polymorphic base of at least one CNS disorder-related biallelic marker according to the method of claim 13 which is associated with a positive response to said drug or treatment, or at least one biallelic marker associated
25   with a negative response to said drug or treatment in said nucleic acid sample; and
        c) including said individual in said clinical trial if said nucleic acid sample contains at least one biallelic marker which is associated with a positive response to said drug or treatment, or if said nucleic acid sample lacks at least one biallelic marker associated with a negative response to said drug or treatment.
30

46.   The diagnostic kit comprising a polynucleotide according to any one of claims 2, 3, 4 and 5.

47.   The use of a polynucleotide in a hybridization assay for determining the identity
35   of a nucleotide at a CNS disorder-related biallelic marker.

48.   The use of a polynucleotide in a sequencing assay for determining the identity of a nucleotide at a CNS disorder-related biallelic marker.

49.   The use of a polynucleotide in an allele specific amplification assay for determining the identity of a CNS disorder-related biallelic marker.

50.   The use of a polynucleotide in amplifying a segment of nucleotides comprising a CNS disorder-related biallelic marker.

SEQUENCE LISTING

<110> GENSET

<120> BIALLELIC MARKERS DERIVED FROM GENOMIC REGIONS CARRYING
      GENES INVOLVED IN CENTRAL NERVOUS SYSTEM DISORDERS.

<130> 75.WO1

<150> 60/175,854
<151> 2000-01-13

<160> 544

<170> Patent.pm

<210> 1
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 207
<223> 99-27199-207 : polymorphic base C or T

<220>
<221> misc_binding
<222> 188..206
<223> 99-27199-207.mis1

<220>
<221> misc_binding
<222> 208..227
<223> 99-27199-207.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 431..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 195..219
<223> 99-27199-207 potential probe

<400> 1
tataagaggc ttgattcagg ttctggaact cagtaggtag aagcctccat gcctatccat   60
gcatgtttgc gtgtttgcat gtgtgtacat gcacatttgc acatgattgt ccacgttcac   120
gtgtgtgcat gtgtatgtgt gtgacattca tctcctccac tgctgttgga gtccctccca   180
gcacccaatg tggccaggga cactgayggc cttttctggg gtcttttgcc agattgccaa   240
ggaatcatcg aggacgtcat cctgctgggt gcgcctgtgg agggagaagc caagcattgg   300
gagcctttcc ggaaggtggt gtccgggagg atcatcaacg gctactgcag gtctgtccaa   360
acctcgtgcc agcggggaag tgacaatgct tacggagcac ttagtatgcc caggctctgt   420
gttggggaca catatttgag acctaatccc   450

<210> 2
<211> 452

```
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 117
<223> 99-27207-117 : polymorphic base C or T

<220>
<221> misc_binding
<222> 98..116
<223> 99-27207-117.mis1

<220>
<221> misc_binding
<222> 118..136
<223> 99-27207-117.mis2, complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 432..452
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 105..129
<223> 99-27207-117 potential probe

<400> 2
ccaaaaagaa atcacagcaa cgtgaaggtt aaggctaact tttcaaacat cagaatcctg      60
acaatggttg cagtagcttt caaggagaca tggtgtgtgg ccagcccctc cagggcygtg     120
tggacagctt tttgtgtatt ttcctgggtg actcacagca tcaaagggag aaaggaggta     180
gtaattgttc agcacttgac atgtgcttga acacttcgta atcgcaatct gtgccaggca     240
gtggcaccat ctcccctttt tagatgaaga aaccgaggca ccgagataaa aagtaacttg     300
ctcaaggcaa tttaggaagt tgtaaaacca accaacacat atggaatgtg tattatctgc     360
taggctcatt taatatctca tctgaccttc cagataccca tctgatgtag gtaccactcc     420
cagctccaat tgtgagattc agaggggaga aa                                   452

<210> 3
<211> 464
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 53
<223> 99-27213-53 : polymorphic base A or G

<220>
<221> misc_binding
<222> 34..52
<223> 99-27213-53.mis1

<220>
<221> misc_binding
<222> 54..73
<223> 99-27213-53.mis2, potential complement
```

2

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 446..464
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 41..65
<223> 99-27213-53 potential probe

<400> 3
tatgtagact ctttccccag gaaaaggctt cacacatgta attgtttatg carcgttagg   60
gactctcaga ttctgtggtc tctggaagga tctgagaccc agggaagcca tagcaactgt   120
tcagccagga gacctggctc tcagtttgat tctgctacta accctctgtg tggccttggg   180
cacgtgtctt tccctccctg gacaccagca cacattttct tttttacct atacaattaa   240
gggattgaat gatacgtaaa tttctcttga ctgtaaggtt ttgtgtttct gggaggtgag   300
ttcatcactg ggccgaccaa ggtgactctt tgcagctgag gtctagagtg tgacgtacca   360
cccctctgct cctgggtccc tgtctgagcc ctaaggccac ccggcttccc tcacttgttt   420
agtgacttca cctctcctct ctgtgcctca tttcttcatc tctc   464

<210> 4
<211> 546
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 333
<223> 99-27218-333 : polymorphic base G or T

<220>
<221> misc_binding
<222> 314..332
<223> 99-27218-333.mis1

<220>
<221> misc_binding
<222> 334..353
<223> 99-27218-333.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 528..546
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 321..345
<223> 99-27218-333 potential probe

<400> 4
gaagagtaga ggtaaaagag ttaaaatgat taacacattt accctgatct tggctattgt   60
gggtcgtagg tgggtcttat tgtgggtcgt ggctattgta ggtctgataa tcaatattca   120

```
tgtttatata tgtaatagta atcattaatg tgtacttctt gaaacaattt agtaccaggt    180
attgtggtaa gccttggcag ggggtggcac acaggtgaat aggcactggc cctaccctcg    240
aggggcttac tgccttgagg aatgtgaaaa ggatgaggga catttgaccc ccattttgga    300
aaatatgcag atatttaata ggtggaccag gtkggggagt gtgtttcact ccttgaaggt    360
gtcccaaagg agagggatac tttggttcct tctgggaatg atgagaatga ccatcactta    420
ttgagcactt aaccgcatgc caggcacggt gctgagcatg ttatatttta catcattatc    480
tcatatcctt gtaagatatt tctccatttt tacaatggaa gctcatggtg gcagaatccc    540
tcctttt                                                              546
```

```
<210> 5
<211> 413
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 233
<223> 99-28108-233 : polymorphic base A or C

<220>
<221> misc_binding
<222> 214..232
<223> 99-28108-233.mis1

<220>
<221> misc_binding
<222> 234..253
<223> 99-28108-233.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 394..413
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 221..245
<223> 99-28108-233 potential probe
```

```
<400> 5
catgcctgtt cttccatcca cactccaggg ctgcccacca gctgacaggc accatcaact     60
ggcagcaaca gagcaggcgc aggtacaaag aaggcagctc actcctgctc ttaggagatc    120
caatcagatc tgccctgtac agccatgtag gctgtgcgct gcataactcc agggacatga    180
gtcacacaga cacaatgtga gtgtgctccc ccgtcatgca acatctggac acmactaaca    240
gagcatggtg aatacatgct gaattgcatt cagtatggct gtgaactagg cctggggaca    300
agaatgaatt ttacatggaa agaatttcct gtagcaggaa cagaggggat aacaacagca    360
ataaataata ataagaagaa gctaccactt cttgagcatg taccacatac caa           413
```

```
<210> 6
<211> 454
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 275
<223> 99-28109-275 : polymorphic base A or G
```

```
<220>
<221> misc_binding
<222> 255..274
<223> 99-28109-275.mis1, potential

<220>
<221> misc_binding
<222> 276..295
<223> 99-28109-275.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 434..454
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 263..287
<223> 99-28109-275 potential probe

<400> 6
caatgtcatc gacaaccct ggggggtgtg tctccatcga tcagcagagg ttggcaagca      60
cctggcccac atcctgctct cccggcagca ggtacctggg aatggctgtg tgggcgtggc     120
attgagcaag aggggaagtc aggtgctgac ttgttcacag atatcagcct tagaggcaag     180
gctacttgga gataactcaa tggttttggg ggtgtgggca gtccttgctg cctctccagt     240
tcaagtaatg aatgtgtcct aggatgaaca gtaaraatta tagactctgc agctctagca     300
ggtatttagg taaggactga ataacagggc atctgcaggt aggaacaagt ctgggggact     360
ctggcagaag caaaagtggc tcctatgtat cagctcttca ttcaagtgtt taggataatc     420
actgggctca tttgggtgat atttcagtgg aaac                                 454

<210> 7
<211> 549
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 74
<223> 99-28110-75 : polymorphic base C or T

<220>
<221> misc_binding
<222> 54..73
<223> 99-28110-75.mis1, potential

<220>
<221> misc_binding
<222> 75..94
<223> 99-28110-75.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 530..549
```

<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 62..86
<223> 99-28110-75 potential probe

<400> 7
```
aaccacttct cactcacctc tgtgcccaca gccagccccg cacatcgtgg ggtttccgtg      60
ggaaccagat cccygcaggt acaaatgggg cccagccctt cctgtttcct gcctcaaaag     120
acaccccaac ttacccaaac agaggctgcc atcacccacc tccatctgcc ccagtgactc     180
cttccaagcc catcaggccc ctttgggttc tttcacttct tggacctcaa tttcctcatg     240
tataaaatga ggctaataaa gagacctata ccacgtgggc tggctgtgtg gctttgataa     300
tacatgtaac aggcttattg gcacagggtt agaggccact accagaagct acagagatgt     360
gtgaatgcag gcagtactga agcagtggtt aacagcccag gttcatccgg ctctaccact     420
cacatgccgt ggcaccgcct gcagcctcag tttttcacacc tgtacaacgg gttactacca    480
ctatgcagga cctctatgag gatcaaatga cttacccccgt aaaacatgtg agttgttggc    540
tactgcggt                                                            549
```

<210> 8
<211> 518
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 81
<223> 99-28125-81 : polymorphic base A or C

<220>
<221> misc_binding
<222> 62..80
<223> 99-28125-81.mis1

<220>
<221> misc_binding
<222> 82..101
<223> 99-28125-81.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 500..518
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 69..93
<223> 99-28125-81 potential probe

<400> 8
```
ggggagtgtt gttaaaagta cagattcyta agccctaccc cagatctcct gcatgtggga      60
ccgaggaagc tgtaattcca maagctctct gggaccttga tgttccctaa actctaagaa     120
ccactgtccc gctgtgactg tcaagtctcc acatgaccct gttgctgttg ggctgtttca     180
agttcatttg accttgggct ttaaaggtct ctccttgtga ggaggaacag gtaccctgag     240
gctgaccctc agatctctga gctggaaagg acctctggat accagctcct ttggtccttc     300
cggcaggatc caaaagtctg ggcctgggca ctggactgga atctgcacat ctatcaggag     360
caatggggggg atgttgcagc acccattgat catgggctga tttagaagga ggccgtgagg     420
aggggtgca ggctggaagc atgggcgggc ttcggggaga ggtgtgtggc tggaagacag     480
```

tgttctgcta gctcgtgccc tccttcccac ttcatggt   518

<210> 9
<211> 472
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 215
<223> 99-28134-215 : polymorphic base C or T

<220>
<221> misc_binding
<222> 196..214
<223> 99-28134-215.mis1

<220>
<221> misc_binding
<222> 216..235
<223> 99-28134-215.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 453..472
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 203..227
<223> 99-28134-215 potential probe

<400> 9
tggatggatg gggcttctac tcaggccagt cttagagggc tcagttttgg gtttaatctt   60
ccctcctgcc ccaaagtctg agtcacagct ttggctgaaa ccccgcaggt cctccttctc   120
aaaccccaaa gggttgcttc ctttctagcc ctgcagccgc cagccttcac gggcccccctc   180
ctctggctgg agggtctgtc accctgtttg ggtayaggct cctgcacgct ggcggcctcc   240
tgttctagca ccctgccctg tctccaaggc agcactcaga aagctcagcc taggcccctc   300
cagcccctcc ctccaccacc aaagactaac acagaagcct ctcagacctt gttcaaagac   360
ctccctgtgg yccwatcttt gtttttcagt ctgtgtccac tcgcccatgt cccttcccccc   420
agctccaacc agccaagccg ccccagcctc tcctgtcatc ctgctgctct ca   472

<210> 10
<211> 546
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 96
<223> 99-28137-96 : polymorphic base A or G

<220>
<221> misc_binding
<222> 77..95
<223> 99-28137-96.mis1

<220>

7

```
<221> misc_binding
<222> 97..116
<223> 99-28137-96.mis2, potential complement


<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer


<220>
<221> primer_bind
<222> 529..546
<223> downstream amplification primer, complement


<220>
<221> misc_binding
<222> 84..108
<223> 99-28137-96 potential probe


<400> 10
caggaatgct gctattacca ccgctggcca caaggggtcc cagccctgca ggcagccgca      60
ccaaggctcg aaaagcagtc ccagctctta gcaggrcaga ctctgccagg cagagaaggc     120
gccctgaatg gccggccccc agagaaagct gctgagctca tggttatccc tgggtccaca     180
accatttggc actgtaggag caacgataac ccgcatatga tcactgtgca cgttgttatt     240
gcagacagca gagagaaagg ccccagggac cagcagctct gcgtgcagtc tgcgttctgc     300
tcccaggctt attctcattg gctgtgtgac cttgggcaag ccccatcccc tctctgaccc     360
tgtttcctcg tcttccaagg gaaatcgcgt tgatctctaa gggcctttc agcaacagcc      420
ttgccaacaa caaaagcacc tgaagtagcc tttatgttgg agggatatct gagccatcct     480
tgctattcac cacaaactgt cagcttactg aagttttaaa ttcttctgcc agattgtcat     540
tgtcct                                                               546


<210> 11
<211> 401
<212> DNA
<213> Homo Sapiens


<220>
<221> allele
<222> 305
<223> 99-32204-305 : polymorphic base A or G


<220>
<221> misc_binding
<222> 285..304
<223> 99-32204-305.mis1, potential


<220>
<221> misc_binding
<222> 306..325
<223> 99-32204-305.mis2, potential complement


<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer


<220>
<221> primer_bind
<222> 384..401
<223> downstream amplification primer, complement


<220>
<221> misc_binding
```

```
<222> 293..317
<223> 99-32204-305 potential probe


<400> 11
gtttggttta cttagccatc ccctccccaa atacatacct cattaccacc ccaaggtaat      60
cccagtaaat tgcagtgggg caaattataa tcactgtggt agcagtagct aacatttatc     120
cagggttcac tggtgccaga cagtgttacc atgccattta acctgcccaa ctcacctgtg     180
aggcaggtcc tgttattatc cacatgttat ctcagaggga aatgaagctg agaggtaaag     240
tgaggacaca aagccaattt ccaggggaac caggactccc ccaggtggtt ggacttcaga     300
gtccractct taaccccatc ctccactgcc tccctctgcc accttgtaaa tcaaaataac     360
gatactagct aacatcgttt ttagtctcat gtagttgagc c                         401


<210> 12
<211> 478
<212> DNA
<213> Homo Sapiens


<220>
<221> allele
<222> 118
<223> 99-28149-118 : polymorphic base C or T


<220>
<221> misc_binding
<222> 98..117
<223> 99-28149-118.mis1, potential


<220>
<221> misc_binding
<222> 119..137
<223> 99-28149-118.mis2, complement


<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer


<220>
<221> primer_bind
<222> 459..478
<223> downstream amplification primer, complement


<220>
<221> misc_binding
<222> 106..130
<223> 99-28149-118 potential probe


<400> 12
cagcaaattg ctagtgaact tgcaactttt tcaccttttt cttcatctta atgaactagg      60
aaggtcattt tctagatggc tttgcctgaa taagcccaca tacgatactg tgaccttyga     120
tgggaggagc tagcatgtga tgttaaggcc aagtccatgg aatggacagc aatgcacaac     180
agataattcc tcatgtctca cgacagtggt aagattccca gtggctgctt tggtgagagc     240
ttttaattgg ggttcttagg aacttgtatt attatttaaa ccagagtgtg agctcctaga     300
gaacaccggc tgtcatggtc cttttttaag tactccacta tcttgcgtat aatgagtcct     360
ccttacagtt tgttgagtca ataagtacat gttgaactta gcatatcagg gtacagcata     420
ggggacctgg ccaaattctg ctcgttgtta gtcaccagct ggatgtccac attcatca      478


<210> 13
<211> 456
<212> DNA
<213> Homo Sapiens


<220>
```

9

```
<221> allele
<222> 285
<223> 99-28160-285 : polymorphic base A or G

<220>
<221> misc_binding
<222> 266..284
<223> 99-28160-285.mis1

<220>
<221> misc_binding
<222> 286..305
<223> 99-28160-285.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 439..456
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 273..297
<223> 99-28160-285 potential probe

<400> 13
caaaagagtc aaagcagagg ccttgagaat tgcttgagaa tttatgctac tttcaggagc      60
tttttgtggt ataacaatgc agagcataga aggaggaagg aaatggtatt tgtttcaaag     120
gatcattatt tacttctggt ttcagtagtc agttagccag tagatatact gagaaactta     180
agaaagtccc catcatctct gttgaagaag gataagttgg tgcacgatga caatataaca     240
ttatattgca tcatagtgtt atggatcaag tgctagggga tcgcrataat gggagtaagt     300
agctggggtg gggtgcagat aggaaggacc ttacagtaga ggtgacactt gagcaaggtc     360
ttaagggata aataggagtt tgctaggcta tgaagtgggg actagaagtg cagacacttt     420
ctgtcttctc cactttggcc tgttactcta tttccc                               456

<210> 14
<211> 514
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 457
<223> 99-28171-458 : polymorphic base A or G

<220>
<221> misc_binding
<222> 438..456
<223> 99-28171-458.mis1

<220>
<221> misc_binding
<222> 458..477
<223> 99-28171-458.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer
```

```
<220>
<221> primer_bind
<222> 494..514
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 445..469
<223> 99-28171-458 potential probe

<400> 14
ggaaggttgg ggattgtgaa rgagggccca ggagctctat agcataccaa acactccatt      60
tgtgtacttt gcagctcttt tccctttgt catcttcact gtatgcttag ggcaccataa      120
tttcaattat gcaatttcct ctaaaatctc ccacaaacct cttctggagt ctaagtaact      180
tgtcatcgca tttctgtcat gtgatagatg tgtttctaaa aaattggatt ccactccttt      240
tcttgaataa tcacatgact tcagattatt tagcatttta tgacataagc agtttgatac      300
ctgctttggc ccagcagttt tgggatgggg tagatgttaa ttatctccat atgcaggtaa      360
tacagtagaa tcttaggtag ttcatggttc acacagttaa atgactctct caaggggttg      420
acaagggatt tgtactcaag ctttgattcc aaatctrctg ttatttccta ctgggaaatg      480
cttttttaaag ttactttaca gcagaactct ttgt                                514

<210> 15
<211> 550
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 395
<223> 99-28173-395 : polymorphic base C or T

<220>
<221> misc_binding
<222> 375..394
<223> 99-28173-395.mis1, potential

<220>
<221> misc_binding
<222> 396..414
<223> 99-28173-395.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 532..550
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 383..407
<223> 99-28173-395 potential probe

<400> 15
agagccaatg agatacacgt tcaactagga cagaaatact atcttaacaa atgtcattcc      60
cagaaataat caacacaggt gaaagaatta gagatgggga aaagtcaaaa aatgagagag      120
ggaaaggttg cagtgtggaa aatagcattt aaattctaac caaactagaa tcagacatat      180
aggaaaatct aaaataaaat ctggagcct tgaagccgga ggaagaatta aggaaatctg      240
tgttcgggag ggaaaagcag aaggggcctt caagtacaac tgaattaaat caagatggac      300
```

```
tgccagttct agaaaaagac aagtttctcc attccccgta aatgctcagg agtaaacccc      360
agtagtcaca gctgggccag tcccaactta tactytgggc aatcgaaact catttgccaa      420
gcagagactt ggaccatact gcctagaaca tgcctaccat tctttcttta ttcttttgaa      480
agagtactgc cactcaagtg acttttgcaa ttgagagtct gattatcatc tctatgctga      540
aaatccttca                                                            550
```

<210> 16
<211> 466
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 113
<223> 99-32177-113 : polymorphic base C or T

<220>
<221> misc_binding
<222> 93..112
<223> 99-32177-113.mis1, potential

<220>
<221> misc_binding
<222> 114..132
<223> 99-32177-113.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 446..466
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 101..125
<223> 99-32177-113 potential probe

<400> 16
```
cccagaaata gaaaccaact atcaggcaaa gccttcgtga ggcaatttgg ggttgtaaca       60
ctacattacc tacaaatcaa tggatatttt aggagaaatt aaaaagggat gaygtactct      120
gttcaaaaaa aaggtttgaa acccagcaga ttcctgtggg ctttgcatcc ccagccctag      180
gcatctctgt ttaaagaggc agcttagtga taagggagga ggagagaatt tctaagaagg      240
ggtagaagtg tagacttata tttatatata tttttaaaaa gttttttattg tttagcagct      300
tcagtaaggt ataatttcaa gatcataaaa ttacccaggg taagtgggta tagataagta      360
tataggtcat ttattttgag tgaattttta gagttttgta tctatcaaca caattcagtt      420
ttagaacatt ttttaatatc tcttacttca ttttgggttg ctgtaa                     466
```

<210> 17
<211> 449
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 192
<223> 99-32181-192 : polymorphic base C or T

<220>
<221> misc_binding

<222> 172..191
<223> 99-32181-192.mis1, potential

<220>
<221> misc_binding
<222> 193..212
<223> 99-32181-192.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 432..449
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 180..204
<223> 99-32181-192 potential probe

<400> 17
```
gtcagacatt cctcatggsc aaacctgata ccactccttt cttgctgtgt actcctaacc      60
tctatcagcc tccctgtcct catcacccag gagtaggggt gggggtgtga gtgtgcccac     120
agagtggtca tggggattaa atgagatgaa tcatgcatag cccttggcac ccaacaatgg     180
gattgctact gycagttcct atgctcctct acttgggtat tgccttcatg gctgacaccc     240
atggctttct ttctgggatg tgtggccttc atcaaaaatg tgtttattta gtgaaaaaaa     300
aaaaaaggac cctgagattt tcatttaatt ttgcctatgt tctcacactg ctccatagca     360
cagcactgat gatactaaaa agctaactcc tggatctaag ctgctaagac cttcacatca     420
ctggcagttt gctaatgtcg gtgttctgc                                       449
```

<210> 18
<211> 458
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 257
<223> 99-32193-258 : polymorphic base G or T

<220>
<221> misc_binding
<222> 238..256
<223> 99-32193-258.mis1

<220>
<221> misc_binding
<222> 258..277
<223> 99-32193-258.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 438..458
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 245..269
<223> 99-32193-258 potential probe

<400> 18
gaaggagatg agattagaga agtgttgcaa attatattgg gattcagacc aggtaaagag   60
tttggacttt attctaagtg cggcagaacc actggagact ttgaaacata gggtgaaatg   120
gtctggcttt taattttaat ggttcattgt ggttactttg tggagaatga aatggaggag   180
ggtgagaatg aaaacttgga gaccaatggg aaggcttcta cgttagtcaa ggcaagaggt   240
aatcgtagct tggactkggt tggagtagtg gagacagaga caactggaga aattccggat   300
ctgtcttgga ggtgtatcgg caggccttgc tgatggactg gatgtaggcg ctgagggaga   360
caggcatgaa ggatgactct tgtgcttttg gctcaagcaa ttcagtagat ggtgatactg   420
tttaccaaga catgatggta gtagaattgg tggtaaaa   458

<210> 19
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 90
<223> 99-28722-90 : polymorphic base C or T

<220>
<221> misc_binding
<222> 71..89
<223> 99-28722-90.mis1

<220>
<221> misc_binding
<222> 91..110
<223> 99-28722-90.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 429..449
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 78..102
<223> 99-28722-90 potential probe

<400> 19
atacgataca ctctgccaag tccattttga attccatggc ctgaatcatt aactttcaaa   60
gccaaagcat ttaaaagata aaattatccy cttggcactc ctcaaactgt gctcttgacc   120
tcttctgtta ggctacagtt ttgtttctgg ctgtgcaaat gtcacataat gccactgcac   180
ccggcagtat cttcttcata gcaacagatc ataataaaag tccctcggag gctgtttgtg   240
tttcacatac acatggaatg aaagaaaaat gcagtgtgct atataaagcg agagaaatgc   300
ataagcttca tctttcattt gcagccaatt ggttttaata agcttttatg ctgagaggtg   360
aataattagc atatgttctt aattaagatt gttctagagc agtagagtgc tccaggtcgt   420
taaaaatggt tttgtgtctc aatgtcttaa   450

<210> 20
<211> 452
<212> DNA

<213> Homo Sapiens

<220>
<221> allele
<222> 351
<223> 99-28730-351 : polymorphic base A or G

<220>
<221> misc_binding
<222> 332..350
<223> 99-28730-351.mis1

<220>
<221> misc_binding
<222> 352..370
<223> 99-28730-351.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 435..451
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 339..363
<223> 99-28730-351 potential probe

<400> 20
```
attcttggta tcctacacga aatctattta tatccaacat aactaatgtt ctgaggaacc      60
cactttatga aacaggattt tgtactgcta ttagtggtga gtcacaataa gaagggaaag     120
atacccaagc tcgcattgtg agaggtcata cagagatggg tccaaatgga atcaggagtt     180
gaaaggcata gagatgtccc tagaaactgg aggagaccac caagttgttc taaagccagg     240
agaagaatct aacattggcc tgaaagctaa agcctacctg tgggtacaaa ttggacaaag     300
gatactttgc tggacagtca gaaattcagc tgtggagcac caggctggca rtgagctctg     360
ccctcaggca cgccacatag gcagcaccag gactgaggac atctgaggct gagaacggat     420
gtaagaacca tcttggtgtt gtgagatgaa tt                                  452
```

<210> 21
<211> 455
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 407
<223> 99-32306-409 : polymorphic base G or C

<220>
<221> misc_binding
<222> 387..406
<223> 99-32306-409.mis1, potential

<220>
<221> misc_binding
<222> 408..427
<223> 99-32306-409.mis2, potential complement

<220>

15

```
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 437..454
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 395..419
<223> 99-32306-409 potential probe

<220>
<221> misc_feature
<222> 162
<223> n=a, g, c or t

<400> 21
catttgcacc tgcactcccc tgaccttgca ctgtggtaga ccagttgctc tctaagtctg      60
ctgctcagtt gtcatctgag atagtccttt attgtcttga ggtggggcta tgtctccttt     120
tgtctaggat ttttattggt tttactgcag aatatcatca angatttatc tttttcactg     180
aagatgcata aagggtaaac attctgaggc ctaggatgac tgaaaatgtg tttatttggc     240
atcgacactc agtataattt tttttaacca ggtgtagaat tctaagttda waataatttc     300
ctctgtggac tttgaagtta ctgcctcatt gtttccagtg ttactaatga gaaatctsat     360
gcgagtttga ctgtgatttc tttacagatg ccctgttttg ttccttstct tctaaaacat     420
cacaatgatg catttagggg tgggtgattt tttta                                 455

<210> 22
<211> 527
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 246
<223> 99-27088-246 : polymorphic base A or G

<220>
<221> misc_binding
<222> 226..245
<223> 99-27088-246.mis1, potential

<220>
<221> misc_binding
<222> 247..266
<223> 99-27088-246.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 510..527
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 234..258
<223> 99-27088-246 potential probe
```

16

<400> 22
gtttttctta gcttgctggt gtttttaact caataaaatg tcaattaact tcgtgagctt   60
tcctttaact ctatataatc tttgcgtttg aatggctgcc aatcaaacgc aaagatagat   120
gttttctttg aatatgggcc aatttccgtg tatgcacctt gttgtcagga tcagctagat   180
tatggtgtag taacaatgtc gatatctcaa tggcttgaca aaagtttggt ttccgctcat   240
gctacrtgtt ctgtgagatc agtggggagc tcggagtttc cacagttacc agcaaacgga   300
gagaattctg gagggcctcg aacaggcaag caaatgatct agcccggaag tgatgtttgt   360
cactttcctt cacatctcat tggtctgaac tggtcacatg accccaggca accccagagg   420
gccaggaaat tcgggctcct tgtgcttgcc aggaaaggag agtggccctg ttgaaaccgc   480
ctgtgactga gacagtgaaa gaaatttgac ctaaccaact ccatctt   527

<210> 23
<211> 451
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 204
<223> 99-27090-203 : polymorphic base A or G

<220>
<221> misc_binding
<222> 185..203
<223> 99-27090-203.mis1

<220>
<221> misc_binding
<222> 205..224
<223> 99-27090-203.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 431..451
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 192..216
<223> 99-27090-203 potential probe

<400> 23
gaactctcct ctaatagaac ttccaagttg gccccgcagg cactattttg gtgcagagga   60
acccgtcaag cttgacttta aatctggctc tgccactaaa tcacccaggg cctttcctct   120
ttgggccccc gtttccctgt ctgtaaaatg agaggattga acagggcagt ccctagagtc   180
tgttcagaag ttctcagact gggrcttggg ttcttgcact tttcattttg tcactgttga   240
tgtcatcaca cacacaccca cgcacagagt ggagtgagga tttcggctgc acagcaggat   300
ggcccagatg ataggaggag gcaggggcg atcactggct gggaggatgg ctgggaaaag   360
aggaggaagg ggaaaggcac gcgaggtcac aaatgcacca aaaggcattt cctggcmtag   420
ccctgtgcct cccttctaaa gagccatcac a   451

<210> 24
<211> 473
<212> DNA
<213> Homo Sapiens

<220>

<221> allele
<222> 221
<223> 99-27091-220 : polymorphic base A or G

<220>
<221> misc_binding
<222> 201..220
<223> 99-27091-220.mis1, potential

<220>
<221> misc_binding
<222> 222..241
<223> 99-27091-220.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 455..473
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 209..233
<223> 99-27091-220 potential probe

<400> 24
atcagcggat ggtgaagagg agatcagcgg atggtgggag gaaaaatgca ggaaatctct   60
ggactttttca tggaagtatg attcaggaat aaggcagaag ccctcacaaa ccttccacag   120
agcaagaggt ggcacaggca cagattctgc tacagagcag acctttccag agaggaaagg   180
ttggtttggg aattttaaga agcatttttc tttgcataac rcaacaccag tcctctgtgt   240
ttagaaaatg cctgtgtgaa ccatcacatt caagagaggg acacaagtgt cagggttcta   300
ggcagccaag ggaagactag cccttttgcct ggaatttggc ttcattttct gacgaatcaa   360
gatttgctct gctcctctgt gcacgccagg acattaagat gcgagaataa gaacttatag   420
cctgtatatt tgccatctaa ttagtgtctt gggtcctaag tgctttgtgc cga   473

<210> 25
<211> 472
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 145
<223> 99-27093-145 : polymorphic base C or T

<220>
<221> misc_binding
<222> 125..144
<223> 99-27093-145.mis1, potential

<220>
<221> misc_binding
<222> 146..165
<223> 99-27093-145.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 453..472
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 133..157
<223> 99-27093-145 potential probe

<400> 25
aggctaggag atgaggagtg gggctgggct gcctctgcac atcatcaaag ccaacactca   60
gtctaatcca aatcttgcta gagcatagaa cataaggtag aatgagtctt taagcaactg   120
ggagtcatct cgaggtaaac agaaytccaa gagtaacgaa ggcccagagt gaatttattt   180
tgagagagtt tcctgttgga gtagcagaca ctctgcagta gtgttttct ctctcctggg   240
tgggactgcc ctgcctatat gcacttaagg catagagttt cctgttcttg cctcttctca   300
gagccttgca ttgaaactca aatgtattct cagaaatttc tctccacaca ·atgacatatc   360
gcctctgtgc ttttactctc tttgtctttc tctttctctc aaccattgtt .ttccacccat   420
cctctttttc ctaaacttct taagattgtt ggccatttcc ctttctccct cc   472

<210> 26.
<211> 455
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 406
<223> 99-27094-406 : polymorphic base C or T

<220>
<221> misc_binding
<222> 387..405
<223> 99-27094-406.mis1

<220>
<221> misc_binding
<222> 407..426
<223> 99-27094-406.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 436..455
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 394..418
<223> 99-27094-406 potential probe

<400> 26
ttataggtcc caagaagcag ggcctagaaa ccaagagctt gacacgcagt caaactccaa   60
agcagtgtgt gagtgaagga aggaaagacg ggtgttgaaa agcaggtgac tttgagaagg   120
gagggggtcc tggcagcacc tcccttcctc cccgtttcta ggctctaggg tggggctgaa   180
tgatcatgag gcacaaaggt gggtgacatg caagtgctga gaagcactga gctcacaacg   240
gccctcatca tcttctcaga gccaccaagg agctactggc caccaaggag ctactccata   300
ggccttcctg ttggaattac agaacccact tgaaaccaga gatcaagtcc agccctatcc   360

19

```
accaggcatc ccaggagaag ccaagaccct atgcccagtt ccgccyggcc accaaggccc      420
ttctgaagga gcaccctcat tggggaacct ctcca                                 455
```

<210> 27
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 410
<223> 99-27096-410 : polymorphic base A or G

<220>
<221> misc_binding
<222> 390..409
<223> 99-27096-410.mis1, potential

<220>
<221> misc_binding
<222> 411..430
<223> 99-27096-410.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 432..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 398..422
<223> 99-27096-410 potential probe

<400> 27
```
gagtggagag atttgtagct cagctgcaag ttttatttgg agccttgggg ctgccaggct       60
gtgcacggaa gtgaggcatt agccagtgag tgaacctcgt gctctgccag cttcagcttc      120
agtgccgttt tgatttttctc tactagttgg aagatagtaa atcacatgaa gtcttgaaaa     180
cttggttctg aaaggagcgc cagtggctgg gactggtgat ggagtggagg agcaagaggc      240
atctgagaaa ggccaaaagc actttggttt gatttcagag aagatgacat gttcagttca      300
ccccatttac catatgcttc gactgtagtt cccactgttt cagggtgcta gttgttggtg      360
agaagtggag gaagccaaga accctccccg ggaaaatggt tttcatcacr cacaccaact      420
gcatttattt gcaaatcttc acactgcccg                                       450
```

<210> 28
<211> 504
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 83
<223> 99-27097-83 : polymorphic base C or T

<220>
<221> misc_binding
<222> 63..82
<223> 99-27097-83.mis1, potential

```
<220>
<221> misc_binding
<222> 84..103
<223> 99-27097-83.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 486..504
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 71..95
<223> 99-27097-83 potential probe

<220>
<221> misc_feature
<222> 213
<223> n=a, g, c or t

<400> 28
gttcttttca ctacctcctg cttaattttt aatttctaag attagaccct tcatctatcc      60
atgacacctg cctgtcatcc ccygaaaaaa ggtgaacgcc gttcagaaat ttttctagcc     120
tgagctcact cccagttcac ttattttgc tttgtcatgg ctgcccagtc cccacttgta      180
gaccaggaat aggtcatggc tgcggggact acnacctgtc gctgctgcaa gggccggcct     240
ctgtttccgg ggctgagtgg gggccagacc tgccaggagc accatcttct gtgggtcctg     300
cctggatgtc acatcccggc cccaagaagt cactgcaaac cttcgtatta ttgagcttca     360
catcctagaa tttgctgtca ctgtggctgc tgcatgaagt tgtcctgaga gaaacgggca     420
ttgtcattaa cagggaaatt gatggtctgg gggaaaagtc atcctcattc tcttgcagat     480
ctatgggtga ttgagactgg ctga                                            504

<210> 29
<211> 421
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 162
<223> 99-27098-162 : polymorphic base C or T

<220>
<221> misc_binding
<222> 142..161
<223> 99-27098-162.mis1, potential

<220>
<221> misc_binding
<222> 163..182
<223> 99-27098-162.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
```

<222> 404..421
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 150..174
<223> 99-27098-162 potential probe

<400> 29
acttctgccc agtttggtgc aggggagctg ggtagttgcc gacttttcct atcttgatcc   60
ctactcagtg taacaattta tctgtacaac tgattccatc accaggatct ttagacccct   120
ctggtcattc agccaatcac aagcactcat ccacaggaca cygccgatga tgccatttac   180
tgagcagtta ctatgtgctt ggccctagtg agtaccgggt tagcttgtgt gaacccccatg   240
gcaacccgtg agacaggtac catcatactc caagttgtgg atgacaaaaa actctccaag   300
cagctaaaca atatggctta ggtctcacag tgagcaggga gctgggattt gtgcccagga   360
ggcccgatca gagcctacct ccttaaccat taggccaaac tgcctccaca tgcagaacac   420
t   421

<210> 30
<211> 468
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 48
<223> 99-27550-48 : polymorphic base A or G

<220>
<221> misc_binding
<222> 28..47
<223> 99-27550-48.mis1, potential

<220>
<221> misc_binding
<222> 49..67
<223> 99-27550-48.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 448..468
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 36..60
<223> 99-27550-48 potential probe

<400> 30
tgtgtgtgtg gggtatgtgt gaacatttt catgcttgat gtgagccrga agaaaaatga   60
gcttctctat ttgataagtg tggacctgcc cacagcacta aatttggttc tgccgtcacc   120
ggcgccatga agcagcagcc tggtttagag gcttgccttt ggtttcaaat aatttctcca   180
ggctcatgtt acatatgacc cattcacaga ggctggaggg catggcttct ccagtcctta   240
gcactaaaga cgtgtctttt ggctcctgca cgactagcac aggcagtaga accagatggg   300
ggatgctctg aggttgcaga ggcaggaagg caagcgggag agagcttggg cctggacaga   360
gggatgagct ggctccctcc ccagctgtga aatctctgag tctcagtttg cttctctgca   420
aaatgaggat aataatcccc acctcgggac tgaggattaa cgaggcaa   468

```
<210> 31
<211> 452
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 335
<223> 99-27558-335 : polymorphic base C or T

<220>
<221> misc_binding
<222> 316..334
<223> 99-27558-335.mis1

<220>
<221> misc_binding
<222> 336..355
<223> 99-27558-335.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 432..452
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 323..347
<223> 99-27558-335 potential probe

<400> 31
gtcaaatcaa cactcgtcta cattcaaatt tcacattttt cccctctaa gataacagta     60
taattgagaa ctgacaggga cctaatgaca gtatggtccc ctcacactga atggtcacat    120
ttgcctaaat tgaaataacg tatgctagaa acaatcttaa gcagatctgt cattttaact    180
atatgtgatg tagagttgaa tgttcattcc agataattta gtcaatgtag gtaactaatg    240
gctcacacta attcaggcca agaaaatgca ttccctctct ttcttcctgt cccttctct    300
tgctgaaaga gaaatctcat ggccgcatat gttayacaat catgcccact tatgtaggat    360
cacagaaggc agaatagcag agaagaaaga aaactggaga gttgggtcct gatcctagcc    420
atcttgtatg accttagaca attcattacc tt                                  452

<210> 32
<211> 465
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 106
<223> 99-27561-106 : polymorphic base A or G

<220>
<221> misc_binding
<222> 87..105
<223> 99-27561-106.mis1

<220>
<221> misc_binding
<222> 107..126
```

23

<223> 99-27561-106.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 446..465
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 94..118
<223> 99-27561-106 potential probe

<400> 32
```
cagtcactca aacaatgtca caaagaaccc tttgacagga atgtatcctg tgttgactct       60
actttgctct gagtagtctt tccccaggtg atgataaaaa tggtcrtcat cgccaggctt      120
gtgtcctgtt tagtaggaat atacaagaag agctcagtaa atgctggccc caccactaag      180
caaaaacaaa actttgttg ttgttattgt tgttttaaat aacagcttag acctttcttc      240
tttccttgtt attctctttc atctgtaatc cagttttcta cttctgaagt atagaatgtt      300
ctgatgattt attcttcatt acccacaact tgcacatgtt tatttaaaaa tgccaggatt      360
gcctggccgt tgtgtgctgt taacctttgt ttgctgttag tggatccctg aagttcaggc      420
tcccagggga gcagataatg ggtatccagt tcctgcaata tccac                     465
```

<210> 33
<211> 470
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 364
<223> 99-27562-366 : polymorphic base G or T

<220>
<221> misc_binding
<222> 344..363
<223> 99-27562-366.mis1, potential

<220>
<221> misc_binding
<222> 365..384
<223> 99-27562-366.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 450..470
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 352..376
<223> 99-27562-366 potential probe

<400> 33

```
ttcctccacc accactttcc tcatcaccgt gttcagagac ccccaaagsc ccctyamamt    60
cccagaaaca cccccctggc cactcctaac ttgccatgcc caggagttag gtgcttccac   120
tagtgacatg gagctggcgt ttggggggca cctcagcagg tgacgggaag agaagacccc   180
agcctcacca gctgggctgc agcagggaga ggagtcctca tgttccagca gggactctca   240
gctgttttcc tgtaaaacca tggttctcaa ctgggggcca ctgagatgtc tagagagatg   300
tttttgtttt cacaactcgg ggagggtgct actgacatct tgtgggtaga ggccaggaat   360
gctkttaaac atcctacaag gaaggcacag gacagtctcc tacatcaaaa tatgacccag   420
ccccaatgtc accactgctg gggttgacac tggcactgct atcttaatta                470
```

<210> 34
<211> 1003
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 738
<223> 16-31-738 : polymorphic base C or G

<220>
<221> misc_binding
<222> 715..737
<223> 16-31-738.mis1

<220>
<221> misc_binding
<222> 739..761
<223> 16-31-738.mis2, complement

<220>
<221> primer_bind
<222> 1..25
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 975..1003
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 726..750
<223> 16-31-738 potential probe

<400> 34
```
ccactttgga taaatgccct ctaactagca gcttttaact gcctttgcga tgggaggtct    60
accacccttc ctttacccaa agatgaattt cggatcattt tctgtacaat ttttaaagga   120
cgtttgaata atatttcttt ctttatcatt gcggacgctc ccaaatctca gcggaggtgt   180
agcgcataag ggcagttgaa ggagatatag atcctataga tcctgtataa aagggggtct   240
ggaattctgc atttcccgtt cgctagcatt cgcgaaactc ttgagacagc gtacgcttcc   300
tatggcatca gttggaattt aagggcaagg gagaagggtg ctcggcgtgc ggccgcggcg   360
taccggagct gcactttgca gggagaagtg gctgcgtaat ccggagcaca gtcagtatgg   420
tgctgtgtgc ttgttgtttt gttttgtttt ccacttttct cccccttttc ccgccacacc   480
actattttgg aaagtttggc cactttggat aaatgccctc taactagcag cttttaactg   540
cctttgcgat gggaggtcta ccacccttcc tttacccaaa gatgaatttc ggatcatttt   600
ctgtacaatt tttaaaggac gtttgaataa tatttctttc tttatcattg cggacgctcc   660
caaatctcag ccggaggtgt agcgcataag ggcagttgaa ggagatatag atcctaatag   720
atcctgtata aaaggggstc tggaaattcg tgcatttccc gttcgctagc attcgcgaaa   780
ctcttgagac aggctacgct tcctatggca tcagttggaa ttttaagggc aagggagaag   840
gggacgaagc ttcttttggt ggcatcctta ctctgctact gaattttagg tgcgtggctt   900
tgcctactca atttaaaaag accaggttta aataataatg gtttatggca ccatcagttt   960
taattattta ttatgacata ggagttagga aaacttttga tag                    1003
```

<210> 35
<211> 455
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 300
<223> 99-27110-301 : polymorphic base G or C

<220>
<221> misc_binding
<222> 281..299
<223> 99-27110-301.mis1

<220>
<221> misc_binding
<222> 301..319
<223> 99-27110-301.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 438..455
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 288..312
<223> 99-27110-301 potential probe

<400> 35
ttcacattgg gtggcagctg gtcgaaacat tcctgtcagt gactgcagga cagtaacctt   60
cagacctcga atgcccccta attttctgaa atgaagttac agttcctttt ctgttcaact   120
agcaagctaa agttcagccc tcttacctga ttccacactg atcatctgga aggaaggtag   180
gattcaagga gaactctttg agtggaagag cagtcagaga tgtaattctg.cgcctgttct   240
cttacagcaa aaccaagaac ttttgctcta agagagtgga ctttgggagt gaactttgts   300
agatgattag atggtgatgt cctttcttgt taaaggagga aatccatgta ggagcctcag   360
gatcgcacag gctgaggact gagtgttaaa catggcaggc cttccttcat ggggcttgag   420
ggatttcctg cagtgccctt cctcctctcc ctgac   455

<210> 36
<211> 546
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 400
<223> 99-27563-400 : polymorphic base A or G

<220>
<221> misc_binding
<222> 381..399
<223> 99-27563-400.mis1

<220>
<221> misc_binding
<222> 401..420

<223> 99-27563-400.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 526..546
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 388..412
<223> 99-27563-400 potential probe

<400> 36
```
taaccacact gaaacctctt cggttgtctt gaaacctttc tactttttct gtactttttg      60
ttttgttctt ggtctcccgc ttggggcatt tgtgggactc cagcacgttt tctggcttct     120
gcttcatcct gctccatcgg ggaatgacac actgcggtgt ctgcagctcc tggaaggtgt     180
catttgacaa cacatgtggg agaggaggtc cttggagtgc tgcagctttg ggaaagctgc     240
ctcgtttccc ttttcctcta gaagcagaac cagctctacg agagtgagac tgggaacttg     300
atggctcaga gagcatcttt tcctcccatt ttagaaaatc agattttctc ctgtgggaaa     360
aaaaaattcc atgcactctc tctctgttaa agatcagctr ttcccttctg atcttggaaa     420
gaggttctgc actcctggaa ccggtcacag gaacgcacag atcatggcag gatgcgctgg     480
gacggcccat cttggcaagg ttcagtctga atggcatgga gaccgggaga tagaggggtt     540
ttagat                                                                546
```

<210> 37
<211> 513
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 443
<223> 99-27573-443 : polymorphic base G or T

<220>
<221> misc_binding
<222> 423..442
<223> 99-27573-443.mis1, potential

<220>
<221> misc_binding
<222> 444..462
<223> 99-27573-443.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 496..513
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 431..455
<223> 99-27573-443 potential probe

<400> 37
gtctcgtttc attcagtgac attttgaaca cacacgtgtt ccctgtctgc agcacccagg   60
tgctcttcac ctaagatacc ccgtcttctg ctaaaccagt acaccagttt ccacgagcag   120
tttcccgagg cttctgcact cctcagcatg ctctcagatt gtttcccctg ccggagaact   180
agcaccgtgt tcttcagtac cagcatggtc tcctggccag cccctaggtg caatcctcca   240
acacggtgac actcagcaac ctagggccaa gtttacccac ttgtctccct atacacaatg   300
ctcctgcacc tgctcaccta ccaggggccg tcccgcccca gcagcctacc ctgtctgcca   360
cagctctgct cctggcatt cccacctctg cctcaagctt tgcctttcct ctcaagctcc   420
ccgccctgct ctaatcttgc cckttccttgg ctcagctcca gttccacctc ccccaatact   480
cccctgtgg cctctctaac ccatacacct tcc   513

<210> 38
<211> 411
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 133
<223> 99-28732-133 : polymorphic base A or G

<220>
<221> misc_binding
<222> 114..132
<223> 99-28732-133.mis1

<220>
<221> misc_binding
<222> 134..153
<223> 99-28732-133.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 391..410
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 121..145
<223> 99-28732-133 potential probe

<400> 38
ctgttgttgt tcccccctca cacgcataaa ccagtgtacg tgaatcctaa cttgccaata   60
cctcagagat aggaaaatat attttgatgt acagacgctt tatgggcttg tgctggaagg   120
tcacgtgcct tartggtcat gagatcctgg tgcaaagtgg atagaaagtg cttctttgta   180
tgcagcgtcc tcccccttcgt agatggccag ttcccccgaa tgtctttaat atctgaactt   240
gagaatgagg atgttgattt ctaattctag ccccaaccta gattgtctat ggctcttcag   300
ttatcctgga aaatcaaaat atattttact atcttgaagt attggcaagt taggattcat   360
aaacacttgg atgaccagcc acaaggcaat gtggcattgt ggttaagagg c   411

<210> 39
<211> 457
<212> DNA
<213> Homo Sapiens

<220>
<221> allele

<222> 56
<223> 99-28735-56 : polymorphic base C or T

<220>
<221> misc_binding
<222> 36..55
<223> 99-28735-56.mis1, potential

<220>
<221> misc_binding
<222> 57..76
<223> 99-28735-56.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 438..456
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 44..68
<223> 99-28735-56 potential probe

<400> 39
ttgtcctgat taccatttct aagactaaag aatctttacg tggtgaaagt cctagycagc   60
catcattcgg cacaacagtg gcttgtcaaa agggtatgta gcaggtcata ccagcctcag   120
gagggtagag caaagcaaaa aaggaaatct tgccatgtca tgtttcaaag ctcttgtgaa   180
tcttgagatc tcattagaaa tctgtcacag ttttaataga gtcccaccaa gatgtgctct   240
gcctgctctt ttgcaggttg gtcaggatag gaagcagggc ctccccagtg ccagttcctc   300
ggggaacaat tcacgagaat ctaaggagtt gtctcccagc agtgccagga aagagtggct   360
gccaaaatgt tactagtaat taaggactag gcacctgagg gcagcaacta agcacatact   420
agttattata acatccagta gaacaaatga aactcct   457

<210> 40
<211> 453
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 399
<223> 99-28736-399 : polymorphic base C or T

<220>
<221> misc_binding
<222> 379..398
<223> 99-28736-399.mis1, potential

<220>
<221> misc_binding
<222> 400..418
<223> 99-28736-399.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

29

```
<220>
<221> primer_bind
<222> 434..452
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 387..411
<223> 99-28736-399 potential probe

<400> 40
gtttcttatt actgattctg aacatctgtc acaaagcaga ttttgttcag gacattatga       60
acaactgcat cattcattac cgggtgaaat aagtgtaaca ccaccaggcc actataccac      120
cagtgacatt catttcccac aaaacatcaa cactgaaaca tacactacac atgcacacaa      180
aatggcatga atacaatgat tattcaatgt atagtctaaa tatttcttat cctttttaatc    240
cacttgtatg aaattccttt tctcaagata gatgaggggt aaaagtgaca ttttctaacc      300
ttctcctcta cttcgaaatt ctgtgaactt cctctaatca gaactaagta gcggtgcagt      360
ttctctttaa tgataaatga tttgttggtt ttttgtgtyc attgcttaga agcagtgagt      420
gttaaggaca acaccttaaa agtgttagct ccc                                  453

<210> 41
<211> 458
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 319
<223> 99-28738-319 : polymorphic base C or T

<220>
<221> misc_binding
<222> 299..318
<223> 99-28738-319.mis1, potential

<220>
<221> misc_binding
<222> 320..338
<223> 99-28738-319.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 441..457
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 307..331
<223> 99-28738-319 potential probe

<400> 41
ggagagacac actgagacat tctcttctag tccagactat gagagcatgt aacacatata       60
acatgagacc cagcacctag caccgtgtca gacacatgat tatctgtgta atgactgagt      120
aagcaaattc agagatgtgc tctcaaagcg atctggcagc aagttacttc cttcatgcct      180
tcactgacct tgactctgac attgttcttc ataccaggat ttttagagac ttctcacttc      240
atccaaacac cccagctggc agtgctacta gtgtgcagcc accatcaggg aaaagctttg      300
gattctatgc aaaacaggyc ctcagggttg taacaatgtg ggggcctgag tggcaagggg      360
cccagggctg aagtcagagc cctagaggag actcctggct acctagatgc atctgggaaa      420
```

```
          ttaacccctg ggccttgctc gctgtwacct gcaatacg                      458
```

```
<210> 42
<211> 509
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 364
<223> 99-28739-364 : polymorphic base C or T

<220>
<221> misc_binding
<222> 345..363
<223> 99-28739-364.mis1

<220>
<221> misc_binding
<222> 365..384
<223> 99-28739-364.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 489..508
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 352..376
<223> 99-28739-364 potential probe

<400> 42
ctcctcctcc aaaacacacg gagacactgg tatttgtgtg cacatgtgtg tacatatgta      60
caaatgtgtg actatgtatg tgtacgtgtg tacacgcaca ctttcttttt aggaagactc     120
caaatcatct cgggacttta gacctggaga acgtaagtct cctgggtcag acgcctacca     180
ggctgtcctc ttttatccaa actggcagat ctgcattggc tttaggcact gaccctcatt     240
cacatggctg tgtgcccaga gcaggtatcc tataccccgt gtgattctca ttggtctaaa     300
tccttgcaaa tgatggatgt agggtaagca tgtgactcag ttctgcatac tgggatgtga     360
ggaygggtaa actaggaaga aattcctgga aaagttttct cattcttaaa ggaacacaag     420
gatgagacac ctccttccgc cagagtgtgg ccatgataca tggaactgtg gtagtcatct     480
cgtcccgcca gggaaacaag acagaggcc                                       509
```

```
<210> 43
<211> 549
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 185
<223> 99-27875-185 : polymorphic base C or T

<220>
<221> misc_binding
<222> 165..184
<223> 99-27875-185.mis1, potential
```

31

```
<220>
<221> misc_binding
<222> 186..204
<223> 99-27875-185.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 531..549
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 173..197
<223> 99-27875-185 potential probe

<400> 43
taagggtaaa ggagagagat ttaagattaa tatagtaaaa accctataaa cctaacttta      60
agttaactat taagtatcta tattaactca tgaaaagttt atcttttaaa aaatatcaac     120
ttcctagctc agatcactga caaggtttat aattagtgat caataccatc cccactaata     180
agtaycaagt accagggctc cttggagaaa tgtctgattc caagtctggg acaggaaatg     240
tataagatga gatggcaata tcttgtcata ttaaaggaag ttttcagaga ctacaagggc     300
tgtgtcaaaa ggactcagca gagaactcct agtcaccaaa gactggacaa tttaaccacc     360
aataagataa ctgcaactga ctgaatatca aatatttgaa tctaaagttc acaacagtag     420
gaggaaaaaa cgaaaaggca ggcaggaact cgtgcatttc tgaaggatgt tagggaacca     480
actaatggaa aacaggttta aaaagacaag gggtgggaga atggatgaag macttattct     540
caccttcct                                                            549

<210> 44
<211> 462
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 176
<223> 99-27880-176 : polymorphic base C or T

<220>
<221> misc_binding
<222> 156..175
<223> 99-27880-176.mis1, potential

<220>
<221> misc_binding
<222> 177..195
<223> 99-27880-176.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 444..462
<223> downstream amplification primer, complement

<220>
```

```
<221> misc_binding
<222> 164..188
<223> 99-27880-176 potential probe


<400> 44
gtagggtgaa agttgtggca ggaggattgt tctagatatc tagggcagac aacattgctg        60
aagttggggt gaggatgtat cagtaaccaa ctggagttct ggaaacaacc tccgtccagg       120
tatttggggg gcctatatga cagaaaggcc agcaagcaag cttaccctca tcactyactt       180
ggcctctatt caaatagcct acttttgtct gatctatcca gggatgtgtg ggaaggcata       240
ttggggctgg tgagttctat atttctttag aaatttatta tgactcagct gtttatgact       300
taagtttttt gtgatttcta tacgttattc ctggtatcat ctcttagagt aatacattcc       360
atataaaata cgaggtgtag ctaaacataa ctttctaagg ccccaaagtg ttttcccagc       420
cccagcgccc acccatttcc tgtcttctct tcttactcac tg                          462


<210> 45
<211> 497
<212> DNA
<213> Homo Sapiens


<220>
<221> allele
<222> 373
<223> 99-28747-371 : polymorphic base C or T


<220>
<221> misc_binding
<222> 353..372
<223> 99-28747-371.mis1, potential


<220>
<221> misc_binding
<222> 374..392
<223> 99-28747-371.mis2, complement


<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer


<220>
<221> primer_bind
<222> 478..496
<223> downstream amplification primer, complement


<220>
<221> misc_binding
<222> 361..385
<223> 99-28747-371 potential probe


<400> 45
agcaacactc agtgggctcg tcgccatgac gccagcctgt ggaggaaagt ggggaggggga       60
ccaacacagg acccctgtgg cagaagctgc cttggaactg agaaacatca ctagaactca      120
tcaagccctc cacccacctg gtgcagatga actgaggtct gaagagggga gaccacctgc      180
ccaaagggag aaaagcagtc agtaggatgg ccgggattag atctggctct cagttcctag      240
ttcctatgaa gtaatgcagg gagaagacag ctggctggca ggatgccagc agcatccctc      300
caggggggca aggggctgcc tttctctaca ggctttttagg gaccagacct tctcaatcta      360
gatagacaga atyctccctc ccaggacatc cccagaagcc acagagttct gggggctctc      420
agagatagca ggagaccacc accccagaat gaggatagcc attcttggtg tgagcrggat      480
ttcccctacc caaggac                                                      497


<210> 46
<211> 448
<212> DNA
```

33

<213> Homo Sapiens

<220>
<221> allele
<222> 352
<223> 99-28753-353 : polymorphic base C or T

<220>
<221> misc_binding
<222> 332..351
<223> 99-28753-353.mis1, potential

<220>
<221> misc_binding
<222> 353..371
<223> 99-28753-353.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 427..447
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 340..364
<223> 99-28753-353 potential probe

<400> 46
```
ccacagccct cgctattaac catggggcag tactccctcc acaagaggca ttcggtttgc      60
gaggagagct tagaggtttg gaaagaagac tcatacctcc ggcctggagg atcagggagg     120
acttagccct ctgagctgga cttctgggga caggttggat tttagcaggt gagtgtaata     180
ggcacaggag aggccctcta ggctgagggg actgagcaaa ggcaaggaga caggctgggc     240
tttgtgcctt gggaggagtg tgttgtatgg agaacaggga gtaggagaaa gaaacaatga     300
ggctggggag gggcatggag gtcaggtgat gcagggcatt ctacagggct tyaccatctg     360
gagagggagc ctgggtgagc ttgtgagcag agaagctcaa ttttgggagc acactgtcct     420
ctggaggaaa ggagaagtaa ggggattt                                        448
```

<210> 47
<211> 471
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 207
<223> 99-28755-206 : polymorphic base A or G

<220>
<221> misc_binding
<222> 187..206
<223> 99-28755-206.mis1, potential

<220>
<221> misc_binding
<222> 208..226
<223> 99-28755-206.mis2, complement

<220>

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 452..470
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 195..219
<223> 99-28755-206 potential probe

<400> 47

```
tcttgaggga tatgaggcat tataaaaatt cctgggttgt gggagaatga gtacttatca    60
tcttctcctt tgagttaaat ttttttgtgc ccaattttat agaaatcatg tggatccctt   120
ttgcaaatgg atgaatgctg ttagaagctg aacaggcaag gctgtatgtt tggagaagct   180
gggaccctat ccgctgcact cagagcrggg accatccgcc aagggagaca gggaagggtc   240
tgtgccacct gctggaggga gggcagagga aggcagggag aaggctatgg gtctgctgac   300
aaacccacgc tgcctctgag ggtgagggaa ggttgggctt tcctgaaggg aggggcctcc   360
atttcctgtc tgatgctggc atggcctgtg ctaggtgtcc ccgtgggctc tcattcagcc   420
ttcactgtga gcctccgagg tggacttaga tccattgcta aacagatgag g             471
```

<210> 48
<211> 541
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 366
<223> 99-32333-366 : polymorphic base C or T

<220>
<221> misc_binding
<222> 346..365
<223> 99-32333-366.mis1, potential

<220>
<221> misc_binding
<222> 367..386
<223> 99-32333-366.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 520..540
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 354..378
<223> 99-32333-366 potential probe

<400> 48

```
acttagttca ttctttgagg ttaaatgtcc tagaaagaac yayacggttg atgtctaaca    60
ttacgtacac tcaagcttta gaatggccaa gtggatgacg ctgtttcttt caattaacct   120
gacatataca acctctcctt tctagccatt cttctggttg gctttcctag taatctgccc   180
```

```
aggagtgtaa cttctgcagg cagaggtgag gtaaaaatgg tgaagtaagg caaggagata    240
aagaggaaga aggcaaggag cagtgattca gaagcatcag accgaaaaga aaatttgtgg    300
gagctgatga agacttctta taaacttcta tcttcagcaa tacttgaatg ctaggaaagg    360
ctataycccca gacaactatt atcccattta tgatctgtca agctttcaca gtgaaatcac    420
tcaggattct tatttttttt aaaaaaaccc cagatccctg ggtctcagac ctagtgaatc    480
agcatctcca gagtagaacc taggaattca catctttacc ccaaaagtac cccagacaat    540
t                                                                    541
```

<210> 49
<211> 416
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 323
<223> 16-38-323 : polymorphic base A or C

<220>
<221> misc_binding
<222> 300..322
<223> 16-38-323.mis1

<220>
<221> misc_binding
<222> 324..346
<223> 16-38-323.mis2, complement

<220>
<221> primer_bind
<222> 1..28
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 389..416
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 311..335
<223> 16-38-323 potential probe

<400> 49
```
agttgctctt ttatgttttg catcttacct ggtattgcct ttgcccattt cactgctgca     60
atcacttgcc gccctcctaa catgttgagc gtagtcatga tcctccaagt tgagtctgga    120
acagagctat catatcctgc atataacact tcaggttcaa taacctccaa cagtgacacc    180
agggtagggg tgagttgtgg taacgttgca ggaactattg ttttgttacc aggattttca    240
gaggtttctt gtgagactcc tgtagtggcc tgctgaattc ctttattttt tttctttgtt    300
tttcgagctg tgggtattta aamaaataca tagaaatgaa ctgtaatggg aaggtctgcg    360
ctacacagtt tattcaagaa·gtatttttac tttctaaaac tattaagatg ggagaa        416
```

<210> 50
<211> 506
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 179
<223> 99-28484-179 : polymorphic base A or T

<220>

```
<221> misc_binding
<222> 160..178
<223> 99-28484-179.mis1


<220>
<221> misc_binding
<222> 180..199
<223> 99-28484-179.mis2, potential complement


<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer


<220>
<221> primer_bind
<222> 488..505
<223> downstream amplification primer, complement


<220>
<221> misc_binding
<222> 167..191
<223> 99-28484-179 potential probe


<400> 50
gcggctacaa aatattctgg tactccatcc tagaccagag tttcaaggtt cgttatcatt        60
tgtagcatga tactggatcc tcacagtgct tgcctttcat tcaggtgcca ggaaacgtct       120
gcctgaatga atgggtgtaa tttacctgca cattttacat gcttctctag gtgtgtgawt       180
aactcataat ccatccatga ctttcaccca taatcctcct tgtagcaatt gctttgcttg       240
caacaaaact aagtagacat atctagcttt atgcatggtt ttctctctct gaactctaac       300
ataaactcag cctcaggaat tattcggttt ctactacatt tgccattctg attgggaacc       360
accagcattc aggtattcac ctggaacaag gcattttgtt ccaagggttc ctcacttaaa      ·420
agcaagcacc ctagcaatag ttcataatgg aacttcttaa cattctcaga atgtttggca       480
cagctgtgag tgaacacaca ttgagc                                            506


<210> 51
<211> 486
<212> DNA
·<213> Homo Sapiens


<220>
<221> allele
<222> 364
<223> 99-30853-364 : polymorphic base A or G


<220>
<221> misc_binding
<222> 345..363
<223> 99-30853-364.mis1


<220>
<221> misc_binding
<222> 365..384
<223> 99-30853-364.mis2, potential complement


<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer


<220>
<221> primer_bind
<222> 465..485
```

<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 352..376
<223> 99-30853-364 potential probe

<400> 51
tgttctcaag caaggtcggc aaactatgac ctgcccgtca aatccaacct gccacctgtc   60
acctaacaat tctgtaactg ctcccacata caacatggtc gtcatcataa atcctatagg   120
tattgttgag agcaggagga aagtttggtt gagtgagtga gagaccttac ccaagccttc   180
ctgtggtctc taggagtcat ggcagagttc gctgacactg gtctgctttt aaccagcctt   240
gccagtgacc tttcaaattc cctgaggagc aaaaggccaa attgaacctg aaagaaaaca   300
cctctcagtg ttgactgagt tgcagtagaa aatggacctg acaaaacgtt agtacacttt   360
ctcrattggg ttagctcaaa atatgttatt aggtcttttt tccagaggaa aatgcttaca   420
cagaccctct tcctccccac tccttcacct ctacaggaga aaatgaggmw wyacagaaca   480
ctatta   486

<210> 52
<211> 467
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 198
<223> 99-28485-198 : polymorphic base G or T

<220>
<221> misc_binding
<222> 179..197
<223> 99-28485-198.mis1

<220>
<221> misc_binding
<222> 199..217
<223> 99-28485-198.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 449..466
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 186..210
<223> 99-28485-198 potential probe

<400> 52
gcattataag gcaacacctg gatctgaatt cagctctgcc taattccaaa atctatgcac   60
ctcataacct tgtgactgtt gcctggcagg ggcctgcaga gtagcatcca ttaagcttga   120
cagagttttt taagattatg tgggtcactt aacagacagt cttaaggtaa ggttaaacat   180
caaagttaat ttctgttktc tatctatcct gccccttcta tccttcatat cacaatggag   240
cacaaattat aattaagaga tacaaaagca ttcagtcact tccatttttt tctttagata   300
cttactatat taagtcttaa atgaacatat tggcattcca aattattaag ataatgtcat   360
gctggtcatt gaaatgctaa attaacatga agactacatt tcaaaaatac aaaagtataa   420
ataggagtgt tttgtatatt cataccacga tttttgccct tagagga   467

```
<210> 53
<211> 474
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 354
<223> 99-30858-354 : polymorphic base C or T

<220>
<221> misc_binding
<222> 334..353
<223> 99-30858-354.mis1, potential

<220>
<221> misc_binding
<222> 355..373
<223> 99-30858-354.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 456..473
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 342..366
<223> 99-30858-354 potential probe

<400> 53
aatctactgg gaaactgtcc atttcaacaa gagcacctca gacagtaact ggaaagagaa      60
atagctcata ttctcaggaa cgttagtcat cttgaagcag catgattcgt gatacctgga     120
aaatgcacat ggcagtcact aaaattgggt tctagggata cttttaataa gatttgagag     180
gagctggatc cattcattcc catggtacct aacacagcac cactacacag caggcctgtc     240
ccaaatttcc tttgctgctg gagaacatcc tcatgggggga gcccccaagc tgcctaggaa     300
atgggttaac aggagggcac tcaggatct ccttcagttt ctccagccat cttygctgcc     360
acgcccaagc ccaggccacc ttcacctctc acctgggcgc ttccactggc cgcctgacac     420
atcttgtcac tggcttccac tcttgctccc agaacccctt cttcacatag cagc           474

<210> 54
<211> 489
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 311
<223> 99-32002-313 : polymorphic base A or G

<220>
<221> misc_binding
<222> 292..310
<223> 99-32002-313.mis1

<220>
<221> misc_binding
<222> 312..331
```

<223> 99-32002-313.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 472..488
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 299..323
<223> 99-32002-313 potential probe

<400> 54
aagaccacat ttcagcaagg actggctctg aatgacacct ggattctatg gcctttccct   60
ccactttggg aagctcttta gttagacagg tactgtaggc ggcaggagaa aaaaagctaa   120
ttattacttg ttggagtctt gtctcaggca tgctgtgggg ctgtgcaaga ttcgctgctc   180
tgctgctgtt gtcattttga tgctacaatt acagagaggc ggttcagcac ccagccgatc   240
ggtgtggctg ccaaacacat ttgagcatga caagataaat ttgttagaca ccagcacagg   300
gtgggtgaga rgacatcctg ctgactttat aaagtgatgt ggggcagggt tgtcgaggta   360
agtgatgatt gtcaagtttg ccagagatga tagataactc ctttggcaga acacctaggt   420
cattcctttt aaagtcaggt agctaagagg ctgtttggtt tctgcagcgc tgctacctac   480
ttggggaac   489

<210> 55
<211> 526
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 366
<223> 18-15-366 : polymorphic base C or T

<220>
<221> misc_binding
<222> 347..365
<223> 18-15-366.mis1

<220>
<221> misc_binding
<222> 367..385
<223> 18-15-366.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 507..525
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 354..378
<223> 18-15-366 potential probe

<400> 55
atgaaattag aatgacctac atcaaagagc taggaaaagc cattgtcaag agggaaggaa   60
actccagcca gaactggcag cggtttttatc aactgacaaa actcttggat tctatgcatg   120
aagtaagtgt caaacataaa gccaaatata agagttttct gggacaaagt atgtttttgat   180
tagtgaatat aattatatac cagcagcgcc cccaccccccg cccccagttt gtggatgttg   240
gtgatagctt gagttcaact tatgaacttc agttttgtag acatttttcc taaggccaat   300
tatgaaatat cctttcacct agtcatgtgt atataaaatc accatgttat tacagaattt   360
agtaayactg tttttaaaaa gtatgattaa tccattaaat tagaataatg caccctttcat   420
atattatggt actacagtga ttcatgaaat aattctatat aattctacat acaatcaaag   480
aaatataaaa tgtgttttgt acggaagtgc ttattttttca tctggg   526

<210> 56
<211> 426
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 174
<223> 18-20-174 : polymorphic base A or G

<220>
<221> misc_binding
<222> 155..173
<223> 18-20-174.mis1

<220>
<221> misc_binding
<222> 175..194
<223> 18-20-174.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 408..425
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 162..186
<223> 18-20-174 potential probe

<400> 56
ttctctcttc agtgttcatg aaccacagat aagttccttt cccacatttt cacagtcata   60
ggatccagta aggaaggccc gagtgatact tgctgggtca ctgagctggt gatgcctggg   120
ctcagctcca gacatgctgg gtcccaggcc tgagcttgtg tcttcaaact aggratacat   180
caattactta attattgctg gtacaaaaca gggtctaagg aaggccaggc tcaagagcac   240
agttaaaaaa gaaatcccct ccacagctgc ccttgccctg gttggggtgg aggccagcag   300
gcccctcatt gccaggtagg aagcattaga tacgcctgat gagctagaag ctttcttttt   360
tadacaatga agtagaggca aggtgttcta actccccgtc cagagaagag smaggaaagc   420
tagaac   426

<210> 57
<211> 458
<212> DNA
<213> Homo Sapiens

<220>
<221> allele

```
<222> 178
<223> 18-31-178 : polymorphic base C or T

<220>
<221> misc_binding
<222> 158..177
<223> 18-31-178.mis1, potential

<220>
<221> misc_binding
<222> 179..197
<223> 18-31-178.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 437..457
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 166..190
<223> 18-31-178 potential probe

<400> 57
gtttttgtat gattcagtgt gaattaaatc ccacagtgta aaggacttta cttttcttaat      60
gtagattttc aaatacacaa ttactgatgt ttataagtag atttattaca ccaaagcacc     120
tagcaaattc ttgaatggat caggtcttat ttttcagtct tactttgcaa atttaagyca     180
aataattaag gatttgttaa atatttgtct taatatcaag cttttgcata tcggggccct     240
cttttataag ctttataagc aatcttttgt tttctctgct tgctcaaagt agctatgttt     300
gttgtatctg ttagtatttg ctctataaca aacatactgg gtgccttccc acttagattt     360
ggcaattatc actcctgtaa atgagatatt acataagata ggaaaaagaa cagtatcttt     420
ccaagaagaa tagtatcctt ccatattaac agtttaga                             458

<210> 58
<211> 474
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 395
<223> 18-38-395 : polymorphic base A or T

<220>
<221> misc_binding
<222> 375..394
<223> 18-38-395.mis1, potential

<220>
<221> misc_binding
<222> 396..414
<223> 18-38-395.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer
```

```
<220>
<221> primer_bind
<222> 456..473
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 383..407
<223> 18-38-395 potential probe

<400> 58
actgtaattg tatggtaaca tttaactgta caggacttgg gaagttaggt ctagctgtga     60
gtccaagaaa aggaaatgat tttgttcatc agccaacaat ttttgctata aaagcaaagc    120
aatgtgagtg ggggccctaa aaatccccac tgttttcgcc attctgacta ccacccactc    180
cccaccaaag gtccctgggg cacaccctgc agaccttatt actttagggc acacattttg    240
aaaagggctg actttgctaa tttgacttgg cattttgatt aaagttactt tcatattttg    300
attaaagtta taactgcatg atacaggcat actcttatca ccagtgcttt aagaacatga    360
aacgggaagc tgatgacttc taaaccattt cacawtgagt ctaaattcac tgcttaataa    420
taaataacaa tgataataat agtaacagat gtgtaccact cacatatacc acca          474

<210> 59
<211> 469
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 192
<223> 18-2-192 : polymorphic base G or T

<220>
<221> misc_binding
<222> 172..191
<223> 18-2-192.mis1, potential

<220>
<221> misc_binding
<222> 193..211
<223> 18-2-192.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 450..468
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 180..204
<223> 18-2-192 potential probe

<400> 59
catcaaaata tcccaaaaga tgtttggaaa atatgttttt ataagaccta tagattgtga     60
ttgagtaggt ttgaggtggg gcctgtgtat ttgtattttt caacaagctt ttcaggtgat    120
tatgataagc aaccagattt agaaaccagt gaataagttc aacgagatga tttgcacagt    180
ggcctctttt aktcatcact taggttctgt tattttttaga gccaaattaa tcaatcagtg    240
cattgtttta acatccttgc cttacatatc ttttccaaaa atttttaatt ttaaagggaa    300
gaagggaaag ggaaagataa tttcctatgt ttgtgtgaac acatccttgg ctcttctaat    360
aatatgaaat acagtaaata atgacttgta actattataa ttgttttaa cattcatgaa    420
```

tgaaaactaa ctacaatgtg ggttgattgg attccaggtt tcactctgc   469

```
<210> 60
<211> 451
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 211
<223> 99-26921-210 : polymorphic base A or G

<220>
<221> misc_binding
<222> 192..210
<223> 99-26921-210.mis1

<220>
<221> misc_binding
<222> 212..231
<223> 99-26921-210.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 431..451
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 199..223
<223> 99-26921-210 potential probe

<400> 60
gaggaagatg ggttacttat ccatcaaatc atgttagtca cagactcatg gctgcttttc      60
ggggggcatt agccccaccc gcactgctca cctgcctggg tttgagccaa gaggagctcc     120
agtggccaga gaaagcctgc aggcaaaaac ttgcatcaga cagaggcctt aagttcatgt     180
gtatgaaaat aagtgccaag gagatttggt rggatccctg caatgtctgc tacaaatgtc     240
aagactcttg gctggaaacc tggccagaat atggttccac ttcctgaaac cggaaacatt     300
ggtggccaaa gaagaaggag caggcaaagg aagggagctg gcaaaggaga ctggtggagc     360
actagcgatt taggagggaa gcaggaaatt gtactatcat gggagtgatg agaagtgacg     420
ttttagaatg cccakttaat acatagccca a                                   451

<210> 61
<211> 327
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 250
<223> 16-215-80 : polymorphic base C or T

<220>
<221> misc_binding
<222> 231..249
<223> 16-215-80.mis1

<220>
```

44

```
<221> misc_binding
<222> 251..270
<223> 16-215-80.mis2, potential complement

<220>
<221> primer_bind
<222> 171..188
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 284..303
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 238..262
<223> 16-215-80 potential probe

<220>
<221> misc_feature
<222> 29
<223> n=a, g, c or t

<400> 61
ccctgcccac cttccaagta actctgtgna acctcttggt tcccttgaag ggtgattcgt       60
caacccgtgg gcaggatttt ctttgcgggc acagagactg ccacaaagtg gagcggctac      120
atggaagggg cagttgaggc tggagaacga gcagctaggg aggtaagcag gaaagcccag      180
gctctctccc tcccccatgg tgactttctt tcaggtctta aatggtctcg ggaaggtgac      240
cgagaaagay atctgggtac aagaacctga atcaaaggta agtttggtga ctctgggcac      300
tatctctcct tagaccaatc atggaac                                         327

<210> 62
<211> 480
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 368
<223> 18-132-368 : polymorphic base C or T

<220>
<221> misc_binding
<222> 348..367
<223> 18-132-368.mis1, potential

<220>
<221> misc_binding
<222> 369..387
<223> 18-132-368.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 461..479
<223> downstream amplification primer, complement

<220>
```

```
<221> misc_binding
<222> 356..380
<223> 18-132-368 potential probe


<400> 62
ccccaactaa ttctcccctg ttgttcagaa tgaaattcag aatatagtgt catggaaatt        60
gaactggcct ttttaactgt atcaaacatg gtagaaagat tggtgagcat gagaaaacac       120
caaaagattt atcgaagtac acagtgtcct ctggctgttg gccctgtgc cttgtctgca        180
gattggggaa tcaccccagg tcgggcaatg cttgctctcc attggcctcc catgtattcg       240
aattagcatt gagagcaaga gagaggcagg aacgagaaac agggtcctgg aaatttgttc       300
tcttgggggca agtgcatggc cactgatgcc tgaagatttg gatgcagacc agacaacctc      360
ttggggtyct tttctgcatt gaggtttgat ttttattgag ttaaaatctt aacaataaag       420
atattttagg atggggccag actgcaaagt acataaaagt caggaaggag aacacaaaga       480


<210> 63
<211> 505
<212> DNA
<213> Homo Sapiens


<220>
<221> allele
<222> 292
<223> 18-133-293 : polymorphic base A or C


<220>
<221> misc_binding
<222> 273..291
<223> 18-133-293.mis1


<220>
<221> misc_binding
<222> 293..311
<223> 18-133-293.mis2, complement


<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer


<220>
<221>.primer_bind
<222> 487..504
<223> downstream amplification primer, complement


<220>
<221> misc_binding
<222> 280..304
<223> 18-133-293 potential probe


<400> 63
agatgtgaga agtgtggcta gctgacagcc ccttgctgtg attttcttca ggatctgcct        60
cagctttagt gttaacttca caatattctt ggggaaacac aagccaatga ctaaacaaaa       120
cagtcttcat aggaaaaccc gcagtgaatg actaagcaag gcagtggtat ggagctagac       180
atttattcca gttgagtaac tccgggcttc tctgagaagt atctttcact gggaactccc       240
acttggctgg cagagacttt ccagatctgc atctggatag ccctcttctg amgtttcctt       300
tcagaaagag agataaagtt tatttttgt ttgtatgaag atgaatttct tttgccttca        360
caattgaata acaacttacc ttggtaaagg atttttggct caaaataact tttcctctga       420
accgtttctc cccagtgcct aatattgagc aaatgtcaag cctagagaac agttaaaaga       480
atatttgacc aacaccaaca tagtc                                              505


<210> 64
<211> 450
<212> DNA
```

46

<213> Homo Sapiens

<220>
<221> allele
<222> 191
<223> 18-12-191 : polymorphic base A or C

<220>
<221> misc_binding
<222> 172..190
<223> 18-12-191.mis1

<220>
<221> misc_binding
<222> 192..210
<223> 18-12-191.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 431..449
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 179..203
<223> 18-12-191 potential probe

<400> 64
tttgcctagt tttgactgtt ggagcatcat attaaagttt tacatattaa aaaataaagt   60
caacaaggtt ggggaataca tgcaaaaaca aaacaaaatc cctaaatgtg aacaattggt   120
atcagaacca cagagaaaaa aaattcaaac taatcctagc attttgaaga caatgctttg   180
actatatgcc mttggtggaa aacattctaa agataaaatt gcaatgaaat tttaaacatt   240
gcatttcatt tattggtagt ggtatgggta tagaaattct gaaattaatt tcttgtatgg   300
taggatatag aaaatataaa taataaatat atcaatggtt tggggacaaa gttactcact   360
gtgagaaaaa tgaggaaaaa taaagaattg gaaagtagca agagtcctgt gttcgtgaat   420
tgggattaaa ggtattgata tataggagca   450

<210> 65
<211> 536
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 138
<223> 18-11-137 : polymorphic base A or G

<220>
<221> misc_binding
<222> 118..137
<223> 18-11-137.mis1, potential

<220>
<221> misc_binding
<222> 139..157
<223> 18-11-137.mis2, complement

<220>

```
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 516..535
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 126..150
<223> 18-11-137 potential probe

<400> 65
tttctcaagt ggctctggca tctgttaaaa tgccaaactc gtggtcctta acaccttgtg      60
atgctggcac ctctctgcag acttttctca atgtaacctc agaagttggg gaggactggg     120
gagaagggag gtcctgcrgg gaggagaaaa gggaaagtgg gcaactccac tgaaggctgt     180
cacacatttg ggggctgttc ccgacagttt taccttcctc tttgggcccc tcctttctct     240
tccctctcag tccccttgtc agatggttga tggggatcac tgggagttgg ggtgactgtc     300
aggaaggcag agaggggggtt tgggcagcag gtgggaagtg gggccaggtg gcctctcggg     360
gttctcccac ctcacagttc tggggagttc agggttctgc aagcagagtg atccttaatt     420
aataaacagc ggggcaggct cgggctccac gtcaggaaaa ctgcagtcag ccacgctggg     480
ccacccgccc tctgcagagc acacgcaaca gcgcagtcat taaagctgaa ctgagc         536

<210> 66
<211> 454
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 96
<223> 18-93-96 : polymorphic base G or T

<220>
<221> misc_binding
<222> 77..95
<223> 18-93-96.mis1

<220>
<221> misc_binding
<222> 97..115
<223> 18-93-96.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 436..453
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 84..108
<223> 18-93-96 potential probe

<400> 66
caaatgccaa agggttcaca atgctgagat ttatcttact gttattttat aattttgagc      60
agcatttggt tttagtgggt tgtggcagaa attgtktctc tacagaatat tatcttaaga     120
```

48

```
gaacatattg aacataaagt taaaagtttt ccatcccttg aaattcacta gtggtaactt        180
tgaacttcaa gaaaatgtca tttgagtttg ataatgtctc aataaagcct ctctctgatg        240
actaattctt agtcatctct cccttctctt acttcatatg gcacttatta tagctttgtc        300
acttgatcta gactactctg cattgctttt tatttttttt tctggaaaca tcaaggttag        360
gaatcatgtg ttatggttct gtgtcactcg tacctggggc acctaagtgt acatatatat        420
gtgtgtgtgt gcgctctggg ctgtttaacc ttat                                    454
```

```
<210> 67
<211> 553
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 343
<223> 16-115-343 : polymorphic base A or C

<220>
<221> misc_binding
<222> 320..342
<223> 16-115-343.mis1

<220>
<221> misc_binding
<222> 344..366
<223> 16-115-343.mis2, complement

<220>
<221> primer_bind
<222> 1..24
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 533..553
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 331..355
<223> 16-115-343 potential probe

<400> 67
caccgtcaca ataaaagaaa ctgtggtctc tacacctgcc tggccccaca tctgtgccac         60
agagacagac cctgggatcc tcagactccc acaccccccac cccagcctca ctcagaggtt       120
tcgccctggc ctccttcctc ctctgggaga tggctggccg ccctggccag gcagctggcc        180
cctccgggcc tggtttcccc gctcaccctg aggccccgcc cagctctgag ccccaagcag        240
ctccagaggc tcgggcaccc tggccgagct gccccatctc cgtggggtgc cctcccaagg        300
tggggagcca cgtgacagtg ggagggcctc tctcaggcct ggmagggagc aggggtcaca        360
aactgtgctg gctggggggtg gtctcagagg tgggcctgca ggcctaaccc tccctgctga       420
cagggctccc agcccttgag agaaacaggg atggaggaac agctgccctg atgccctcac        480
ccacccggag caggccctgc gaaccaaggg gaacctcagt gtggcccccca gcatgtgtgc       540
tgatggggag ggt                                                           553
```

```
<210> 68
<211> 171
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 140
<223> 16-42-140 : polymorphic base A or G
```

```
<220>
<221> misc_binding
<222> 121..139
<223> 16-42-140.mis1

<220>
<221> misc_binding
<222> 141..163
<223> 16-42-140.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 154..171
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 128..152
<223> 16-42-140 potential probe

<400> 68
cattgggcgc aggcagagcc tcatcgagga cgcccgcaag gagcgggagg cggcggtggc     60
agcagcggcc gctgcagtcc cctcggagcc cggggacccc ctggaggctg tggcctttga    120
ggagaaggag gggaaggccr tgctaaacct gctcttctcc ccgagggcca c             171

<210> 69
<211> 494
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 176
<223> 18-251-176 : polymorphic base C or T

<220>
<221> misc_binding
<222> 157..175
<223> 18-251-176.mis1

<220>
<221> misc_binding
<222> 177..196
<223> 18-251-176.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 474..493
<223> downstream amplification primer, complement

<220>
<221> misc_binding
```

<222> 164..188
<223> 18-251-176 potential probe

<400> 69
gaaacccct cacacatcct ggcctctact cgtacacaat attttctttt ttttaacttg   60
gctgcagtga aaaagaatat ttttagtaag ctacttgttg tttacctaaa gcagccttaa   120
gaagcccaga gcaggggatc tgttaagtga acgtagaagt ggaagacaga tttgcytctc   180
tcaggcacta gggcacttgg ctgtagaggg gtgagtatgg caaacatcat gggaattatg   240
agtagtgcgc ccacatccaa agctgcacgt gggttttcct gggcaaagaa actcaatgac   300
tgtgcatcaa gagtgtaccc agtctgacag caggaaattg acagaaacga acagccccaa   360
gccccagggc acatggaggc actcacctca ggcacracat ttcagcagga gccaaaatca   420
aaataaataa tattttatta caatttttta aaagacagga tctaacaggg ccagatgagg   480
gtaaagcgag tgaa   494

<210> 70
<211> 478
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 44
<223> 18-269-44 : polymorphic base A or G

<220>
<221> misc_binding
<222> 25..43
<223> 18-269-44.mis1

<220>
<221> misc_binding
<222> 45..64
<223> 18-269-44.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 457..477
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 32..56
<223> 18-269-44 potential probe

<400> 70
ctcatggtca gttgctcctg gcttggcmag atggatggtc aggracttga aaggaacaca   60
tttgggaaaa cggtagcagg aggtgtgggg aagtgttgtg tggttagagg tctctgaaag   120
ggcagagcgt gaagatcctc gcagcccatg tgacatttgc caaagggcaa ccgcctcagc   180
cgaggagaag ctcagtgacc aggtagacaa gatggccctt tctttgggca tcagtcaggc   240
tccttcccca gccaccctgt cattgtcagc aggctggtga agatagagac tgtggtagca   300
gggatggagg tcacacatgg gatcggcaca ggggctccac tcaccaaggc ccatccacta   360
agtgcccgcc tgccccagtg ttgcaggggga tctgccagcc tccaggtgga gtggatgata   420
tgagacagct gccggcatgg aactggcacc gctgcgcttt caccaggata gaggcttg   478

<210> 71
<211> 927
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 624
<223> 16-218-624 : polymorphic base C or G

<220>
<221> misc_binding
<222> 601..623
<223> 16-218-624.mis1

<220>
<221> misc_binding
<222> 625..644
<223> 16-218-624.mis2, potential complement

<220>
<221> primer_bind
<222> 1..22
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 906..927
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 612..636
<223> 16-218-624 potential probe

<400> 71
gaatcccttt caccctccat actgtatcca aagatcactt ttttcaaagg tcacctaggc   60
agaataatca aattaatgct tttaatttgg taatactgaa aagtaaattg caatgtatgc   120
acacacagat tgaaaatcag gtgccacaga catgagcatg cacagagaat ttctgcattc   180
tcatgcctta gtttatcaaa taaggaaaat gtataaaaag ctactccaca attggtgtgt   240
gaatatatta ctttatctaa atgcatcttc tcaggccagg catggtgatt gatgcctata   300
attccaactg ctcaggagtc tgaggatcgc ttgagtcctg gagttctagg ctgcagtgag   360
tatcacagtg ccttcagcct gggcaagaaa gtgagattct agctctaaaa tattttaaaa   420
ttcatctttt caccctcagtt tgtgtgcctc tgctggaaaa gaaagtccaa aggttattgt   480
tacattatgc aaataaatatg ggcttgcaat caaaagagct ggttcctaat tctcacttta   540
ccactaactt gctgagtgac ttcaggtaag tcacttaact tctctggttc tcatttaaac   600
caagtgatct ctttaagtca tttstaatgt gaaaactgcg tgatttaatg agatatacat   660
tttggataat gatatggtta gattgtgtcc ccacccaaat ctcatcttga attgtagccc   720
ccataattcc cacgtgttgt gggagagacc tggtgggagg taactgaatc ataagggtgg   780
gttgttccca tgctgttctt gtgatagtaa ataagtctca tcagatctga tggttttaga   840
aaggggagtt ctctttcaca tgctctctct tgcctgccac catgtaagac gtgtctttgc   900
ttctccattg ccttctgcca tgattgt   927

<210> 72
<211> 479
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 330
<223> 18-393-330 : polymorphic base G or C

<220>
<221> misc_binding
<222> 311..329
<223> 18-393-330.mis1

<220>
<221> misc_binding
<222> 331..349
<223> 18-393-330.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 459..479
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 318..342
<223> 18-393-330 potential probe

<220>
<221> misc_feature
<222> 457
<223> n=a, g, c or t

<400> 72
```
agtgtacttc gtgattgggg caaactctgg gccagatctt gtggtctgaa attcagactc   60
tgcagtttac taactgtgtg attttgagtg actgcttaat ctctctgggc cccttttctt  120
catctgtaaa gtggggggtaa taatggcatc cacttcttag ggtagttgta accaataaat  180
gagttaatac aggaaaggcc ctttaataac tatgccataa tgttttttgct attattttta  240
ttcctgtaag aaaaggagcc aaagagtgga ataagatgag tttatattga gatcctaaaa  300
gacagaaagc tagtccctgt ttctcaatcs tccttctaaa gtcactttaa ccatcagctc  360
ccatctatgc agacagcaaa ctcagcaaca agaaagagcc cttaatactt catctcaagt  420
caccagaaac tcataggaag gcacagaaga ccaagtnaca aactactcct ttcattcct   479
```

<210> 73
<211> 518
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 402
<223> 18-394-402 : polymorphic base A or C

<220>
<221> misc_binding
<222> 382..401
<223> 18-394-402.mis1, potential

<220>
<221> misc_binding
<222> 403..421
<223> 18-394-402.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind

<222> 500..518
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 390..414
<223> 18-394-402 potential probe

<400> 73
```
cttctgagga taacaaacac cmatgggaaa ggcaacttat taaggtacat attacagtct    60
tctaatgtct aaagccagct agacatacat ttaaatccca gcagaaattc tctgaaaggt   120
ttgcctccac cctaggtctt ccaacattag aagaacttca gagagaaagt aggacatttt   180
gtctctcttg ggtatttggg aatcaaggtg cagacttggg gtagcattgg gggtcccatg   240
aagaattgaa tacctaggct tatatcaaag ccgcccctac ctatacatgc tccccagtgg   300
cccctgtggc ccaatattcc aagaatggct cggggaatgg ccagctcccc cacagtcatt   360
tcagattgga gcaggctcct tagaagtcct tggtgtccga gmcttagtcc cacaatggat   420
gctggatatg ggtcaacatc ctggattcat ggagagagga gggcatgtgg caaaatatag   480
ttaacttaca ttatttcttc ctcattatcc cctcaatt                          518
```

<210> 74
<211> 587
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 55
<223> 16-217-55 : polymorphic base A or G

<220>
<221> misc_binding
<222> 32..54
<223> 16-217-55.mis1

<220>
<221> misc_binding
<222> 56..74
<223> 16-217-55.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 568..587
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 43..67
<223> 16-217-55 potential probe

<400> 74
```
aacaggcgac tttgtcaagc ccagtcccct ccgtagctgg atttcacctc caggrcagcc    60
agctggacag acaggcagat gcaggctcag cccccctggct gccgtgggac acacacacac   120
acactgccac agccactgcc caccacacac acctagtgca gatgctggca cacccccaga   180
aggaggctca cagctcgcag gggagacctg ggctggacaa aacccagggg aggggagggt   240
gtgtggggac caggcccctg ctgagaaccc tggggggaag cctgaggggg aattggggga   300
tggagcccac actccacacc aggtctggcc ctcgagtggg tcggccttgg tgccagcccc   360
tctgcggcca gagaaaagca gcttagggct gagctggaga cgcggtgtcc ccgactgtgg   420
gggagggggga ctcgaggttt ccccttgatg gacacagtga atccaggcgg ctggggcaga   480
```

```
gaccagcagc acgggacacg cgtgacctgt gctcctttcg agccgcagac gtcacagtga    540
cgacgtttaa gctcctaatc tccccaaatc ggcgggaagg attagag                  587
```

<210> 75
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 139
<223> 18-284-139 : polymorphic base C or T

<220>
<221> misc_binding
<222> 120..138
<223> 18-284-139.mis1

<220>
<221> misc_binding
<222> 140..159
<223> 18-284-139.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..449
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 127..151
<223> 18-284-139 potential probe

<400> 75
```
gactcctagc ctcattgaag gatggttaga gaggcacggg gagctatcta gtggcaggcc     60
cacggtatat gtttgctgct ttctacaaat acgagatcaa aggaaaataa agcaggggtg    120
gttcctgtca gtgtggagyg agacccggga aagcatcctg gtggctgtca ggccttgctc    180
acggcccctt tctctttcag ggagaggatc ctccacagtg gtatcctgct gcgtgcccct    240
ccaggacagc acccagaggc ccgaattgct gctgcacaga gagcactcgg cctcacccca    300
cgttttccct aagttctgtc tagtaattcc actttggaga gggggggtgtt ccttgacaga    360
tttagagagt tgatgtaact tcctcggatc agttctgctg gctccatccc ctacctgctc    420
agccctgcac aaagtggcta agcacgccac                                     450
```

<210> 76
<211> 520
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 305
<223> 18-285-305 : polymorphic base A or G

<220>
<221> misc_binding
<222> 286..304
<223> 18-285-305.mis1

<220>
<221> misc_binding
<222> 306..325
<223> 18-285-305.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 499..519
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 293..317
<223> 18-285-305 potential probe

<400> 76
gaggtgggag aaattacagc tgaggtagaa gctgcctcgg aaggccaggt gaagagccac   60
acctgtcaga tgggcttgtg gcctgcgttg ggcagggact cccagcaggc tgctgtccgg   120
ccacagttca gcctctgccy gaggcccggc cctgcctgtg ctccttatcc tatagctgca   180
gggccagctg aaagaagcaa ggcgtttccc tcccccatat cctgttctcg tagcatttat   240
ggtgcagtct cccacgcctg actgctgtct acttagaaaa ctgctgaaag ccagttgcat   300
ttcaratagt gtctgtgcca ccttcagagc ccttttgtga tcatgtttta tcagcttatt   360
ttatgtttta tgtgtgggct tcggcgatct ggggacatct ggtcaaccag ggcaggcaac   420
cttgtttcca agtggcagat gccagggtgg gtccagtctc cagaaaggga ttttccctgg· 480
gaccattggc acctgttact tgtagtcttt tcagccttgg   520

<210> 77
<211> 486
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 239
<223> 18-289-239 : polymorphic base C or T

<220>
<221> misc_binding
<222> 219..238
<223> 18-289-239.mis1, potential

<220>
<221> misc_binding
<222> 240..258
<223> 18-289-239.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 466..485
<223> downstream amplification primer, complement

<220>
<221> misc_binding

<222> 227..251
<223> 18-289-239 potential probe

<220>
<221> misc_feature
<222> 154,156
<223> n=a, g, c or t

<400> 77
taaaaagcag ccgtgtccca cagcaaggct gccctgtgtc ccacagcaag gctgcctctc   60
cagctcaaaa aaaaatcctg gcgacagatc ttgagactct gctgctgtgg gactcttcct   120
gcacccacca cccagggcct caggaaggag ctgnancagg gtgttttaga aagaccttac   180
tctataaatg caaaaaccca gacttagtta acaaaagcct attacaaaga cattttctyc   240
tattgctacc tctccccatt taaatcctgt ctgtacaaaa aaataaaaac attagctggg   300
catggtggca cgtgcctgtg gtcccagcta cttgggaggc tgaggtgaga gcagtgcctg   360
agcctgggag gccgaggctg cagcgagccg ggatcctgac gccgccctcc agcccggcca   420
cagagaaaga cccacagagc ttskccgcag ccctcgtcca gcgcactgag atccctcacc   480
aaggac   486

<210> 78
<211> 453
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 91
<223> 18-291-91 : polymorphic base C or T

<220>
<221> misc_binding
<222> 71..90
<223> 18-291-91.mis1, potential

<220>
<221> misc_binding
<222> 92..110
<223> 18-291-91.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 432..452
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 79..103
<223> 18-291-91 potential probe

<400> 78
cctccatgca ggaacagcct accctggact ggatccagct ctctcccagg cccaggttgt   60
gggagaaatg ggggacctcc gcctcccaat ygtgctggct ggaactttcc tgtgctgggg   120
attcggcgtt tgcagccagg gtggccagtc agggtgccag gctcccatct gaacactgac   180
agactgtggg ctgtgcagtc tacagcattg ggcacaacct cagcttgcta aaatactcag   240
tgcaggctgg gtgtggtggt cacgcctgta atcccagcta ctcgggaggc tgaggcagga   300
ggatccctta aagctaggga gtcaaagctg cagtgagccg agatcgtgcc actgcactcc   360
ggcctgggtg acggagaccc tgtctcaaaa aagaaaagaa aacgagtatt gggtggagag   420
aggaccaagc ccaattacta ctttagtgcg gct   453

<210> 79
<211> 460
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 391
<223> 18-186-391 : polymorphic base G or T

<220>
<221> misc_binding
<222> 371..390
<223> 18-186-391.mis1, potential

<220>
<221> misc_binding
<222> 392..410
<223> 18-186-391.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 442..459
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 379..403
<223> 18-186-391 potential probe

<400> 79
tagggggtcaa ataaatgcat actatgcgga cagacagaga ttttcgattt ttttttttta   60
gtttaataaa gtttgaaaac tttcaaagct cctgtacaat tccattaata ccagacttgg   120
caaaacgcta attctgtttg aaaggtgtt tttttaaaag tagtatattt gaacaatgtc   180
taagtatgtg gggtggggag aatccatatc cgaatatctt cataaagcaa gttcttaaaa   240
tttgcaaagc tattaggtta gtgcaaaagt aatcatggtt tttcttttgc accaactaat   300
atttaccact gaacacgctg gcatttagat cacttccttc tttcagcatg ctagacagta   360
aagagaatgg gcatgaggtg gcaggaagaa kgaaagagtg aagataatgg agttaggtca   420
gtgagggata tttcctaaat tccccacttc ttttcctcta   460

<210> 80
<211> 460
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 130
<223> 18-194-130 : polymorphic base C or T

<220>
<221> misc_binding
<222> 110..129
<223> 18-194-130.mis1, potential

<220>
<221> misc_binding

58

```
<222> 131..149
<223> 18-194-130.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 439..459
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 118..142
<223> 18-194-130 potential probe

<400> 80
agctggaagc ctgtttggct tactattggt aagaaaaagt taaaatttta atctgtctga    60
acattatagt acatccaaat caataaaatg ttttagttgt ggttttcat cagttttaat   120
cagataatgy cttacttctg tagatatagt ctagtatagt tcaaataaaa agacagttgt   180
acatagataa gacaaagcat attgtgaaaa tgttgggaaa tttaggttat tttaatgatg   240
gctgagaatt tgtgaacttt tctcatatgc tattaaactg aattactagt aaatttatgg   300
taccgagtat atcaaacagt gagggattta aagtaatttt gcaatttgct aaaatttcat   360
ccttaacata ctggctaaga gtgaaaaagc aagaagagag aaaaggaaaa ggatggaact   420
aagacaattc tattagaagt ggggagatgg caagaaaatt                        460

<210> 81
<211> 459
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 252
<223> 18-198-252 : polymorphic base A or G

<220>
<221> misc_binding
<222> 233..251
<223> 18-198-252.mis1

<220>
<221> misc_binding
<222> 253..272
<223> 18-198-252.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 438..458
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 240..264
<223> 18-198-252 potential probe
```

59

<400> 81
ctgaaaaaag agctgacaaa attcaatccc taattaaaat gtttagcaac taaagttatt   60
ggttaatttt gagaattgat cctgtgttaa caaacatcac caaagtctca aggcttacaa   120
tacaaaggtt tatttctcgc tcatgctaca tgtccattgt ggacggctgt ggctcctcac   180
tgtcttcatt ctaggactga agctgaaggc acagtaccta tatgcaacat attgttcata   240
tggcagaggg grgaaaagca atgacttaat caagcaatga ctcctgaagt tttgctcaga   300
tacagcatac atcacttcca ctggctaaag caagcctcat ggctaagcct gatatcaaga   360
aggtaggaag tatactctct cacagggagg tgcacctggt agaaggactc tattatagag   420
ataaactcag tagagaggat tgccgaatag ttgtaaata   459

<210> 82
<211> 476
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 299
<223> 18-242-300 : polymorphic base A or G

<220>
<221> misc_binding
<222> 280..298
<223> 18-242-300.mis1

<220>
<221> misc_binding
<222> 300..319
<223> 18-242-300.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 455..475
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 287..311
<223> 18-242-300 potential probe

<400> 82
acctgacatt aagagacaag cagccgggat ggctcctaac cagatcttct ttccctgttc   60
ccaaaccatc tttcttcata gccggctctg gggatgagga gcctgggtta ggaggaaggt   120
ttgcaattga ccaggttcct gttttgaagg cttccaccta gacttaagat agcaccgctc   180
agaagatgga tgtgtgttta gcaatttccc attttattac ctgcagacaa agaaaaaaaa   240
agatataaat agatgtttaa ccacacaaat aattcacatt actgtcttct ttatgactrt   300
gaaataataa aataaaatta aatcaacagc aataacaatt tcggcacagt ggttactagg   360
caaaatctgg aaaccaaatt gaaataagaa aactcataaa ctgggtgttg ggagcacact   420
gtggaatttt tcttggtcaa aattctcaca gagtgttcaa gtgaaaggtg tattaa   476

<210> 83
<211> 3001
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 1501

```
<223> 8-15-126 : polymorphic base A or G

<220>
<221> misc_binding
<222> 1481..1500
<223> 8-15-126.mis1, potential

<220>
<221> misc_binding
<222> 1502..1520
<223> 8-15-126.mis2, complement

<220>
<221> primer_bind
<222> 1376..1395
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 1792..1810
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 1489..1513
<223> 8-15-126 potential probe

<220>
<221> misc_feature
<222> 15,619,631,646,2196,2462
<223> n=a, g, c or t

<400> 83
ttggaaacag gctcntgagc agttgggtag agaattccct gagtgtggtc tagacagggt    60
tgtaaactta gtggaccttc tccttggcac tgtgggaggt tacaacatca ttctatagag   120
gttagaggca taaccagtag agggtgcctt agtccttttg ggctgctatc acaaaatacc   180
ataaactgag tagtttataa acaacagata tctatttttg acagttctga aggctgggaa   240
gtccaagatc aaggcaccag aagattcagt gtctggtgag ggcctgcttt ctggttcata   300
gatggctgtc ttttcactat gtcttcccat ggtgaaagag attagctagc tctctgggtc   360
tcttttataa aagcactaat cttattcatg agggctctgc cctcataacc taatcacctc   420
tcaaagaccc ccacctccta ataccatcat attgggaatt aggatttcta catatgaatt   480
tagggagaca caaacaccga gaccacagca gaagaccaga gtggactcct ctatagcacc   540
tcctctagag cttggggcaa gagtcacttt tgcttgggtt tcagggttac tccctaagtc   600
acaggcctta tgtcttccnc ctagccttca ngaactgtga gacaantaaa tttctgctct   660
ttataaatta cccagactca ggtgttctgt tatagcaacc caaaatggac taagatagat   720
gggtttcatt attcccacat tttacatggg aagaatctgg agctcagaga ggtaaagtaa   780
tatgcataag gtcccagagt taggaagcag cagagctggg attgtaatcc tgcaacagct   840
tcccatctca ctcagagtcc aagcatggta ctttcaatag ccctgcacaa tctgtctacc   900
tcacaccctc ctattctact cctgcctcac ttggctccag cctcaccaga ctccctccta   960
tgacttctat gtgctagccc ttcctgctgg cccgtgttgt tctcactgct cagactgcta  1020
tcacatctga taactgcatg gtctgcttcc tgatctcctc caggtcaaga ctcaattgct  1080
gatttctcca tgaggagttc ctgattatac tcagatactc actcacatac gcacaatctt  1140
cacccgttac ttacctgcct ctctgatttg tctccaatat acgtatcatt attgaacaca  1200
ccacatcttt tatttatctt gtttattatc tgtcttctcc tctagaatgg gagcttcaaa  1260
gggaaggaat taaaatttta tctgttttgt tcattgctct atctccaact ctcacaacag  1320
tgcctactat atagaaaatg ctcaataaat atttgctgat gcaataaata aaaaaatgta  1380
actaagcaac caagccccaa agagtctgat tttattaata ttgttttctg tctcctcaca  1440
ggaagcccct tggcatcacg cacctccctc tgggctatgg catctctgag ccagctgagt  1500
rgccacctga actacacctg tggggcagag aactccacag gtgccagcca ggcccgccca  1560
catgcctact atgccctctc ctactcgcgc gtcatcctgg ccatcgtctt cggcaatggc  1620
ctggtgtgca tggctgtgct gaaggagcgg gccctgcaga ctaccaccaa ctacttagta  1680
gtgagcctgg ctgtggcaga cttgctggtg gccaccttgg tgatgcccctg ggtggtatac  1740
ctggaggtga gtagacttca ggtgcatgtt gtctctatga ctgtgctagt acttgtcttc  1800
```

                                        61

```
cctgagttct ggcctttggg gctcaaaaga ctccccagac agtcaggaac tgaggaagga    1860
aggagagctc tcattctccc tgtaatgaga gagttaaagc tctggaaaac agtcaccatc    1920
ctgtccctca tccacatcag aaccaaggag ctgagaatga ttctgttcat gggtctccag    1980
tgttcaggtg actggatttg agtgacggga ctcttcctaa tatggcctag agtttattct    2040
ctgtgccaga catgtctcaa tgacatggtg ggctgggtga agcagtccag aagacctctt    2100
caccagtgtt taatgtatat gagggtgagg gtgtgcagga gggatgtgag gccaggagga    2160
aaaaggaatt atagaaaaaa aaaattagtg aatgtnaagg gaagatagaa agaatgacca    2220
gcgaacagat cagacttctt tcgatggctc agtccctctt tgctctttcc tcctgggtac    2280
cagttctcca tagactctgc taccaaagga acagacaaaa ccctcaaatg tatattttcc    2340
atgtgtccat gaatagtaca gagcctttgc cagagagata gtgcagcaga tcctggtgaa    2400
ttcttttggg gagaaacatt tattaaattt gaaagtattt tcaattggga gtgcaaaaca    2460
gnagccaggg ggtggtcaag acaaaacacc catttgctaa caaagaaatc agggtgacca    2520
tatctgttca agaaacagat attcttacca ggaaaacatg caattactta agatatgttt    2580
ttttaaaaaa acctgagtat actattaata tttctcctct gcactgtgtg tcattttaaa    2640
gaggtatcca atgaaggatc aaaatgatgc tatgattaag agaaattaag attcatcaaa    2700
ttaatatctc agttaatatt gatagtaaaa gtgacagtta attaagtatg acatatcacg    2760
ggagagcaaa aaccttgtac atagactgcc tgtgctaata cctttgttaa agaatggctg    2820
ggaactaaaa ttagacttat gatctcaagg gggagacata aagagagaaa aaaagaaaac    2880
agagaaataa aaggaaaaga agaaaaacaa ctaggctgtg tagatctaaa ggctaaggga    2940
atacttgagg aaaaaatatg catttattct tcccagttag gataatccta gttgggaggg    3000
t                                                                    3001
                                                                     3001
```

```
<210> 84
<211> 2684
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 1501
<223> 8-19-372 : polymorphic base A or G

<220>
<221> misc_binding
<222> 1481..1500
<223> 8-19-372.mis1, potential

<220>
<221> misc_binding
<222> 1502..1520
<223> 8-19-372.mis2, complement

<220>
<221> primer_bind
<222> 1130..1148
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 1534..1552
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 1489..1513
<223> 8-19-372 potential probe

<220>
<221> misc_feature
<222> 240
<223> n=a, g, c or t

<400> 84
```

```
aaggccaact ttgaggttgg agaatcccca acccttttatg aagactggcc gggtgtacca      60
acagttgttg ctcacagtgc tggatgaagc acagatgttc catgtcacaa tggtaaagag     120
ggatggggag ttaaaattat agaaagaaca ttggcttggg cataaaactg gctgcaagaa     180
catattttttc aggtgcagcc ttgggctact tactgaacct ctctgagctt taatctgctn     240
catccgaaaa gagagacagt aataatggca cctgtctcat ataacgttgc cataattatt     300
aggtgggata aggggtacaa agctcttggc tcatcgcctg gcagatatta gtttgctttt     360
cttttctttt tcaagatggg gcacgtttca ggcccatctt gggccttgga ggaatctcag     420
catctgctat gaagaaggca aagctagagg gacctcccaa ggagaaatgg caggaacatt     480
tcaggatata aagcagggac aaggacccctt ctaagtgcac attctccatg tcacaatatc     540
attacctgcc ttttttcccat cccacctctg acaagtgctg ggattccctg aaaaatcaaa     600
tctctgtctt gtattcagcc gccatctgcc ctccatccca gattcaaaat tggagaactg     660
gcattctcag caaataaggc ttcttccttt cattgcattc aaacaattct ccaatgcctc     720
cgcaccagca ggcccttttc tgagggctgc atccctcctg ggagcctctg ccctgttgcc     780
ctgtaatgct ctccccagcc tcccaggctg catgtctctg tgtgacactt gtgacatcct     840
atgaaaggga tcatctgtct atctagactg tttgctccct tgagagaaga catggtgtct     900
cattcatctt tgtagcccca gtgtctggcg tatgattgtt ggtaacttttt tattttaagc     960
aagctgtaag aaactcaaag atgaattaga ccttctaccc tcaaggacct gacagtatac    1020
gtatctgaga ctgcatcctt cccaccccct gtgcagcaga aagtgcaggc accacacgtg    1080
acatggagcc gtgtttttatg ctccttactg agttctgata cttgctaact gctttacctt    1140
ccccccttctc atccacaggg gaccccactg tctgctccat ctccaaccct gattttgtca    1200
tctactcttc agtggtgtcc ttctacctgc cctttggagt gactgtcctt gtctatgcca    1260
gaatctatgt ggtgctgaaa caaaggagac ggaaaaggat cctcactcga cagaacagtc    1320
agtgcaacag tgtcaggcct ggcttccccc aacaagtaag tacccctggag ggggtagagg    1380
gaagacaaca cccaatctcc tgacttccca gcctgtgtcc agcagtgcat gattttgccg    1440
tttagctaaa ttggagacac aaatctgaca ccgactttgg aatctgctaa ttttggctgc    1500
rctttgaagg taggaaatcc aatctcaaga aaacattgat agttgcctct agagcctgcc    1560
ttacctggca aagtgattgg agagctcctg ggcttgttct gcttcccttc aaagtctttc    1620
attttcccca aatgggcagc agctcagatg tcccacaggt tttgaagttt aagtgcagca    1680
gttgtacctt gcactgctgg tgggttccca gaactgactt tttgtctaaa ccactcatgc    1740
caagaatcac tggggtccat caaagccttt tttccttact ggatctgtcc gtgtgtcaag    1800
gaactgacaa gctggtggga tagggtgctg ataaagcatt ttattggatc tttctaggct    1860
ctgaaaagaa atgtcattgc ctctgcaatg atcttctaat tgctagggct ttaatttctc    1920
cttaccccat tgcctggcac ttagtagttt tcccacgatg tacttgaagc atgaatggat    1980
atataccgat cacttgaaat ctactaggga agggacagtg gtaacattaa acagcatctg    2040
ccttcatgga gcttagaatc tagaaaagca aataaagcac ccctccactc aatgttaatg    2100
aagatcccag agctgaatag gatgtttgcc aaatgtgagg tgaagacaat taagcactca    2160
attatgaagt gctctggagg ttatagaaga gaaacccaa tatgctcagt gatatggttt    2220
ggctgtgtcc ccacccaaat ctcatcttga attgtagctc ccacaattcc catgtgtcat    2280
gggagggacc cagtgggagg taactgaatg atgggggtgg gtctttccct tgctgttctc    2340
atgatagtga ataagtctca cgagatctga tggtttttatg aggggagtt tccctgcaca    2400
aattttctct tgtctgctgc catgcaagac gtgcctttca ccttccacca tgattgtgag    2460
gcctccccag ccacatggaa ctgtgaatcc attaaacttc tttttctttta taaattaccc    2520
agtctcaggt atgtctttat tagcagcatg aaaacaggct aatacactca ggaaagggct    2580
ccatagacag agtaagaatt gagtttgatc ttgaagacag atccaatttg ggtgtctaga    2640
ttaatctttg atgacctaga taatctttttt tttttttttt tttt                     2684
```

<210> 85
<211> 711
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 428
<223> 99-2409-298 : polymorphic base A or G

<220>
<221> misc_binding
<222> 408..427
<223> 99-2409-298.mis1, potential

<220>
<221> misc_binding

<222> 429..447
<223> 99-2409-298.mis2, complement

<220>
<221> primer_bind
<222> 131..148
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 560..580
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 416..440
<223> 99-2409-298 potential probe

<220>
<221> misc_feature
<222> 27,108,118
<223> n=a, g, c or t

<400> 85
```
ctcaaagatg tcgttgacga aggagtncat gatccccatg gccttagagg agatgccggt      60
gtcagagtgg acctgcttca gcaccttgtg caagtacacg gagtagcntc ccttgcgntg     120
cgcttggttt cttgccgtac ttcttctgcg ccgtagtcac ccacctcttg gaagccctaa     180
ttgggatcag gagcggactt tgttggctct ggcatgtcga gggcgcacta caggtcgagg     240
tgaactaaca gcagctcgag aaaacgggaa ttaatttaat gtttgtcttt actaccaaac     300
tgtaagtttc gtgagattag gaccatattt gcatcattca ttattatgtc tctgggaccc     360
agcacaatgc ctagtacata ttaggacttc aataaacaaa tgcaaagtag cgcatggggc     420
tgcagccrca gatctcctgg gatctgggtc tgggagcagg cagtggcatc tgacacttca     480
tatcccttaa agaagacaaa atgtattcta tgacagatag ggaaccagag ccagggacta     540
gagtgtgact ccctgacttg ttagaggagg ttgggaaaaa tggccttgac tatcttccta     600
ggcagaggcg ggcaaactat gcaccccagc ccaaatccag ccctctgcct gttttggtaa     660
ataaagtttt attggaacac agttacatac tttttttttt ttttttttt t              711
```

<210> 86
<211> 3001
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 1501
<223> 99-339-54 : polymorphic base G or C

<220>
<221> misc_binding
<222> 1482..1500
<223> 99-339-54.mis1

<220>
<221> misc_binding
<222> 1502..1521
<223> 99-339-54.mis2, potential complement

<220>
<221> primer_bind
<222> 1448..1467
<223> upstream amplification primer

<220>

64

<221> primer_bind
<222> 1883..1902
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 1489..1513
<223> 99-339-54 potential probe

<220>
<221> misc_feature
<222> 120,890,929,2457
<223> n=a, g, c or t

<400> 86
```
atactataaa gattcagaga ctttccacat tagtaaaatt tttagaggtc cagtaggctg     60
gggaatgctg agacatgcac ttcaaagtaa aggacaaatt attgtaactt gcatttcccn    120
ataactaaga aggaaaccca gcaccaataa gcgtcttctg gttctgaaag cagcacattt    180
cacactcaga gacactactc tagcacatac gccagctgaa acatgagtct accagatttg    240
gagagagccc agagcaggaa agggctctgc agcaggacca ggcagtagtg caagctgctc    300
tgtcatatga tgattttggt cacatgatgt ggtagagcct acagtatagg aggtatcatt    360
gatagaaaaa ggctgtgtac attttatggc aggcctcaat aggcaaacac aaatagaccc    420
ctaggattca gaagcaagac aagcaatttg cagcagagaa ctatacgttt agataaatat    480
tcctggtgcc ctactggttc ctagtaggaa cacagcaccc aactatggga tgccaagggt    540
ccacacagca aggactgccc attgcgaatt ctgacagacc cccaaatcat gaaggcaggc    600
aggcctacca acaattgtaa ggaaggaaat gatacgtttg ggatcaggca ttagcagagc    660
cagagagcac aaataagttg cacgcatatg tggcccagac tactagggtc atccatcaca    720
tttgcactga tgcctcaccc ttagctcaca cttacggcag cataaagtga gggcaaaagc    780
tgagtttgat ttatgtacgg gtaagattgg aatgtagtag caagctaaaa atagactatt   ·840
gctatataac aggaccacat ccttagcgtg tcccagaaaa ttagggatgn agagaaattc   · 900
ttcctaatgg ataaagcatc agatggtgnc ctttgtcgag agaaatactc tgagataaga    960
tatgtatcac ttataggcag tagtgaatta tttggacagt tgactctata caacctggga   1020 ·
agtagaatgt cttagccagt tgatgtcagc cagctcctat cagtgctggc acaataggca  ·1080
cattaatgga ccatgggtaa ggaatggaga caccatccta acaagactaa ttgactttat   1140
tttatttttt tttgagacgg agtttcactc ttgtcaccca ggctggagtg caatggtacc   1200
atctcggctc actgcaacct ctgcctccca ggttcaagtg attctcctct gtcagcctcc   1260
caagtagctg ggattacagg cacctgccac caagccctgc taattttgt attttagta   1320
gacatggggt ttcaccatgt tggccaggct ggtctctaac tcctgacctc aggtgatctg   1380
ctggcctcgg cctccaaaag tgctgggatt acaggtgtga gccgcagtga ctggcctaat   1440
tgactttctt aatcaggaga agatagctct tctcttacat gatggcgaca gaaaagaata   1500
stcccttgcc taattttgat gataaatgga taagtacaac aaccatgact gagaaacagt   1560
ggtggtgatg gaagctattt ataggcccaa caacacgtgc tctcacttgc taaggctgat   1620
ctagttactg ccactgctga agatccagcc tgacagcaac agataccatc actgagtctc   1680
cagtatggct ccatccctca agaagaccaa ccagcttctt aatggcaaat tattcttctt   1740
aatgacaaaa tgggtccttt ccaccatgtg attccaccct gtgattttga tacgaatgga   1800
cactatcct attcatacaa cttcagctag acagtgccta tgtagcattt ·gatccactga   1860
aacaggatcc tgccaaacat tgcattggac taaagtaact gcttatgtta atggaagttt   1920
aaccttaatt acttccttat aggccttaac tccaaataca gtcacattgg gggttataga   1980
ttcaacatat gaattttgga aggctcttct tttcccagaa ttgtctttgc tgaaaatcaa   2040
ttgaccataa atataacgat ttatttctgg actgtcaatt ctgttccatt ggtctatatg   2100
tcttcttact gcaaatacca tactgttgat aactgcagct ttatagttag ttttgaaatc   2160
aaggattaaa cattctccaa ctcctttctt cccacgcatg gaaaatcact gatctctttt   2220
ctgtctctac agatttacct attctaggta cttttctttt taaacagtgt cttttggcta   2280
ttctaggtct tttgtacttc tatgtaaatt ttacaatctg cttgtcagtt cgtgatgaaa   2340
aaggctggtg gaattttgag agggattgtg ttgtctatat atcaatttgt agaaagttgc   2400
catcttaaca tattgagttt tcaaatctca gaacatagaa tgttagaggt ccctgtntct   2460
tttttaattt taaatttctt ttcataattt aaacattttt tctattgagg taaaattcat   2520
atagataaaa ttaactattt taaagtgaac aattaagtgg catttattac attcacaata   2580
tcgtacaaca actacctcta tctagttcca aaatattttc atcaccacaa aagaaaactg   2640
tgtacccatc aaacagttac tcctctttcc ttttctccc aacctcggac accacagtct   2700
tctttctgtc tctatggatt tacctgttac tctgaatatt tcatataaat gaagtcatac   2760
aacatgtgac ctttgtgtct gacttctttc gttagcacag tgagtgtctt caaggttcat   2820
tcacattgta gcatgtatca acttcattcc ttttgatgac caaatgatat cctattatat   2880
```

65

```
gtatatacca cagtttgttt attcattgat gaatatttga attctttcta ccttttggct    2940
attgtgaata gtgcttctat gaatatttgt gtataagtac tcatttgaat actttttta     3000
a                                                                     3001
```

<210> 87
<211> 1127
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 311
<223> 12-254-180 : polymorphic base A or G

<220>
<221> misc_binding
<222> 292..310
<223> 12-254-180.mis1

<220>
<221> misc_binding
<222> 312..331
<223> 12-254-180.mis2, potential complement

<220>
<221> primer_bind
<222> 132..152
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 586..603
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 299..323
<223> 12-254-180 potential probe

<220>
<221> misc_feature
<222> 952,958
<223> n=a, g, c or t

<400> 87
```
ctgccacaat ctcctgagtc cagacaatct agagcagaag ggtagactga ggaaaatata     60
cacagtataa aaaagtaaca aaatcaaaac ctgaaacaaa gatcaacatc caataaatgc    120
ttctgaataa agggagagta gataagaact ggattttaat cccaacactg ccatttacca    180
gctggccaat actgagctag ttactctaaa gagttcagtt ttctcatttg tacaaatagg    240
atttgtcttt ccatctcact gagttgtgat gagagtcata tgcaacagca tatgaagagg    300
ctagcaaaag rtatttaaca agcgttcaac attctcatga tgacatgaat aacactgtac    360
atacaacata ccaacttgat aaatacacag cacagttaat agctgagggc agagttatgg    420
ttgggaagag agagagtgca acataggcag agtgaggggg gattcccaca attttctaag    480
acagaaaagt gggggaatca gtagttactg gaaagaatag gcaatgcctg actggataga    540
aaaagattct atgcctttgt caaatttcac aaaagtgact taagcctata ctgcgggatg    600
ttcacactac gtcccttta g tgcagttacg gtacttcagg ctgcaagtaa ccaaatacaa    660
ctaaaattgt cttatacaat aagggcgtaa ttatctcata taacaagaag cttggcatga    720
aggaaatttc aacaatttca caacggcaac aaaaactctg tttcttctac cttttccacca   780
ttcctgtgtt ctcagttcca atatggctgc taacatccat atgtcttccc cgcacatctc    840
tttaaaagct acaaaaagat ttcccaaaag cgtcttggaa aatttcctgt cccatctcca    900
ttggccagac ccacctccca tgggactgcc tcttgtgaag cacacaaagg gncagatncc    960
aaacggtacc gttagggaga cccagaagat ggaccatcca ggatagagac atgaagggca   1020
gaagagggcc cagggatgtg tgtccctcag ctggactaca gggaaggagt tttggtcagg   1080
```

```
ggaagaaaag cctcatttcc tatcagtcac tggtggaatg actaaag                    1127
```

<210> 88
<211> 3001
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 1501
<223> 10-214-279 : polymorphic base C or T

<220>
<221> misc_binding
<222> 1482..1500
<223> 10-214-279.mis1

<220>
<221> misc_binding
<222> 1502..1521
<223> 10-214-279.mis2, potential complement

<220>
<221> primer_bind
<222> 1225..1244
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 1747..1764
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 1489..1513
<223> 10-214-279 potential probe

<220>
<221> misc_feature
<222> 2368..2369,2372..2373
<223> n=a, g, c or t

<400> 88
```
aatcattgag ttttgttctc tatattttct ctttatctaa gaatgtcttc ccccctccat      60
taacaatatc ctctcatttt attccattta aaatatccca gtggtgcctt gcaagtgacc     120
tcatctaact caagcatttg gtcatttggt aaatgtttaa ggagtgatat gcagtcgatt     180
ggtttgcata caaatattaa gttttttaat gtgaacattt agcaaatgac attcatgtat     240
ttgcatgtgt gtgtgcttgc acatgtgcac atgcatgtct gtctgcaggg aaaatatatt     300
catgcctttt gaaaattttt aaataatgtg ttatatttat agaaagattt ggaacctttt     360
ctctgaagaa gttaaagaac agatgtcatt gattcatatt aagcaagacc ctataaatct     420
tatttctagg tctcatgtat ttattaagca actccacacc ttaagcaggc tttctacata     480
gaagaggaag aagatagaga tggtttccat attattttca tattccacat tatttgtggc     540
tttaggccag ctatgtagct atcctgtatg tgtgctcaga caggagactc agccctgaga     600
gaaggcggtc ctctggcaca cctaggatgg ggaaggtact cccttggaag tcccaagctg     660
gcacttctgg atctccatgg caattttctt gcccatcact ccatggagat cagaatatca     720
ctctattgtg tcccctcaac actgaaggag tgtctcaata agaaaagttg agtcaaaaca     780
ctgtaggaat tgagaggttc cccacttgca ctaccttgt aaaccaagag aagatgttaa      840
aaaataaaac gataatgctt cctgaaggtg tcttcccatc tttacactag atgggttcaa     900
ttgagaggaa ttactggact gtggaagttg aagactgtcc acataattaa aatgtacaat     960
agctactcag gattaccttg caagtttcaa catacacaaa attaacttca taagatggtt    1020
taaaaagttt accgttatac ctaataatct ggtttaaatt tttaaaactc atccatttc     1080
gttaaaattt aaatcaaaaa agaacacggg ttcccatgaa tttgtctcag gtcaaacctc    1140
acacagaata ggtgctccat gaatattttg ttaaatgata gatgatgaat gttctcacta    1200
```

```
tccaatcttc acacatctta tagagtaagt ataacgaatc caagatttat agtgctgaaa    1260
gtagttttta tatgtttaca aagcattatt gtcagtaatt ttttttttact ttgatgctat   1320
actttctact tttgctttat ttaatgcttc tcaatatgct cgtttaactg ttgcagatcc   1380
ccctgaaatt acgctttgga ggacttcttc taacagaaaa acccattgtt ctaaaggctg   1440
agtcaaggga tgagaccgta agtggagcct gatttcccta aggacttctg gtttgctctt   1500
yaagaaagct gtgccccaga acaccagaga cctcaaatta ctttacaaat agaaccctga   1560
aatgaagacg ggcttcatcc aatgtgctgc ataaataatc agggattctg tacgtgcatt   1620
gtgctctctc atggtctgta tagagtgtta tacttggtaa tatagaggag atgaccaaat   1680
cagtgctggg gaagtagatt tggcttctct gcttctcata ggactatctc caccaccccc   1740
agttagcacc attaactcct cctgagctct gataacataa ttaacatttc tcaataattt   1800
caaccacaat cattaataaa aataggaatt attttgatgg ctctaacagt gacatttata   1860
tcatgtgtta tatctgtagt attctatagt aagctttata ttaagcaaat caataaaaac   1920
ctctttacaa aagtattatt ggatgtttcc tgcacattaa ggagaaatct atagaactga   1980
atgactgaga accaacaact aaatattttg atcattgtaa tcactgttgg tgtgggaact   2040
ggagtgcagt ggtgcaatct tggctcactg cgagctctgc ctcccaggtt cacgccattc   2100
tcctgcctca acctcctgag tagctgggat tacaggtgcc tgccaccacg cccggctaat   2160
ttttctattt ttagtacaga cggagtttca ctgtgttagc caggatgctc tcgatctcct   2220
gaccttatga tccacctgcc tgggcctccc aaagtgctgg gattacaggc atgagccacg   2280
gtgcccagcc caatttgatt attaacatag gtgagagtta acccactatg actttgccca   2340
ttgtttagaa agaatattca tagtttannt annacatttt tgatgagaca cagtggctca   2400
cacctgtaat cccagcactt tgggaggcca aggcaggcag atcatctgag gccaggagtt   2460
caagaccagc ctgaccaaca tggtgaagcc ccctttctac taaaaataca aaaattagct   2520
aggtatggtg gcacacgcct gtaatctcag ctacccagga ggctgaggca ggggaattgc   2580
ttgaacctgg gaggtggagg ctgcagtgag ccaagatcat gccactgaac tccagcctga   2640
gtgacagagt gagactgcat ctaaaaaata aaattatgcc tttttgtagc acatatattt   2700
tgtaacatac aactgaagcc agtattatat tattagtttt catttaatgt tttcagccca   2760
tctcccctga tatttctggg agacaggaaa tatgttttct tacacctctt gcattccatc   2820
ctcaactccc aactgtctaa atgcaatgaa catttaataa aaaaaacagt tgattggtca   2880
attgattgga caacaaggct gaaactactc atttcttttc ttttcctatt tcttcctta     2940
ttttcccttt ctgaataatt tagccctaga gccattaggt gggtggcagc cagatggtgg    3000
c                                                                     3001
```

<210> 89
<211> 3001
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 1501
<223> 10-217-91 : polymorphic base C or T

<220>
<221> misc_binding
<222> 1482..1500
<223> 10-217-91.mis1

<220>
<221> misc_binding
<222> 1502..1521
<223> 10-217-91.mis2, potential complement

<220>
<221> primer_bind
<222> 1414..1430
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 1759..1775
<223> downstream amplification primer, complement

<220>

<221> misc_binding
<222> 1489..1513
<223> 10-217-91 potential probe

<400> 89
```
gattgttggt acatagaaac atgcttggct tttgtttgtt gatcttgtat catagaacct      60
tgcagagctg acttagtatt tctagaagtc ttttgtata ttcttgagat tttatacatt     120
gacaattatg tcacttgaaa atagagacaa ttcttttatt tcctttccaa tctgtatgcc     180
ttttaattct ttttcccagt ataatgtcaa ataaatgtgt tgaatttttg aattgttcct     240
aatattagga aggaagcatt tggtctttca tcatcaagaa tgatttagat gaagtgggtt     300
tttttgtaga ttctctttat caaatggagg aatttttctct ccctagtttg ctgaattttt    360
aacataaaag agtactgtaa gtactcatta taaaacaaaa tatggctgtg gaagatgaaa     420
gagagtttca agcatgctgg cttgataggc cagatccaag ctggcaaaaa taattatctc     480
tttcttcttt ttttctatcc atggaataaa aaattaagag gaaagaatgt taatagaatc     540
gcattatttc ttcaaaatac gttgtgagtt ttaaaagtat tatctacctt ttttattata     600
ctttttttag ggtacatgtg cacaacgtgc aggtttgtta catatgtatg catgtgccat     660
gttggtgtgc tgtactcatt aactcatcat ttaacattag gtataactcc taatgctatc     720
cttccccct ctccccaccc cacaacaggc cccagtgtgt gatgttcccc ttcctgtgtc       780
catgtgttct cattgtatat ttttttaaat ctaccacatc aaggcacctc tttttcatgt     840
tgcccatggt ttaggtgaac ataaagacag agctcgtctg aggcaacata cagtccaaca     900
aagccacctg cctctctgtc tccactctct ctctacactg cacgcgtgct aggtgttgat     960
cctgtctatt ccagtggaag aacaggttcc gtaccatgtg gagaatttgc atgtaaaagg    1020
agactgggat atacaggctg agaccacat caggtggctg ggcatgtggg ataaatccta     1080
ttgagcatct gtcatagggc ctgtcactta gtagacagtc actaaatatt tgttaaatac    1140
atgatgcctg tttaacacat tttctacaac catggagacc tccacaactg atgtaggaca    1200
aaatctttct gctttgaact ctagcctttc gggccagtgg gatttatgaa aaatgccatc    1260
tctatagctg aggatgaaga atggaagaga atacgatcat tgctgtctcc aacattcacc    1320
agcggaaaac tcaaggaggt atgaaaataa cttgggtttt aattagaaac ttaaagaatg    1380
aatcaggtgg ggacaggtag aaagtaagat cagagttcct ttccgaggag tagtctgctg    1440
aatttgagct tcctaaaaat agtcttttta tgtacagaaa acacatcata aaattcatta    1500
yacaatgtca cttattgttc catgccaggc aaagtcatgt ccttctggga cttatgtctg    1560
cacatttaac tatgggtggt gttgtgtttt gtgcttagat ggtccctatc attgcccagt    1620
atggagatgt gttggtgaga aatctgaggc gggaagcaga gacaggcaag cctgtcacct    1680
tgaaacagta agtaggagca cagccatggg gttctgagct gtcatgagcc cctccagctg    1740
cctgctatgg agctgatact cccgctgttg ggttattcca gtgaccagac aaaaggaggg    1800
ctgtggtaat gcaacttcaa tgggtctccc aagatggggc agctccgatg aggaggtggg   1860
gcagctggag gaaaaggatc ttctcccctg tgcacagagg tcagggttta catatctgtt    1920
aaattgtcac cttggatatt ctggaggact aaatacatcc tttagggga aaagtgtgat     1980
tgtatcaaag ttttaagcat ggagtgtatg ggatggtgga aggggaaggc acttggtatc    2040
tgttggttgg cagtgagtag ggtgggaaag ttataatgga gaacttagaa taactttgat    2100
catttcatgt ttttttttctg agggtatcag tagaatacta aatattaaac attcccacca    2160
tttctttttc ctccagtctc aaagagagag ggtggtaaaa acgctatagg tggggcaagc    2220
ctattatttg ctgtctacac ttatgcagga acaacaggtg taatctgagc ctgtcctggg    2280
cagacagggg atatgtggtc actcactata gaagtttcca aatcaaattt tgagagtttt    2340
ttttaaccag gacatcattt gtcattatat tttacaaaaa taattctgcc atcagggcaa    2400
cctcagctca ccacagctgg ggatagtgga attttccaaa gcttgagcag ggagtataga    2460
gaataaggat gatatttcta ggagctcagg acatggtact gttgctttgt aaagtgctga    2520
agaggaatcg gctctgggca tagagtctgt agtcaggcaa tgtcacctgt cttgagcccc    2580
ttagaaagag tgaatttttc tactcttgtt ctgctgaagc acagtgctta cccatcttgt    2640
atcatccaca attaacacat gctactgcag ttgtctgata gtggatctct gtctttctat    2700
gactaggctc cttgacctca gaggtaagtc taactcagtt gagtgtctcc atcacccca     2760
gcggagagcc agctgtgtca ctgacacctg ataatcacct tctgagggag tgtgatggga    2820
gatgctccag taaatagttc tgaaagtctg tggctgtttg tctgtcttga ctggacatgt    2880
ggatttcctg ctgcacgcat agaggaagga tggtaaagag gtgctgattt taattttcca    2940
catctttctc cactcagcgt ctttggggcc tacagcatgg atgtgatcac tagcacatca    3000
t                                                                    3001
```

<210> 90
<211> 410
<212> DNA
<213> Homo Sapiens

<220>

69

```
<221> allele
<222> 168
<223> 99-28779-168 : polymorphic base C or T

<220>
<221> misc_binding
<222> 149..167
<223> 99-28779-168.mis1

<220>
<221> misc_binding
<222> 169..187
<223> 99-28779-168.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 390..409
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 156..180
<223> 99-28779-168 potential probe

<400> 90
tgactgctta acagaccaag ttgcttgcat tttgtatgtt tagccctcct ttgccactgc        60
ttttagagcc ttggaaggct aagtgtgata gtaatgctag ctctaatgca tatttaaagg       120
agactgcctc gcttttagaa gacatctggt ctgctctctg catgaggyac agcagtaaag       180
ctctttgatt cccagaatca agaactctcc ccttcagact attaccgaat gcaaggtggt       240
taattgaagg ccactaattg atgctcaaat agaaggatat tgactatatt ggaacagatg       300
gagtctctac tacaaaagtc tttgggtatt tgtttcttac atagaaaatg ctaacatgaa       360
tagaaagata ctggtgcaag accattcccg ggaaagtaga catacttaca                  410

<210> 91
<211> 479
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 300
<223> 99-28788-300 : polymorphic base A or G

<220>
<221> misc_binding
<222> 281..299
<223> 99-28788-300.mis1

<220>
<221> misc_binding
<222> 301..320
<223> 99-28788-300.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer
```

```
<220>
<221> primer_bind
<222> 458..478
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 288..312
<223> 99-28788-300 potential probe

<400> 91
tctacccatt ctgcttctct gatttttaat gcattgtctc tatcccaggc tactttggag       60
ggtcatcccg agtttgcaga taaattcttc cttcctcttt ggactcattt agaagaaagt      120
tgtaactatg gaaatgatgt aactagcctg ttaacatccc tcagcttcct gttagaaatc.     180
cccagtgaaa tgtggagagg ttggcttttg acctttgtgt tcaccatcat caccatcata      240
caatatttat gaaacaccac acacatataa ttctgaactg agccaagcac agagatcacr      300
tccactttcc tcaagggact tgtaatttaa ccttggtctg gtgtgctact tagaccaggt      360
gtggttacat aagaaggagg ctgctgccag caaccacaca ttaataacaa tctctctatt      420
ttagaataag tccaggaata tgttaggcat ggatgtagta aagtagccaa gaaagggga       479


<210> 92
<211> 499
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 263
<223> 99-32052-262 : polymorphic base C or T

<220>
<221> misc_binding
<222> 244..262
<223> 99-32052-262.mis1

<220>
<221> misc_binding
<222> 264..282
<223> 99-32052-262.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 478..498
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 251..275
<223> 99-32052-262 potential probe

<400> 92
cagagtgaca aataagtgct atggcttgat agaagtgaag ctcttcacat atattcaaaa       60
tacatatcac aaactttggt aaataggata gtaatctgaa gaacttttgc cctttttacc      120
ccatttactg taactcttgt ttctaggtaa tcgttctctc tcaacaaact tctcaagcgt      180
ctgtgtaaca agccacatgt tctaacaaat tgtctccatc gcacttcaac agccaggtcc      240
ctattttta taacgtatta acyttattat tttcttatta ttttaaaaga atctatgcac      300
attagcaaaa tttaaaagat agagaaaaat ataaacagaa aaaattatgt ttacttctac      360
caccctaaat caactattat caattttata catattttac tccatctttt ttcaaagttt      420
```

71

cttacatttt ccaatgtcat taaaattctc tgtgaatgta aattttaaaa actgtaccta   480
ctgttttttg gaatctgta   499

<210> 93
<211> 467
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 244
<223> 99-32121-242 : polymorphic base A or G

<220>
<221> misc_binding
<222> 225..243
<223> 99-32121-242.mis1

<220>
<221> misc_binding
<222> 245..264
<223> 99-32121-242.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 448..466
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 232..256
<223> 99-32121-242 potential probe

<220>
<221> misc_feature
<222> 72
<223> n=a, g, c or t

<400> 93
agcagtatga cagggaccat tctgggtctc tgggaagttc tcagctgcgg ggagctctgc   60
aggccgcagt tnccagctaa atgaacaact ttaccaaatg attgtccgcc ggtatgctaa   120
tgaagatgga gatatggatt ttaacaattt catcagctgc ttggtccgcc tggatgccat   180
gtttcgtgcc ttcaagtctc tggatagaga tagagatggc ctgattcaag tgtctatcaa   240
agartggctg cagttgacca tgtattcctg aagtgggaac tgagaagtca agatcctccc   300
tggaggacag gactgaaaac cttgccaagc tgtacacagt tgctgatacc ctgtgcaaca   360
gctctcattt cctggcaagc tctttcacaa ccctacatat ttctgatcat gtgctgcctt   420
ttactgctga attaaaacag atattcacga aaaatgttct gagtggt   467

<210> 94
<211> 469
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 169
<223> 99-32059-169 : polymorphic base C or T

<220>
<221> misc_binding
<222> 149..168
<223> 99-32059-169.mis1, potential

<220>
<221> misc_binding
<222> 170..189
<223> 99-32059-169.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 448..468
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 157..181
<223> 99-32059-169 potential probe

<400> 94
acaagaaccc acctaccttc cgggttaaga aatagaatat cccatacctg acaagcccac   60
atgcacccca cgccccctaa gcacattcac ccctgttccc tgctctaaaa taaacactat   120
cctgagtttg gcaaacacca cttctttgtt ttttctttat aatattacya tctatgaata   180
tatttctaaa caatacattg ttagtttatt cttcttcaaa ttttatgtaa aaggaatcac   240
actacagata ttgttctgtg acttatttgg cccaatatgt ttctgagatt catccttgct   300
gatgggggtg gctgcagttc acttgttttc agtgttgttt atagtaattc tattgtatga   360
ataataacaa tttatttatt catccaactg tgaaggacat ttggattgtt tccagttttt   420
ttttcttttt ggattttgaa caatgctgtc tataaacgct ttaggatgt   469

<210> 95
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 304
<223> 99-32061-304 : polymorphic base A or G

<220>
<221> misc_binding
<222> 285..303
<223> 99-32061-304.mis1

<220>
<221> misc_binding
<222> 305..324
<223> 99-32061-304.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..449

<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 292..316
<223> 99-32061-304 potential probe

<400> 95
cacaaaactc actattgcca tagctgcaat taaaatttag ataatctggc tgcttactaa   60
agcaaatagc ttgataaaat gtaccccaaa acagataaaa attatacagc aaaatatact   120
attttttaa ttcttaaatg tcaaatcagt atcatgataa gaattattgc acaatctttg   180
gttctttct ttaaaaccta ctgaggtccc caggaagaat tataaactta ataaaaaaaa   240
atccagactt gaagatattt cagggccaca tttcaaagga gaccagctct ttggagggag   300
gccrtaatcc ctccataacc tgtcctaatc tggagcccag agaagtccag agttagaact   360
aaggagttac attgggtaag tacaaataga aaagataatg gtctcatgga aactccagac   420
agtgggcccc atcccttcc tggaagtcag   450

<210> 96
<211> 487
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 303
<223> 99-32065-303 : polymorphic base G or T

<220>
<221> misc_binding
<222> 284..302
<223> 99-32065-303.mis1

<220>
<221> misc_binding
<222> 304..322
<223> 99-32065-303.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 469..486
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 291..315
<223> 99-32065-303 potential probe

<400> 96
gcccaaatgc caactacatt atgataatct tctaaaagtt ataattgcct aatgttaaaa   60
tattttgttt tctgagttat tgccaaatgc gatacatccc tagttcggaa agatacccaa   120
ctactatact tgaaaccact gaagctacaa aataccttgc tctcagtttt cacatttgct   180
tttctccctc tacagctttc tgcagtggca taagtggatt agttatacta tttttattaa   240
ttactttagt agtaatttct attaaaacaa ttattaataa caattattaa ccagtacagt   300
ctkgttattt taaacattag catgaggcag aatggaactg cttttcaggc attatctaat   360
taagatggta atagaggaga aactgatcat gagttgacaa agctactggt aaaagtttat   420
tcttattgaa cagaaccaaa ttgttgtgat ctgtatgcct taaaagtgca gcctcttatg   480
tggactc   487

                                    74

```
<210> 97
<211> 541
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 118
<223> 99-32123-118 : polymorphic base A or G

<220>
<221> misc_binding
<222> 99..117
<223> 99-32123-118.mis1

<220>
<221> misc_binding
<222> 119..138
<223> 99-32123-118.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 520..540
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 106..130
<223> 99-32123-118 potential probe

<400> 97
cagtaaatga atcagtaaag tacaatataa cacaaaagaa aacgaaatat tgcttgattt      60
tttccaataa aagcaaggtt aataaaaaca tttttagtaa gaaaatctat catttttrtt     120
ttaaaaatct ttcaatttta aacatcatta ccaacacatt aaaagtatta tcaataagtg     180
cctttacaat ttcaagcaaa agctactgtg tttttccttat tggaaatact gctttcagtc    240
atctttttg tctgaggtac tctcttcatg cttttcaggg ctgactttat tactggcggt      300
ggaggggggtt gtctggactt cttttggtaa tgaaaacaca tggcacgtct ggaggtctag    360
gtatgttgta aatatcttag catattctgg atgctttaag gcaaaacttt taaattcctc     420
tagaagagaa agaaaaaaaa tccaataagt tggggtgaat cttcttttgg catgatgcag      480
attaataaat gactctaata atgcaattat tacaaaattc tactacccaa cacacaaaca     540
t                                                                     541

<210> 98
<211> 449
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 314
<223> 99-32148-315 : polymorphic base G or C

<220>
<221> misc_binding
<222> 294..313
<223> 99-32148-315.mis1, potential

<220>
```

<221> misc_binding
<222> 315..333
<223> 99-32148-315.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 428..448
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 302..326
<223> 99-32148-315 potential probe

<400> 98
```
tgagtgcatt  tgatgtgggs  cagcaaagct  tcattcaggt  ggaaacagat  taagaagacc     60
aaagagtggt  gaaatggcta  agtaggaatg  aaaaaacagc  cagctacccg  yggccagtgc    120
cttattctaa  aagaggacag  ctagcttgcc  caaggactct  tgcagaagga  aacctgggag    180
agtttccttc  tcctcttgca  gaagtaaact  cttcaggttg  aagagtcagg  aaggagctcc    240
agggatgagt  gaagtcaact  gaagttgcct  cttttataaa  cagctctgca  gtggttctct    300
ggaaaccgag  gctsgttgca  aacccctaaa  aagtactgct  ctgcaaggct  tgtaactgcc    360
atacttgtgt  ggtcctgctc  catctccatg  tgtggcagtg  ccagctgcaa  ccagcctcac    420
acagggtccg  agagtctcag  aactgcaag                                         449
```

<210> 99
<211> 920
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 95
<223> 16-2-76 : polymorphic base A or G

<220>
<221> misc_binding
<222> 76..94
<223> 16-2-76.mis1

<220>
<221> misc_binding
<222> 96..114
<223> 16-2-76.mis2, complement

<220>
<221> primer_bind
<222> 20..39
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 240..260
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 83..107
<223> 16-2-76 potential probe

<400> 99
ctggggcctg agactgaggt ccagggagac cctaattcct gcaccccacc cctcctggtt   60
ccctccagat gggaggcatg gaggctgtca tcacrggcct ggcagatgac ttccaggtcc   120
tgaagcgaca ccggaaactc ttcacatttg gcgtcacctt cagcactttc cttctcgccc   180
tgttctgcat aaccaaggtg agtaggggct gggctctggg tcacctgggg gcctctgagg   240
ccgcatttca ataaagtcaa acattcctag ccttagaact gggctgagct cagggagaac   300
aatgcaggat ccagcatcct caattcagcg gcctgaccca ctagggttag gcccagtagt   360
cttcttccat ctctgassct gaggattcca ttcagccctg ttaattgcct tattgacttg   420
agggscagca aaagtccctt tggaacccat ctaactcttt attggctgaa actgaggtga   480
ctgtaacgtc aatacaacag caccacagcc ctatgccctg ggttttcaaa tagagctccg   540
agcaagtggg acaggggca ggtaagagtt gacagacaca acaatcagtt cccacgtttg   600
accaaagagg gcctcttggc ttcttctctc cctgtgccag ggtggaattt acgtcttgac   660
cctcctggac acctttgctg cgggcacctc catccttttt gctgtcctca tggaagccat   720
cggagtttcc tggtttatg gtatgtgagt gtgtggaaaa gcctcagctc ccagtcctcc   780
tagaatcctg cacctggagg tgtgcaggga ggccttccat ttccaggaca gccacctaaa   840
attccagagt ccagcaagtc acttattggg aacaaatctc aatcctcggc tcatctttgg   900
atgaacctgc ccttaacagg   920

<210> 100
<211> 395
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 120
<223> 16-28-93 : polymorphic base A or C

<220>
<221> misc_binding
<222> 101..119
<223> 16-28-93.mis1

<220>
<221> misc_binding
<222> 121..143
<223> 16-28-93.mis2, complement

<220>
<221> primer_bind
<222> 28..47
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 354..374
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 108..132
<223> 16-28-93 potential probe

<400> 100
tctgttatct ctaaacctgt gttctgtccg cccacacatg acctaacaat tgggcccca   60
gatactcccc tatcatgtgc agctcagacc aatggtttca gccattgatg aggtccttgm   120
tgtttcttac aggagctggc ctagtgttca tcctgtatcc agaggccatt tctaccctgt   180
ctggatctac attctgggct gttgtgtttt tcgtcatgct cctggcgctg ggccttgaca   240
gctcagtgag tgaccctgct taggatacct atccccatc ccactgggcc tgaccccctt   300
ccccaacaca cagtgctggg cctgaagttc ccactattca aacaccaggt taacagttgt   360
ttcccagaag gccctattta aattgcagac aaaaa   395

<210> 101
<211> 922
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 342
<223> 16-3-199 : polymorphic base C or T

<220>
<221> misc_binding
<222> 323..341
<223> 16-3-199.mis1

<220>
<221> misc_binding
<222> 343..361
<223> 16-3-199.mis2, complement

<220>
<221> primer_bind
<222> 143..162
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 374..393
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 330..354
<223> 16-3-199 potential probe

<220>
<221> misc_feature
<222> 565,643
<223> n=a, g, c or t

<400> 101
agctcaagaa acagtgtctg gatgagtgac tcaatggacc agctccacaa acaaagctgg   60
aggtgtcttg tacagacccc aaatgctatc catgtggggc tgcaggatca aatagcaggt   120
ggccctcatc tgcaggtgca gccaggctgc ragaagggtg tccctgggcc aagctgaggc   180
ctcctcccct tctcttcctt tcagagactg gcctatggca tcacgccaga gaacgagcac   240
cacctggtgg ctcagaggga catcagacag ttccaggtgg gtgaagccta gaccctgggg   300
gtggagatta caagggcggg ccctggctgt tccctgctgt gyactgccca aggctagaca   360
tcacatccag aaaacccaga aacccagtgt gagctgcctt ttccccttgg aaacatcggg   420
atgggggaca gggaggctca ccttgagccc atggcctcag gcttgccctg tgactttggg   480
gaggttctgc tgccctttct gggcctctgt gacaattagg gaatcaactt gcacgttccc   540
tgaggtccgt gaaggaaggg ggtgnttttc tgccttctct ctacctcctg ctgccccgc   600
cagctggccc ttgctccttt ctgtccccac catgtcatca agncctcgct gtctttctct   660
gcagttgcaa cactggctgg ccatctgagc ctgcctggag gagaaggagg aacccccatg   720
ccaatgtcca ggtcacaggc atccgctgcg ctcccacctc ggacaccatc ttgggattcc   780
tcccctggaa gttgtccttt ctgatcctct cttctttttcc catttacaaa tgatttcgtg   840
actgtagttt ttgttcacct tctgtgcatc tggcctgggg gctgttagct cagaggagag   900
gagcaaacag gaaaatgact tc   922

<210> 102
<211> 245
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 197
<223> 16-50-197 : polymorphic base C or T

<220>
<221> misc_binding
<222> 178..196
<223> 16-50-197.mis1

<220>
<221> misc_binding
<222> 198..216
<223> 16-50-197.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 227..245
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 185..209
<223> 16-50-197 potential probe

<400> 102
agaacctcat gggaggacct ggccctggct atcatggggg ccatggtaac aggcctgccc   60
tgtgtgtgca caggagtgga caggttcagc aacgacatcc agcagatgat ggggttcagg   120
ccgggtctat actggagact gtgctggaag ttcgtcagtc ctgccttcct cctggtgtgt   180
agtgtctgca gggaagycct gcatgtgggg aggggctgt gtccaggatg gagctgggtg   240
aggat   245

<210> 103
<211> 357
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 181
<223> 16-1-59 : polymorphic base C or T

<220>
<221> misc_binding
<222> 158..180
<223> 16-1-59.mis1

<220>
<221> misc_binding
<222> 182..200
<223> 16-1-59.mis2, complement

<220>
<221> primer_bind
<222> 123..142
<223> upstream amplification primer

<220>

<221> primer_bind
<222> 290..309
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 169..193
<223> 16-1-59 potential probe

<400> 103
gttgccaggg ctgcccatct ctggttcaga ccatgtttcc tctggtctca gagcatcccc   60
agggtttctc agcccttccg gaccagtgag gtgttccagt gttgtaggaa gcagaggctg   120
atggcttttg tctgctggtt tcaggtatgg attgatgccg caactcagat attttttttcc   180
ytgggggctg gatttggagt attgattgca tttgccagtt acaacaaatt tgacaacaac   240
tgttacaggt aagattcttc tcagaattct gagaagctct aaatcctggg gattgactct   300
tgtggggtgg cagagagggc tctggtctgg aagccaactc tccctgggca agccaaa   357

<210> 104
<211> 920
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 206
<223> 16-2-187 : polymorphic base A or G

<220>
<221> misc_binding
<222> 183..205
<223> 16-2-187.mis1

<220>
<221> misc_binding
<222> 207..225
<223> 16-2-187.mis2, complement

<220>
<221> primer_bind
<222> 20..39
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 240..260
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 194..218
<223> 16-2-187 potential probe

<400> 104
ctggggcctg agactgaggt ccagggagac cctaattcct gcaccccacc cctcctggtt   60
ccctccagat gggaggcatg gaggctgtca tcacgggcct ggcagatgac ttccaggtcc   120
tgaagcgaca ccggaaactc ttcacatttg gcgtcacctt cagcactttc cttctcgccc   180
tgttctgcat aaccaaggtg agtagrggct gggctctggg tcacctgggg gcctctgagg   240
ccgcatttca ataaagtcaa acattcctag ccttagaact gggctgagct cagggagaac   300
aatgcaggat ccagcatcct caattcagcg gcctgaccca ctagggttag gcccagtagt   360
cttcttccat ctctgassct gaggattcca ttcagccctg ttaattgcct tattgacttg   420
agggscagca aaagtccctt tggaacccat ctaactcttt attggctgaa actgaggtga   480
ctgtaacgtc aatacaacag caccacagcc ctatgccctg ggttttcaaa tagagctccg   540
agcaagtggg acaggggggca ggtaagagtt gacagacaca acaatcagtt cccacgtttg   600

80

```
accaaagagg gcctcttggc ttcttctctc cctgtgccag ggtggaattt acgtcttgac      660
cctcctggac acctttgctg cgggcacctc catccttttt gctgtcctca tggaagccat      720
cggagtttcc tggtttatg gtatgtgagt gtgtggaaaa gcctcagctc ccagtcctcc       780
tagaatcctg cacctggagg tgtgcaggga ggccttccat ttccaggaca gccacctaaa      840
attccagagt ccagcaagtc acttattggg aacaaatctc aatcctcggc tcatctttgg      900
atgaacctgc ccttaacagg                                                  920
```

<210> 105
<211> 466
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 311
<223> 99-28761-311 : polymorphic base A or G

<220>
<221> misc_binding
<222> 292..310
<223> 99-28761-311.mis1

<220>
<221> misc_binding
<222> 312..331
<223> 99-28761-311.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 446..465
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 299..323
<223> 99-28761-311 potential probe

<400> 105
```
tttgtaactc taagaaggca tttttaaaaa gtaagtaggc aataaagaaa tggtacttct       60
atgtaagtag tgcatgtgta gtagtgagtt ttgtgatcaa tatacattgc tttgtatgtg      120
atttgctttt aagatgttgg aaatgagaat ctgatatatt agagaatttg acttacaaga      180
tttgcaattt taagtgtaac acctaggagg atttaatgaa ttaattttgt agtcaatgtt      240
tggatgctca ggagaacctg aattatcag tttaattctc agcaggttga aatgctttaa       300
gagaatttgt rtgctaaatt tagaagtttt gatttattag tcttacaaga actaagtaag      360
tcctgagaaa gatttgtttt cttctatttg taagtcttcc tgttagggat ttgaagattt      420
taacaaagcc agatgtatca aatttgtgag tatagtttga aatgct                     466
```

<210> 106
<211> 462
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 86
<223> 99-28771-86 : polymorphic base C or T

<220>

<221> misc_binding
<222> 67..85
<223> 99-28771-86.mis1

<220>
<221> misc_binding
<222> 87..106
<223> 99-28771-86.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 444..461
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 74..98
<223> 99-28771-86 potential probe

<400> 106
ttcagagtag taacttccaa aggctaatgg atgaatgtga gtatttccat tctcattgtg   60
gccaggaaag atagagataa tcatayagta cccagaaaat gactgcttca tatgatgagg   120
ctttaatttc cattttaatg gaaacatgtt catttaaaag aaagaaaagc agatttctga   180
actatgtctc ctctctccgt taacaacctg gatgtgcacc tagaattaat gagctacatt   240
tttatttcta ttttgctaaa gaggctgacc agggctgttg cattacctga tgtctaatct   300
ttccagtgct cctctcacgc ctcccctcac tgttttcccc cttctgaatg cgatgttagt   360
attttggctt tgtctcaaat aaacttacaa gtcgggtttt tatttctccc caacggagcc   420
tctcaaatcc cttatcttca gctcaacagg aaggagatta ct   462

<210> 107
<211> 452
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 291
<223> 99-28791-291 : polymorphic base A or G

<220>
<221> misc_binding
<222> 272..290
<223> 99-28791-291.mis1

<220>
<221> misc_binding
<222> 292..311
<223> 99-28791-291.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 432..451
<223> downstream amplification primer, complement

82

<220>
<221> misc_binding
<222> 279..303
<223> 99-28791-291 potential probe

<400> 107
taaaaaccca cactcaacat gggcagtcaa gccaaagact gggacctttg gagagcctct   60
ggaatgagag ttctctgggg tacttccaaa gggagctggc agtcagtcca ggggacctaa   120
aggaatttgg ttgaacagta tcatctctgt gcatagtaag agggaatgtt gggtggtccg   180
ggcagtttcc aatatggcaa agcatctgct tggacagtgc cagcaagcct tcctctgacc   240
cagtctccaa tgtccactaa cttataaaaa tgtcatcaac tcccacatgt ragaaacacc   300
atgatttgta ctgtgcatgg gtcacattct tattctagaa atgcatcacc ctgtgtttat   360
ccaagtgtgt ttacttggtg taatgtccag tagtaataga atatgaaata tcaaggaacc   420
atctttgtta cgtgacttcc aaaatgtgag at   452

<210> 108
<211> 489
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 66
<223> 99-32077-66 : polymorphic base A or G

<220>
<221> misc_binding
<222> 47..65
<223> 99-32077-66.mis1

<220>
<221> misc_binding
<222> 67..85
<223> 99-32077-66.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 471..488
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 54..78·
<223> 99-32077-66 potential probe

<400> 108
gctggaggtg agataaggca tcttcaccgc tgcatttcca gctttgtagg gggaaaacaa   60
tttgcrtttg ggaaataatc caacaagcaa tcctatggtt ttaatacaaa cactcaaaga   120
ggttctggcc atgaccatct gggtccagcc cttcactgaa ttggaaagac ggcaacgata   180
atggttgaac aggcccacat gtgttggctc tgattctgag tttcccctac ccaccgcacc   240
ccatgattga agaggataca gggctccacc actgtcaggc atcaaggaag acacaggtct   300
aggggagaaa tcaacacttc tcagggtcct tttcaaggac tacccccagag atggaaggtc   360
atctagtcta tggtgtcctg gacctgcctt ggcagtagtc gtggccattt tggggtaacc   420
taaagaaaac agacaatgtt tgatttgtaa catattgaga gttgtttttg cccttttgat   480
gacctgcag   489

<210> 109

<211> 489
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 467
<223> 99-32078-466 : polymorphic base C or T

<220>
<221> misc_binding
<222> 448..466
<223> 99-32078-466.mis1

<220>
<221> misc_binding
<222> 468..486
<223> 99-32078-466.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 470..488
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 455..479
<223> 99-32078-466 potential probe

<400> 109
agcacccagt ttgttagagt aagactgggc caaagcatcc tgggatgcag tagtggtatg   60
gtagactaac tgctgtaaca aatagacccc aaagcggatg gtagctcata cacaacagga   120
atttattctt gttctcatta cagtagtgga tatgggaata ataagcaggc tccaatctat   180
ctgggtcttt cagggaccca gaattgacaa ggctttgctt tcttcaacac ttggcttcaa   240
ggttatcctg gggttgcctt ctattctggc cagccagaag gaacaaaaaa catgatgtat   300
ttctatgcgg gaggctttta ggggcccagt ccacaaaagg cttacatcag ttccaccaac   360
tctccattgg ctggaacgca ggcacagggt ggcacctgac tgtgtgggaa atgtggtcca   420
tggctgctca gcacttccca gcatgatgct tggagcaagc aggccayctc tgtctgagag   480
aggatacag   489

<210> 110
<211> 470
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 426
<223> 99-32376-426 : polymorphic base A or G

<220>
<221> misc_binding
<222> 407..425
<223> 99-32376-426.mis1

<220>
<221> misc_binding
<222> 427..446

<223> 99-32376-426.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 449..469
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 414..438
<223> 99-32376-426 potential probe

<400> 110
ggggctgaga attactggca ttgagacttt tgatgctggt agctgcaact gatgcagttc   60
ctccttaaac ccagtgaaaa aacctgtggt cacgtagctt tcacacttta tcctatgtca   120
caaacaaacc tgaatctgca aacctcctgg gatggtcctg caaatgcaag gtgaccatga   180
acctgctgtt ccccagagcc ccctttgcat tgagggcttt tgaggccatc tctcatttga   240
tacaagctga gcagcctcgt tcctcctgct cttcctcaaa tgtccttcag gctttctctc   300
cttctcacag catggtgcta gatgcttgac tttttacttc ctggaaaaaa aatttcaggt   360
ccatgtggct tcttgatagt aaaagaaagc aatactcatg tatttattgg ttcactcaca   420
tctggrtgtt agagccaaat tccaaagacc tttgaaagtt ctcttgcagg   470

<210> 111
<211> 457
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 420
<223> 99-32361-419 : polymorphic base G or T

<220>
<221> misc_binding
<222> 400..419
<223> 99-32361-419.mis1, potential

<220>
<221> misc_binding
<222> 421..439
<223> 99-32361-419.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 442..456
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 408..432
<223> 99-32361-419 potential probe

<400> 111

```
tctctaatct tctccatcat cattatctgt tgaaattaaa atgcatcctg aggcatgctg     60
cccagtggct ttatatcttg tctgcacaat gagattgtaa gctccttgag gaaaaggacc    120
aggttgtgtg tgaattatgc attccttgtg gtgtctagaa taatatcaag ttcagaagac    180
tcaggtatca cttgagatgt ctctttctgg cccctccaat ggtctgaata aatctgactc    240
aaactcccag tttaacagtc ttgatgaagc ccaaagccct atccatgata cgtgagaatt    300
cttattgttt ttcttttgat gggtcccatt gtgactagtt caaaatactg gagactatgt    360
ctttttttcct tctcattaac atggttacaa aactctctct tttataaact tccataaaak    420
ctggtgagtc tcttaagaac tggtatttag agacctc                             457
```

<210> 112
<211> 424
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 228
<223> 16-21-228 : polymorphic base A or G

<220>
<221> misc_binding
<222> 205..227
<223> 16-21-228.mis1

<220>
<221> misc_binding
<222> 229..251
<223> 16-21-228.mis2, complement

<220>
<221> primer_bind
<222> 1..25
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 399..424
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 216..240
<223> 16-21-228 potential probe

<400> 112
```
tagcaggcta agtcctcctt ctacttcatc ccagatgata cccacttcag gaagtctttc     60
ccttctgtgg gatgagatgc ccattctgca gggctttcac tccctgcatc ctgccaaacc    120
tcatcatctc ttacctggat tcctgctaca gcctcccagt tggtgtcccg cttccactct    180
gggcccctcc tctccgttct ccacagtgct gtcagaatca cctattcraa aggcgaatcc    240
gatcatgtgg ttcctgctgc ccttaggatc atgtataaac tcctagcatg acttttaagg    300
ccctctatga tcttgcctat tgcaacctcc ccagactcaa cccttgccag gtccctctgc    360
atcagctatc cagaatctct ttgaggccct ccacctgctg tctacctctc tacctctgtg    420
cttt                                                                 424
```

<210> 113
<211> 481
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 156
<223> 16-22-156 : polymorphic base C or T

<220>
<221> misc_binding
<222> 133..155
<223> 16-22-156.mis1

<220>
<221> misc_binding
<222> 157..175
<223> 16-22-156.mis2, complement

<220>
<221> primer_bind
<222> 1..24
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 458..481
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 144..168
<223> 16-22-156 potential probe

<400> 113
```
gcctgacaca tggtaagtcc ttagtattat tacagttatt aggacttagc tgagccagct     60
cagggcctgt actgcaggtc tcagctttat gtgagcaaga gcattaagga atgatgcctg    120
gatgcctggg ggtgtgaaga aaagagcctt gggttygact agggaacctg gggccactcc    180
ttcctctgct actaaatcac caagtgatct tgttctgttt tcttctctga ccctccctag    240
ttttgtccac ccttgaaata atcatctttc cttttcacat ttcatgctta ccaagtactt    300
gtcacctaat tatctcctct cttgataagc tagatggtyc cttccagggc agcttagtag    360
agagcatggg atgtgatgtt tcagattcca gctctgctgc acacctgcca ggtgaacttg    420
gccacgttac atggcctctc tgggcttcag ttccctcacc tatgagtggg ataagcaagc    480
c                                                                    481
```

<210> 114
<211> 478
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 404
<223> 16-23-404 : polymorphic base A or G

<220>
<221> misc_binding
<222> 381..403
<223> 16-23-404.mis1

<220>
<221> misc_binding
<222> 405..427
<223> 16-23-404.mis2, complement

<220>
<221> primer_bind
<222> 1..26
<223> upstream amplification primer

<220>

<221> primer_bind
<222> 455..478
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 392..416
<223> 16-23-404 potential probe

<400> 114
ctaagtggga ataacgctaa acatacttgg attaatgcac aaggccctga gatagaggac   60
aggcgtctgg tagacctaga agggcacgca aacatatgaa acacatagga acacaagtga   120
gttcaacaga cagagccaag ttatcttgct gcaaacatta aaaggtggcc aacctctccc   180
aatacacagg tcagactaaa aagatggttt actctttaa aagttttctt gtgtcattct   240
ttctggatac atcggcttca cttgttatgc ccagacatgg caaaactaat gaccaagtaa   300
tgagggaata gtaatggaaa gacttgggag cagtccatca tcacagctta acttttgct   360
cacaaccgtg tttttaatac tctggtatct gctgtgcgtt tgtrtatatc taagatgacc   420
aggcagcctt aaacatctag ttgcgttcat attctctgta aaatcgctcc ttgttcct   478

<210> 115
<211> 428
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 175
<223> 16-24-175 : polymorphic base A or C

<220>
<221> misc_binding
<222> 156..174
<223> 16-24-175.mis1

<220>
<221> misc_binding
<222> 176..194
<223> 16-24-175.mis2, complement

<220>
<221> primer_bind
<222> 1..22
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 405..428
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 163..187
<223> 16-24-175 potential probe

<400> 115
tcgaaccgat cttcagttga cagaagagga aacaggctca gaaagattag gcaactcacc   60
cgtctcaaga gttggtgaca ctaagcccag acctgtgtga ctctgaaatc cacacctgtg   120
ttctttccac tgacatgagc tgccttatgg atgggcaggt tctggggtag gacgmgcaga   180
gcagctgcgg ggactggtgg cggassagtt tgtgtacata gagccctcag gtgcggaagc   240
mmagcagacc ccagcctctg ccaggtggta gctgtaccaa catgcaagca gcaggcattc   300
catcctccag agggatggag aacagggcca gagaacccac agagggccgc atacaaaatc   360
caggtctggt gtcctgcctt cacctgcact gcaagggcag gactctaaga agctgtttat   420
gaggcagg   428

<210> 116
<211> 433
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 286
<223> 16-25-286 : polymorphic base C or T

<220>
<221> misc_binding
<222> 267..285
<223> 16-25-286.mis1

<220>
<221> misc_binding
<222> 287..305
<223> 16-25-286.mis2, complement

<220>
<221> primer_bind
<222> 1..22
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 412..433
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 274..298
<223> 16-25-286 potential probe

<400> 116
ggtcccatgc ctcagtgaca tccttgcctc cctggcaggg tgaccctgtg gtgtttgcag   60
gagtcttcag agggtgaaag ggaggggcca gtgagatggg tggctgatgc ctgggaactt   120
gtccggcttt acccagagcc ctctgcctct ggtgcaggag gctgcccggc gagcccagga   180
gctggagatg gagatgctct ccagcaccag cccacccgag aggacccggt acagccccat   240
cccacccagc caccaccagc tgactctccc cgacccgtcc caccayggtc tccacagcac   300
tccygacagc cccgccaaac cagagaagaa tgggcatgcc aaagaccacc ccaagattgc   360
caagatcttt gagatccaga ccatgcccaa tggcaaarcc cggacctccc tcaagaccat   420
gagccgtagg aag   433

<210> 117
<211> 433
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 279
<223> 16-25-279 : polymorphic base C or G

<220>
<221> misc_binding
<222> 260..278
<223> 16-25-279.mis1

<220>
<221> misc_binding

```
<222> 280..298
<223> 16-25-279.mis2, complement

<220>
<221> primer_bind
<222> 1..22
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 412..433
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 267..291
<223> 16-25-279 potential probe

<400> 117
ggtcccatgc ctcagtgaca tccttgcctc cctggcaggg tgaccctgtg gtgtttgcag     60
gagtcttcag agggtgaaag ggaggggcca gtgagatggg tggctgatgc ctgggaactt    120
gtccggcttt acccagagcc ctctgcctct ggtgcaggag gctgcccggc gagcccagga    180
gctggagatg gagatgctct ccagcaccag cccacccgag aggacccggt acagccccat    240
cccacccagc caccaccagc tgactctccc cgacccgtsc caccayggtc tccacagcac    300
tccygacagc cccgccaaac cagagaagaa tgggcatgcc aaagaccacc ccaagattgc    360
caagatcttt gagatccaga ccatgcccaa tggcaaarcc cggacctccc tcaagaccat    420
gagccgtagg aag                                                       433

<210> 118
<211> 478
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 393
<223> 16-23-393 : polymorphic base G or T

<220>
<221> misc_binding
<222> 370..392
<223> 16-23-393.mis1

<220>
<221> misc_binding
<222> 394..416
<223> 16-23-393.mis2, complement

<220>
<221> primer_bind
<222> 1..26
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 455..478
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 381..405
<223> 16-23-393 potential probe
```

```
<400> 118
ctaagtggga ataacgctaa acatacttgg attaatgcac aaggccctga gatagaggac     60
aggcgtctgg tagacctaga agggcacgca aacatatgaa acacatagga acacaagtga    120
gttcaacaga cagagccaag ttatcttgct gcaaacatta aaaggtggcc aacctctccc    180
aatacacagg tcagactaaa aagatggttt actctttaa aagtttctt gtgtcattct      240
ttctggatac atcggcttca cttgttatgc ccagacatgg caaaactaat gaccaagtaa    300
tgagggaata gtaatggaaa gacttgggag cagtccatca tcacagctta actttttgct    360
cacaaccgtg tttttaatac tctggtatct gckgtgcgtt tgtgtatatc taagatgacc    420
aggcagcctt aaacatctag ttgcgttcat attctctgta aaatcgctcc ttgttcct      478
```

```
<210> 119
<211> 742
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 364
<223> 16-106-364 : polymorphic base C or T

<220>
<221> misc_binding
<222> 345..363
<223> 16-106-364.mis1

<220>
<221> misc_binding
<222> 365..383
<223> 16-106-364.mis2, complement

<220>
<221> primer_bind
<222> 1..22
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 723..742
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 352..376
<223> 16-106-364 potential probe
```

```
<400> 119
cccagatggg tgatctacaa tgaccagaaa gtgtgtgcct ccgagaagcc gcccaaggac     60
ctgggctaca tctacttcta ccagagagtg gccagctaag agcctgcctc accccttacc    120
aatgagggca ggggaagacc acctggcatg agggagaggg gctgagggat ggacttcagc    180
ccctctgctc tgtacccttt ttccttttgt ccccggcagc agggaagaag ctggaggccg    240
tgggagaatg gctgggcaga gcagaggggc agcgatagac tctggggatg gagcaggacg    300
gggacgggag gggccggcca cctgtctgta aggagacttt gttgcttccc ctgcccccgg    360
aatycacagt gctctgcttc tctgtgtcgc cccgcccagc cccctggtgt ggagggaggg    420
gtctcgtttg tgcgcgtggg tgtagctttg tgcatcctct cccagtggag cgatcacctg    480
tgcctccct cccccttgt ttgcccctgt gtggttggtc aaggagggat gtgagggaaa     540
tagggacccc ccgacttgcc ctcctgcctc agtctttccc ccaccctgtc tcttccttgt    600
ccttctctgg aaaatgccaa aatacacgat gtgaataaaa gtacaacggc taaattgtgt    660
cctgtttgat accttggggg agaggcttac cttcctgggg ttagcaggag ggcgcttaag    720
aaaactccta actctggccg cc                                            742
```

```
<210> 120
<211> 535
<212> DNA
```

<213> Homo Sapiens

<220>
<221> allele
<222> 285
<223> 16-16-285 : polymorphic base C or T

<220>
<221> misc_binding
<222> 265..284
<223> 16-16-285.mis1, potential

<220>
<221> misc_binding
<222> 286..304
<223> 16-16-285.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 516..535
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 273..297
<223> 16-16-285 potential probe

<400> 120
gttggcaggg ctgcttctca ccccaaacca agggagggac aggcagggag gctgagagca   60
gcggcttgcc ctggagctgt caggtgggag gcagagggcg ggagaggctg tgggctgccc   120
aggtctgatc cctgacccac ttgccacccg tgccctcagt tcttccccaa tggagaggcc   180
atctgcacgg gctcggatga cgcttcctgc cgcttgtttg acctgcgggc agaccaggag   240
ctgatctgct tctcccacga gagcatcatc tgcggcatca cgtcygtggc cttctccctc   300
agtggccgcc tactattcgc tggctacgac gacttcaact gcaatgtctg ggactccatg   360
aagtctgagc gtgtgggtaa gggccagccc tggctgctgc ttcctcagct ggaaggaccc   420
tccccagccc tccctcccca ttctgtaccc cccatcagct cccatttcgg actctcttac   480
tgctgtccct tgtcactggg tgactccacc cctggaatcc agtacccctt ggttc   535

<210> 121
<211> 529
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 121
<223> 16-17-121 : polymorphic base C or T

<220>
<221> misc_binding
<222> 102..120
<223> 16-17-121.mis1

<220>
<221> misc_binding
<222> 122..140
<223> 16-17-121.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 508..529
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 109..133
<223> 16-17-121 potential probe

<400> 121
gcaggcccag cagacttgag tctgaggccc caggccctag gattcctccc ccagagccac   60
tacctttgtc caggcctggg tggtataggg cgtttggccc tgtgactatg gctctggcac   120
yactagggtc ctggccctct tcttattcat gctttctcct ttttctacct tttttctct   180
cctaagacac ctgcaataaa gtgtagcacc ctggtacatc tgtgatgttt gccttctact   240
ctcttctgtt ccaaaaagac ccaggtccca tttaagggca gtaatgtgtt acaggtgctg   300
tgataaaggc tgggtactgg atagcttgtg ggcttatggg aggaggcctg agatgggtca   360
gggggagaag gtattcagca ggtggctggg ggactgtgtg cagcagttcg ctatggcctg   420
cctgtggtgc ccatgtgttt gtacgggagg gttagcttga gaaggaatca gattataaaa   480
ggtcttgaat gtcaagccag agagtccaga ctttttccta agggcaatg   529

<210> 122
<211> 540
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 185
<223> 16-84-185 : polymorphic base C or T

<220>
<221> misc_binding
<222> 162..184
<223> 16-84-185.mis1

<220>
<221> misc_binding
<222> 186..208
<223> 16-84-185.mis2, complement

<220>
<221> primer_bind
<222> 1..22
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 525..540
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 173..197
<223> 16-84-185 potential probe

<400> 122
tagaatgcct ttaatgagca gtaaatctaa ttttattaaa tctcaaccct tgggtacggt   60

```
gtgtcatgaa atgggaagta gcacacagta ctatatgcta cagatgaagt acaatgctgt    120
caaatagggg tacttgtgtt aattgttgga gtcgcaagct gaactagcgt tttcttttct    180
tttcytttct tttcttttct tttcttttct tttcttttct tcttttcaag acaggttctc    240
actctgtcac tcaggctaga gtgcagtggt gcaatcacgg ttcactgcag cctcaacttc    300
ctgggctcaa gcgatcctcc cacctcggcc tcctaaaatg ctgggattat aggcatgagc    360
caccactccc agccccactt ttttcagact ggaaaacgca cactcacatg tgcatcttta    420
aatgatcact tgggctgtgg tatggagaat ggcgaccagt gaggaggcag gagctgttgt    480
ccgagcaagg gatgatattg gcatcttgga ttggcatggt ggcagtagtg gtagtgcaga    540
```

<210> 123
<211> 525
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 74
<223> 16-87-74 : polymorphic base A or G

<220>
<221> misc_binding
<222> 51..73
<223> 16-87-74.mis1

<220>
<221> misc_binding
<222> 75..97
<223> 16-87-74.mis2, complement

<220>
<221> primer_bind
<222> 1..22
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 504..525
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 62..86
<223> 16-87-74 potential probe

<400> 123
```
gtccatttcc ctttgtccat gtgtccctcc caccctgcag ccggctccct cacatccacc     60
ctgggctgca ggcrtgctcg gcaggctccc cacagatcaa agcttgtcca gggtctgcat    120
tgctgccaaa ggccaggagg actggtgtac agaccggaag gagctagagc ttagtggcag    180
cctgagaggg gaagctgaaa aaggagaaga ggcaaggggc attccagggg agcccgggag    240
agccagcacg gcctcctggt atatgaggca aagaggaaga cagacacaga cacagggagc    300
tgcaggctgg gggcataagc tgggggctgg gaagcataga tacagaaatg cacagatgtg    360
agctgagaag caaggaggga gagagagaga cagaaagaga gagagagacg tgccagggct    420
tgagggacca gagagccctc ccagcctctc tcggagtgct ggtatacagg atgctaccgt    480
actagggtaa gacacctctg gggacgctga gtatgggaat caaag                    525
```

<210> 124
<211> 665
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 333

```
<223> 16-91-333 : polymorphic base A or G

<220>
<221> misc_binding
<222> 310..332
<223> 16-91-333.mis1

<220>
<221> misc_binding
<222> 334..356
<223> 16-91-333.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 641..665
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 321..345
<223> 16-91-333 potential probe

<400> 124
gcccatgctc agggtcagtt ggggaagggt ggaaacgggg agtgaagatt tgcctctgct    60
gctatcctga gctccatctc tctatccctc ccatctgtct ctggatttgt agtttcactg   120
tcagggctgc atgggaacca tcacttcaca aggactctaa tttgccctcc tttggcgcct   180
gtgacaagct caggagatgg gcttccttct gccttgctgc ttctcacctt cctttatttt   240
ccccctctt  gctcttcttt gaactctcca gctaaggtat gtttgcacca gtgtttgaaa   300
gaaccggcag ctgaacttgt ctgccagtgg garggggggct cttggagtta gctgtctggc   360
ctctggagac caccttctcc agcactgcct ctgccccaag gatcaatgtg ctctaagtat   420
tcatccccca accctgacc ttgtcgctcc ctctccagtg ggcaatctgt cccaggctat    480
agaaaatgtc ctgagtgtcc tgctcttcta cccggaggat gaggctgcca agagggctct   540
gaaccagtac caggcccagc tgggagagcc gagacctggc ctcggaccca gagaggtaat   600
cccctctcca cgctcacctg ggaggtagcc ccaaatcaaa caaatagacc tgagaagtaa   660
cctgg                                                             665

<210> 125
<211> 327
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 142
<223> 16-128-142 : polymorphic base C or G

<220>
<221> misc_binding
<222> 123..141
<223> 16-128-142.mis1

<220>
<221> misc_binding
<222> 143..161
<223> 16-128-142.mis2, complement

<220>
<221> primer_bind
```

```
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 308..327
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 130..154
<223> 16-128-142 potential probe

<400> 125
ctaggaacag tgcgccagtt tctggtgggc tgcagggcac gaggagatag tcaacttgtc      60
tgactgttaa tccaccctgt cccctgcaga tggaggggcg cagccaggcc ccgtgcccaa     120
gtccctgcag aagcagaggc gsatgctgga gcgcctggtc agcagcgagt gtgagtgcag     180
cccctgcccc gtctcaccca tgcctcccag cctgcacctg cagggcgacc tctccttcct     240
gtgcgactcc atcctggcct gccctatctc acccgtgcct cccagcctgc gcctgcaggg     300
cgacctctcc ttcctgtgcg accccat                                        327

<210> 126
<211> 551
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 245
<223> 16-133-205 : polymorphic base A or G

<220>
<221> misc_binding
<222> 222..244
<223> 16-133-205.mis1

<220>
<221> misc_binding
<222> 246..268
<223> 16-133-205.mis2, complement

<220>
<221> primer_bind
<222> 41..59
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 472..490
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 233..257
<223> 16-133-205 potential probe

<400> 126
gttctcctgg cactttgctc acctctgttt cccctccagc tcttcctgga gtacctgtcc      60
tttgtgcaat acacctcctg gaactgtctt tccagtctct gcttttgtc ctgatgattt      120
tcatgtgctt ttcctctaca tcatgaagca tttactccac attatcttcc agtttgctca     180
tttgtcctca cctccactct tctctttctg aatttgcctg ttgcttttc agtctcttag      240
ctccrtggag tatgttcagt gttgctgtgt tctgatagag gctccttaag ccatcttgta     300
gattttttgt tgcacttcct ctcttccctt agacctccac aggaggaact tttcaatctg     360
```

```
tcctcttctc tctgcttaat gagcccctgc aaagggtttg ggaagtgctt cagcctctct    420
gtgattgtgt gttcacatta atatttatta ttttcttaaa tgtgcataaa tctcacaatg    480
tgaacagtga tcatctttga gtgatttttt ttctcctttc tactttagt aattctccaa     540
attttctaca g                                                         551
```

```
<210> 127
<211> 551
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 232
<223> 16-135-181 : polymorphic base A or T

<220>
<221> misc_binding
<222> 209..231
<223> 16-135-181.mis1

<220>
<221> misc_binding
<222> 233..251
<223> 16-135-181.mis2, complement

<220>
<221> primer_bind
<222> 52..71
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 482..501
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 220..244
<223> 16-135-181 potential probe

<400> 127
```

```
ttggttgtgg ggaccagaga cagagcaggc agggtctcac gttccccagg gcctctcaag    60
gatagaccct cgccctcatc tccaaaccac gcctcccaga caggaaccaa actcccagag   120
tctccaaact gcctgagcct tgcccactcc ctgggctaac acacacttta aaggaatccc   180
acagtcaccg tgtgaaaagc ttgctacact gcatttgatt ctgggcactg awagcagtac   240
ttggctgcag acactcgttt caaacaggcc ccattttttcc atctctgctg ctgttattag  300
gggagccctt agactctctt gcagcgccgg aataggcgct caagacgtgt gttaatattg   360
caacagcaaa tataatgaat ctgcagttgg ggacgctgag gccggagtgg tggatgaaag   420
gtggccggag ccttttccac gggtccaaac cacctgttac aggagaaggc gagcggcctc   480
gctaagcaac tggacgttcc gcgggcgggg cgggggcggg gccggggccc gagtccgctc   540
ggaaactttc g                                                        551
```

```
<210> 128
<211> 551
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 455
<223> 16-145-405 : polymorphic base C or T

<220>
```

97

```
<221> misc_binding
<222> 436..454
<223> 16-145-405.mis1

<220>
<221> misc_binding
<222> 456..474
<223> 16-145-405.mis2, complement

<220>
<221> primer_bind
<222> 51..69
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 523..540
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 443..467
<223> 16-145-405 potential probe

<400> 128
gtggaaaaaa ccatatggca ttgtcgcctt ctcagcctga cctggcatgc actctcaccc    60
tcatctgtca tgcctcctgc ttttccacct ggggggctga gaagtccggc catcgaaacc   120
ttggttcctg ccagccacgg gagtttggaa gctttatcag attcctgaag cctcgtttcc   180
tcatgggaac agtgcaggtg aaagcacctt cctctcggaa ccggggggaa gatgagagga   240
aattaaatag atgtatggcc ccgcagcagg actggcgctc tccattgtgt ctgaaattgg   300
caggttcttg gtctcactta cttcaagaat gaaaccacgg accctcgcgg tgactgttac   360
agttcttaaa ggcggcgtgt ctggagtttg ttccttctga tattcagatg tgttccgcgt   420
tttcctcctt ctggtgggtt cctcctctcg ctggytcagg agtgaagctg cagaccttca   480
cggcgagtgt cacagctcat aaacgcagta cagacccaaa gagtgagcag caattagatc   540
tatcacaaag a                                                        551


<210> 129
<211> 492
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 320
<223> 16-177-320 : polymorphic base A or G

<220>
<221> misc_binding
<222> 297..319
<223> 16-177-320.mis1

<220>
<221> misc_binding
<222> 321..343
<223> 16-177-320.mis2, complement

<220>
<221> primer_bind
<222> 1..22
<223> upstream amplification primer

<220>
<221> primer_bind
```

<222> 472..492
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 308..332
<223> 16-177-320 potential probe

<400> 129
gaccctatcc gataaatggt gcttcctctt catgacaaag aaaatgaaca ctcattcact   60
caaaatattc agcacctgct gtgtgcttca ctcttcctgg cacaggggat gcagaatgaa   120
cagagagccc ctgccccact gggaggggtg tttgtgggga gatggaccag gtaccagtca   180
gtgaatatag cacaatggca ggtagagaaa agtgctacag tcatctaccg tgagcgctgt   240
gatgctctgc ccagtttcac cacattaatg gagcacccac tatatgctgg acacatacca   300
tgcattttct catcctagcr gctgttgcaa aatagacacg tccattgtga agactgcggg   360
cggtagaatc gcagcccca aaggtgtcca ggtcctaatc cccaaatcct gtttgtgtgt   420
tcccttgcat ggcaggaggg atgttgcaga tgggattcag ttaaagatct tgataccggg   480
gagatgattc tg   492

<210> 130
<211> 759
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 354
<223> 16-4-354 : polymorphic base C or T

<220>
<221> misc_binding
<222> 335..353
<223> 16-4-354.mis1

<220>
<221> misc_binding
<222> 355..373
<223> 16-4-354.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 740..759
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 342..366
<223> 16-4-354 potential probe

<400> 130
cctcgttccc acgtaccatc tttcccccag gtggtcaagt accccctgca cgccatcatg   60
gagatcaagg agtacctgat tgacatggcc tccagggcag gcatgcactg gctgtccacc   120
atcatcccca cgcaccacat caacgcgctc atcttcttct tcatcgtcag caacctcacc   180
atcgacttct tcgccttctt catcccgctg gtcatcttct acctgtcctt catctccatg   240
gtgatctgca ccctcaaggt gttccaggac agcaaggcct gggagaactt ccgcaccctc   300
accgacctgc tgctgcgctt cgagcccaac ctggatgtgg agcaggccga ggtyaacttc   360
ggctggaacc acctggagcc ctatgcccat ttcctgctct ctgtcttctt cgtcatcttc   420
tccttcccca tcgccagcaa ggactgcatc ccctgctcgg agctggctgt catcaccggc   480

```
ttctttaccg tgaccagcta cctgagcctg agcacccatg cagagccta cacgcgcagg      540
gccctggcca ccgaggtcac cgccggcctg ctatcgctgc tgccctccat gcccttgaat      600
tggccctacc tgaaggtcct tggccagacc ttcatcaccg tgcctgtcgg ccacctggtc      660
gtcctcaacg tcagcgtccc gtgcctgctc tatgtctacc tgctctatct cttcttccgc      720
atggcacagc tgaggaattt caagggcacc tactgctac                            759
```

<210> 131
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27199-207 : polymorphic base C or T

<400> 131
```
cccaatgtgg ccagggacac tgayggcctt ttctggggtc ttttgcc                    47
```

<210> 132
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27207-117 : polymorphic base C or T

<400> 132
```
tgtgtggcca gcccctccag ggcygtgtgg acagcttttt gtgtatt                    47
```

<210> 133
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27213-53 : polymorphic base A or G

<400> 133
```
tcacacatgt aattgtttat gcarcgttag ggactctcag attctgt                    47
```

<210> 134
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27218-333 : polymorphic base G or T

<400> 134
```
gatatttaat aggtggacca ggtkggggag tgtgtttcac tccttga                    47
```

<210> 135
<211> 47
<212> DNA
<213> Homo Sapiens

```
<220>
<221> allele
<222> 24
<223> 99-28108-233 : polymorphic base A or C

<400> 135
cccgtcatgc aacatctgga cacmactaac agagcatggt gaataca                    47

<210> 136
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28109-275 : polymorphic base A or G

<400> 136
atgtgtccta ggatgaacag taaraattat agactctgca gctctag                    47

<210> 137
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28110-75 : polymorphic base C or T

<400> 137
ggtttccgtg ggaaccagat cccygcaggt acaaatgggg cccagcc                    47

<210> 138
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28125-81 : polymorphic base A or C

<400> 138
ggaccgagga agctgtaatt ccamaagctc tctgggacct tgatgtt                    47

<210> 139
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28134-215 : polymorphic base C or T

<400> 139
gggtctgtca ccctgtttgg gtayaggctc ctgcacgctg gcggcct                    47

<210> 140
<211> 47
<212> DNA
```

<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28137-96 : polymorphic base A or G

<400> 140
aagcagtccc agctcttagc aggrcagact ctgccaggca gagaagg   47

<210> 141
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32204-305 : polymorphic base A or G

<400> 141
caggtggttg gacttcagag tccractctt aaccccatcc tccactg   47

<210> 142
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28149-118 : polymorphic base C or T

<400> 142
cccacatacg atactgtgac cttygatggg aggagctagc atgtgat   47

<210> 143
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28160-285 : polymorphic base A or G

<400> 143
tggatcaagt gctaggggat cgcrataatg ggagtaagta gctgggg   47

<210> 144
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28171-458 : polymorphic base A or G

<400> 144
actcaagctt tgattccaaa tctrctgtta tttcctactg ggaaatg   47

<210> 145

<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28173-395 : polymorphic base C or T

<400> 145
ctgggccagt cccaacttat actytgggca atcgaaactc atttgcc   47

<210> 146
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32177-113 : polymorphic base C or T

<400> 146
taggagaaat taaaaaggga tgaygtactc tgttcaaaaa aaaggtt   47

<210> 147
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32181-192 : polymorphic base C or T

<400> 147
acccaacaat gggattgcta ctgycagttc ctatgctcct ctacttg   47

<210> 148
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32193-258 : polymorphic base G or T

<400> 148
aagaggtaat cgtagcttgg actkggttgg agtagtggag acagaga   47

<210> 149
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28722-90 : polymorphic base C or T

<400> 149
gcatttaaaa gataaaatta tccycttggc actcctcaaa ctgtgct   47

<210> 150·
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28730-351 : polymorphic base A or G

<400> 150
agctgtggag caccaggctg gcartgagct ctgccctcag gcacgcc   47

<210> 151
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32306-409 : polymorphic base G or C

<400> 151
acagatgccc tgttttgttc cttstcttct aaaacatcac aatgatg   47

<210> 152
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27088-246 : polymorphic base A or G

<400> 152
agtttggttt ccgctcatgc tacrtgttct gtgagatcag tggggag   47

<210> 153
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27090-203 : polymorphic base A or G

<400> 153
tgttcagaag ttctcagact gggrcttggg ttcttgcact tttcatt   47

<210> 154
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27091-220 : polymorphic base A or G

<400> 154
agaagcattt ttctttgcat aacrcaacac cagtcctctg tgtttag   47

<210> 155
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27093-145 : polymorphic base C or T

<400> 155
gagtcatctc gaggtaaaca gaaytccaag agtaacgaag gcccaga   47

<210> 156
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27094-406 : polymorphic base C or T

<400> 156
aagaccctat gcccagttcc gccyggccac caaggccctt ctgaagg   47

<210> 157
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27096-410 : polymorphic base A or G

<400> 157
cccgggaaaa tggttttcat cacrcacacc aactgcattt atttgca   47

<210> 158
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27097-83 .: polymorphic base C or T

<400> 158
catgacacct gcctgtcatc cccygaaaaa aggtgaacgc cgttcag   47

<210> 159
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24

<223> 99-27098-162 : polymorphic base C or T

<400> 159
acaagcactc atccacagga cacygccgat gatgccattt actgagc   47

<210> 160
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27550-48 : polymorphic base A or G

<400> 160
atttttcatg cttgatgtga gccrgaagaa aaatgagctt ctctatt   47

<210> 161
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27558-335 : polymorphic base C or T

<400> 161
aaatctcatg gccgcatatg ttayacaatc atgcccactt atgtagg   47

<210> 162
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27561-106 : polymorphic base A or G

<400> 162
cccaggtgat gataaaaatg gtcrtcatcg ccaggcttgt gtcctgt   47

<210> 163
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27562-366 : polymorphic base G or T

<400> 163
tgtgggtaga ggccaggaat gctkttaaac atcctacaag gaaggca   47

<210> 164
<211> 47
<212> DNA
<213> Homo Sapiens

<220>

<210> allele
<222> 24
<223> 16-31-738 : polymorphic base C or G

<400> 164
taatagatcc tgtataaaag gggstctgga aattcgtgca tttcccg   47

<210> 165
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27110-301 : polymorphic base G or C

<400> 165
tggactttgg gagtgaactt tgtsagatga ttagatggtg atgtcct   47

<210> 166
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27563-400 : polymorphic base A or G

<400> 166
tctctctctg ttaaagatca gctrttccct tctgatcttg gaaagag   47

<210> 167
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27573-443 : polymorphic base G or T

<400> 167
cccgccctgc tctaatcttg cccktccttg gctcagctcc agttcca   47

<210> 168
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28732-133 : polymorphic base A or G

<400> 168
gtgctggaag gtcacgtgcc ttartggtca tgagatcctg gtgcaaa   47

<210> 169
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28735-56 : polymorphic base C or T

<400> 169
tctttacgtg gtgaaagtcc tagycagcca tcattcggca caacagt   47

<210> 170
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28736-399 : polymorphic base C or T

<400> 170
aatgatttgt tggtttttg tgtycattgc ttagaagcag tgagtgt   47

<210> 171
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28738-319 : polymorphic base C or T

<400> 171
ctttggattc tatgcaaaac aggycctcag ggttgtaaca atgtggg   47

<210> 172
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28739-364 : polymorphic base C or T

<400> 172
ttctgcatac tgggatgtga ggaygggtaa actaggaaga aattcct   47

<210> 173
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27875-185 : polymorphic base C or T

<400> 173
aataccatcc ccactaataa gtaycaagta ccagggctcc ttggaga   47

<210> 174
<211> 47

<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27880-176 : polymorphic base C or T

<400> 174
caagcaagct taccctcatc actyacttgg cctctattca aatagcc   47

<210> 175
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28747-371 : polymorphic base C or T

<400> 175
ttctcaatct agatagacag aatyctccct cccaggacat ccccaga   47

<210> 176
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28753-353 : polymorphic base C or T

<400> 176
atgcagggca ttctacaggg cttyaccatc tggagaggga gcctggg   47

<210> 177
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28755-206 : polymorphic base A or G

<400> 177
accctatccg ctgcactcag agcrgggacc atccgccaag ggagaca   47

<210> 178
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32333-366 : polymorphic base C or T

<400> 178
cttgaatgct aggaaaggct ataycccaga caactattat cccattt   47

```
<210> 179
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-38-323 : polymorphic base A or C

<400> 179
ttttcgagct gtgggtattt aaamaaatac atagaaatga actgtaa                47

<210> 180
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28484-179 : polymorphic base A or T

<400> 180
tacatgcttc tctaggtgtg tgawtaactc ataatccatc catgact                47

<210> 181
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-30853-364 : polymorphic base A or G

<400> 181
acaaaacgtt agtacacttt ctcrattggg ttagctcaaa atatgtt                47

<210> 182
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28485-198 : polymorphic base G or T

<400> 182
aaacatcaaa gttaatttct gttktctatc tatcctgccc cttctat                47

<210> 183
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-30858-354 : polymorphic base C or T

<400> 183
```

110

ccttcagttt ctccagccat cttygctgcc acgcccaagc ccaggcc   47

<210> 184
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32002-313 : polymorphic base A or G

<400> 184
acaccagcac agggtgggtg agargacatc ctgctgactt tataaag   47

<210> 185
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-15-366 : polymorphic base C or T

<400> 185
catgttatta cagaatttag taayactgtt tttaaaaagt atgatta   47

<210> 186
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-20-174 : polymorphic base A or G

<400> 186
tgagcttgtg tcttcaaact aggratacat caattactta attattg   47

<210> 187
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-31-178 : polymorphic base C or T

<400> 187
cagtcttact ttgcaaattt aagycaaata attaaggatt tgttaaa   47

<210> 188
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-38-395 : polymorphic base A or T

<400> 188
gatgacttct aaaccatttc acawtgagtc taaattcact gcttaat   47

<210> 189
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-2-192 : polymorphic base G or T

<400> 189
gatttgcaca gtggcctctt ttaktcatca cttaggttct gttattt   47

<210> 190
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-26921-210 : polymorphic base A or G

<400> 190
aataagtgcc aaggagattt ggtrggatcc ctgcaatgtc tgctaca   47

<210> 191
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-215-80 : polymorphic base C or T

<400> 191
ctcgggaagg tgaccgagaa agayatctgg gtacaagaac ctgaatc   47

<210> 192
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-132-368 : polymorphic base C or T

<400> 192
cagaccagac aacctcttgg ggtycttttc tgcattgagg tttgatt   47

<210> 193
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele

```
<222> 24
<223> 18-133-293 : polymorphic base A or C

<400> 193
gcatctggat agccctcttc tgamgtttcc tttcagaaag agagata            47

<210> 194
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-12-191 : polymorphic base A or C

<400> 194
agacaatgct ttgactatat gccmttggtg gaaaacattc taaagat            47

<210> 195
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-11-137 : polymorphic base A or G

<400> 195
actggggaga agggaggtcc tgcrgggagg agaaaaggga aagtggg            47

<210> 196
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-93-96 : polymorphic base G or T

<400> 196
tagtgggttg tggcagaaat tgtktctcta cagaatatta tcttaag            47

<210> 197
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-115-343 : polymorphic base A or C

<400> 197
gggagggcct ctctcaggcc tggmagggag cagggGtcac aaactgt            47

<210> 198
<211> 47
<212> DNA
<213> Homo Sapiens
```

```
<220>
<221> allele
<222> 24
<223> 16-42-140 : polymorphic base A or G

<400> 198
ttgaggagaa ggaggggaag gccrtgctaa acctgctctt ctccccg                47

<210> 199
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-251-176 : polymorphic base C or T

<400> 199
gtagaagtgg aagacagatt tgcytctctc aggcactagg gcacttg                47

<210> 200
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-269-44 : polymorphic base A or G

<400> 200
gcttggcmag atggatggtc aggracttga aaggaacaca tttggga                47

<210> 201
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-218-624 : polymorphic base C or G

<400> 201
caagtgatct ctttaagtca tttstaatgt gaaaactgcg tgattta                47

<210> 202
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-393-330 : polymorphic base G or C

<400> 202
aagctagtcc ctgtttctca atcstccttc taaagtcact ttaacca                47

<210> 203
<211> 47
<212> DNA
```

<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-394-402 : polymorphic base A or C

<400> 203
cttagaagtc cttggtgtcc gagmcttagt cccacaatgg atgctgg   47

<210> 204
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-217-55 : polymorphic base A or G

<400> 204
cgtagctgga tttcacctcc aggrcagcca gctggacaga caggcag   47

<210> 205
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-284-139 : polymorphic base C or T

<400> 205
gggtggttcc tgtcagtgtg gagygagacc cgggaaagca tcctggt   47

<210> 206
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-285-305 : polymorphic base A or G

<400> 206
tgctgaaagc cagttgcatt tcaratagtg tctgtgccac cttcaga   47

<210> 207
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-289-239 : polymorphic base C or T

<400> 207
agcctattac aaagacattt tctyctattg ctacctctcc ccattta   47

<210> 208

<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-291-91 : polymorphic base C or T

<400> 208
atggggacc tccgcctccc aatygtgctg gctggaactt tcctgtg   47

<210> 209
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-186-391 : polymorphic base G or T

<400> 209
tgggcatgag gtggcaggaa gaakgaaaga gtgaagataa tggagtt   47

<210> 210
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-194-130 : polymorphic base C or T

<400> 210
tcatcagttt taatcagata atgycttact tctgtagata tagtcta   47

<210> 211
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-198-252 : polymorphic base A or G

<400> 211
atattgttca tatggcagag gggrgaaaag caatgactta atcaagc   47

<210> 212
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-242-300 : polymorphic base A or G

<400> 212
acattactgt cttctttatg actrtgaaat aataaaataa aattaaa   47

<210> 213
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 8-15-126 : polymorphic base A or G

<400> 213
tggcatctct gagccagctg agtrgccacc tgaactacac ctgtggg   47

<210> 214
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 8-19-372 : polymorphic base A or G

<400> 214
tggaatctgc taattttggc tgcrctttga aggtaggaaa tccaatc   47

<210> 215
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-2409-298 : polymorphic base A or G

<400> 215
aagtagcgca tggggctgca gccrcagatc tcctgggctc tgggtct   47

<210> 216
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-339-54 : polymorphic base G or C

<400> 216
catgatggcg acagaaaaga atastccctt gcctaattt gatgata   47

<210> 217
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 12-254-180 : polymorphic base A or G

```
<400> 217
gcatatgaag aggctagcaa aagrtattta acaagcgttc aacattc                    47


<210> 218
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 10-214-279 : polymorphic base C or T

<400> 218
ctaaggactt ctggtttgct cttyaagaaa gctgtgcccc agaacac                    47


<210> 219
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 10-217-91 : polymorphic base C or T

<400> 219
aaaacacatc ataaaattca ttayacaatg tcacttattg ttccatg                    47


<210> 220
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28779-168 : polymorphic base C or T

<400> 220
tctggtctgc tctctgcatg aggyacagca gtaaagctct ttgattc                    47


<210> 221
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28788-300 : polymorphic base A or G

<400> 221
actgagccaa gcacagagat cacrtccact ttcctcaagg gacttgt                    47


<210> 222
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
```

<223> 99-32052-262 : polymorphic base C or T

<400> 222
cctattttt ataacgtatt aacyttatta ttttcttatt attttaa   47

<210> 223
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32121-242 : polymorphic base A or G

<400> 223
ctgattcaag tgtctatcaa agartggctg cagttgacca tgtattc   47

<210> 224
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32059-169 : polymorphic base C or T

<400> 224
ttgttttttc tttataatat tacyatctat gaatatattt ctaaaca   47

<210> 225
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32061-304 : polymorphic base A or G

<400> 225
gaccagctct ttggagggag gccrtaatcc ctccataacc tgtccta   47

<210> 226
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32065-303 : polymorphic base G or T

<400> 226
acaattatta accagtacag tctkgttatt ttaaacatta gcatgag   47

<210> 227
<211> 47
<212> DNA
<213> Homo Sapiens

<220>

```
<221> allele
<222> 24
<223> 99-32123-118 : polymorphic base A or G

<400> 227
tagtaagaaa atctatcatt tttrtttaa aaatctttca attttaa                          47


<210> 228
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32148-315 : polymorphic base G or C

<400> 228
gtggttctct ggaaaccgag gctsgttgca accccctaaa aagtact                         47


<210> 229
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-2-76 : polymorphic base A or G

<400> 229
ggaggcatgg aggctgtcat cacrggcctg gcagatgact tccaggt                         47


<210> 230
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-28-93 : polymorphic base A or C

<400> 230
ttcagccatt gatgaggtcc ttgmtgtttc ttacaggagc tggccta                         47


<210> 231
<211> 39
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 20
<223> 16-3-199 : polymorphic base C or T

<400> 231
ctggctgttc cctgctgtgy actgcccaag gctagacat                                  39


<210> 232
<211> 47
<212> DNA
<213> Homo Sapiens
```

<220>
<221> allele
<222> 24
<223> 16-50-197 : polymorphic base C or T

<400> 232
ggtgtgtagt gtctgcaggg aagycctgca tgtggggagg gggctgt   47

<210> 233
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-1-59 : polymorphic base C or T

<400> 233
ccgcaactca gatatttttt tccytggggg ctggatttgg agtattg   47

<210> 234
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-2-187 : polymorphic base A or G

<400> 234
ttctgcataa ccaaggtgag tagrggctgg gctctgggtc acctggg   47

<210> 235
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28761-311 : polymorphic base A or G

<400> 235
tgaaatgctt taagagaatt tgtrtgctaa atttagaagt tttgatt   47

<210> 236
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28771-86 : polymorphic base C or T

<400> 236
caggaaagat agagataatc atayagtacc cagaaaatga ctgcttc   47

<210> 237
<211> 47

```
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28791-291 : polymorphic base A or G

<400> 237
aaatgtcatc aactcccaca tgtragaaac accatgattt gtactgt                    47

<210> 238
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32077-66 : polymorphic base A or G

<400> 238
tttgtagggg gaaaacaatt tgcrtttggg aaataatcca acaagca         .          47

<210> 239
<211> 46
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32078-466 : polymorphic base C or T

<400> 239
tgatgcttgg agcaagcagg ccayctctgt ctgagagagg atacag                     46

<210> 240
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32376-426 : polymorphic base A or G

<400> 240
tttattggtt cactcacatc tggrtgttag agccaaattc caaagac        .           47

<210> 241
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32361-419 : polymorphic base G or T

<400> 241
ctcttttata aacttccata aaakctggtg agtctcttaa gaactgg                    47
```

122

<210> 242
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-21-228 : polymorphic base A or G

<400> 242
agtgctgtca gaatcaccta ttcraaaggc gaatccgatc atgtggt   47

<210> 243
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-22-156 : polymorphic base C or T

<400> 243
tgtgaagaaa agagccttgg gttygactag ggaacctggg gccactc   47

<210> 244
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-23-404 : polymorphic base A or G

<400> 244
tctggtatct gctgtgcgtt tgtrtatatc taagatgacc aggcagc   47

<210> 245
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-24-175 : polymorphic base A or C

<400> 245
tgggcaggtt ctggggtagg acgmgcagag cagctgcggg gactggt   47

<210> 246
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-25-286 : polymorphic base C or T

<400> 246

actctccccg acccgtccca ccayggtctc cacagcactc cygacag   47

<210> 247
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-25-279 : polymorphic base C or G

<400> 247
ccagctgact ctccccgacc cgtsccacca yggtctccac agcactc   47

<210> 248
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-23-393 : polymorphic base G or T

<400> 248
gtttttaata ctctggtatc tgckgtgcgt ttgtgtatat ctaagat   47

<210> 249
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-106-364 : polymorphic base C or T

<400> 249
gttgcttccc ctgcccccgg aatycacagt gctctgcttc tctgtgt   47

<210> 250
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-16-285 : polymorphic base C or T

<400> 250
agcatcatct gcggcatcac gtcygtggcc ttctccctca gtggccg   47

<210> 251
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-17-121 : polymorphic base C or T

```
<400> 251
ccctgtgact atggctctgg cacyactagg gtcctggccc tcttctt          47

<210> 252
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-84-185 : polymorphic base C or T

<400> 252
aactagcgtt ttcttttctt ttcytttctt ttcttttctt ttcttttt        47

<210> 253
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-87-74 : polymorphic base A or G

<400> 253
cacatccacc ctgggctgca ggcrtgctcg gcaggctccc cacagat         47

<210> 254
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-91-333 : polymorphic base A or G

<400> 254
gctgaacttg tctgccagtg ggargggggc tcttggagtt agctgtc         47

<210> 255
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-128-142 : polymorphic base C or G

<400> 255
aagtccctgc agaagcagag gcgsatgctg gagcgcctgg tcagcag         47

<210> 256
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
```

125

<222> 24
<223> 16-133-205 : polymorphic base A or G

<400> 256
tgctttttca gtctcttagc tccrtggagt atgttcagtg ttgctgt   47

<210> 257
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-135-181 : polymorphic base A or T

<400> 257
ctgcatttga ttctgggcac tgawagcagt acttggctgc agacact   47

<210> 258
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-145-405 : polymorphic base C or T

<400> 258
tggtgggttc ctcctctcgc tggytcagga gtgaagctgc agacctt   47

<210> 259
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-177-320 : polymorphic base A or G

<400> 259
accatgcatt ttctcatcct agcrgctgtt gcaaaataga cacgtcc   47

<210> 260
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-4-354 : polymorphic base C or T

<400> 260
ctggatgtgg agcaggccga ggtyaacttc ggctggaacc acctgga   47

<210> 261
<211> 502
<212> DNA
<213> Homo Sapiens

```
<220>
<221> allele
<222> 362
<223> 18-473-362 : polymorphic base C or T

<220>
<221> misc_binding
<222> 343..361
<223> 18-473-362.mis1

<220>
<221> misc_binding
<222> 363..382
<223> 18-473-362.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 482..502
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 350..374
<223> 18-473-362 potential probe

<400> 261
ggcattttag caagagatga ctaatcagag aggagttact agtggagaaa agtaatttga        60
gatgtatttt tgaagtagga atcatagtag accacaaaga gatcctttat ttctttaaag       120
ctatcattta ttgttagtac tgtaacaact tcacttatgt gatcctattg aatgctcaga       180
acaactgaac agctagctcc atttaacaga taagaaaatg catgttcaat accaagattc       240
aaacccaggc ctagccagct ccagaaacct gagcttttaa catttacgct ttcctacaaa       300
acagggtgac ttaacaaagt atctgtttct aaagacagtt cttagggcta agaaatcaga       360
aygtgccttt agaaataata agtattccta gttgtgtgtt aaaggtagga agctgaaacc       420
aacagacttt cctgtcccta agctaaacaa tactgaacca gtcaaaataa cttggctact       480
tgtcccagga aatacttgct cc                                                502

<210> 262
<211> 457
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 88
<223> 99-12361-88 : polymorphic base C or T

<220>
<221> misc_binding
<222> 68..87
<223> 99-12361-88.mis1, potential

<220>
<221> misc_binding
<222> 89..107
<223> 99-12361-88.mis2, complement

<220>
<221> primer_bind
```

```
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 438..457
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 76..100
<223> 99-12361-88 potential probe

<400> 262
caaggaacac aagagtttga ggscacttct ttagcctttg aactggttat tcatcctcat      60
tcttacctgg cattatttgg aatgcttyat ttcctctgta cctggccttc actcttggga     120
agtctagctt gtttgtgcag tttcctactg tttaaacaag agattgttta aactctagcc     180
actgatttcc acagctgttg ccagtgtttt tctttctcac tgaagccaaa catggagtgg     240
ctggagtctg gaaacatgcc ttgagaaatc aaagttccca tctgacattg cagcctactt     300
cctagagcta gtgtcactga ggaaggggtc atttactcat tctaatgtca ggattcccac     360
accaataacc acatcatttc tcaacaaata catcccttcc cctactccac ctcgggcaat     420
aactgtgggt ccggaggcta cagggctttg ggtgtgt                              457

<210> 263
<211> 502
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 335
<223> 99-12368-335 : polymorphic base A or C

<220>
<221> misc_binding
<222> 316..334
<223> 99-12368-335.mis1

<220>
<221> misc_binding
<222> 336..355
<223> 99-12368-335.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 482..502
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 323..347
<223> 99-12368-335 potential probe

<400> 263
gaacagaagg tattgaacag aaacaaagta ttttcaaact ggtagaaaaa ggattagaaa      60
tcttggtctg tcaatttcct catatccttg gccacacata atgaccccaa gagcacttgt     120
tggcaatggg agggaagaag gagatcacat cagtcataag gccaccattg ccctgactcc     180
tggcatctgt cctgcttctt acttttatg agcagagtga ggtcaacagg caccatggaa     240
```

```
agagcactgc gttgaagtta cacattccgg gacttcgctt gcttgctagc atcagtctgt      300
agctgtaaag tggtgacagt aatacctacc actamggtgt tgtgagaatt aaatgaggca      360
ggatcttgga cttagaaagc tgcccagata tggtggctac tgttgataag cattctggtt      420
atactcatcg gattccctcc tcccacctct tccctggatt gggtcattcc ctccaatgca      480
gcccttctct ttcctcatgt at                                              502
```

<210> 264
<211> 461
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 67
<223> 99-12370-67 : polymorphic base A or G

<220>
<221> misc_binding
<222> 48..66
<223> 99-12370-67.mis1

<220>
<221> misc_binding
<222> 68..87
<223> 99-12370-67.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 441..461
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 55..79
<223> 99-12370-67 potential probe

```
<400> 264
attacgcaag cactacgcca attaatccaa gacctgtgcc aaatttaaaa ggaaaagcag       60
agttcartgc aaattctaga aatagttgtc aaaatcccca tttcttatgt cctagataat      120
acttgtatat ttctggatgt ccatagaaaa ataaggatgt cattacatag aacaatagct      180
gtcagcatac agaacaatag cagaacagtg gggaggattt cagatgtgaa cagtgcttgt      240
gagaatgaag caagctacag tgtcctccaa ggggacttcg tgagctcaac ttgacattta      300
gtctcacatg actgccttag gctccttggc accagtcaac acagaaggac attggatgtg      360
tttatccaac acttctgtct tgccaacaga gcagcatcag cagacagtcc tcttcagggg      420
aagagtcctc actgtataca gttgagatgt gaggaaatga c                         461
```

<210> 265
<211> 449
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 314
<223> 99-32148-315 : polymorphic base G or C

<220>
<221> misc_binding

<222> 295..313
<223> 99-32148-315.mis1

<220>
<221> misc_binding
<222> 315..333
<223> 99-32148-315.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 428..448
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 302..326
<223> 99-32148-315 potential probe

<400> 265
tgagtgcatt tgatgtgggs cagcaaagct tcattcaggt ggaaacagat taagaagacc   60
aaagagtggt gaaatggcta agtaggaatg aaaaaacagc cagctacccg yggccagtgc   120
cttattctaa aagaggacag ctagcttgcc caaggactct tgcagaagga aacctgggag   180
agtttccttc tcctcttgca gaagtaaact cttcaggttg aagagtcagg aaggagctcc   240
agggatgagt gaagtcaact gaagttgcct cttttataaa cagctctgca gtggttctct   300
ggaaaccgag gctsgttgca aaccccctaaa aagtactgct ctgcaaggct tgtaactgcc   360
atacttgtgt ggtcctgctc catctccatg tgtggcagtg ccagctgcaa ccagcctcac   420
acagggtccg agagtctcag aactgcaag   449

<210> 266
<211> 426
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 322
<223> 19-46-322 : polymorphic base C or T

<220>
<221> misc_binding
<222> 302..321
<223> 19-46-322.mis1, potential

<220>
<221> misc_binding
<222> 323..341
<223> 19-46-322.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 409..426
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 310..334
<223> 19-46-322 potential probe

<400> 266
gatgagtgac tcaatggacc agctccacaa acaaagctgg aggtgtcttg tacagacccc   60
aaatgctatc catgtggggc tgcaggatca aatagcaggt ggccctcatc tggggggtgca   120
gccaggctgc cagaagggtg tccctgggcc aagctgaggc ctcctcccct tctcttcctt   180
tcagagactg gcctatggca tcacgccaga gaacgagcac cacctggtgg ctcagaggga   240
catcagacag ttccaggtgg gtgaagccta gacccctggg gtggagatta caagggcggg   300
ccctggctgt tccctgctgt gyactgccca aggctagaca tcacatccag aaaacccaga   360
aacccagtgt gagctgcctt ttccccttgg aaacatcggg atgggggaca gggagcctca   420
ccttga   426

<210> 267
<211> 422
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 315
<223> 19-47-315 : polymorphic base C or T

<220>
<221> misc_binding
<222> 296..314
<223> 19-47-315.mis1

<220>
<221> misc_binding
<222> 316..334
<223> 19-47-315.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 403..422
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 303..327
<223> 19-47-315 potential probe

<220>
<221> misc_feature
<222> 103
<223> n=a, g, c or t

<400> 267
tcctcgctgt ctttctctgc agttgcaaca ctggctggcc atctgagcct gcctggagga   60
gaaggaggaa cccccatgcc aatgtccagg tcacaggcat ycnctgcgct cccacctcgg   120
acaccatctt gggattcctc ccctggaagt tgtcctttct gatcctctct tctttttccca   180
tttacaaatg atttcgtgac tgtagttttt gttcaccttc tgtgcatctg gcctgggggc   240
tgttagctca gaggagagga gcaaacagga aaatgacttc tgttctgtcc ccgctgtttt   300
gggggaagtc tctcycactt tgggatcctg ctgaagctag gttcatgagg tcggaaatcc   360
ccaccacatt tgcctagact ttgggcacag gagttcttag tccaccaaat cagagagagg   420

at   422

```
<210> 268
<211> 419
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 346
<223> 19-51-347 : polymorphic base A or G

<220>
<221> misc_binding
<222> 327..345
<223> 19-51-347.mis1

<220>
<221> misc_binding
<222> 347..366
<223> 19-51-347.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 401..419
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 334..358
<223> 19-51-347 potential probe

<400> 268
atcaggtcaa gcccatgtgg tgcatggcag tggctagggt ccctgagtta ggggagagtg    60
gccaggtcct gtctccatca gcatgcattt gcagggactg gtctgtggtc acggcctctg   120
tcgtcctccc tgacgacatt taccctggtc ccctcccctc tcctctgggc aggcgtggtg   180
tcctgcacct tcacgagagc agcgggattc atgacatcgg cctgccccag tggcagctct   240
tgctctgtct gatggtcgtc gtcatcgtct tgtattttag cctctggaaa ggggtgaaga   300
catcaggaaa ggtaatatct ctgtgtttct ctttcactta cttggrtgat caaccttggg   360
gggtgtgatt atttctagca ataattatgt agctggtgga caaaaaagat ggagctgga    419

<210> 269
<211> 499
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 263
<223> 99-32052-262 : polymorphic base C or T

<220>
<221> misc_binding
<222> 244..262
<223> 99-32052-262.mis1

<220>
<221> misc_binding
```

```
<222> 264..282
<223> 99-32052-262.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 478..498
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 251..275
<223> 99-32052-262 potential probe

<400> 269
cagagtgaca aataagtgct atggcttgat agaagtgaag ctcttcacat atattcaaaa      60
tacatatcac aaacttggt aaataggata gtaatctgaa gaactttgc ccttttacc      120
ccatttactg taactcttgt ttctaggtaa tcgttctctc tcaacaaact tctcaagcgt     180
ctgtgtaaca agccacatgt tctaacaaat tgtctccatc gcacttcaac agccaggtcc     240
ctattttta taacgtatta acyttattat tttcttatta ttttaaaaga atctatgcac     300
attagcaaaa tttaaaagat agagaaaaat ataaacagaa aaaattatgt ttacttctac    360
caccctaaat caactattat caattttata catattttac tccatctttt ttcaaagttt    420
cttacatttt ccaatgtcat taaaattctc tgtgaatgta aattttaaaa actgtaccta    480
ctgttttttg gaatctgta                                                 499

<210> 270
<211> 3001
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 1501
<223> 10-213-292 : polymorphic base G or C

<220>
<221> misc_binding
<222> 1482..1500
<223> 10-213-292.mis1

<220>
<221> misc_binding
<222> 1502..1521
<223> 10-213-292.mis2, potential complement

<220>
<221> primer_bind
<222> 1211..1229
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 1588..1606
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 1489..1513
<223> 10-213-292 potential probe
```

<400> 270

```
gcagaagtat aagatctttg taaaacagtc ctctccctgg ttcatctgct ttctgttacc          60
acaataatgc taagtaaaaa aacatccaaa aacctccctg gcatttaaca atatgcatat         120
tgctcacacg tcttgatagt gagctctgct gatattggca ggacttgctc tggtctggct         180
gtgatctgat ggagcctggc cctgggtgcg ctgtgcaggt tgactcagct ctgccccaca         240
tgtgtctcat gtttcagtca ggtaaccact ggtgaagaag caagctagga accagggtat         300
ctgacttctg agctaaactc ttaaactcta taatattgcc tttcaaatat aacactaagt         360
actaggtgcc tatcaaccac actgttttca gacctctgcc aaaacttgga ttctttgtgc         420
tatgaagaga catggctttt gggctggtct ttgtgtggca gtgaggtgag cacaaaggga         480
tgttcttcag agattacagt ccagccctga agcaacaact aggagactgt ttcagcaagt         540
gaggacaggg ctgtgtgggg ttctatcctt ttcataactt tgcctggcac tgaaatcaca         600
tgctctgata acatccacca gaactttctt ttgtcatatt tgggatagaa agggactagt         660
ttttcctcaa attattgata gagattttat ataatatagt gtttctctcc acattttatg         720
tatataacaa aagccctgct tttgtgtata tatgcatata tatatatata cacacacaca         780
cacacacata tatataatac aaatcctgct ttgtaactgt ttttgtttgt atatataaca·        840
aaaagagtta tgaaccagaa gtttggccaa taatccttgt cgcacagaga atttgctttt         900
tctatctgtt ttcactttct tggttacaga cgtgtaacct ctttttttgaa tggtgacaat         960
cactttgtca tattttattt gatgctagtg gtcatagcct attagtcatg tttgcttcca        1020
tgagaaagaa aaaccactac atggttatgc taaggatttc agtcattggg gttagagcct        1080
tcccgaatgt ctcctgcttt cataactcct ccacacatct tagtgggcca ttgagcacat        1140
caaagggcat gacagttatt aaaatacttt atgaatgcta caatcctttg ccagtatgag        1200
ttgttctctg gaacttctaa cagttcaaca gtactacatg gactgagtta aaagttaatt        1260
caaaaatctc aatttatcca aatctgtttc tttcttttca ggcaccaccc acctatgata        1320
ctgtgctaca gttggagtat cttgacatgg tggtgaatga aacactcaga ttattcccag        1380
ttgctatgag acttgagagg gtctgcaaaa aagatgttga aatcaatggg atgtttattc        1440
ccaaaggggt ggtggtgatg attccaagct atgttcttca tcatgaccca aagtactgga        1500
sagagcctga gaagttcctc cctgaaaggt aggaggcccc tgggaaggga gccctccctg        1560
aaccagcctg gttcaagcat attctgcctc tctacaggac agtctgggct tgtacaatca        1620
tttgcttgtc tttttatgtt taaaaggttt tttcaaatca tgaaattgat cattgtcaca        1680
ctttacaaac cacagactag ataaaagaaa actatagcca gtcacagtcc cagcaactta        1740
agatgaaggt cctcaattat gtccttatgg gtcataagtg tccaaaatgt aaggactctt        1800
ttaaaaacac atgatcacaa tgctattatt atgtcccaca aatgaatatt ttttcctgaa        1860
tataatcaaa tcttcaggaa tcaaatttga ataaaaaaca tgcgtctaat cttcaaagaa        1920
tttataggtt agtgcaacag atagacaaag aaagcagtga tgacactgct ttccatcaat        1980
acagtagcat catatgcctg tgtaaattat ctgacttaaa ctattctatg gaggtgtggg        2040
ggagaaagaa ggagagatgg agattagaag aaggaggaga aggaggagag aaggaggggt        2100
aagacaaggt agggaggaga aggaggagaa ttagaaaaac aagagacgag aggagaagga        2160
aagtgcaaaa taacaatttt gaagtagtgc aagacaattt cttctccttc ctcatgacca        2220
acataagggt gacttgaggc aggaatctac ttttctgtca gtcattctca tcacttatgt        2280
gcctttgta gtgtgaacac atcaccatcc tgactataat ttgagtgttt agaaataaat        2340
atactttgca acagtattta tctcctctca acaagactga aagctcctat aatgtaagga        2400
gagtagaaag gatctgtacc ttacaattct catagcaaaa tatgcatagc aggatttcag        2460
tgactagccc acaaaagtat cctgtgtact gctagtagag gggtgggccc taagtaagaa        2520
accctaacat gtaactctta gaggtattat gtctttaact tttaaaatat ctaccaatat        2580
ggaaccaggt tcagtaaaaa gaacaaggac aacatagatc cttacatata cacacccttt        2640
ggaagtggac ccagaaactg cattggcatg aggtttgctc tcgtgaacat gaaacttgct        2700
ctagtcagag tccttcagaa cttctccttc aaaccttgta aagaaacaca ggtcagtcaa        2760
ttttctgcat taataatgtt ttattaacaa ttattttaac tgaatggtct atatatttaa        2820
aaaagaatac actcacttaa tcttttaata atttgttcta tgggccaagg aatctatttg        2880
gacccatcta tgatctttaa gggtgcttca gttctggagt tcaaaagctg tagcattaaa        2940
aacatcatgc aatgtcaatg tagactagca tgacatgatt atctacagtc tccttgaact        3000
t                                                                        3001
```

<210> 271.
<211> 465
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 135
<223> 18-419-135 : polymorphic base C or T

<220>
<221> misc_binding
<222> 115..134
<223> 18-419-135.mis1, potential

<220>
<221> misc_binding
<222> 136..154
<223> 18-419-135.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 448..465
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 123..147
<223> 18-419-135 potential probe

<400> 271
ttccaacccct gttaagactc ttctacagtt gctttttgtg tagctgacca acataacaat   60
catgttcttt attctacatt ccttgataca tttcaaccct tccatactga tcacttccct   120
tctgttgggg caaaytcagt tttttttgtg aaaatgtttt ctattttacc cttgttcttg   180
aaagggtggc ccaatctcag taagataact tactgaccta ttctaaggct gggcccaaca   240
gagcctcact ccccacccctt gtagggaccc tggatctggg tagaacattt atgcggtagg   300
ggaacagtcc ttcttaaaca ggcgcttgga agccctttgc agatgccggt gagaatcggc   360
ggtctgggaa agagtacaca tcttgcagag aagctgaaga gggaagcccct tttcctgttt   420
tttcactttc aagaacatga gccacctggc tgctttctttt tgtag   465

<210> 272
<211> 527
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 419
<223> 18-424-419 : polymorphic base G or C

<220>
<221> misc_binding
<222> 400..418
<223> 18-424-419.mis1

<220>
<221> misc_binding
<222> 420..439
<223> 18-424-419.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind

135

```
<222> 507..527
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 407..431
<223> 18-424-419 potential probe

<220>
<221> misc_feature
<222> 478
<223> n=a, g, c or t

<400> 272
cgctttaatt tttagggttc caaaccaaaa gtggcaatca ccatggcata tgtgtacctg    60
tgagcatgta gattcatgtg tgctgggggc attttatagc cagttctttc tcagagtccc   120
tttttctttt agccaatgga ttctggctag gaaaaacatt aaccgcacct tagtagacta   180
gttagaagac tgagaagaac caggtaggga agccagagaa gtgacattca gagatatttg   240
gaaacaaact tgagcataca ttttacccaa caggaattag ccaggcattt tatttttaaa   300
aaaagaaaga aaaagaaatt ttagcaactc tttgttgttg cccctctctg tgtttagaat   360
cgtgattttc cagctatgtt cctcacagcc gtaggatttc caagggtaaa aggtagagsa   420
gggggtgtgg aggtttggat atgagcatat gggacttcca tagctcctat ttgaaaanwt   480
gctgttttag aagagcctgt taagctgagt tttgaacttg acagcat                 527

<210> 273
<211> 451
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 290
<223> 18-429-289 : polymorphic base A or C

<220>
<221> misc_binding
<222> 271..289
<223> 18-429-289.mis1

<220>
<221> misc_binding
<222> 291..309
<223> 18-429-289.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 434..451
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 278..302
<223> 18-429-289 potential probe

<220>
<221> misc_f ature
<222> 110
<223> n=a, g, c or t
```

<400> 273
gtccagcttc tttagttcca tgctgccaga cagaccgtca gagcagaaca gataccttca   60
ttttgtcata acttttttaa aaatggcaaa aaataatagc cacatacagn tttgttagtg   120
aggtgaaatt cctcatagaa caaagacaac aaagaatata aaatgtttct aatatgttaa   180
aatatatttt atattctttg tattctttag tctgaaaggc ttaaatctta catttctggt   240
gggatttcag aaaaaaaagt tttcttaggt aaagcgtctt ttttcccttm aactagccca   300
tttgaaactc ttctgtttct gaatgaattt cacctaacct gtctacagct atattcacag   360
acactgtttt tccctttaca gactgaccct accctttctg ttacaaaata cagaaacgtt   420
gccagtgttt tttggttggt tggttggttt g   451

<210> 274
<211> 487
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 256
<223> 18-246-256 : polymorphic base C or T

<220>
<221> misc_binding
<222> 237..255
<223> 18-246-256.mis1

<220>
<221> misc_binding
<222> 257..276
<223> 18-246-256.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 466..486
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 244..268
<223> 18-246-256 potential probe

<400> 274
tcataggaag acgagagcaa atatttaatg tgttttgcct tcagttacat aggaaaaatg   60
tctaagaagg tgacattggg acttgtgttt aatgaaacag agaactgtgg gcagcgtcag   120
tgttgggttt ttaggagcgt agggagcaca cagctttgac tctttgtccc attacttgct   180
tctgtgtgaa gccactgagg ccccagggtt cgggtttttcc tgccacgcac tctgggtgg   240
cagtgaccgt tccaayatgg atgagtgaga agcaggttct tatgaggttt gtgcaaattg   300
agcaagccac ttggggcatg ggttttttcct cttttctttc tttctttctt tttcccacta   360
aagaacagat tgaaagtgct tcacaattaa tcaaaagtcc cctcaacact ctggtgatcc   420
atctaagacc tctcagagat ataaccacca gcacagatat tcaaacccat tttttttcaat   480
ctccttg   487

<210> 275
<211> 453
<212> DNA
<213> Homo Sapiens

<220>

```
<221> allele
<222> 68
<223> 18-355-67 : polymorphic base C or T

<220>
<221> misc_binding
<222> 48..67
<223> 18-355-67.mis1, potential

<220>
<221> misc_binding
<222> 69..87
<223> 18-355-67.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 436..453
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 56..80
<223> 18-355-67 potential probe

<220>
<221> misc_feature
<222> 32,51
<223> n=a, g, c or t

<400> 275
tgccctgttt ctggttctgg tgctgggagg tnaggagtgg agaagactag ntcccctaga      60
gctgaggyct gtcttgaagg actcactggg gccctcatcc tcagggggct gattggcagc     120
cacccctcag tgtggtggac atggagaaag gaaaggctgg ggaaggtaag gatgctagag     180
gcccgagtct cctttggagg ccccaaagga ggaatgtcag ggagcttact ttctttgttg     240
cctcagctcc acacccctac caagttggca aatccactta ctcagggaca ctaacaccag     300
taagccaacc ctgatgatgt tctatgttgt acctctggac ctctaagcca ggccactgtg     360
gggagaccaa ggtcctaccc cagatcctgt ccctgggtg cttatgtgac ttaaggtaga      420
cataaggtag tgtgccagtt tagtgcatgt acg                                   453

<210> 276
<211> 471
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 266
<223> 18-353-267 : polymorphic base C or T

<220>
<221> misc_binding
<222> 246..265
<223> 18-353-267.mis1, potential

<220>
<221> misc_binding
<222> 267..285
<223> 18-353-267.mis2, complement
```

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 452..471
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 254..278
<223> 18-353-267 potential probe

<400> 276
agttgcctac gtggctgggg aagcggggcg ccggttgtac tcacctcagc tcagggtcct   60
agagacctgc gggtttttgct ggtcgctgag gtctccccca cttccccacc tcacttaagc   120
catcacttcc acctggtctc ccaaattgag gtcctgaagt cctgagaccc atgtcccacc   180
caactccgac gtctttagat cccctttccc tcggtgccag ccttctgaga gtcccaacgt   240
tctggcctct aggggatctg cagttygggc ggtgggcggt tctgattggc cagtcttcca   300
tgaggctctg gggcacccag agtgtgtgtc tggggtaggg tggggaggct ggccaggggg   360
cagaggtctg ccccccgtcc cagggctctg atgccctcct cccttcgcct cctcagttga   420
agaagctgga tctggcagct gcggcassac acaccttctt tgtagcaaac c   471

<210> 277
<211> 468
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 306
<223> 18-338-305 : polymorphic base A or G

<220>
<221> misc_binding
<222> 287..305
<223> 18-338-305.mis1

<220>
<221> misc_binding
<222> 307..326
<223> 18-338-305.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 450..468
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 294..318
<223> 18-338-305 potential probe

<220>
<221> misc_feature

<222> 84
<223> n=a, g, c or t

<400> 277
ttgtaggtcc ccaagatggt gggggtgcag ggacagagag cttgctgttc tgctcctgat   60
gtcacacagg ggcttcctgb gcgncctggc atcaagatgg ccttccacaa gtcaagtggc   120
cacatcctca aggagctggc tcagccactc acagctcctc ccgaacccga ggtgcccttc   180
cagtcttgtc ttggaccctc tggtgcctgc ggctaggggg ctctggggaa gggtctttgc   240
tgggcatttc ttcctcttcc tcttcctcct cctcctgtga ctcctgcagc agttctttgg   300
cttctrtcca ctcctggggt tggggaggag agtgtggccc attccctgca cccacccttcc 360
ctgggtcagc tcagcccctg accctcaccg actgtgagcc ttctcggggg ctccttgccc   420
acccttcacg caccaggaga accacatccc ttcctaaccc gctcctta   468

<210> 278
<211> 3001
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 1501
<223> 24-243-346 : polymorphic base C or T

<220>
<221> misc_binding
<222> 1482..1500
<223> 24-243-346.mis1

<220>
<221> misc_binding
<222> 1502..1521
<223> 24-243-346.mis2, potential complement

<220>
<221> primer_bind
<222> 1156..1173
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 1652..1672
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 1489..1513
<223> 24-243-346 potential probe

<220>
<221> misc_feature
<222> 1556,2069,2084
<223> n=a, g, c or t

<400> 278
agaatctctc tctctttttt attattattt tttgagacag agtttcactc tcatcgccca   60
ggctggaatg caatgacaaa atctcggctc gccacaacct ctgcctctcg ggttcaagcg   120
attcttctgc ctcagcctcc tgagtagctg ggaatacagg cggccgccac catgcccagc   180
taagtttttt tgtatttta gtagagacag ggtttcacca tgttggccag gctggtctcg   240
aacccctgac ctcaggtgat ctgctgcctc agcctcccaa agtgctggga ttacaggtct   300
gagccactgc gcccagccca gaatctcttt gagatggaca cacacctct tcattattcc   360
agcttccata tggcagtggt gggctcgtcc tgcagaccag ttagctcagt ccatgaagta   420
ggagccttcg tgggctcaaa ggcaaatccc agcatgctca ctgctcagtg ccagaaagat   480
cacccccaga agccggctgc atcagtgtgg accaccaaga accatcaaac acacgtgttt   540

140

```
tctgtgtgct cgacctccgt tccttgcttt ttctgatgac tgcaccttga tgtccctttt    600
ggggaacccc gccactctca gtcctcatgg tctgggtggc actgcccct cccctgcgct      660
gcacagaagg cccgcacccc cacctggcca atcagagttg ccaggtcatc tccctgacta     720
cagcacctgg ttcagggatg gacacagccc agcggagttt gtgctagaac tgctgggaaa     780
tgggctttca ccttctgctc atcttggcac gtggatgcca gcttgaactg tggaaggtca     840
ccctgtgggc agagcccctg agacacaggc agcacaggaa agcagagtgg aatgggggcg     900
ggggagtact tcctgatgac atcatctgag cccctggatc cagccgtgcc tgaagcaaac     960
tactctaggc tctacagatc tatggactca tcaatccctt gcccctctac ttttttggct    1020
tgtgtcaatt tatattgaga ttttgtcact tacaactaaa agggtcctga atctaactca    1080
ttctttgaaa gtctgcctat caatcacaaa atagcagtgt gatcagagct ggataccatg    1140
ggcaggtctc cttccctctg tgaggttcta tggagaacac cctacatctt tttaattatt    1200
tgtcatgcac gggccctatg gatttgagag attcatggat gccacgtgga atcagtcaat    1260
gaccctcact ttctcaggca ctacctaggg catcctccag gatgcgcccc ttcccggcac    1320
agcccactgc catatcttgc tggaacctgg gtcatcgtcc atcgtctatc acaggctccg    1380
ccagccttcg tggatgccat ctatgtccgt gggtctcacc cgtctcgcca ccagcttcca    1440
ctacgacgct ggacagtaca cagggagcag acggggattc caggaggaag ccactgcaaa    1500
yagggcctgc agctgccctc tctccttctg aaatcctagc atagtccagg acacangcac    1560
ctccctggct gagcagctga actgccaagc tcaactccct gattgagcag atattctgca    1620
gaaatagaaa aggatggagg gaaggcttct tcccacacaa tgaacatcaa acccacccaa    1680
ggggcagtgg ctggggcctc ccttcccaaa cagctggctc aaaacatgca caaaattttc    1740
ccaaagtggg ctgggagcag ggcagctggc ttccactttc atattactga tgcatccaga    1800
catacttcca tagtgtttaa aaattttggg atgtatgtca aatgctctta agagtgcgat    1860
cttaggcatg tggtaaataa atatgatgta atcctcccgt ctccaagggt gctgctgccc    1920
tctccctccc tccctcactg gtcctgggca agcccttgac ctccacgatc tctctgcgcc    1980
tctcgtgacg cccacaacaa ggggctgtgc caaagggaaa ggtagaaaga aagaggatg     2040
tgctgtgtgc tgtcatcatc cctgtgccna gagacagggc acangggtgg tggccttgca    2100
ccaccggcgc atcccccaca tggggaagct ggggtcaccc tgcaccacag gcatcccatc    2160
agcctctgtg acactgacaa tgattctcgt gaatggacag gctgaatggt cctcagccct    2220
ctctttctat gctggctgaa ctctgaggcg gaacaggac agacagtggc tggaggccct     2280
ggcagggagg gcaccttct aacaggccct gcgtagccga gggcaccaaa ctgacaggca     2340
ggaccccctga gctcaccacg gcctgccctg ggccaggcaa gaacgagcac gtccacccat    2400
gagagttggg gctgtgtagg tgactgtaga catcacccac agtgggaggg ttcctggagg    2460
tgacgtccga ggcttggagc gcaaagtagg acaggcacac tgccaagttc ccagaagact    2520
gagtgccacc agatcctgtg gccagtcctc agtgtggtgt ggggggctca gcaggagcac    2580
atcagcaatc agatgggcca ggtcaggata aagaacaggc gtgacagctg cttcctaaat    2640
aatcaacggt gggtgccctg agtagcacct cctgctgtgc ctgtccccag ggcagcaggg    2700
gctcagcgca ctcccacatc tgcatcagag ccccagtccc tcctgggccc ccttgtaccc    2760
tctaagacta agctcggacc ccgccgggaa ccacccccag gaccctacct caggctgtgc    2820
caccaccgtc cacctggcag ccccagccag aaacctggag gccaccctgg ctttctcccc    2880
tccatgtcta cctgtccctc agccttcttg tggcctggct actcctctct ctgctccgcc    2940
tcctggctgg cctttaatgt aaacaatcca tctaacagct gagccccact cacgacaatg    3000
c                                                                    3001
```

```
<210> 279
<211> 3001
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 1501
<223> 99-62531-351 : polymorphic base C or T

<220>
<221> misc_binding
<222> 1482..1500
<223> 99-62531-351.mis1

<220>
<221> misc_binding
<222> 1502..1521
<223> 99-62531-351.mis2, potential complement
```

<220>
<221> primer_bind
<222> 1149..1166
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 1591..1608
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 1489..1513
<223> 99-62531-351 potential probe

<220>
<221> misc_feature
<222> 755,890,893,1406,1412,2220,2222,2224,2232,2241
<223> n=a, g, c or t

<400> 279
```
tgtggtttcc ctttccaggg agtgatggct ctgtaggctc tgggattgct ttttcatttg      60
tttgttgttt tgggacagag tttactctg tcacccaggc tagactgcag tggtaaatca      120
cagctcactg cagtctctgc ctccccaggc tcaggtgatc ctcctgcctc cccaggctca      180
ggtgatcctc ctgcctcaac ctcctgaata gctgggacta cggtcatttt taattttttt      240
ttgtagaggt ggagtctcgc tatgttgtcc aggctggtct tgaactccta ggctgaagca      300
atcctcccac cggggcctcc caaagtcctg ggattatggg cgtgagcccc cacacctggg      360
cttatttctc gagaaggggc ttgtgctcct cctcacctga tgcctctcct tctcccacca      420
gcgtcatcat gaccgggggcc tacaacaact tcttccgcat gttcgatcgg aacaccaagc      480
gggacgtgac cctggaggcc tcgagggaaa gcagcaagcc ccgggctgtg ctcaagccac      540
ggcgcgtgtg cgtggggggc aagcgccggc gtgatgacat cagtgtggac agcttggact      600
tcaccaagaa gatcctgcac acggcctggc acccggctga gaacatcatt gccatcgccg      660
ccaccaacaa cctgtacatc ttccaggaca aggtaaactc tgacatgcac taggtatgtg      720
cagttcccgg ccccctgccac ccagcctcat gcaangtcat ccccgacatg accttcacga      780
ccgcaatgca aggaggggaa gaaagtcaca gcactgatga ggacagctgc agaggtggca      840
gtgtgtggac acaggaagtt tgggcccccct ccctgcccca gctttcctan ggnccagaat      900
tgtgtttggc agtaattgtc tgtttaaaaa aataaaaagg aaaggaagcg ttcaccgcca      960
caaatcataa aatggacatg actgtggagt cttacagttc agggttcttt cattcacgtc     1020
ccttcctgtc tcggtctgcg gtctttacca catcaatagg actttttatg cgtccgggtt     1080
aatttttcac tccagtgcgt cctgttgcag ggaccggagc tgatgggagc tgcttctccc     1140
ccatgcctca ctggtcccag atcagggctc cagggacaga tgatgagtct caaacgagcc     1200
agccaggggt tcttttggtt ataaatgggg caattcgccc tgtctcagag ctgatgacct     1260
caccgttgtt ttttggatgg tgaattcatg ctgagaattt gcagatgcaa gctcctctcc     1320
taggtcttct gaatgtcttg aaacatccca ggtcccaggt ctggtgcggt ttcccgagag     1380
gagcggagtg gggtttgtct tctgtngtgc cntgtgtcct catctgattc acctgccatt     1440
tgctgagcct ctgctgtgta ccaggcgtgg tgctcagccc tagaggcagt tgacttaccc     1500
yctgcagccc tccctgccgc ctcacccttc agcattcact gggcaccttc ccggagcgga     1560
cactgactcc catgcacgat ttttggaat cttcctcctg actgtgaggt gggtgttcat     1620
tcatttcctc cataaacacc aacttctcga agcgtgccag gctctgggct ggatgctggg     1680
gataagcggg aaccctagg atcccctctg tccacgagaa gaagctgagg ctctgagcgg     1740
atgcacaggt cacccatggc aggtgccgtg cagtggtgtc aggaacccgt ccgggtcttc     1800
acacaaggtt ctctccagtc catctcgtgg gcggctcatg ttagagcgac attcaaatgg     1860
aaggtttgga aaggaatgcc tctgtcttgt gaagtaggac atggcagact tggcgacgac     1920
aagggtccag gagaactgag acgcaggatg gaagacagag aagaccccc ggagctcctc     1980
gctctgcttg gtggcttcag gagtgtggcc ctccccagga ctccacttca tcctgggctt     2040
gcaccctcct tgagccaatg cactgaactg cctttgaaag gaaattgcat gttctgacca     2100
ttttaggata cctttacttt aaggaccaca cagtcccaga ggacacatcc ctcgggaact     2160
ctgccctct gacaatgagg gccacagaga aggtggtgtt ccatggtag atgctcctgn     2220
tntnggtgat anccaaacct ngcccacccc tctgagtcgt ctttgctcat ggacttgcag     2280
cagagccacg tagtttggca ttttgattca gaaagtgggg agcagagacc cagccaaatc     2340
caaacttttt ttttggtttt gttttgtttt gttttttaca agatataaca taacccagga     2400
aacagaccca gctgaggtta ttctcagtgg attacagtat actttgtgt gtgtaaaagc     2460
acaaagtgca tgtgtactca cttctggcca tataacattt acacagggaa atggatcatt     2520
```

```
gatttttttt taatcaacgt gaatgaagaa tgtttgttta tatatcacta taaaatccag    2580
ttgacctgga cagtattata tgtacatatc tattctaatt aaatttaaca atcaaaggat    2640
tggattactt ttttcccccct tgtaaagagg ttcgagaatg tggtcaattg tatagatagc   2700
gtgttaaagc caaaacccag ctctgagggc cttacccatt acttggatat ttgctacgat    2760
ccatctccct ttgtgagtca aatgttaaga gaagaaactt gtatttgcag ctagaggtta    2820
ctgtcacatc atagatttaa catttaccat cttcaaagta caaatcttac atgtccttca    2880
aaaggaggtc ttaatacagt tcctagttcc ttacttctgt tttaaacttt gggtaccaaa    2940
ccaaaaagaa gaaaaaagaa aggaaagat cttctttgaa gaaaagtatg tctctggatc      3000
c                                                                     3001
```

<210> 280
<211> 3001
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 1501
<223> 99-54279-152 : polymorphic base C or G

<220>
<221> misc_binding
<222> 1502..1521
<223> 99-54279-152.mis1, potential complement

<220>
<221> misc_binding
<222> 1482..1500
<223> 99-54279-152.mis2

<220>
<221> primer_bind
<222> 1635..1652
<223> upstream amplification primer, complement

<220>
<221> primer_bind
<222> 1170..1187
<223> downstream amplification primer

<220>
<221> misc_binding
<222> 1489..1513
<223> 99-54279-152 potential probe

<220>
<221> misc_feature
<222> 44,377,423,696,723,1501
<223> n=a, g, c or t

<400> 280
```
ctaaagtgac agagttcaga ctttgagagt ctgaatgagg caanggtaag gatttcata      60
gctctgagag agggttctcc tgagagggga cagacatggc gtttgcacgg actcacacgc    120
tgtggtatga gacacatgat cacactcact catttctctc ataaatcttc acttccttag   180
aacctaccct cccgttagac actagctgtg tcttcttcag cctgacggtc ctctccggaa    240
ggtgcgcgtc tgtctctcag cccaattcaa agaggtggga gaggcggcca cagcctctgt    300
cggcctgctg ggcacctggg gctatagaag agggaccgag gctcagcgag attaagtgac    360
cacatcccac agctacntat ggctgctgca ggatttgaat ttaggacgat ctcgctgggc    420
ccntactccc agcgagacaa attaacacaa agccccaggg agacaaatta acccaaaccc    480
ctggaagaat tttaaaagca gaagctcaag cccccaccc caacacagat tttgattccg     540
ttggtctggg tgaggctacc cagaaggccc tgctgggtgg cttggggggcc tgtgcagaag   600
gccaggtgca ctgctccatg atggcaaaac cagcccagct ccctgctctc ttgcaagggc    660
tcagcatctg gtaccagagc aggagatgct cacaangtga gaatttctgt aggggtctac    720
```

```
aanagcaggt gctttcaaaa acagtgctca aagaaagtgg gaattgagag gcaaacgagg      780
gtgtttctac ctggggtgca ggaaggagca ggcacgtggc atttgagctt agctttcgtg      840
aacatatagg cgttctccga acacagcttg cagggagggg ctcaggtaga tggaatggca      900
tctgcagggg ttcaggttta cggaaacggg tcacctccca tggtctcccc acttcctccc      960
ctgtctgccc tccaggctca ccggagcagc cagtgatgtc tgggctcatc agtccttgga     1020
caaagccctc caggagctct gtcttctcaa tgtaaaagcc aaagtccttc caatgccccc     1080
aaggccttgc gtggcctggc ggtgtcaccc gtgggcccca tctcccacct ccactgtttt     1140
tttgctcact ggcctcaagc tggccttgct ggtcctggaa catgctgagc ctactcctgc     1200
ctcaggtcct tacacttgct gttccctctg cctggatgct acacagccac gcccagagtt     1260
catgatccca acacatgtgc caccttctca gacaccctcc ctggccaccc taggggacac     1320
tgcagccctc ccatcccgtc ccccttcctt cctccctgct gggtgccata agcttagctg     1380
ttgatttctt cgcctgcctc ccattagaac atgagtccaa agagggaggg ctccgtttgc     1440
tcaccattgc ccccgagtgc ctagagcact gcctggcacc cggcaggggc tctataaata     1500
nagatggaaa gagggaggtg ggcgggcatg cgtgggctta ggtgggccca gcaagagatg     1560
cccttgggca ggacagcttg gtgtgcatgg ccaaggaggg tgggtcccaa gccaaaggca     1620
ttgaacacca ggctgaggag tgaggatgcc acctgctgta tcacccaggc aatagggagc     1680
ctctaaaggc tttttctttc ccccaagatg aagtcttgct cttgtcgccc aggctggagg     1740
gcagtggtgg gatctcagct cactgcaacc tctgcctcct gggttcaagc gattttcctg     1800
cctcccgagt agctgggatt acaggtgggc accaccacgc ctggctaatt tttgtatttt     1860
tagtagagat ggggtttcac catattggcc aggctggtct cgaactcctg gccttgtgat     1920
ccgcacgcct cggcctccca aagtgctgag attacaggct tgagccactg tgcccggccc     1980
ctagaggctt taagcagggg agtggcctgg tcagagccat gctctgggat ggtatggcct     2040
accactgtgg cccagcaggc ttgagggtcc cagttagtgc ccctggagcc aagcagagga     2100
ctggacagga tccagcgtgg ggagggagcc ctccctgctc ttgttacctt ggcagaaacc     2160
ccgagaacac taggtccgtg ggcagcccct gcaggcctgt cctgctctgc tggccaaggc     2220
ttggagctct gcctggggca ggaggtgccc atgagaatgc cagggagtgc gagctccccc     2280
agagacccag gcaacaagca cccactcgac tccagggctc agagccctcg ctaggatgcc     2340
gtcagcattt gggctgctgc cttttgcact ccaatacttg agttcaagtc ctggctccac     2400
cactgactcc gggctacagg gacctgggct atagccatgt cctcctctga accttggttt     2460
ccccatctgt gaaatggctg gatttgtgcc ctcagctctg ccctctctta cctcgcacct     2520
ccctacccat gcccagagcc tccttgacac agacaaatgt gccatcgcct ctggaatgct     2580
gggcacctta acagtccagg cctgccagac actccaaatt ctagggcctc ccagggcctt     2640
aaatgacagg aagagaaggc catcttatct ctggagacag aagcttgggg cttggttcta     2700
tttccctggc aaattctggg gcacaaacca gaaagctgca acaggaaaag acccatacta     2760
tgcaagccta ggctttaaaa ccgagaggga ccccgggaat ctcgcgcgcc aactgcctgc     2820
actttaagga tagaggcacg cgggccagga gagaagtgac ttgcccaagg tcacctggtg     2880
gcagtgagtg ccgtgcaagc cccaaacccc ccagtcctgg gttcccacat ccctgcaggc     2940
tggctcaact gtagggcctc cgctgtggaa atcagtcctc cgacctcaga tctggaggcc     3000
c                                                                     3001
```

```
<210> 281
<211> 461
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 245
<223> 18-168-245 : polymorphic base A or T

<220>
<221> misc_binding
<222> 225..244
<223> 18-168-245.mis1, potential

<220>
<221> misc_binding
<222> 246..264
<223> 18-168-245.mis2, complement

<220>
<221> primer_bind
<222> 1..18
```

<223> upstream amplification primer

<220>
<221> primer_bind
<222> 440..460
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 233..257
<223> 18-168-245 potential probe

<220>
<221> misc_feature
<222> 445
<223> n=a, g, c or t

<400> 281
ttccaactaa cctctatcag tgcattttgt ttgggcagat tgaagatgga agtgttctgg   60
atttggagtt attaaatgaa ttttgtgtgt atgtgtgatt gtctttgggg aacctaagat   120
ttttagcctg ctcctcccag acaagtgagc tggtacagga gctctgcaat actttagaag   180
atgctgaaat ctgatgtgag cctttcccca aaccggaatg acaagctatt tgcatatagg   240
gaagwttccc agtctgcccc tgttctccac cctgcaaaca tgtcacggag aaccctggac   300
aggttctggc aggccccagc ctctggtagc ttgtgtactg aggttggtca ggataaagga   360
atgtatgcag gaaagtggaa catctgttca ggaagcagga ctcccagagt gaaagggatt   420
gaatgaggca ataggaacag ggttnaaatg tgggagtgag t   461

<210> 282
<211> 454
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 291
<223> 18-171-291 : polymorphic base C or T

<220>
<221> misc_binding
<222> 271..290
<223> 18-171-291.mis1, potential

<220>
<221> misc_binding
<222> 292..310
<223> 18-171-291.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 433..453
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 279..303
<223> 18-171-291 potential probe

<220>

```
<221> misc_feature
<222> 24
<223> n=a, g, c or t

<400> 282
tgtcatcagg gagaccagga ggtnaagagg atgtttcata ccttctactg ggagggtgaa      60
catggagact gggaaggtga ccagccaccc agctctgcgg aagtttgact gaggcccgat     120
ctttgacatt cagcgagacc tatctcagct cctggaggaa ataccaaggg tgaatggcct     180
gagtcatttc agcagttccc cttgatccac ttatacctga agtggctctc cagggagagg     240
aagtaaccag aagctgccat tgtctgcctg cagagactgt cacaggaata ytgaagaaag     300
catcattcct agaagagggg acacccaggg ctcaaggcat gttgccagaa tcccgaacaa     360
aatacctctg aatttctcac aggggtggag gtggaggaac tgcagggtca gggcgtatta     420
ctgctgaccc acctgttgaa actctctgct gtgg                                 454


<210> 283
<211> 559
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 346
<223> 18-172-346 : polymorphic base C or T

<220>
<221> misc_binding
<222> 327..345
<223> 18-172-346.mis1

<220>
<221> misc_binding
<222> 347..366
<223> 18-172-346.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 538..558
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 334..358
<223> 18-172-346 potential probe

<400> 283
tgaggaaata gaaagggaca caccgtcctc tctaggtgct gagtccagtt aggatgtgtg      60
cattgtcaca tagtgagggg gcctagctgc ttatgtctgc caggacaaag ccaagatggt     120
cttagactgt tgtctcatct gtgctattca ggttcattag cagtcatctt caagaccgaa     180
gaaaataggt ttaaattggt gaaggatgaa tctgaactaa ctgtaaaaca aataaattat     240
ttttgacagc aggagcactg gaatccattc ctgaagatgt tagggatttg cagaagcttg     300
gcgtcacctg ggcccttaga aaccatccag tcaagcccca ctcagyatag atgtcctctg     360
cgtacccca tacagcctgt gcatggtgcc ctccagggga gatgccagca gttttcatta     420
tttttaatct ccatttgatt cgggatgggc actaacgcag ctaatagact gagtggagga     480
agtctttccc caattagcga gaggctgtgg atctcacctc ccaaggtagc caactgtcca     540
tttcaagaca gttctgatt                                                  559


<210> 284
<211> 468
```

<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 406
<223> 18-177-406 : polymorphic base C or T

<220>
<221> misc_binding
<222> 387..405
<223> 18-177-406.mis1

<220>
<221> misc_binding
<222> 407..426
<223> 18-177-406.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 450..467
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 394..418
<223> 18-177-406 potential probe

<220>
<221> misc_feature
<222> 416
<223> n=a, g, c or t

<400> 284
cactcccctc tatttaccta gcgaaggtct actcactatt cagcttaacc atcacctcct   60
cagggagctc ttccctgatc tactccagta ggtccccatt atatgccttc actgtacctc   120
tgattctcca tattactaac cccaacatag gtatataatc attagtgaaa cactttcatt   180
aatgactgga cccctatttt gaataagtat ttacgaggat atggagtgtg tgtgttggca   240
gggggtgtct catttttctt atctgctgcc cagtccttgg tccacagcct tcctggccct   300
caatgcatgg ccaacttgac aagtgaatga ctcagtggat gggagcaaag ggaagataaa   360
tgtccatggt gtgtttcagg gcccccggag gtgcaatgaa tagctyaccg aagggnscaa   420
cttcattcat agtctctgga taataacacc taccacatcc taactaca   468

<210> 285
<211> 456
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 338
<223> 18-298-338 : polymorphic base A or G

<220>
<221> misc_binding
<222> 319..337
<223> 18-298-338.mis1

```
<220>
<221> misc_binding
<222> 339..357
<223> 18-298-338.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 439..456
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 326..350
<223> 18-298-338 potential probe

<400> 285
acattgtcac caagaaccag gatctctgga gaaacagttg ggctgttgca tcgagtaatg       60
tcactggact cggcctaagg tttcctggaa cttccagatt cagagaatsy gatttaggga      120
aackgtggca gatgagtggg agactggttg caaggtgtga ccgcagaatc ctggaggaay      180
agagagtaaa gcttctaggc atctgaaact tttgcttcat ctctgacgct cgcaggactg      240
aagatgggca aattgtaggc rtttctgctg agcagagttg gagccagaga tctacttgtg      300
acttgttggc cttcttccca catctgcctc agactggrgg gggctcagct cctggggtga      360
tatctagcct gcttgtgagc tctagcaggg ataaggagag ctgagattgg agggaattgt      420
gttgctcctg gagggagccc caggcatcat taaaca                               456

<210> 286
<211> 456
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 110
<223> 18-298-110 : polymorphic base C or T

<220>
<221> misc_binding
<222> 91..109
<223> 18-298-110.mis1

<220>
<221> misc_binding
<222> 111..130
<223> 18-298-110.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 439..456
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 98..122
```

<223> 18-298-110 potential probe

<400> 286
```
acattgtcac caagaaccag gatctctgga gaaacagttg ggctgttgca tcgagtaatg      60
tcactggact cggcctaagg tttcctggaa cttccagatt cagagaatsy gatttaggga     120
aackgtggca gatgagtggg agactggttg caaggtgtga ccgcagaatc ctggaggaay     180
agagagtaaa gcttctaggc atctgaaact tttgcttcat ctctgacgct cgcaggactg     240
aagatgggca aattgtaggc rtttctgctg agcagagttg gagccagaga tctacttgtg     300
acttgttggc cttcttccca catctgcctc agactggagg gggctcagct cctggggtga     360
tatctagcct gcttgtgagc tctagcaggg ataaggagag ctgagattgg agggaattgt     420
gttgctcctg gagggagccc caggcatcat taaaca                               456
```

<210> 287
<211> 451
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 104
<223> 18-299-105 : polymorphic base A or C

<220>
<221> misc_binding
<222> 85..103
<223> 18-299-105.mis1

<220>
<221> misc_binding
<222> 105..124
<223> 18-299-105.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 431..451
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 92..116
<223> 18-299-105 potential probe

<220>
<221> misc_feature
<222> 437
<223> n=a, g, c or t

<400> 287
```
ttcttggact gggggctaac tgtagcaccg tctctaccag cagggtgttg ccaactcatg      60
gtgcatggat tcaaatgcaa taaacagtcc tggggagatg tccmgctcct gtagccccat     120
catgggtgtc tgatttggtg agtattctag gtgcttccaa caacctcatc cttctgacct     180
gctggcctct ctgaaggggg tgtctgctct aactggatca agaatagggg acttgtttgg     240
aggaacattc ttggtttgtg atttggtctg gagtctctgt ctgcaagtcc ttctgcttgt     300
ctttttcact tgagtgtttg tgtatgtaca ggaattgctg atggaagtcc aacaggctct     360
cctagtttgt ctggtctgtc acatttgctg aaccctgaag gaactgttag cggaagcgca     420
acaggcctga ctcgtgntga ttttccattg t                                    451
```

<210> 288

<211> 451
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 31
<223> 18-884-30 : polymorphic base G or C

<220>
<221> misc_binding
<222> 12..30
<223> 18-884-30.mis1

<220>
<221> misc_binding
<222> 32..50
<223> 18-884-30.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 431..451
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 19..43
<223> 18-884-30 potential probe

<220>
<221> misc_feature
<222> 438
<223> n=a, g, c or t

<400> 288
tgtagttgct ttccttactc ttcagatagt sataaaggac attaaaccta agcaaacaca   60
ttagaactat gttactataa cttttcatga aacacttctt ctgtagtgtc tataattcaa   120
tttagtggta aataaacctt gagacactga attctgtttt tttttctttа aaaagttttt   180
tttaagtata aattaaaatt attcctcttt atttgtattt ctgccctttg tgaacaaagt   240
taattctgtt ttgattgtga agaatttgct tcttttgctg gtttcttcct gtaggtattt   300
aattgtcgct tggtagatct tgacctggcg ttgggttact gcactctctt acctcaaaaa   360
gatgtgtttg aaaatctctg gaagctcata gataaagcat ggcagaatta cgacaaaatc   420
ttggtatgtc ctaaggangc acaccttcaa t   451

<210> 289
<211> 451
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 342
<223> 18-299-343 : polymorphic base C or T

<220>
<221> misc_binding
<222> 323..341
<223> 18-299-343.mis1

```
<220>
<221> misc_binding
<222> 343..362
<223> 18-299-343.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 431..451
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 330..354
<223> 18-299-343 potential probe

<220>
<221> misc_feature
<222> 437
<223> n=a, g, c or t

<400> 289
ttcttggact gggggctaac tgtagcaccg tctctaccag cagggtgttg ccaactcatg      60
gtgcatggat tcaaatgcaa taaacagtcc tggggagatg tcccgctcct gtagccccat     120
catgggtgtc tgatttggtg agtattctag gtgcttccaa caacctcatc cttctgacct     180
gctggcctct ctgaaggggg tgtctgctct aactggatca agaatagggg acttgtttgg     240
aggaacattc ttggtttgtg atttggtctg gagtctctgt ctgcaagtcc ttctgcttgt     300
cttttcact tgagtgtttg tgtatgtaca ggaattgctg ayggaagtcc aacaggctct      360
cctagtttgt ctggtctgtc acatttgctg aaccctgaag gaactgttag cggaagcgca     420
acaggcctga ctcgtgntga ttttccattg t                                    451

<210> 290
<211> 476
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 140
<223> 99-61513-139 : polymorphic base A or G

<220>
<221> misc_binding
<222> 121..139
<223> 99-61513-139.mis1

<220>
<221> misc_binding
<222> 141..160
<223> 99-61513-139.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
```

<222> 458..476
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 128..152
<223> 99-61513-139 potential probe

<220>
<221> misc_feature
<222> 60
<223> n=a, g, c or t

<400> 290
```
aagaaggaca ctgggacact cargcttctc tctgtctcca cagaaccttg atgcctctcn     60
tacatggcgt ccctgtggcc tctctgtgtg gcccctctat gtggcatcta cacacagcct    120
cttcacatct tctttccacr acatagtctg gactttgtac atggacatac ttagggcttc    180
tgaaggcaca caggcagacc ttctccatcc ctgggcttgg aaaccccaga acatcacctc    240
caccacattc aatcaggcaa aacaaatcac agagccagtc catattccac tgggaggtgc    300
cacctaaggg tgggagtgcc aggaggtaca gcacattggg gctattcaga ctcaccacta    360
cagaatatag atgacactga gtcaggaccc ttggctagca ggaaataagg ggcccctggg    420
cccccaacga aggagatgta gttgtagaag ctgggaagta agggggtaga gaggaa        476
```

<210> 291
<211> 517
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 179
<223> 99-61514-179 : polymorphic base A or G

<220>
<221> misc_binding
<222> 160..178
<223> 99-61514-179.mis1

<220>
<221> misc_binding
<222> 180..199
<223> 99-61514-179.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 497..517
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 167..191
<223> 99-61514-179 potential probe

<400> 291
```
atgttcacac agaatcggtc tagaaactgt attccgtgaa aggatgaaag ctcttaactt     60
ctctgtcccc acccccccaa aaaactttac tgtcacataa gagttgacta atgaccctcc    120
actaaaaatt acacagtata ctgcctgcca ccaaatacga attcagtaaa tacttggara    180
ataagtgaat aatttcaatt cacagtcaca tgacaagttg tcaaaagcaa ttataaaagc    240
```

```
aattgtattg gactcagcac atcccactgg agaagccagg gcaaggaaac agatccctca    300
gcaccttctt tgaaatacaa agatttgaag aaggtcagag cagattgttt tgttgttgtt    360
cttcttgggc taccaggaag tcacaatgat gacagacgta cagatgtaca tttggacaaa    420
atgtacagat gtacaaagaa atgtaaagat gaaaattgat agatcaatag atcccaatct    480
aaagagcctc attcggcctg aaataaagca ttgattg                            517
```

<210> 292
<211> 436
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 323
<223> 99-61516-323 : polymorphic base C or T

<220>
<221> misc_binding
<222> 304..322
<223> 99-61516-323.mis1

<220>
<221> misc_binding
<222> 324..343
<223> 99-61516-323.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 419..436
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 311..335
<223> 99-61516-323 potential probe

<400> 292
```
ggagactttc tcttagacac acgcctggag gcgtctgaga gggacaggct gggctcacca     60
attcgaactt ctgccaatgc cctgcatgtc tctctcacta agagctaagc caagacttcc    120
cctgtcatca ccactgcctg tggtcagtcc tctattacca acagagggaa acagaatgca    180
attgaggaga accaactaat tgcgaaagca aagcctgaga accccatga gtgatggatc     240
caccaattct ggtggccaca gggaggtccc tggtgtctgg ctgcatgctg gccatggtga    300
ccaggtgtcc ttgggcagga gayggcttca aatgcagacc ggagtcctag cgatccaagt    360
ggttctttga gaaaccaaaa caccacaaag ctcccscwgg actgtaccat tgagctctca    420
atcacaaatt cagccg                                                    436
```

<210> 293
<211> 505
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 70
<223> 18-204-70 : polymorphic base C or T

<220>
<221> misc_binding

<222> 50..69
<223> 18-204-70.mis1, potential

<220>
<221> misc_binding
<222> 71..89
<223> 18-204-70.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 487..504
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 58..82
<223> 18-204-70 potential probe

<400> 293
agaaaagtct gtagcacttc gtaattttat atatggttaa ggggatctca gagataacta   60
taggattty aatttggata ataagaagat ggtaatatca ttaaccaaga aaggaaatgt   120
gagaaggaga gggggaacag attgtaacca ttgttatttt actgacacat atcttcacga   180
attcgttgaa acttgatgta atgttataag atagtgatgt ttaagagtat tctcccctgt   240
tccctcgtat ctacccaccc ttctccagga tttgaactca gaggatcaaa aagccttcag   300
tgttgaacat acaagctgca atgaggaaga aaatttcgca aatatgaaaa agaaggccaa   360
aataggcatt catcacaaaa atagtccccc caaagtcact gttccaacta gtggaaatac   420
tatagagtct cctcttcatg aaaacatctc taattcaaca tcatttaaag atgagaaaat   480
catggagact gatagtgaac cagag   505

<210> 294
<211> 464
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 442
<223> 18-207-441 : polymorphic base C or T

<220>
<221> misc_binding
<222> 422..441
<223> 18-207-441.mis1, potential

<220>
<221> misc_binding
<222> 443..461
<223> 18-207-441.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 443..463
<223> downstream amplification primer, complement

154

```
<220>
<221> misc_binding
<222> 430..454
<223> 18-207-441 potential probe

<220>
<221> misc_feature
<222> 449
<223> n=a, g, c or t

<400> 294
catccattat agcccagatg aaagttggct gtgacaacac tgtggtgcgc atggtctcca      60
gtggaaaaca cgtaaatcgt gtgacttttg agtatcgtca gctggagccg tacgagctgg     120
aaaacccaaa tggaaacagt atcggggaat tctgtttgtc tggtctttga ataaccaacc     180
cagtgattta catgctgata gctaagtgag tttttaatgg ccattgtgta tgattttgat     240
gcacaactag ttaaaagcct ttcataccag tcagtattcc cagccttgag cgcacgcgcg     300
cacacacaca cacacataca cacacgcatt aatttttgta ctttgcttct tttatgtttg     360
taatctgtaa atgaacacat ggcagaaaat aacccctgat tggtaggatc atagttctaa     420
atggaaatgt ttgtaattct tygatgtgnt acaaacctga aact                      464

<210> 295
<211> 456
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 65
<223> 18-210-65 : polymorphic base A or G

<220>
<221> misc_binding
<222> 46..64
<223> 18-210-65.mis1

<220>
<221> misc_binding
<222> 66..85
<223> 18-210-65.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 438..455
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 53..77
<223> 18-210-65 potential probe

<400> 295
ataatatcca tgtagctgaa ttcataatgt atactttta aagacaactt gttttctct       60
ctcarttaca aaagtagact acaaatatct aacccactaa aacagcctta atctatattt     120
taagattaga atccaggtaa cctggctttg tattctactg actatgccat tcaatacaat     180
gaaaccttct gaaggtctaa gtattagtca tttattcaca tcctactctc taagaataac     240
caagtggcaa cccacaacat tttcaataac atcattaaaa taatgtttac tttctggcag     300
atatactaca actcactaac atttttaatg gttttgctct tttatagtta ccagactggg     360
```

155

```
ctatttactt aaataatgat tatttactca ccttcatcct cactatcttc tgcagttaca      420
ttgccttcac tggtaatggc ttcgtcataa ctatcc                               456
```

```
<210> 296
<211> 484
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 200
<223> 18-212-200 : polymorphic base C or T

<220>
<221> misc_binding
<222> 181..199
<223> 18-212-200.mis1

<220>
<221> misc_binding
<222> 201..220
<223> 18-212-200.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 463..483
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 188..212
<223> 18-212-200 potential probe

<400> 296
```

```
tttggctagt acaacttctt ggaaattaca cacactttaa gcatttatat tcctggtgaa      60
caattagttt taatatactt attgggctga gttaatatga agtacttaca gttaattcaa     120
agatcagctt tgtggggtga gattcatgtg attattcagc catactgcct gaggagcata     180
ctctgatact tgtggagggy atatcctgat aaagcagcga tttgaagtat tgtgggttgc     240
ctactattta tagaacacta gatatgagga ggcagatatg aagccttgac tcttgtggtc     300
agcctgactg gacaataaca cagacagcat cactctgttg gtcttgacta cttaattaca     360
catatctaga aaagtttatt ttgaacaatt gcaaataatg tttacaatac aacaactctt     420
tttctctttt tttagactaa aaaatcattt agaaaaataa cacacatata aacatactct     480
ctct                                                                  484
```

```
<210> 297
<211> 485
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 334
<223> 18-229-334 : polymorphic base C or T

<220>
<221> misc_binding
<222> 314..333
<223> 18-229-334.mis1, potential
```

156

```
<220>
<221> misc_binding
<222> 335..353
<223> 18-229-334.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 464..484
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 322..346
<223> 18-229-334 potential probe

<400> 297
aaaccatagc catcatcttc tgccatttat tattagaaaa acattaatgt atactttatg      60
tttattttgt tggttggctt ttggcttgga tacttatgaa attttttaaaa cttatctttg    120
agactggaaa tttttactgt aattatatat gtgaagtctc tttttgcttg aaacatagtg     180
cgctaagctt ggagtttatc ctgaggtagt tttaggcaag agagttacat ggtgagaact     240
atgtttttaaa tataccacct caggcaagta tgagggatgt gtttggaaaa agtacagact    300
agagctgagt agaccagttg gactgttgga ataytgtagg ccagaactga gatattttta     360
agattcagcc tgttcaatat gtagcaggaa gtaataaaca agagaataga tgggagatgg     420
agttggtaag aagtaactcc aatgtggtct gcggttccca tgtctcactg ctgwgtgtta     480
ctggc                                                                 485

<210> 298
<211> 457
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 332
<223> 18-230-332 : polymorphic base C or T

<220>
<221> misc_binding
<222> 313..331
<223> 18-230-332.mis1

<220>
<221> misc_binding
<222> 333..352
<223> 18-230-332.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 439..456
<223> downstream amplification primer, complement

<220>
```

```
<221> misc_binding
<222> 320..344
<223> 18-230-332 potential probe

<400> 298
acaaacacaa tggattctgc cctccacatt gacacctgtt tcatttgcta tactgaggag    60
aatcaacaaa tgcctacatt tgtttgggtt tcatgaaatt cctttgcatt attttcata   120
aactgaatat tgctttgtca ctacatatac ttgtttcact ttattggcac ttttgtcctt   180
cacatttgct tcaagtgtct cccagaatat aatggaaccc tgggtgtcag gtgcccaccc   240
acatccctgg gaaatagtga agctgagatc agtaacacag acatggaagg aaccttagcc   300
atcatgcagt tcaaaattct tgacataaag ayaaagatgt tgagttccag aaagaaacca   360
tctgcctggg catccatgga ctatctcgct tattcagacg catcatggcc cactaatatc   420
atactaatat catagttaca ttagcatcgc tcctttg                            457
```

```
<210> 299
<211> 478
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 378
<223> 18-966-378 : polymorphic base A or C

<220>
<221> misc_binding
<222> 358..377
<223> 18-966-378.mis1, potential

<220>
<221> misc_binding
<222> 379..397
<223> 18-966-378.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 458..478
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 366..390
<223> 18-966-378 potential probe

<220>
<221> misc_feature
<222> 55
<223> n=a, g, c or t

<400> 299
gtacaggagg tgttcatcac agtttggcca ctggttccta tgtatgccct ttggnaagca    60
gtatagcatg gtggctttgg catcaaatag acccagcatc aagtactggc tcctttactg   120
ttatgagaaa aacctgagat tgtaatgtcc ccccaaactg ggaaggagct gatagtgcaa   180
agaatgactc agacaagtcc agcttgaaga gtggatgagc tcactcactt acagagaatt   240
cctgggcagc agcaagacag ctccagccat cttcccacc tcccatctct aagttgcttt    300
gaagctaatt ttctggctct ttgattactg catatgtgca atgagaatgt tttcctagga   360
atgttccaag ctatgctmca ggatgttgag tttctcaggg acacctgctc ctctgctggg   420
caccatggcc ttggctcacc gcctggcctt cagggttcaa gcagtggaca tacaccct     478
```

158

```
<210> 300
<211> 463
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 307
<223> 18-987-308 : polymorphic base A or C

<220>
<221> misc_binding
<222> 288..306
<223> 18-987-308.mis1

<220>
<221> misc_binding
<222> 308..327
<223> 18-987-308.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 443..463
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 295..319
<223> 18-987-308 potential probe

<400> 300
agagacctaa cattcaccca tttgtagcag ttgtttttaga acagtgattg ccaaggaggg      60
gaaaaatgag gaagcatagc agaatttctg gggaactgta gaaagagaga gcatattggg     120
aaggtcttgt gatatttgaa aattactctg aaatgtttct gaaactcctt ccactgattc     180
tcatggaaga agtctaacct cttaggatgt gcaagttcaa tggaataaat ttaacacttc     240
atcttgtgca tgaagtgcta tattcagaag caaaatatta aaagctacag gtttttaaaa     300
aattaamttt taattaaaag caactcaaca ttttaaagat attctacatt ctccctttcc     360
cccgatattt gaaattccca atgatgtctt tcctgagaca tttaaataga cattcaacat     420
tatgagagtt ccttcttttg tggggtttta taagtacgaa gca                       463

<210> 301
<211> 460
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 118
<223> 18-1169-118 : polymorphic base G or C

<220>
<221> misc_binding
<222> 99..117
<223> 18-1169-118.mis1

<220>
<221> misc_binding
```

159

```
<222> 119..138
<223> 18-1169-118.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 442..460
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 106..130
<223> 18-1169-118 potential probe

<400> 301
gaccaagttc atgttgccaa tttattgaaa catctcactc cttagggcac aaccacaaaa        60
tgccttttgt tccccaataa ctgctttcta actgggccat gttgaaccca ctttccastg       120
gggagcagtt cctttaatta caagttggcc agattttgta agttgcagtg atgtttaaaa       180
aagtaatttt aaccctatgc agtttaaaat ttcaatctca acttaactca gagctctcct       240
tcctttccac taataaagac caaacctgcc actggcttta attggtggtg aggggggttgt      300
ctcattacac acttatccct cctcccttt tgagggctag ctcttccagt tcttgggtca       360
gggagaagag caaaaagagg aaatatctct tactcctctg gacagggttg cagtcttctc       420
cccgaatggc agacagtttt cctggttact actgatttgc                            460

<210> 302
<211> 475
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 138
<223> 18-1172-138 : polymorphic base G or C

<220>
<221> misc_binding
<222> 119..137
<223> 18-1172-138.mis1

<220>
<221> misc_binding
<222> 139..158
<223> 18-1172-138.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 457..475
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 126..150
<223> 18-1172-138 potential probe
```

<400> 302
gcaaacaggt aagacatctg atatataaca ggcccccgac cgatgttagt tgccttcatt   60
gccaacaaat gtggaatgat ccccctcctc tgagttccat agagaatgag aataaagagt   120
aggaaggggt ttctcagstt gtaaaacttt caatgctaac atcctggcaa accaggacac   180
attgttcaaa gggctacatt tgataaacta tcccaagtat tcaatatgtg gctgttatct   240
ccttcctaat atcctgaata gcgttttcta ttgtttcagg gagtagggtt gaaaaacagg   300
tattcgtgat gtaaataatt tgtttttttca atcacataat tgaagactgt taactggctt   360
tacagcagtg attttcaatg gggagtgcag ttttgcccct cccaagagac ttttagtaat   420
tccggaaaga tttttggtta tcataaccag ggagtgggag agggttcttc tgcat   475

<210> 303
<211> 533
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 92
<223> 18-1173-92 : polymorphic base C or T

<220>
<221> misc_binding
<222> 72..91
<223> 18-1173-92.mis1, potential

<220>
<221> misc_binding
<222> 93..111
<223> 18-1173-92.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 515..533
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 80..104
<223> 18-1173-92 potential probe

<400> 303
ttattgtcag gttgggtctt ccttctgaag actcctgtgt attgtgcctt tgcaagttga   60
tttttcagtg aaacttcaga gggccaagat tyccccttgg ctcccacact gtagtgatta   120
agatagtgag ataacagcag ggggatagat atggggtaga tatatacatc atatcaaagt   180
actccccaag ttcttattga ttagatatta agtaataagt tcaaaattat tatataactt   240
tatagtagag aagtttggca tacatcaaat taaccaggta ttaaaagttc actgcgccag   300
taatgggaca aatcaacgtc atgtgcctcc tcatgtgctg caccgagaag gacacagtat   360
cacttcagca gtgttctggg gccaaaaatg taaaacctca agttgcttat gagtaaaccc   420
cagccaaact caaaacaatg gacattctac aaagcaactg gcctgtactt ttcacaggca   480
ttgaggtcat gaaagacaag acagaagagc tgctccagag tgaagaagac cga   533

<210> 304
<211> 463
<212> DNA
<213> Homo Sapiens

<220>
<221> allele

```
<222> 387
<223> 18-1174-387 : polymorphic base C or T

<220>
<221> misc_binding
<222> 368..386
<223> 18-1174-387.mis1

<220>
<221> misc_binding
<222> 388..407
<223> 18-1174-387.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 443..463
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 375..399
<223> 18-1174-387 potential probe

<400> 304
gccatttcct tgctttagat atttgaccta attttttcag acctgtttaa tcaccagttt      60
agctttcagg accctctcta gaggtggtca tgtgttattg tggaaagtac agattttgga     120
ttcaaacaaa tgcagattca aaccttgggt ataccatcta taagatgttg aaaagtaacc     180
tgaccttgca gtctcagttt cctcaactat aaaatagtgt ctacttgtgt ggtaaagggt     240
taatccagca ggtctgcaca gtctaaatcc tgcacattcc aaagaaaggt ttagtcctta     300
ctctactcct gggagataac ctctaagctt ctagaatata ctgcctgtta agaatgtttt     360
tgtttatcta agcccttggg ctacacyaaa tagtttaagc taagaaagtg ggaaatgtgt     420
gattaaatct gagagttgtc ttggtgactt caaaactact tct                       463

<210> 305
<211> 451
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 416
<223> 18-1175-416 : polymorphic base G or C

<220>
<221> misc_binding
<222> 397..415
<223> 18-1175-416.mis1

<220>
<221> misc_binding
<222> 417..436
<223> 18-1175-416.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer
```

```
<220>
<221> primer_bind
<222> 434..451
<223> downstream amplification primer, complement


<220>
<221> misc_binding
<222> 404..428
<223> 18-1175-416 potential probe


<220>
<221> misc_feature
<222> 428
<223> n=a, g, c or t


<400> 305
gactagaagt tactttccca tgtctctttt ttaaaaacaa ttttcaaaga ccctagaaaa     60
tcaaatagtg acttaaggtt tcagaaattt tcaagcctac tagcggagtg atgtggcaga    120
atgaacacag acttgagatt gagaaacact tggagctgaa ccttgctcta cctcttgcca    180
gctatgtgta cggggcaagg ttctgcatta gggtttcagc ttcttcattt gtaatatgga    240
accacctatc tagatggcta ctgtgaggat gaagtgatgc aaacaggtaa gacatctgat    300
atataacagg cccccgaccg atgttagttg ccttcattgc caacaaatgt ggaatgatcc    360
ccctcctctg agttccatag agaatgagaa taaagagtag gaaggggttt ctcagsttgt    420
aaaactbnca atgctaacat cctgcaaacc a                                   451


<210> 306
<211> 450
<212> DNA
<213> Homo Sapiens


<220>
<221> allele
<222> 146
<223> 18-542-146 : polymorphic base A or G


<220>
<221> misc_binding
<222> 127..145
<223> 18-542-146.mis1


<220>
<221> misc_binding
<222> 147..165
<223> 18-542-146.mis2, complement


<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer


<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement


<220>
<221> misc_binding
<222> 134..158
<223> 18-542-146 potential probe


<400> 306
aaactgtgtc ctagagtcag ccaagcaact acaaagccga agaatgactt ttgctaaatc     60
actagctact gtattaacac catttcaggt ctattggatt cagggaaata tttttactgt    120
```

163

```
cacaactgct ttttgttgga ttgtgraaag tattacaatt aattttaaaa atgtgtagaa    180
atgcctcagg ggcaaggata gaaacagata tatatttcta aagaaagctg gagaaaaatt    240
ctttagaagg tgagtaattc caatttggca tttagctaat aatgttcctt tctcgttata    300
atctattttt ttctaacaat gattaatagt ttttcttgg tatttcaaag cagaattatt    360
gataaactaa attcattaga ctaattcatt agtctttcac cactcatttg accacacggc    420
tctacatctc tccacccaac tcttacagta                                     450
```

<210> 307
<211> 3000
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 1501
<223> 8-42-211 : polymorphic base C or G

<220>
<221> misc_binding
<222> 1481..1500
<223> 8-42-211.mis1, potential

<220>
<221> misc_binding
<222> 1482..1500
<223> 8-42-211.mis2, complement

<220>
<221> primer_bind
<222> 1694..1711
<223> upstream amplification primer, complement

<220>
<221> primer_bind
<222> 1263..1281
<223> downstream amplification primer

<220>
<221> misc_binding
<222> 1489..1513
<223> 8-42-211 potential probe

<400> 307
```
caagtgagcg agatgagcgc agcggcgcgc cggggcgtcc tcttgttcac gtagtcgatg     60
gggtccgtga tggcccagta cctgtccagc gcgatggcgc acaggtgcaa gatggatgag    120
gtgcagcaca gcacgtcgag ggcgatgaac aggtcgcagg ttacctggcc cagtgtccac    180
ttgttgagca cctgatacag cgcggccatg ggcagcacca acaccgacac catgaggtcg    240
gtgaccgcca aagagccaat aagataattg gccacgttct gcagggagcg ctccaaggcg    300
atggcagcca ccacgcacgc attgcccagc accgcgcaga agatgagcgt gcccagcagc    360
agagaggtga tcacttggta gctgacggtc acgtcggaga taccagtagt gttgccgccg    420
gtctcaaagg gagccggtgg tgatgtggtg ttgttgccct gaccagggct gagcacatcc    480
atgcctgcgc gcccggcgcg ggaaggggga gggaagaaaa agcagcgcga agattcgcct    540
cgccccttcc cctgggtct tccgcccttc tcctgggaag tttcggagga agggaatgca    600
gagacccaag caggaagttc ttactgcttc ggcgaagggt atctccgagg agcagctttc    660
aggcgctccc tgggctctcg cagtccagcg cgttcagaag ctccagctgg gaaactggag    720
ttggcctgaa agcagctcca ggatctcccg gcggcggaga ggtggctgga acgtctgtct    780
gtcgctgtcc attttacttt gccgctcccg aactggctgc cggagctgga gtctccccac    840
tagcaaacag tctccaatcc cagaaatatc tagaaccgag aagccccatc ctccacggtc    900
actctgtgac cctcctctcc ctatttcctt ccttccctct ctcccctct ctcctcctct    960
cttctctctc ttctgcctct ttcgtccccc ttctccccac ctgccttccc tttcagtctc   1020
cctcttcctc ctcacttccc tttatttatc cctctgtgag tcgcttcgaa agccaggctc   1080
cttccctccc actctaaccc tcccctccta atacttcccc aaccccgagg agtgcctctt   1140
tcctctgggt ccccgccctc ctctccctct agctcagcgt ctttgcattc gagtctcttt   1200
```

```
ttgtcaacag agactcagaa ctcacttaca cacaccagat ccctgccggt cagaccaagg   1260
ttgtaacaaa taaactccgc ctccaaccca gcaaaactgg ggttggaaaa acttgggga    1320
gggaattcca actactcctt gcctcatatt atctgccaaa ttcttaaatc gtgtcagcat   1380
cccagagtgg caataggaga tgagaaaagg aagcataggg agcctgaatg ggaaggtgaa   1440
cagtcctggg tcagtctccc aattattgct aattgatgga agaagaccga gtgtgtcttc   1500
sttttaaaa agctacctcc gttctcgcgc cattgcactc cagcctgggc gacagagcga    1560
gactccgtct ccaaaaacaa acgaacaacg acgacaacaa caacaaaacg gtacctccgt    1620
tatcatctaa cagtccagcc ttactccctc agggagaata ttgcctgtga cttttttttt   1680
aacgttgggg aaccgggaga gaacgaaatt ataaaggacg tgtcaaagga caaggagagg   1740
taaacaactg catctcgaaa tgaagaacaa aactcagtgt gatatatatt ctaaacacac   1800
acacactttt ccatcactac tacacttgta atttcagtga cactgccact tcccatagct   1860
ttgtggctag taaattcagg gatggaaata ttttgcatat gtgttctaag tgaagcctgg   1920
catttcacat ggcctttttgc acttcttacc agagcctgca aacctctggg ggaaacttgg   1980
tggaatcccg gttcgctagc cggctagcct ctcttaatct cagaaactgg gttcagcacc    2040
tgggacagtt ctaagcaatg aggtttttatg tcgccacctt ctggcaaatg ttttagagtg   2100
ccatctggaa acccttatgc agaaatgaag caagtattga ggaaatacaa caactttttag   2160
aaagaggaag acagttatta aaagacaagg tagtattgag ttttgtctcc ttcctatttt    2220
ctttaaaaat ttatttttagt gccctctttt gctctgaacc ttatatatca ggcctattat    2280
atgtttttagc ttccttcgaa agcctgaagt atctgtcatt cacaagttct aactgggaat    2340
gccattttaa taaagctagg ctaacacttt cacctgtgtt ggttttgtgc tgtcataacc    2400
tgaactttgg aactgacata aatttacctt ttgttggaga aacgaatagt attgcatttt    2460
ccaaatgatt taacatttgg aaatgttaaa tcactgaaaa taaagatact tacaagggtt    2520
tgttctaagc tgtttccttt aacaagaaaa acaaatttaa tcacatttga gcattggtaa     2580
agaatgggac ttctaagcaa ctacagtaaa cataccacac aacatttcac ttatacatcc      2640
tgattgcatg cctgaggtga aaggaatgca atctcaaaag cagttgacac tggataacat      2700
gaacagattc actacagatt gcaataatct taatattgtg ttcaaatctg agctctgaat     2760
ttcatagctc tgaattctcc aagcccaaac aaaagagcaa tcaccaaagc atcaaaaaga    2820
atccacttgg gccaatgcat tacaatacag gacagtgtgt ttggataagg ttttgtttgt     2880
tttttttttt tatagttcag tgctgggcac agttcccact caatcatttc agcatgccac      2940
cacaatgagc ctgccatttg tgatgattca tggcattgaa aagaaagaga taagtataca       3000
```

<210> 308
<211> 3001
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 1501
<223> 8-45-389 : polymorphic base A or G

<220>
<221> misc_binding
<222> 1481..1500
<223> 8-45-389.mis1, potential

<220>
<221> misc_binding
<222> 1502..1520
<223> 8-45-389.mis2, complement

<220>
<221> primer_bind
<222> 1114..1133
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 1516..1533
<223> downstream amplification primer, complement

<220>
<221> misc_binding

<222> 1489..1513
<223> 8-45-389 potential probe

<220>
<221> misc_feature
<222> 11,126,133,286,315,1042,1228,2645..2646,2799,2964,2986..2987
<223> n=a, g, c or t

<400> 308

```
catatgcaaa natatttcca tccctgaatt tactagccac aaagctatgg gaagtggcag    60
tgtcactgaa attacaagtg tagtagtgat ggaaaagtgt gtgtgtgttt agaatatata   120
tcacantgag ttntgttctt catttcgaga tgcagttgtt tacctctcct tgtcctttga   180
cacgtccttt ataatttcgt tctctcccgg ttccccaacg ttaaaaaaaa agtcacaggc   240
aatattctcc ctgagggagt aaggctggac tgttagatga taacgnaggt accgttttgt   300
tgttgttgtc gtcgntgttc gtttgttttt ggagacggag tctcgctctg tcgcccaggc   360
tggagtgcaa tggcgcgaga acggaggtag cttttttaaaa acgaagacac actcggtctt   420
cttccatcaa ttagcaataa ttgggagact gacccaggac tgttcacctt cccattcagg   480
ctccctatgc ttccttttct catctcctat tgccactctg ggatgctgac acgatttaag   540
aatttggcag ataatatgac ccaaggagta gttggaattc cctcccccaa gtttttccaa   600
ccccagtttt gctgggttgg aggcggagtt tatttgttac aaccttggtc tgaccggcag   660
ggacctggtg tgtgtaagtg agttctgagt ctctgttgac aaaaagagac tcgaatgcaa   720
agacgctgag ctagagggag aggagggcgg ggacccagag gaaagaggca ctcctcgggg   780
ttggggaagt attaggaggg gagggttaga gtgggaggga aggagctcgc tttcgaagcg   840
actcacagag ggataaataa agggaagtga ggaggaagag ggagacttaa agggaaggca   900
ggtgggggaga aggggggacga aagaggcaga agagagagaa gagaggagga gagagggga   960
gagagggaag gaaggaaata gcgagaggag ggtcacagag tgaccgtgga ggatggggct  1020
tctcggttct agatatttct gngattggag actgtttgct agtggggaga ctccagctcc  1080
ggcagccagt tcgggagcgg caaagtaaaa tggacagcga cagacagacg ttccagccac  1140
ctctccgccg ccgggagatc ctggagctgc tttcaggcca actccagttt cccagctgga  1200
gcttctgaac gcgctggact gcgagagncc agggagcgcc tgaaagctgc tcctcggaga  1260
tacccttcgc cgaagcagta agaacttcct gcttgggtct ctgcattccc ttcctccgaa  1320
acttcccagg agaagggcgg aagaccccag gggaaggggc gaggcgaatc ttcgcgctgc  1380
ttttcttcc ctccccttc ccgcgccggg cgcgcaggca tggatgtgct cagccctggt  1440
cagggcaaca acaccacatc accaccggct ccctttgaga ccggcggcaa cactactggt  1500
rtctccgacg tgaccgtcag ctaccaagtg atcacctctc tgctgctggg cacgctcatc  1560
ttctgcgcgg tgctgggcaa tgcgtgcgtg gtggctgcca tcgccttgga gcgctccctg  1620
cagaacgtgg ccaattatct tattggctct ttggcggtca ccgacctcat ggtgtcggtg  1680
ttggtgctgc ccatggccgc gctgtatcag gtgctcaaca agtggacact gggccaggta  1740
acctgcgacc tgttcatcgc cctcgacgtg ctgtgctgca cctcatccat cttgcacctg  1800
tgcgccatcg cgctggacag gtactgggcc atcacggacc ccatcgacta cgtgaacaag  1860
aggacgcccc ggcgcgccgc tgcgctcatc tcgctcactt ggcttattgg cttcctcatc  1920
tctatcccgc ccatgctggg ctggcgcacc ccggaagacc gctcggaccc cgacgcatgc  1980
accattagca aggatcatgg ctacactatc tattccacct ttggagcttt ctacatcccg  2040
ctgctgctca tgctggttct ctatgggcgc atattccgag ctgcgcgctt ccgcatccgc  2100
aagacggtca aaaaggtgga gaagaccgga gcggacaccc gccatggagc atctcccgcc  2160
ccgcagccca agaagagtgt gaatggagag tcggggagca ggaactggag gctgggcgtg  2220
gagagcaagg ctgggggtgc tctgtgcgcc aatggcgcgg tgaggcaagg tgacgatggc  2280
gccgccctgg aggtgatcga ggtgcaccga gtgggcaact ccaaagagca cttgcctctg  2340
cccagcgagg ctggtcctac cccttgtgcc cccgcctctt cgagaggaa aaatgagcgc  2400
aacgccgagg cgaagcgcaa gatggccctg gcccgagaga ggaagacagt gaagacgctg  2460
ggcatcatca tgggcacctt catcctctgc tggctgccct tcttcatcgt ggctcttgtt  2520
ctgccccttct gcgagagcag ctgccacatg cccaccctgt gggcgccat aatcaattgg  2580
ctgggctact ccaactctct gcttaacccc gtcatttacg catacttcaa caaggacttt  2640
caaanngcgt ttaagaagat cattaagtgt aagtctgcc gccagtgatg acggaggagt  2700
agccggccag tcgaggctac aggatccgtc ccattcacta tgcttccccc aaccctaggg  2760
aatcaacact taagataatt cgccacttct cctctttcnt ctctgctccg ctcacggctt  2820
gcagacctgg tcccctcccc acttcctgct ccacggcagg gccctttgtg caaaggagac  2880
ccagcggagg agcgttgaga gcccaggaaa ttcagagagt ttgtgagaag cgacattggc  2940
tcagactttg cctgtatcat cagntttttga tcccagcaat tgcctnnttc tctcttctat  3000
c                                                                  3001
```

<210> 309
<211> 498

<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 270
<223> 18-994-270 : polymorphic base C or T

<220>
<221> misc_binding
<222> 250..269
<223> 18-994-270.mis1, potential

<220>
<221> misc_binding
<222> 271..289
<223> 18-994-270.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 481..498
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 258..282
<223> 18-994-270 potential probe

<220>
<221> misc_feature
<222> 477
<223> n=a, g, c or t

<400> 309
actatggaaa accacatact tctctgcaaa tgtaattctt ggcaaagatt tgtctccatt   60
ctggacattt gaaatttctt tcccagttta gaatgatagt gtcccagctt acacctaaaa   120
tattgcttta atattctttg tttgagtgtt tagtgaaaag ggagtgcaaa ggaaattcac   180
tcaactctcc actggaaatg aataccccat cattttatc atgagttccc gtagcaataa   240
agcattgtaa atgtgtagca attactgaay ctgtggtata acaattttct ccacacaaat   300
ataatttttat atttctttaa agaagatttt aaaaatatct aacaaagaga aagcctgcca   360
agataatctt aagcaaatcc ttgtttgatg tgcaacagtg gatgggaaag taggaccagg   420
ggtcctgctg ggatgttctg tccaacattg aactcctcaa agaacccttg tcaaagncaa   480
gttcctctgt ccttagaa   498

<210> 310
<211> 467
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 165
<223> 18-912-165 : polymorphic base C or T

<220>
<221> misc_binding
<222> 146..164
<223> 18-912-165.mis1

<220>
<221> misc_binding
<222> 166..184
<223> 18-912-165.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 447..467
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 153..177
<223> 18-912-165 potential probe

<220>
<221> misc_feature
<222> 450
<223> n=a, g, c or t

<400> 310
catttttctc accccgacta tgctcttact ctttcaaaag tgaacaataa aaatattgac   60
agaaggacag cattgtaaaa gtacatttat taatgcttgt cactataaat ctgataattt   120
ctcacaataa aaatactctt tttgggtttt tactgaactt taaayatttt attaggactt   180
acaaatttca aatacttatt ttatgctttt gaacaaatgc atgaacttcc agggaaagag   240
tagggtcgtt ttcaatactg atcattgaac tttcattggc atgttctttt attcccttca   300
ctaacttctg attatgtaaa gaagtctcag aatgcagcaa tcacatcttg ttttctactt   360
gtctttttact cagaatttcc cagagaactg gaagcttacc aaatacttta aagaatggggg   420
agaatgtaac atccacatgc aaatctcttn cctaatatat cctccca   467

<210> 311
<211> 463
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 124
<223> 18-991-124 : polymorphic base C or T

<220>
<221> misc_binding
<222> 105..123
<223> 18-991-124.mis1

<220>
<221> misc_binding
<222> 125..144
<223> 18-991-124.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind

168

```
<222> 444..463
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 112..136
<223> 18-991-124 potential probe

<400> 311
cattcctcat atactcatcc aaatggcaga ttgttctaat gctgtgatat gtatttatac      60
cttttcagca ggcccctgcc atctggattt ggaattcttt tagcagaaga caaagccttt     120
tcaygtttac cgatgaagct gcaaaaggaa agacccacag gaaaaacaat ccctgacttt     180
ccctttctgt cattcgccca aatctccctg gctcaaaacc tcatcagcat cttctactcc     240
ctctctcttc acatccagac accaagtcct gccagttcct tctttgatgc attttttcatc    300
atcttacttg ttttccattc cttctgccag cttcccatat tcaggccttt attgctctac     360
acctgcctca ttgaaatcac ctccaaagag aacacatctg ctttcgttat tagtggtctc     420
cactggctaa aaccacagtt tcagctttttt aacctggcat aag                      463
```

```
<210> 312
<211> 551
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 219
<223> 18-920-219 : polymorphic base C or T

<220>
<221> misc_binding
<222> 199..218
<223> 18-920-219.mis1, potential

<220>
<221> misc_binding
<222> 220..238
<223> 18-920-219.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 534..551
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 207..231
<223> 18-920-219 potential probe

<220>
<221> misc_feature
<222> 536
<223> n=a, g, c or t

<400> 312
tacccctaaa cacaactaca atctctggac attatatata aaaaatgatt taaaaaattt      60
aaacagtgga tagagacaga ctggctaggg acctcaaaat atgaagagca acttatggtc     120
cttgggtttt tcttttctta cattaatatc ttagacatag agtttatgaa gccagcaacc     180
tggaaaggcc aatgggcata gataaaaact gccccacayc cccaagtaaa agtctgctct     240
```

169

```
ctctagggaa aaattcagga aagaagcatc caagaagaga aaaaaatttt agataataac      300
tactcaattt agccaaacat tggaaagaaa aaacaaagta ttctgtcccc tgccccacac      360
cagcaaagac catatgagta acctagactt tcacccacag cagcctgaaa taatctcctc      420
caagcctctt agaggtggta ttaaaaaaag tccaagtagg aaaaaacatg actttatcct      480
tcctaggtgg taacaagacc ccctcctgat gcaaggtcag tggtgacaat ttaggnagta      540
tgggcttcta t                                                           551
```

```
<210> 313
<211> 457
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 312
<223> 18-911-312 : polymorphic base A or G

<220>
<221> misc_binding
<222> 293..311
<223> 18-911-312.mis1

<220>
<221> misc_binding
<222> 313..331
<223> 18-911-312.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 437..457
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 300..324
<223> 18-911-312 potential probe

<400> 313
```

```
ccacatttcc caaattatgt aaggaaaatt tcctataagt tgtttctcct agtcatttcc       60
aatcaaaatt catagttctg aacaaaacac aattgcccta ctgctacagt atttggggat      120
tgggaagaat taaatttaga ataatatttt taacctaaca aaataattga ttctaatttc      180
aattacatga aaaaaaagta aaactttttt tttcagtagg agcttttaga aacaactttt      240
ataatctcat aagcaaatat tcaactcttt actgtataga ttctttcttc agtaataaaa      300
acaattcagc crtagtttgg ggataatgga caaacatacc aattactgag aaactccaac      360
catcagcctt cagtaatgat agggcttcaa ggttcacagc aaaacttcag cttaaatctt      420
tttagtttgt gtccctggtc aaggaatwac attgaaa                              457
```

```
<210> 314
<211> 477
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 368
<223> 99-65963-368 : polymorphic base A or G

<220>
```

```
<221> misc_binding
<222> 349..367
<223> 99-65963-368.mis1

<220>
<221> misc_binding
<222> 369..388
<223> 99-65963-368.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 459..477
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 356..380
<223> 99-65963-368 potential probe

<220>
<221> misc_feature
<222> 460
<223> n=a, g, c or t

<400> 314
gcttctgtat tctaaactgg aagtagacat catatcccag ctaaacaggg aaagtttttag   60
aactttggga atagtttgtc tatgcatgta taatgctgag aagggtctgc agtgaagaag  120
ataagnataga cttctccagc acaactatta ctcatttgat aattcagttt cattttttgct  180
cacataatct aagtaaagcc atatcagaaa ccaagtttttt ctgtatgtta cactaaattt  240
taagaacaaa gtctatattt aaaataatcc aaaccccaaa tttgctcatc caaattatgt  300
cttggccagc aagtttttaca ttagaagttt tgagacttcc atttatttgt gtctttttaca  360
gaattgtrtg acaatgactt ttggacattt gttcttttcgg ctttggaata tttacacaag  420
aatggagaag gaacatccaa ctggagcata attgtcaagn caatagagaa tttagag      477

<210> 315
<211> 502
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 225
<223> 99-65966-225 : polymorphic base C or T

<220>
<221> misc_binding
<222> 206..224
<223> 99-65966-225.mis1

<220>
<221> misc_binding
<222> 226..245
<223> 99-65966-225.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer
```

<220>
<221> primer_bind
<222> 486..502
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 213..237
<223> 99-65966-225 potential probe

<220>
<221> misc_feature
<222> 485,490
<223> n=a, g, c or t

<400> 315
tacctccata tacaatctct agcacctttt tctgtactta acactactct gtgaaccttc   60
tgctttagct aaaatgttct aattggtatt tctaaccaga tctgctactt caaatttaag   120
tggcacatta tgtgtaaaaa ccaggtggca aaattataaa cattatataa gtttgaattt   180
tttgccttgt acctacccct ggccaccctg ttgcaactct ttaayggtta atgattctct   240
cctcattctg atgctctcct ccttactctg ctcaaaactt tcttcctctc atctagccat   300
tcctttggct ttagacccat cttttcctct ctcttccaag accctttcgg gttaatacaa   360
cacatgggag gttttgagtc tgcatctttc tcaaggatca acatttgcat aatcaaccca   420
ggcaattaat caacatccag caatcagata gaaatttcat actaggccct cacttgccag   480
gaagnaaggn atcagggtgt tt   502

<210> 316
<211> 452
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 75
<223> 99-65968-75 : polymorphic base C or T

<220>
<221> misc_binding
<222> 56..74
<223> 99-65968-75.mis1

<220>
<221> misc_binding
<222> 76..95
<223> 99-65968-75.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 432..452
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 63..87
<223> 99-65968-75 potential probe

<220>

```
<221> misc_feature
<222> 439
<223> n=a, g, c or t

<400> 316
cctgacctt t gtttactgga ggtttaccca tgctcacttt gccctgcagc catcattctg      60
acaccagaaa gcagyagaat gaacaaacat aacaacagaa acaagaggtg tttttgacta     120
cttaagtagg gaaataatag agcataataa ttaattttaa catagtaata cgtcatatat     180
acaaaaccct actatggaag aagacccagc cagaaaataa aatgcccctc tacttttaat     240
tgatgaaccc caaaacaatc aactgtttct tttgaaacag gggaggttat tttcctccag     300
ctgaatgttg cagggtagac agaggaggga tctcagcacc acccactgtt ttaaaaaggc     360
agattggacc cctgttgctt tccccagaga ctgtagtttt cctccatata tcttcaattc     420
tgtccatgtt agaaagaanc ctatatgtta cc                                   452


<210> 317
<211> 2512
<212> DNA
<213> Homo Sapiens


<220>
<221> allele
<222> 1501
<223> 99-5069-331 : polymorphic base C or T


<220>
<221> misc_binding
<222> 1482..1500
<223> 99-5069-331.mis1


<220>
<221> misc_binding
<222> 1502..1521
<223> 99-5069-331.mis2, potential complement


<220>
<221> primer_bind
<222> 1171..1189
<223> upstream amplification primer


<220>
<221> primer_bind
<222> 1702..1719
<223> downstream amplification primer, complement


<220>
<221> misc_binding
<222> 1489..1513
<223> 99-5069-331 potential probe


<220>
<221> misc_feature
<222> 572,758,2175..2176,2329,2494
<223> n=a, g, c or t

<400> 317
cccattcagg ctccctatgc ttccttttct catctcctat tgccactctg ggatgctgac      60
acgatttaag aatttggcag ataatatgac ccaaggagta gttggaattc cctcccccaa     120
gtttttccaa ccccagtttt gctgggttgg aggcggagtt tatttgttac aaccttggtc     180
tgaccggcag ggacctggtg tgtgtaagtg agttctgagt ctctgttgac aaaaagagac     240
tcgaatgcaa agacgctgag ctagagggag aggagggcgg ggacccagag gaaagaggca     300
ctcctcgggg ttggggaagt attaggaggg gaggttaga gtgggaggga aggagctcgc      360
tttcgaagcg actcacagag ggataaataa agggaagtga ggaggaagag ggagacttaa     420
agggaaggca ggtgggggaga agggggacga aagaggcaga agagagagaa gagaggagga     480
```

173

```
gagaggggga gagagggaag gaaggaaata gcgagaggag ggtcacagag tgaccgtgga     540
ggatggggct tctcggttct agatatttct gngattggag actgtttgct agtgggggaga   600
ctccagctcc ggcagccagt tcgggagcgg caaagtaaaa tggacagcga cagacagacg     660
ttccagccac ctctccgccg ccgggagatc ctggagctgc tttcaggcca actccagttt     720
cccagctgga gcttctgaac gcgctggact gcgagagncc agggagcgcc tgaaagctgc     780
tcctcggaga taccccttcgc cgaagcagta agaacttcct gcttgggtct ctgcattccc    840
ttcctccgaa acttcccagg agaagggcgg aagaccccag gggaaggggc gaggcgaatc     900
ttcgcgctgc ttttcttcc ctcccccttc ccgcgccggg cgcgcaggca tggatgtgct     960
cagccctggt cagggcaaca acaccacatc accaccggct cccttgaga ccggcggcaa     1020
cactactggt atctccgacg tgaccgtcag ctaccaagtg atcacctctc tgctgctggg    1080
cacgctcatc ttctgcgcgg tgctgggcaa tgcgtgcgtg gtggctgcca tcgccttgga    1140
gcgctccctg cagaacgtgg ccaattatct tattggctct ttggcggtca ccgacctcat    1200
ggtgtcggtg ttggtgctgc ccatggccgc gctgtatcag gtgctcaaca agtggacact    1260
gggccaggta acctgcgacc tgttcatcgc cctcgacgtg ctgtgctgca cctcatccat    1320
cttgcacctg tgcgccatcg cgctggacag gtactgggcc atcacggacc ccatcgacta    1380
cgtgaacaag aggacgcccc ggcgcgccgc tgcgctcatc tcgctcactt ggcttattgg    1440
cttcctcatc tctatcccgc ccatgctggg ctggcgcacc ccggaagacc gctcggaccc    1500
ygacgcatgc accattagca aggatcatgg ctacactatc tattccacct ttggagcttt    1560
ctacatcccg ctgctgctca tgctggttct ctatgggcgc atattccgag ctgcgcgctt    1620
ccgcatccgc aagacggtca aaaggtgga gaagaccgga gcggacaccc gccatggagc     1680
atctcccgcc ccgcagccca agaagagtgt gaatggagag tcggggagca ggaactggag    1740
gctgggcgtg gagagcaagg ctgggggtgc tctgtgcgcc aatggcgcgg tgaggcaagg    1800
tgacgatggc gccgccctgg aggtgatcga ggtgcaccga gtgggcaact ccaaagagca    1860
cttgcctctg cccagcgagg ctggtcctac cccttgtgcc ccgcctctt tcgagaggaa     1920
aaatgagcgc aacgccgagg cgaagcgcaa gatggccctg gcccgagaga ggaagacagt    1980
gaagacgctg ggcatcatca tgggcacctt catcctctgc tggctgccct tcttcatcgt    2040
ggctcttgtt ctgcccttct gcgagagcag ctgccacatg cccaccctgt tgggcgccat   ,2100
aatcaattgg ctgggctact ccaactctct gcttaacccc gtcatttacg catacttcaa    2160
caaggacttt caaanngcgt ttaagaagat cattaagtgt aagttctgcc gccagtgatg    2220
acggaggagt agccggccag tcgaggctac aggatccgtc ccattcacta tgcttccccc    2280
aaccctaggg aatcaacact taagataatt cgccacttct cctctttcnt ctctgctccg    2340
ctcacggctt gcagacctgg tccctcccc acttcctgct ccacggcagg gccctttgtg     2400
caaaggagac ccagcggagg agcgttgaga gcccaggaaa ttcagagagt ttgtgagaag    2460
cgacattggc tcagactttg cctgtatcat cagnttttga tcccagcaat tg            2512
```

<210> 318
<211> 493
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 175
<223> 99-5070-176 : polymorphic base G or T

<220>
<221> misc_binding
<222> 156..174
<223> 99-5070-176.mis1

<220>
<221> misc_binding
<222> 176..194
<223> 99-5070-176.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 476..493

<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 163..187
<223> 99-5070-176 potential probe

<400> 318
cttattggct tcctcatctc twtcccgccc atgctgggtg gcgcacccca gaagaccgct   60
cggaccccga cgcatgcacc attagcaagg atcatggcta cactatctat tccacctttg   120
gagctttcta catcccgctg ctgctcatgc tggttctcta tgggcgcata ttcckagtgc   180
gcgcttccgc atccgcaaga cggtcaaaaa ggtggagaag accggagcgg acacccgcca   240
tggagcatct cccgccccgc agcccaagaa gagtgtgaat ggagagtcgg ggagcaggaa   300
ctggaggctg ggcgtggaga gcaaggctgg gggtgctctg tcgccaatgg cgggtgaggc   360
aaggtgacga tggcgccgcc ctggaggtga tcgaggtgca ccgagtgggc aactccaaag   420
agcacttgcc tctgcccagc gaggctggtc ctaccccttg tgcccccgcc tctttcgaga   480
ggaaaaatga gcg   493

<210> 319
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 348
<223> 18-511-348 : polymorphic base C or T

<220>
<221> misc_binding
<222> 328..347
<223> 18-511-348.mis1, potential

<220>
<221> misc_binding
<222> 349..367
<223> 18-511-348.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 336..360
<223> 18-511-348 potential probe

<400> 319
agtattagat gtgacattgg ttacatgaag gcatttgatg gtgctgcatg tgagtggaac   60
agagaaataa aaatgcatca attctgaaat caaatattgt gtcatgctta gttataggca   120
aatagaaaac ccattactct gagcaaatgt attaaatgtt aatagaaaat gttaaaatat   180
atataaatac agaattttcc tgattgtata ccacaatggt atggcttatg ttttaaagga   240
ctatgattct tttttctaata ttcaccatct ataagcttaa gaatgtcaac aatgtttacc   300
tacatgtgaa tggaaattga gaaaagaagg ttactacttg tcaaattycc tgctagacca   360
gttggtaaat ttctatgcaa ctaaatgata tatttaatgt taatttggat gatttcattt   420
tagcataatc taaacagaaa ttctaacgtc   450

<210> 320
<211> 475
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 352
<223> 18-523-352 : polymorphic base A or G

<220>
<221> misc_binding
<222> 332..351
<223> 18-523-352.mis1, potential

<220>
<221> misc_binding
<222> 353..371
<223> 18-523-352.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 455..475
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 340..364
<223> 18-523-352 potential probe

<400> 320
ttcagccctt tctcgtcacc gagcccgttg aaatagtact acacacaaaa tacaaaccag   60
cagggtgagg agtgggagag aaggccaact gtgaaggcta ttcacaatat taggatgcac   120
aaaggagttg atgagatcag ttacatgatg gtactcagtg tgaaatgtag tatcttttca   180
atactgtttt gctgtgattt ccttaggaag attaatagcc ttgtgagacc ttgttaatta   240
tttttgctat gcttaaagta agtagataat tttctcccac aagtgtctcc taatagatag   300
taaattccct agatcatcct ccacacgaga cattggggag gtggtaatgt trggctctgt   360
gatgtaaaat caacccttct gtctccacca ttagttcttc ataccactct tgggctcaaa   420
acaactaaac aagaaatctt ctagtcacga gtttgtggkt tctgttttag agtgc   475

<210> 321
<211> 509
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 480
<223> 18-545-478 : polymorphic base A or G

<220>
<221> misc_binding
<222> 461..479
<223> 18-545-478.mis1

<220>
<221> misc_binding
<222> 481..500

<223> 18-545-478.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 489..509
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 468..492
<223> 18-545-478 potential probe

<400> 321
```
cattcatatt tcctgaagaa ccactggaaa cagttattta atagtgtggc taaatgtata      60
ttcagagaaa cacttcctgt atatttgcac atttatgtat atttatgtcc tattcctgga     120
atagatttac aagttttgtt tttcagaaaa tttcagaatt tctggaatgt gcagaagtat     180
taacaggtaa cttagatttg gaatacactg tattagagat aactggaaaa atgagaggct     240
tcctacactg gaaggtcaaa gatctttcct ggaggggagt taggaatttg cctttactta     300
ccattattct gttaaaagag attatgaata atgcagtttc acaaaaggaa tgggacaatg     360
gtgtaagtaa acctccccat cacgttttca gtggctttcc tttgagtctt gaacgttttc     420
cactgggtgt tatagtcgag agtcccccac ctcctgagga agcaagacct ggcaaacccr     480
agacgatgcg ctcttacttg tgttgtttg                                      509
```

<210> 322
<211> 477
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 194
<223> 18-522-194 : polymorphic base G or C

<220>
<221> misc_binding
<222> 175..193
<223> 18-522-194.mis1

<220>
<221> misc_binding
<222> 195..214
<223> 18-522-194.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 457..477
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 182..206
<223> 18-522-194 potential probe

<400> 322
```
gtagcaaaat aggattttca gctgggttag aaaataccaa caacttggat taaaaaaaaa    60
atgctttttt gatctggttg gttttgatag actgtcaaaa atattaatct taaaatttat   120
cgtaaatagt agtcatgcaa accttcatt atatattctc tcaaattgat ttttttcaaa    180
gaacaagttt tcasaaatac actggattca acaatttttg aattacagtc agatttgaat   240
ggtcttgtgc agatccactt aacttgtgag tagtaatgac cacttaacta gtaaataata   300
ctatctcata agcagtaaat aactttatg aaaaatgaaa cgatataatt gctaaattaa    360
gtttctcact ttatactttt gctgtatcta aagataattg gtattcctac aggttaacat   420
attgttgatt catatatatg gctaccatat taagtgctaa tacttcattg ttgcatg      477
```

<210> 323
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 284
<223> 18-524-284 : polymorphic base A or G

<220>
<221> misc_binding
<222> 265..283
<223> 18-524-284.mis1

<220>
<221> misc_binding
<222> 285..304
<223> 18-524-284.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 272..296
<223> 18-524-284 potential probe

<400> 323
```
actacttcgg tggtatttct tagaccaaca aatgagaatt gataaagcct ccaggatctt    60
gtgtcgccca cttcaacaga acttcgcttc cattgataaa caatttcttc acgtggatag   120
ccatctgccg tgagatagga aagctcacat taaaaatgat tataaattag catatgtagc   180
aaccatcttc tatgaacatg acactgaggt aaagactgag aaagatagtt acaagctaaa   240
tgaggatctt ggaccaaagg gcattgcaat gagaacataa attrcaatga ctttgcatcc   300
taatgggaag ttagattcaa aaatccaaag gtcaaattta ctcttgaaaa taatttaaat   360
gacatagaag gtatactaca tgtgatttta tatatgccat atgcatactt tacatcatct   420
ggaatagtgc ataccaagtg accagtctat                                    450
```

<210> 324
<211> 505
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 52

<223> 18-626-52 : polymorphic base C or T

<220>
<221> misc_binding
<222> 33..51
<223> 18-626-52.mis1

<220>
<221> misc_binding
<222> 53..72
<223> 18-626-52.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 485..505
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 40..64
<223> 18-626-52 potential probe

<400> 324
gaaacagaga ggaagtcctg gcacctgtgg aaagttggtt tggttgagca gygagggata   60
aattgagggg gtagaagtct attctgtagg aagtggaggg cccctagggg tttatgagca   120
ggacagtcac ttgttggtag ctgcatcctg cagctggcag caggggagag gtgaggagca   180
tctggctcgg gaaggcagag gtgggaaggg agagaggcat aaggagaatg tgaaagggag   240
tgagacaaga tttggcagct gaatctgtct gggcttcaaa gcatcacatt tattcttcca   300
gtcagcactt ccactgggtg acccctccca ggcccatcca agatgaccct ttctgaaaag   360
cccccaagct gtggttgctc ctgaaatctg cttttgggag aatccctgtt gcttcttgcc   420
catggctgct gctggatttg gctgaaggtc tatttccttg ggtatcctgg actcattagt   480
gtgtgcgaca agttgaagtg ctctc   505

<210> 325
<211> 486
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 189
<223> 18-629-189 : polymorphic base C or T

<220>
<221> misc_binding
<222> 169..188
<223> 18-629-189.mis1, potential

<220>
<221> misc_binding
<222> 190..208
<223> 18-629-189.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

```
<220>
<221> primer_bind
<222> 466..486
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 177..201
<223> 18-629-189 potential probe

<220>
<221> misc_feature
<222> 470
<223> n=a, g, c or t

<400> 325
cgtcatcact tattgtgtgc actacaggtc atcaataacc tgtaaataat gataaaaatt      60
tagtgtttca caagtgtatt tgggtttcac ataggctgac tctagargct gtgggcgtac     120
atcaccctgc tgtttggctt ccacaggttc tgactaccct aaaagtaaga tgattgcctt     180
tttcccttyg aaccaaatga aaagatgaga agagactata gcttgcatgt agcgctaagg     240
agaccagctg gcagcaggtt cacgtggaaa tactctgaat caagcaagtt tgcctagctt     300
agctcggtat ccagtctttg gaatggaagt ggaaattgtt ctccgcattg ggcacgccat     360
tgtcacatcc acatccaaad atgccttctg agcatgacag ccgcgttatc ctgaaagaca     420
atacatcaag ccaagggcaa ataatatcca atgtcaaatg ctctcggggn tttgagaggt     480
ggatat                                                                486
```

```
<210> 326
<211> 457
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 71
<223> 18-1131-71 : polymorphic base C or T

<220>
<221> misc_binding
<222> 51..70
<223> 18-1131-71.mis1, potential

<220>
<221> misc_binding
<222> 72..90
<223> 18-1131-71.mis2, complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 437..457
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 59..83
<223> 18-1131-71 potential probe

<400> 326
cgaagaccaa aaaagaggaa gcattcagcc agctcaaaga aattattgca tcatttcctt      60
```

```
gtgtgcggtt yaggttaaaa ataacctcta atccttgtca agagtaaact gtcttgtcaa    120
agagaattag gaaattacct cagggcgggg gttacagggt ggggtagaga aggagcagtt    180
catcaggaag aaaattacttg ctgcattttg agatgaacat ttctgaatga ctgaagaaaa    240
tgtggggcta agggaatagg gactccgatg ggagacagga ggaacgtgca tggggcatgt    300
gtgtgtgttg tggggtagg tgaagaggga ggcactggag tgtccctgcc atggaggtgg    360
ctgccctggg tggcttgaac tgctgggcca tggggtgttc ttctcttctc cgtcttgggc    420
agcctgcttt ggccttgggt gctcacagag atagagt                            457
```

<210> 327
<211> 517
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 126
<223> 18-534-126 : polymorphic base C or T

<220>
<221> misc_binding
<222> 106..125
<223> 18-534-126.mis1, potential

<220>
<221> misc_binding
<222> 127..145
<223> 18-534-126.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 497..517
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 114..138
<223> 18-534-126 potential probe

<220>
<221> misc_feature
<222> 443
<223> n=a, g, c or t

<400> 327
```
gtagttagtt gcaccagagt ataaatactt ggtaaaacac acaagaggaa gtagaattta     60
cacacaagtg btaactttca ccagcaaatt cacgtgggca cttggacata aaaaaaaata    120
aaaaaycctt aagataatta tatttataat atggatacag ttacagtacc atgataaagg    180
agtataaaaa ggtattttcc caatgaatca ttagctcaat aacatactag acaacagaag    240
tagagtttga attttatttta agatctgccc agccctctc cctttaaaaa atatttaatt    300
tcttttttgtg caagtaacat cttctgtgga ttttgtaatt cctaacactg tgcaaaaatg    360
gcattttgaa ccactccttt tttttgtttt tgtttttatc cacatgtgca gtaatctgaa    420
ctgttctct ctctcgctct cbntttaatg tcctgtcttc aattgacaga gtcacatgtc    480
acagagagag gctctgcgcc tggtccttcc aactaat                            517
```

<210> 328
<211> 514
<212> DNA
<213> Homo Sapiens

```
<220>
<221> allele
<222> 59
<223> 18-596-59 : polymorphic base A or G

<220>
<221> misc_binding
<222> 40..58
<223> 18-596-59.mis1

<220>
<221> misc_binding
<222> 60..79
<223> 18-596-59.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 495..514
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 47..71
<223> 18-596-59 potential probe

<400> 328
tcaactccag taggtggcag gtatatagat atctgtttct aattatggtt acttttctrt      60
tctcttcact tttctgttta acaaaatgta aaatgttaag gaaaaggaaa acctagttga     120
gttcaacaga accaaatgat ggatgggtgg aaccatgaat gaagtagctg ttattggaag     180
gaaacaatca taaactccaa tgttcaaaaa taaaatctga tgttcctttg tttaattctt     240
ggatgaaaat gaaccatcca tcgaacagaa acctcctgat gctgctgttg gtaacgtctg     300
gttgtcacca gccacggacc ttgttttctt ttcatcactg tcatgtttct tctccctctt     360
tggggatctg tcttccatgt gttttctata aaatcagcat aacagttcct agtgaaaaaa     420
tattttactg cacatgtgta agatttggga gtatagacta aaggcaggca aattacaagt     480
aagtttctgc catgctgtcg tttcaccttg attc                                 514
```

```
<210> 329
<211> 470
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 27
<223> 18-597-27 : polymorphic base G or C

<220>
<221> misc_binding
<222> 7..26
<223> 18-597-27.mis1, potential

<220>
<221> misc_binding
<222> 28..46
<223> 18-597-27.mis2, complement

<220>
```

<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 450..470
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 15..39
<223> 18-597-27 potential probe

<220>
<221> misc_feature
<222> 428,455
<223> n=a, g, c or t

<400> 329
atgtgggagc ttgcgttctg tcaagasctg acaccaaaca gttattgggc actccaagat   60
ttaattcctc cctagtctcc cactcacagc aatctacctg attcaacttc ctctgttttc   120
caagctcttg tggctaggac agattctctt agcctctcag ctactgctcc tcatttttga   180
gatctgtctt ttgcggctgc cagctgatgt ctttattctg tgctggtcat ttttccagcc   240
ctgcaatttg aaattactca tctgatttca tgggtggctg gcaaagggat ctgtcaaatc   300
tgcatacatt taggggaaac tgaaaatgaa actacatgct ggaatttttt aaagtataga   360
cttttctata gagaaaagaa aaatgtagaa atacagggca ggggaggtag atatctgtag   420
ctactggntg accccccgcc ccccaaaatc agttnctagt tctccatgct   470

<210> 330
<211> 476
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 203
<223> 18-730-203 : polymorphic base A or C

<220>
<221> misc_binding
<222> 184..202
<223> 18-730-203.mis1

<220>
<221> misc_binding
<222> 204..223
<223> 18-730-203.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 456..476
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 191..215
<223> 18-730-203 potential probe

```
<220>
<221> misc_feature
<222> 458
<223> n=a, g, c or t

<400> 330
tgaagctgga ctcttgactg gaggcagagt gatgatcaga cgggagcacc cctgtgccac    60
tcactcctga actccctgtg ctcttgatca gcctacaccc tggggggagca ttaagataaa   120
atgcacgcta atattttcct gctttggaaa ggaaactgca atagcaaatg ctgatgtgtg   180
aatcgtactt tacagtttac aamgatgtga gcatccagga tcacgactga ctggcaaaac   240
tgcctttagt atcttcctga atctgaggaa gctgagcttc gaggtaatta agactcagac   300
gctcaactgt gcctgctggg ccgaggtacc tcctgagtta gagctctccc aatttagttt ·  360
atgtcttagg gatgtaaaat gatgctgctc tagattctta ccaggtatat atatttaatt   420
tattactatt gtatctcatt gattgttatt tggtggtnaa ttttaaagtg gcaggc        476
```

```
<210> 331
<211> 453
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 89
<223> 18-734-89 : polymorphic base A or G

<220>
<221> misc_binding
<222> 70..88
<223> 18-734-89.mis1

<220>
<221> misc_binding
<222> 90..108
<223> 18-734-89.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 433..453
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 77..101
<223> 18-734-89 potential probe

<220>
<221> misc_feature
<222> 435
<223> n=a, g, c or t

<400> 331
tcagccgatg aggagctaac aactcaatgc caaatctgct caaggatgaa agggaagcag    60
ggagaggaag agaaggagag atgcaggggrg gaggatatag gggtcctctg ggacttgtag   120
aggtctgagg gtggagaggc ctcctgcaaa ggcctggagg gaggcagact gaggacatga   180
gacgcgatgg gattcgtgaa gtgtggaggc tgtggcccac tcatcacttt cctcaatcgg   240
actggggacg gcacagtcac tgatggctcc tcctggactc gaggccaagt ggcatactaa   300
cccgagacca gggggcacgtg cctgagcact gccagcaagg agagctgtgg ggaggccggc   360
```

```
tggggccgag gccagcctga cctgaggcct cgctgggtgc aagtcctgtg agccgctttc    420
tccatggtta ggggncagag gttggatgat aat                                 453
```

<210> 332
<211> 455
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 321
<223> 18-895-321 : polymorphic base A or C

<220>
<221> misc_binding
<222> 302..320
<223> 18-895-321.mis1

<220>
<221> misc_binding
<222> 322..341
<223> 18-895-321.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 435..455
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 309..333
<223> 18-895-321 potential probe

<220>
<221> misc_feature
<222> 428
<223> n=a, g, c or t

<400> 332
```
aggaagggaa ataaataggg gcttgatgta ttttatgatg tcttttgtgg ctgttgaaaa     60
acatgccctg ctggccagaa tgtgtgaacc tggcttcccg ctttgctaga aaccccactt    120
cttcaaaagc aattgggcgc gcagggtcaa gagtgaaaag tgctcaaaga acctgatgta    180
aaattcctct tacaaaaata tcttctaata taaataatct caaataccta agaaaacttg    240
taagccaaat acgttcacta caggaaaatt tataacagca aaatcattca ctacgtaaac    300
atccccaatt agggaagaag mtaacacaag gcgctcttgc cctgtcaaat atgcagccat    360
ttaaaataat acattttaaa gaaattgtga tcatgtattg ggtaggaaaa aagcacagta    420
ccaaactngc acagcctgat cccaactgta taaaa                               455
```

<210> 333
<211> 561
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 69
<223> 18-896-69 : polymorphic base A or G

```
<220>
<221> misc_binding
<222> 50..68
<223> 18-896-69.mis1

<220>
<221> misc_binding
<222> 70..89
<223> 18-896-69.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 544..561
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 57..81
<223> 18-896-69 potential probe

<400> 333
ttttaccaca catcgtttca tttaaaaata tacagctctt ggaaacatgc gtctatttcc        60
ccttatgcra acagcaacag aaaagcattc tttcaacaga tgagcatgtt gaatctagct       120
cctggccaaa gtcttgtgtg tgattttttca ggccaactac agacaattac agatgctttta      180
cctggcagtc tcatggggta agctgccctc cccacaccag acctggtgca cagtcagtgc       240
actgcagtct ctgatgggag cggctgcaac taccaggccc tggccagcca tgctgttagg       300
catctctcta ttcctatctc ccaggcctgt tgactgggga cccttcttat caggcataga       360
tgactttgaa ggcacgttct ccactgtgac tcagggttta gtacttttcc actcctagcc       420
cttgccctga cccatcctcg tagcccccag gttcataaat gtaagcagcc tttctttgga       480
gaagagctat gatccccacc tctgagctga tccacctgcc ccacacctta cactgttctg       540
tgggaaaatg ggctggtgag t                                                 561
```

```
<210> 334
<211> 459
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 58
<223> 18-903-58 : polymorphic base A or G

<220>
<221> misc_binding
<222> 39..57
<223> 18-903-58.mis1

<220>
<221> misc_binding
<222> 59..77
<223> 18-903-58.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
```

<221> primer_bind
<222> 442..459
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 46..70
<223> 18-903-58 potential probe

<400> 334
cagggttcca aataacagct ttcccctctt aaggtggaaa acatggacag gcaccacrtt   60
gttttatgag gctctgagtc tgtgccatgg aacatcatgc tagaactctc cgatattcct   120
gccaaatcct aaaatccccc agttctccct gcagctcctg aaatcctact gaagtgtatt   180
cctcaatctt catggaggtt ctccattctt gcccttggca ctgctgccca actcagaatc   240
ctgctgccca caaggtaaaa cccaagccct atggccccac aggccagagc cacctctccc   300
accctgccct ccttcctaga ctcagccctg ttcctcctcc cagccacact ggggggtcctg   360
cataggtgat gacacagtga tgttccatcc cagtccttac acacattctc cccattctct   420
tgccatgccc atcagcaagc acatccgctc taataccac   459

<210> 335
<211> 453
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 216
<223> 18-590-216 : polymorphic base G or T

<220>
<221> misc_binding
<222> 197..215
<223> 18-590-216.mis1

<220>
<221> misc_binding
<222> 217..236
<223> 18-590-216.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 434..453
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 204..228
<223> 18-590-216 potential probe

<220>
<221> misc_feature
<222> 417..418
<223> n=a, g, c or t

<400> 335
cattgtgggg tggcgttttg tgttctgaac cgtttcgtct ccctcttgcc cacactgagg   60
ttcacaggcg cctgcagagg agctggtgtg ggacgatggg gagattggga ggcaacatcg   120
cctcctctgc atgaaatgct catgggcaca tgtctgctgc ctctacctac caaaggacag   180

```
aaccagccaa ctggcatggc aggcagggag ccagckcagc ctccaggccg tccatcctct    240
ctcctcagta ccagggcctc ccgtcaacgc cagcgccaac agagagcctg ggcccccccg    300
acccctccct cctgctggct ctccttcttc cttctagggc ccctgctgcc cctctgtctc    360
cagaattgtc ccctgcttgc catttaaccc attcccagtg cttgttktcc ccgaggnncc    420
cagcctctca gccctcaatg gtcacctgtc cca                                453
```

<210> 336
<211> 534
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 433
<223> 18-817-436 : polymorphic base G or C

<220>
<221> misc_binding
<222> 414..432
<223> 18-817-436.mis1

<220>
<221> misc_binding
<222> 434..452
<223> 18-817-436.mis2, complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 514..534
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 421..445
<223> 18-817-436 potential probe

<400> 336
```
ccatcatttt cacttgaata cttcttgcag ttttattcat ttccttgcct catactacaa     60
aaatttaatt gtgcagtcat taacaaaaat taggatggaa aatatcaacc tggggttgtt    120
ttttccactc atatggagaa ggcttcttca gcttactgag ccagtaaaag atgtctgtca    180
tcatttgctg ttgattgtgg catatatacc attgcaacat gcatcattag cgcagttagt    240
accttgttac agctttggc tttatattct tactgtgtct tagggtctca gatggtttgc      300
gttacatttc tcagatgtaa tacaagtata tctctgtgac aagtttctat ttttaatttt    360
tttaacctct ttttatgtgc agttacctaa aattattctg tagggacttg actccaatcc    420
ctgaagtaga ggsatttttg catagtcacg ttcctgctgt cttgtccagg gacttttcct    480
gtgtgctgtg tttatatatt tgattcctaa cacgtaagac cttttcgga gcaa           534
```

<210> 337
<211> 483
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 85
<223> 18-829-85 : polymorphic base G or T

<220>

<221> misc_binding
<222> 66..84
<223> 18-829-85.mis1

<220>
<221> misc_binding
<222> 86..105
<223> 18-829-85.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 464..483
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 73..97
<223> 18-829-85 potential probe

<400> 337
caagggtcta gtgtttttag ctgtcttccc agccctgctc cagagccccc atgtaacctg   60
ctgccctgca gtgcccagca cagakcagtg tctgttgaat gcgtgagtca agcaaaacat   120
caaacagaat ccttgacatg ggaaaaacat gctcccagcc accaccagct gaacattgac   180
atccagctgc tttcccactg ggcagtggct tgtgaagatg gggacagagt atcataaatc   240
atctcctttg tggacagcag ggatgatcct gaccttcttg tcacagacta aacagactaa   300
gtagccagaa gaaaaaaaaa gaaagaaaga aaaaggggc ttaaaggcac tcagctgtca   360
aaattataag gagggtttgt taaaactatt ttttaaaaaa gaaaagtggt taagttatgc   420
agtaggatat aatattctat aataacttat taccaaactt ttagccttaa tccagttgct   480
att   483
                                                                    483

<210> 338
<211> 597
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 387
<223> 18-832-387 : polymorphic base A or G

<220>
<221> misc_binding
<222> 368..386
<223> 18-832-387.mis1

<220>
<221> misc_binding
<222> 388..407
<223> 18-832-387.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 580..597

<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 375..399
<223> 18-832-387 potential probe

<400> 338
```
cagtctatgt gttgttcctt gtgtaagagc aggtacttta ccataaatcc tgcccttagg    60
tcaaacaacc gtgatatcat atttcaattg tcctacacat ctcttctgaa gcatctacac   120
cctttcccga tggtgtgtaa accctgggtc tggggatgat ggcgcagggt ctaccatctc   180
aactcgcagt gaccagagac acaaacctgg cttctgtttg taagtcccta ttaaatgttt   240
ctttctaaga aactggattt gtcagcctcc ttttttgggcc tctcagcttc cttggatttg   300
ggaggcaggt ttgcatagac ctgctcacca caaaacaggt agctaccaac cttagggttg   360
gggaaacagg ggcagaggtt gaggttrtca gaacctggaa gctgggagga ggagtgtcac·  420
agagctggga gctggacctc tgtgcaggac actgctgcag ctgccatggc aggctcagag   480
ggggacttta aggaatggct ggtgcyatga cccctgcagg gcacagagag tctggctcag   540
agtgtgggga gagctggagg gaggccgaca aggacagcag gtgagcaggt cccttct      597
```

<210> 339
<211> 461
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 259
<223> 18-833-259 : polymorphic base C or T

<220>
<221> misc_binding
<222> ·239..258
<223> 18-833-259.mis1, potential

<220>
<221> misc_binding
<222> 260..278
<223> 18-833-259.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 441..461
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 247..271
<223> 18-833-259 potential probe

<400> 339
```
tagcttgttg tcttcgagtt tttggtagag ccttgtgctg ggggtggcag gaagagagag·   60
gggacacagc atggccagtg ctatatagca tggaatgctt ttaacagaga acaaagtgtt   120
tgtactaaaa ggcaggaatc tggggctcag taggtgttga gtaactgaat tgctatgaat   180
gattttccgt caaaatctaa ataacattcc agcctttgcc agcttcatag gggaattaga   240
tagtaggaat gcactgagyt tgtgctcctg ggaagactcc acgattgggg gaaggaaggc·   300
aacagaaatg agggcaggga tgttgtttat ctccgtccaa gcacaggagg ccccgggtgg   360
gatgacaggt gggatgacct ccgtttactg gtggcccaaa agcacaccta tgccttcagg   420
atgaagtgcg ctctgctcct cacccaaagg tttatttctg g                      461
```

```
<210> 340
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 271
<223> 18-839-271 : polymorphic base G or T

<220>
<221> misc_binding
<222> 252..270
<223> 18-839-271.mis1

<220>
<221> misc_binding
<222> 272..291
<223> 18-839-271.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 259..283
<223> 18-839-271 potential probe

<220>
<221> misc_feature
<222> 434
<223> n=a, g, c or t

<400> 340
ctacagcact tacacaagcc accaactggc acccacagca cttatcactc catgtgtctg      60
ctcaaccagc ctgggtaagg aaccctaccc tctctgtctc tgtccacctc caacaggcca     120
tggtgcaccc tgcatggggg ctgcctcatg ggggtctcca ggaacacctg ctgagtgaat     180
gcataaagag tccttggctg ctgcacactg agctcacagt taactaaatg ctagaagatt     240
ttgtaatatg tccttttgtg tcaccttatc kaagctcact ggtatttata cactcagttt     300
tccacattca aaacatacac agctgtgtgt gtggaggagg cgggtgctgg gggcccttgg     360
ggcagcttgg agaatgctgc aatctgggtg tgtccgccag gaaaacaggg ccgagtcatg     420
ggttacagag tggnaagagt ggattcagag                                      450

<210> 341
<211> 496
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 194
<223> 18-770-194 : polymorphic base G or C

<220>
<221> misc_binding
```

<222> 175..193
<223> 18-770-194.mis1

<220>
<221> misc_binding
<222> 195..213
<223> 18-770-194.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 479..496
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 182..206
<223> 18-770-194 potential probe

<400> 341

```
ccaggtgata actaagtcat gaacgtttca gcaaacacct gctctagcct gggcactctg      60
cttgttgaca tgcaaggtga tgagagtcac actgtgacat gaattagcat cacgacaccc     120
tggcaaacct tttgtgatgc ctcccgtgaa agcacgtcat agttctcctt aaatgggatg     180
tccctttcct ctgsaggagc agcgtcttcc ccagaacagt tagcatcact tctccgatac     240
agaggataat gctgtccggg gtggagagag gagttcaggc ggctatcgtg aaaccacagg     300
ctgcctgctg tctgccatga gcccttttcct cccccagctc acctgcagga ggacaggggc     360
agacgtgggc agcagaggcc caggtccaca ccggctggag ccacgtgcct gctgggtaca     420
agtcaggcca ttaatccgca cacctgaccc tcatcaaagg gcaagaagcg ctaggggggct     480
gagtgagcaa ccgaag                                                       496
```

<210> 342
<211> 481
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 302
<223> 18-771-302 : polymorphic base A or G

<220>
<221> misc_binding
<222> 283..301
<223> 18-771-302.mis1

<220>
<221> misc_binding
<222> 303..321
<223> 18-771-302.mis2, complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 461..481
<223> downstream amplification primer, complement

```
<220>
<221> misc_binding
<222> 290..314
<223> 18-771-302 potential probe

<400> 342
cttaaacaca cacttagagg gaaataattc aaactgtatc atgcttctat tatgagtcag      60
cagagaaagc cacctactag agactctgcc ttcctggcag agggaaaggt gagcattggt     120
ggtgaagcca ctggacagaa atgacctcac ctgcagacct gctgtgtcca aggtcaacag     180
agtgctgggc acccacagga aggacaagat taaaagagaa aaggcttcca ctcccacctg     240
ttttctccac cgcgtctata atcagtatag agtatagagt cctgtccact gtgctgcagc     300
crcatacaca gcccagaaag gatgtagaga tgggcactga ggtggcctcg cagagcggga     360
gctgctcatg gtcaggctaa gggtcaggat gctctggtct aaaagcccag gccaatggag     420
atgggtggca cagagctaca gaggaactgt gacacacttg ccaccaaatc ccatagtagt     480
t                                                                    481


<210> 343
<211> 449
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 53
<223> 18-827-53 : polymorphic base G or T

<220>
<221> misc_binding
<222> 33..52
<223> 18-827-53.mis1, potential

<220>
<221> misc_binding
<222> 54..72
<223> 18-827-53.mis2, complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 429..449
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 41..65
<223> 18-827-53 potential probe

<220>
<221> misc_feature
<222> 431
<223> n=a, g, c or t

<400> 343
gtttgggatg gaaggcagta ggtattggca ggacagctat tgcacaaaat taktcattga      60
cctgaacatt ctcaattctt gtttctttgg aagttataaa ggcagatatt taacatgctt     120
taattaataa agttcttttg cactttcgaa gactattcga tggataacac attccgtccc     180
ctgccttccc agcgtgggct gcctctggcc tagaaatgca aatgtttgct tgttcgtaaa     240
aaatgcgtag ccgagagctt caaaatgtga gcaagaacat catatttgtt tgcaagtaac     300
```

```
tagcaaagca gcagaaacat tggctgactc caataatctt taatcattat ccccttccct    360
gcagtttcct tcagaaaccg tttacctgta atttgttagg agacagctct gagcttctca    420
ttatgagcct ncactaattc caccagctc                                      449
```

<210> 344
<211> 429
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 318
<223> 18-768-318 : polymorphic base A or G

<220>
<221> misc_binding
<222> 299..317
<223> 18-768-318.mis1

<220>
<221> misc_binding
<222> 319..338
<223> 18-768-318.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 409..429
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 306..330
<223> 18-768-318 potential probe

<400> 344
```
gtggaaatct cattgcagtt catcactgcc ttgctctacc cgcagcctga tgatgtgctt    60
tccaggactg aggccgggtg ccgcttgccc atggcacatc atcagagcat ggcttctgct   120
gcgctttctg tggctggcat tgccagtttc ccagcaagct gggtctttaa ttctcccgct   180
aaccgcctct tgccacctcc tgtcactcag ctcaggcagt ggctcggcgg ccggggggtc   240
cttccaacag ggtctgcctc cccaggccct tccctctttc cctcctcatg gctgtggtcc   300
aggccctcac tcctctcrtc tcagcagctg ccacagcttc ctgcctgacc tcctgtagct   360
ggtcactcac ctttccagaa cattctgtga actaccaaag tcacccttct gagacacaac   420
cttacctgc                                                           429
```

<210> 345
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 26
<223> 18-769-26 : polymorphic base G or C

<220>
<221> misc_binding
<222> 6..25
<223> 18-769-26.mis1, potential

<220>
<221> misc_binding
<222> 27..45
<223> 18-769-26.mis2, complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 14..38
<223> 18-769-26 potential probe

<400> 345

```
agttatgctg agagcaccag gcacasgttg aacaccgcag tcttagaaac agcagaggga       60
agactgcctt ctcaggtccc cctcaggtga ggcagggaac gggccctcct cacctgagac      120
caagggggcc cagccttctc cctgcacagc tcacccccga ccagcccagg ctccagcagg      180
agagacaagt aaggcccaag tgtgcctgag tggaaaatgt ctgggacact gacctgtcaa      240
aactggcccc tggctcactg ggttcccatc aaatatagtg ggggatccat aacagagatt      300
cagagaggca ccgtggagtt ccagggtcat cggtcagcga ggaacaagga gggaaaggtg      360
tcttcctgcc ccttgatgct caactaagca tctgttccct agaaatacat gtgtccaggt      420
cgtctccatg ggctttctt tgcagatact                                       450
```

<210> 346
<211> 453
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 320
<223> 18-709-321 : polymorphic base C or T

<220>
<221> misc_binding
<222> 300..319
<223> 18-709-321.mis1, potential

<220>
<221> misc_binding
<222> 321..339
<223> 18-709-321.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 433..453
<223> downstream amplification primer, complement

<220>
<221> misc_binding

<222> 308..332
<223> 18-709-321 potential probe

<400> 346
ttagacgtgg ctgcacttgg ccaatgtgct gtgaacccac agtgagcggg tccctgcgag   60
tgaagcttgg tagaggagtg tgtggctcct tcaccacctc ccctgccacg gggtcccgca   120
ggccatattg agacaggctc ctgtcagctg gggccctgag ggctcagagg agcagcacat   180
cctgatggat acaggggccc agatggtggc ttcggagata agagacaaac ctgctacctt   240
gctatccctg caagcgaggg gcacgccagg ctgagggcgg catggcaaag gcggaggagg   300
tgttcccccca cagctctcty gggaaacgac acgtgcttcc tgctaccagc aggcagactc   360
ggatggaggt ggaggggacg agagtgtggc aggcaggcga ccaaaagtca acgcagtttg   420
gtctctgatg accccaaagt aaaaaccagt ccc   453

<210> 347
<211> 514
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 281
<223> 18-714-280 : polymorphic base C or T

<220>
<221> misc_binding
<222> 262..280
<223> 18-714-280.mis1

<220>
<221> misc_binding
<222> 282..300
<223> 18-714-280.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 495..514
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 269..293
<223> 18-714-280 potential probe

<400> 347
acttgaagga ctccgacagc ctcatgggcg actgtattaa gccccagcaa tcggagaggt   60
gggctccggg gctgggtggg tctcctctgc caggtgggtc tcctctgcct gtggtcccag   120
cagctcggca gcaggggccg gcccagatgg ccgttggtca cagagacagc tgggctttgc   180
tgagtgcgtc gtggtccagc ctaggcccat gccactgaag cctttctcag aggtgtgggg   240
tctgcaggga ccggtcacat gtgagcccag gatcagggca ytgggggaag aaccagctga   300
ggacattccc cagccccaaa acaaaggcac ggcagtcctc gagcagggag gagtgaggag   360
ccacatgtgg gatcccgcct ctctggcgtg tgagctgtgg atggcatctg gtaccagccc   420
catgcccgct ggccgctggc gagcttgcag gctctgcagg caaccggaac agcatactgc   480
aggtgcacrc gggktcctcg tgccgagtga ttta   514

<210> 348
<211> 451
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 271
<223> 18-843-271 : polymorphic base C or T

<220>
<221> misc_binding
<222> 252..270
<223> 18-843-271.mis1

<220>
<221> misc_binding
<222> 272..290
<223> 18-843-271.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 433..451
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 259..283
<223> 18-843-271 potential probe

<220>
<221> misc_feature
<222> 438
<223> n=a, g, c or t

<400> 348
ggagagacat ttgctttcag tggctcatca ataattcaca tagaaacgag catttctaaa   60
gcacagtgag gagacagagc tggaacagtt tcttgccagg acatatcatg ggcaactgga   120
acccaagttt aggcaagaca ggaaaaacca ccacctgcaa attatctttt ccctcaaatg   180
gataaacagg cgcagggtgc ggtgaaagcc gtcattccgt tcagcagcag ccacgccgct   240
gagacggagc aacggccgag catacgcagc ygcactcacc accgctggta caggtagacc   · 300
agaaacacca cgtcgtcccg gaagcaggcc agccggtgag acgtgggcat ggtgatgatg   360
aaggcaaaga cgtcatcaat gaaggtgttg aaagcctgca gggccagacg ggaggagggt   , 420
gaaccccagt tgctgggnct ggaatcctac t   451

<210> 349
<211> 460
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 265
<223> 18-850-265 : polymorphic base C or T

<220>
<221> misc_binding
<222> 246..264
<223> 18-850-265.mis1

<220>
<221> misc_binding

<222> 266..284
<223> 18-850-265.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 443..460
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 253..277
<223> 18-850-265 potential probe

<400> 349
```
gaagacatta ttgaatgctc ttagaagatt gtaarattgc tctctggaag tgtgggggaa    60
ggtggaagtg atatccatgc attgttagta gaaagccacg ctagagctca cacagccttg   120
cactttgata ggagtgggga ggggtgcagg ggaaggagar gcaaaccaga gtgtctgtct   180
tgaggcctcc atgggccagt gccccagccc tgtggtgagg gctggcactt cccagctccc   240
gtgccccagc tgtaccatct caggygctga gaacgcaccc atcccttccc agaggaatgc   300
ccgtgaatgc ctcggggctc tgccctccgc accaggtatg tccctagccc tggctgctga   360
attgttgcgt tcctgttgtg tgtttatttt tcatattggc tgaagaccaa gagggaagaa   420
gcacagaatt cctcaactcc cagtgtgccc atgagtaaga                         460
```

<210> 350
<211> 459
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 296
<223> 18-853-296 : polymorphic base C or T.

<220>
<221> misc_binding
<222> 277..295
<223> 18-853-296.mis1

<220>
<221> misc_binding
<222> 297..315
<223> 18-853-296.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 440..459
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 284..308
<223> 18-853-296 potential probe

<220>
<221> misc_feature
<222> 441
<223> n=a, g, c or t

<400> 350
atgcccactg cacagatgag gagccgaggc caggaagggt tttgccagat gcctgggctg   60
gggccagggc tcaggaccac ccactgaact gcctgctcgg cccaccctgg caagtgtgtg   120
caagggcccg gtggtgccga cgaggagggc catggggagg agatgttgtt gtcctgagac   180
tcccagcccc acctgagggg gaagagggtg ggagagcaag gctgggagcc acccttgggg   240
gctgtgcatg tgcccctga cattggagga cacaggccac gccacacctg tgccayccag   300
ggagtgggaa ggaagcacgt ggccgtggag aggccagcag gtggcaggaa gggctgcaag   360
ccccsaacca cggggtcaca cgtaggggac ccagcacccc atgcaggagc tggctgtgcc   420
ctgcatctgc acaggccggg ncatgaactg gcatcagca   459

<210> 351
<211> 463
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 332
<223> 18-867-331 : polymorphic base A or C

<220>
<221> misc_binding
<222> 313..331
<223> 18-867-331.mis1

<220>
<221> misc_binding
<222> 333..352
<223> 18-867-331.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 445..463
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 320..344
<223> 18-867-331 potential probe

<220>
<221> misc_feature
<222> 424
<223> n=a, g, c or t

<400> 351
tgtgaactgc tctatgtctc cttgcagttc tatcagtttt tgccgaattc attatgaagc   60
tatgttatta ggtacataaa catttgtcct tttggtgaac tgatgctatc ataaaatgac   120
attgtttaga catgatctgt tttgaggatt cctatggctt gcatattagg tggcttgaag   180
tcccacagtt ctctgatgct tggttcattt ttttgtcttt tttctttatt tcattttgaa   240
cagtttgcac tgccatctat gtcttcaagt tcatgtatcc ttttcttctg agatgttgaa   300
tccacccctc ctctcaacca gtgcattttg cmtctgagac attgtggttt tcatctctag   360
aatttggatt cgtgtctttt aaaaaatatc tgtcatgtct ctattaaaca tattcagtct   420

cgcntttggc tagctcttgg aatkgaggta acagttatga ttg   463

<210> 352
<211> 449
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 73
<223> 18-877-73 : polymorphic base C or T

<220>
<221> misc_binding
<222> 54..72
<223> 18-877-73.mis1

<220>
<221> misc_binding
<222> 74..93
<223> 18-877-73.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 432..449
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 61..85
<223> 18-877-73 potential probe

<220>
<221> misc_feature
<222> 377,402
<223> n=a, g, c or t

<400> 352
ctgataccac ccgaacacgc atttccttgc tctccacttg ttcaaagcct ttacacccac   60
tgcctgccat ccyacagctt ccagaacact gaggccatcg ggaacaagca cacaggcttc   120
cacagaaggt ctcaggtccc ggggctgaaa gcctttcctg agtgcgtgga ggcacatgga   180
cctcagacag ttcaggtcac tgcccggaac tcacctcaat ggcggctcca acacccgccg   240
ggaccagcac cagcaggctc gtctgctcgt ccagcaggaa cagaaagatg accacggtgc   300
tgaagcagcg ccagagcact ggggacagga tggtcgggct gggagggggt gcagggcaga   360
ccccacctgt gttcccncaa gtcacacaca taccccagt cnccccatcc caacccacca   420
cgcccaagaa gcttcaggta ctccccagt   449

<210> 353
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 85
<223> 18-856-85 : polymorphic base C or T

<220>

```
<221> misc_binding
<222> 66..84
<223> 18-856-85.mis1

<220>
<221> misc_binding
<222> 86..104
<223> 18-856-85.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 73..97
<223> 18-856-85 potential probe

<400> 353
ctgcttcctc tctcaagaca gcacctctcg aatctggccc caagtgagac acagcaacag      60
cgacacatga gagagactgt gattyggggg aaaagctgct gtcggcacac gtgtctccat     120
aaccactgga acgcaggcca ccactggcac agctgcgccg caaagcctgc cccgggcctc     180
taacaagaca gatctgcaga cagacacaca gggcagcctt ctgcagctgc ctgcccctgt     240
ccaccatctc ctgaatgcct gcaaggagtc agcggcatga ggcttcacaa gaggtgacca     300
cgagctggtg ccacagctca cacagctctg tatggggcat tttagcagaa cttgctgtcc     360
tgaggtttgt cagcagcaca ccagcaaact ccagcaaaca gagaaagagg ttggaattgc     420
aggggccgac agagaaacta ctcagggata                                      450

<210> 354
<211> 480
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 101
<223> 18-861-101 : polymorphic base C or T

<220>
<221> misc_binding
<222> 82..100
<223> 18-861-101.mis1

<220>
<221> misc_binding
<222> 102..120
<223> 18-861-101.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 462..480
<223> downstream amplification primer, complement
```

```
<220>
<221> misc_binding
<222> 89..113
<223> 18-861-101 potential probe

<400> 354
ccctcaaatg gataaacagg cgcagggtgc ggtgaaagcc gtcattccgt tcagcagcag      60
ccacgccgct gagacggagc aacggccgag catacgcagc ygcactcacc accgctggta     120
caggtagacc agaaacacca cgtcgtcccg gaagcaggcc agccggtgag acgtgggcat     180
ggtgatgatg aaggcaaaga cgtcatcaat gaaggtgttg aaagcctgca gggccagacg     240
ggaggagggt gaaccccagt tgctggggct ggaatcctac tgtttttggt aacctaacca     300
agccaacggc ttttggcaga tgcttggaac taactggaac tcctcacagc aacaacaaaa     360
agagcagaaa gccggcaagt ggagatacgg agctctgttc cctcatgggc tccccacagc     420
tgctggcacc cgacacactg cgggtcttgc ccaggctccc acatcgggga accaaagaga     480


<210> 355
<211> 465
<212> DNA
<213> Homo Sapiens


<220>
<221> allele
<222> 323
<223> 18-635-323 : polymorphic base A or G


<220>
<221> misc_binding
<222> 304..322
<223> 18-635-323.mis1


<220>
<221> misc_binding
<222> 324..343
<223> 18-635-323.mis2, potential complement


<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer


<220>
<221> primer_bind
<222> 445..465
<223> downstream amplification primer, complement


<220>
<221> misc_binding
<222> 311..335
<223> 18-635-323 potential probe


<220>
<221> misc_feature
<222> 81
<223> n=a, g, c or t


<400> 355
gataattgtc tcaggttaag cttgagcata acatgcacca tgacacatat gatataaggc      60
aatgaggcca gggagtggtg nctcacgcct gtaatcccag cactttggga ggtcgaggca     120
gcactttggg attgcttgag cccaggagtt cgagataatg caatgcaaac attttttgtg     180
ccaccagaaa gaaattgatc tacaccagtt ctttgggaac tgaattatcc atggcaaaaa     240
aaaactatat tccatattca gttttcaatg ttgctgaaat tatctgagat ttccatccaa     300
gttgacatct taaaacttta tcrtgatcat cactcccttt actatgtagt cttatttggc     360
```

```
catattttgc ttacccttat caactaagga gccagtgtaa atctctgagt tgcagatctg    420
gaagtgatgt gaagaaatgt tatagaggga gtgtacttat cagtg                   465
```

```
<210> 356
<211> 493
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 205
<223> 18-636-205 : polymorphic base C or T

<220>
<221> misc_binding
<222> 186..204
<223> 18-636-205.mis1

<220>
<221> misc_binding
<222> 206..225
<223> 18-636-205.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 473..493
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 193..217
<223> 18-636-205 potential probe

<220>
<221> misc_feature
<222> 36
<223> n=a, g, c or t

<400> 356
cgcccttagc ataagatgca tccatttgct gggccntgtg ctgtaatcag agggccttag     60
cctggccttc cttctgctgc cctccacccca aggaagtaag gagttggccg ggccaaggga    120
gcagctttgc tcccctctct aaactacatt ttgcatctgc tggacccca cattctctgt      180
ccaaatggct ttgaacccac ttccyggcca cacaagcctc ttcctgggat gtgctgcagg     240
catacacacc cttaggccta aggagtttaa ccaagaggca gcaatgagag gtgtgaagag     300
acttgtgtag gaggaacttg ggtaagcagg ctgcggtcca gggctcacga cggctgctca     360
caggtccctg gagatggaag gacatgggga aagaagaggg ccaacccata tccaaggagt     420
tcaagaattc taaattcaac ctgaccttcc aggctgttat ggagggatat ctgtcaaggt     480
aaaggagata gct                                                        493
```

```
<210> 357
<211> 589
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 427
<223> 18-649-427 : polymorphic base G or T
```

<220>
<221> misc_binding
<222> 408..426
<223> 18-649-427.mis1

<220>
<221> misc_binding
<222> 428..447
<223> 18-649-427.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 570..589
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 415..439
<223> 18-649-427 potential probe

<220>
<221> misc_feature
<222> 536
<223> n=a, g, c or t

<400> 357
tctgtgtaat gcccaacgat ttttcattag ctgggagctg ttttagggac attttacagg   60
ttaatgactg tgggagagga gaataaaatc aaaactgcaa gaacccattt ttgtcttcat   120
aagcattgca tttaaaata cgagggcttg aagacttctc agaagagaca ctcactactg   180
gagttaaagt tatatgaagt ccctgagccc ttaatcatcc aagactggac ctaagcagtc   240
ctcttcgttt gtagtctctt tcaatatctg cttatcaagg acaacgagaa tatcttagtc   ·300
tactaattaa tctttttat caccatagtc taccaagaaa gaaagctgat aagataataa   360
agatgattca ttcctcagag taggaaaaaa taaaaagaaa aatttaaaaa gatgctaaat   420
atgagckctg agtctcaaca ctgtctcaag atgaggcaga tgtcaacttt cttgcctatt   480
ctgcttgcta tttaggcata tctcttgagc aaaaccagtc atttgtcttc tcattntycc   540
aaaaattaaa ttcaagaaca aattgttgag gaaggttatt agaatctca   589

<210> 358
<211> 432
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 316
<223> 18-1134-316 : polymorphic base A or G

<220>
<221> misc_binding
<222> 297..315
<223> 18-1134-316.mis1

<220>
<221> misc_binding
<222> 317..336
<223> 18-1134-316.mis2, potential complement

```
<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 412..432
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 304..328
<223> 18-1134-316 potential probe


<400> 358
catcttgttg tctacgtttc tggggctgag aagatatttt gctccacacc tgccagcatg        60
cccttttccag ccctgaggtg caccagtgag tgtgtgtccc ttctccagct ttcctggggt      120
aaaagtacca cctttggatc aaggcttgct ggctgcggct cagaggatct gcgcagagga      180
agcagtgtgt cctcaggaga tcctgaagga ggggaggggg gactcttcct acttggaact      240
ctttgtttat tggttaatga aagggcaaaa ataagtccct ttctaaaatt ttagtttaga      300
gtttaagttg gaaggraaaa aaaaagaaaa gaacacattt gaggattaac tatttattga      360
cttttctctg aagttctcaa ttgaaggtta aactcaggga ttttccaggc tggggtaaaa      420
ctcaaccaac tg                                                         432
```

```
<210> 359
<211> 432
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 316
<223> 18-633-316 : polymorphic base A or G

<220>
<221> misc_binding
<222> 297..315
<223> 18-633-316.mis1

<220>
<221> misc_binding
<222> 317..336
<223> 18-633-316.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 412..432
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 304..328
<223> 18-633-316 potential probe


<400> 359
catcttgttg tctacgtttc tggggctgag aagatatttt gctccacacc tgccagcatg        60
cccttttccag ccctgaggtg caccagtgag tgtgtgtccc ttctccagct ttcctggggt      120
```

```
aaaagtacca cctttggatc aaggcttgct ggctgcggct cagaggatct gcgcagagga    180
agcagtgtgt cctcaggaga tcctgaagga ggggagggg gactcttcct acttggaact     240
ctttgtttat tggttaatga aagggcaaaa ataagtccct ttctaaaatt ttagtttaga    300
gtttaagttg gaaggraaaa aaaaagaaaa gaacacattt gaggattaac tatttattga    360
cttttctctg aagttctcaa ttgaaggtta aactcaggga ttttccaggc tggggtaaaa    420
ctcaaccaac tg                                                        432
```

```
<210> 360
<211> 533
<212> DNA
<213> Homo Sapiens
```

```
<220>
<221> allele
<222> 425
<223> 18-489-425 : polymorphic base C or T
```

```
<220>
<221> misc_binding
<222> 406..424
<223> 18-489-425.mis1
```

```
<220>
<221> misc_binding
<222> 426..445
<223> 18-489-425.mis2, potential complement
```

```
<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer
```

```
<220>
<221> primer_bind
<222> 515..533
<223> downstream amplification primer, complement
```

```
<220>
<221> misc_binding
<222> 413..437
<223> 18-489-425 potential probe
```

```
<400> 360
tagcctctat gctcacgctg gtccctatct tttccaccct tcctggctgg ccccagtgtg     60
tcctaacaca gagctgccct ctctgaatca ccgaaccgcc caccttgggg ccctggggcg    120
gcactagttc cctgagtcac tccgtgagcc cggtaacaca tcctgtgccc caggctgaag    180
ttcaagcggg aggcgggccc aggagaacct gtctgactgg tccccaggca ggtcccatgg    240
tggccagaac agagttcaag gggaactgca ccaccgtcag accctgtgag tgtgggggcc    300
tgttgtcctg gggcagcagg cagcagggcc tgcagggtc atcagggacc ctggcaccct    360
gggactccag aggagccccc cagccctatc tgggcatatc ccaggggttcc cagcccctg     420
gaaaygggt gataacagct tctcctgtaa gggctttgat gcctggtcct gggtccctgt      480
cccagagctg agcacctgct ggcccggacc ccaccttct tgtcgcccac gtt            533
```

```
<210> 361
<211> 485
<212> DNA
<213> Homo Sapiens
```

```
<220>
<221> allele
<222> 212
<223> 18-492-212 : polymorphic base C or T
```

```
<220>
<221> misc_binding
<222> 193..211
<223> 18-492-212.mis1

<220>
<221> misc_binding
<222> 213..231
<223> 18-492-212.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 465..485
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 200..224
<223> 18-492-212 potential probe

<400> 361
agtcggggag acaagcatag agccacaggc gtgatgacaa acaggacaca gatggcagga      60
aggaggccag ttctaagcgt ttacacacgg ggcagctctg ctcggcacac aggtccccca     120
cgggggctgc agagggccct acctggggct tgctcaacag ggctggaaac ccccagcaaa     180
ggctggaact gctgcaagaa gccctgccct tygggctga tccggtgtga taaaggggga      240
ccaggattct ggcagggat tcgactgcga tccagtaatc cagggagagc cagtacaggt      300
gcgtagagac aggccaggca gcaccaggta ggccacacgc ttgggcagcg cctgtggaca     360
ggctgagagg acacctggag gccagcctgg gagaccccac aggctgcagc caggccccgc     420
gctcatctct ggacccaggg gctggccact cacctccatc cagcctctgg gaatctaaag     480
gaatg                                                                 485

<210> 362
<211> 570
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 156
<223> 18-488-156 : polymorphic base C or T

<220>
<221> misc_binding
<222> 137..155
<223> 18-488-156.mis1

<220>
<221> misc_binding
<222> 157..175
<223> 18-488-156.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
```

<222> 550..570
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 144..168
<223> 18-488-156 potential probe

<400> 362
```
tgtctagcct cactcggggc actcagggtc ctcgccagtg gggctgggtt gggggvatgc       60
acaagatggg gcctcaggag gaagatctgc aggagacaca tgctttcttt gcacgagcag      120
tggcttgctt gggggagagc aggctgggcc cagagyggcc cttccccacc ccatctcctt      180
ggtcctgtgc cgtttctgcc ctggtgtctg gtctggggtg tgcaccccac ttctgccacc      240
cattttgcac ctgcacaggc agctggctcc ccagttccca acaggccacc cagccaggcc      300
cctggcccag ctccccaccc atctccaccc accacagggc ctcctcagtc ccccacactc      360
ccagacctca ggtggtgcct ccagagcgag ctgtgtccac acagggctct actggaatgc      420
ctggctcttt ggagaggctg aggctgactg aatgggctct gggcagcagc tggcacggat      480
gccatcctgg ttggggctca cctccaagag aagcgtgtcc ggcaggtacc ggtccttcca      540
gtggtcgagg aagaccatgt ccagtgtgtc                                      570
```

<210> 363
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 266
<223> 18-491-266 : polymorphic base C or T

<220>
<221> misc_binding
<222> 247..265
<223> 18-491-266.mis1

<220>
<221> misc_binding
<222> 267..285
<223> 18-491-266.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 254..278
<223> 18-491-266 potential probe

<400> 363
```
ggtagagcca tacaatgagg tatgattcag ttattaaaat gaataaagta cagatgaatt       60
cacggttcat caaaatggat gaaccttctg caccggctgc ctggccatcg gctcgcaagc      120
tcatgagacc cccgtgaggt ccacattccc tcctctgtga aacggctgat ggtcttacct      180
ctccagcaca gtagagggca ggcatgatcg tgcccacaca gcacctgcac atgcttgcca      240
catgcacgcc acatgcagat gcacgygtga gggcatcctc agtgcctcac agtgcggcca      300
ggacacaggc agctgggctt gacacctctg gctctaaaga gcatgaagct tctgggcctc      360
agtgccaggc ctgcccaagc ttctctgccc agcagtctgc tgcagagcta gagagtccat      420
```

```
cacctctgtc acctgktcag tattctctct                                        450
```

```
<210> 364
<211> 435
<212> DNA
<213> Homo Sapiens
```

```
<220>
<221> allele
<222> 141
<223> 18-497-141 : polymorphic base C or T
```

```
<220>
<221> misc_binding
<222> 122..140
<223> 18-497-141.mis1
```

```
<220>
<221> misc_binding
<222> 142..160
<223> 18-497-141.mis2, complement
```

```
<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer
```

```
<220>
<221> primer_bind
<222> 416..435
<223> downstream amplification primer, complement
```

```
<220>
<221> misc_binding
<222> 129..153
<223> 18-497-141 potential probe
```

```
<400> 364
ctcatgttgt cagtagttac caagtaaaat ctgttttttc tgcattaact agtgtctcac      60
tgggctctgc agggcagctc ctacggtccc tcaggcttgg agggtcactt taaacaataa     120
aaagcaacag gacacaaaaa yccctggctg gaaaaatcca aaaagcaggt ctgttagcag     180
ggcaggcccg gagtgacttc ccctttctct aacattccca cgtggtcctg cacaccacac     240
atcccccga ccctggggag tcctgggccc cttcctggtg gagcagcctc tctcttgcag      300
ggaaaggccc tggggtaccc caaggcctcc aacagggagc ctgttggaga agtcaccaag     360
gccctctgag tctggggctc cacagaccct ccccaggcc tcctgcaact ctccagctct      420
gagagtctga tccca                                                      435
```

```
<210> 365
<211> 475
<212> DNA
<213> Homo Sapiens
```

```
<220>
<221> allele
<222> 174
<223> 18-503-174 : polymorphic base A or G
```

```
<220>
<221> misc_binding
<222> 155..173
<223> 18-503-174.mis1
```

```
<220>
```

```
<221> misc_binding
<222> 175..194
<223> 18-503-174.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 455..475
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 162..186
<223> 18-503-174 potential probe

<220>
<221> misc_feature
<222> 57,422
<223> n=a, g, c or t

<400> 365
agtgctgcat tctcttgggc cttgctatga gctctgggct cctgctcttt gctggcntgt      60
accaggcagt gggttcaaag aggagcagaa aattaatgga caatatgtca gaaggcagag     120
gcaagacaga cacttgctgg ggccaagccc tgcaggtgga gagggtatgc ctgrctaaag     180
tgggtgaaag gcaaggttat gaggttctcc aggacactgg agtgcacagg tggtgtgtcc     240
ccaggtaacg cctgccaccc agcccttcct cccacagaac agcatctgcc ctacccacct     300
ttgaggtact ttggggtcct tccttcccag caggctaccc aagcccttcc aagtgcttaa     360
aggcagattt cctatgcttg caaacgactg ccctatgcca gtgtttatca gcccgagagg     420
gntcctgggt gtgcacaggg ggcgagcaag ctgcccaaga taagcacatc catac          475

<210> 366
<211> 501
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 95
<223> 18-490-95 : polymorphic base A or G

<220>
<221> misc_binding
<222> 75..94
<223> 18-490-95.mis1, potential

<220>
<221> misc_binding
<222> 96..114
<223> 18-490-95.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 481..501
<223> downstream amplification primer, complement
```

```
<220>
<221> misc_binding
<222> 83..107
<223> 18-490-95 potential probe

<220>
<221> misc_feature
<222> 239
<223> n=a, g, c or t

<400> 366
tgtgaaccac aagaggaggg aaccactctg ctcaagttgt atttcccctg aagagtcctt      60
agtaccttgg aaatgatgtg taagaccaag ggctrgttta ycaagaacat acacaaacca     120
gtaagaaaaa gatgatgaga cagataggtc acagtggcca acatgcagct cacaggaaaa     180
ggccaaaggc cagagccccg agcaggtgat ggaacccggt gcagggctca gtgacagtng     240
gggtgcccct gtccacagct gcaggagtgg gaatcgtgct gccttctgct gctacccttg     300
ggaagggtcc caggcctgca gggaaacccg tggcccactg tgtttcccag cggggcagga     360
cgtgccatga cccacagggc tcgtggggaa aaaacaagag atggtgcttc cctaaggaca     420
gtgtccttat tctggcagga agatgacagg gggaaccatg gtggagaggg accatgcaga     480
cctgaagcag ccagaacttt c                                              501
```

```
<210> 367
<211> 448
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 114
<223> 18-699-115 : polymorphic base G or C

<220>
<221> misc_binding
<222> 95..113
<223> 18-699-115.mis1

<220>
<221> misc_binding
<222> 115..134
<223> 18-699-115.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 428..448
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 102..126
<223> 18-699-115 potential probe

<400> 367
ccattcttct ctcatataaa ctgagagtga gatgaacata ttctactaaa taaagatggg      60
atgagaattc ttaacttcat actttgctgt ttttccctta ccgaccctcc agcsaagaaa     120
actgtgttaa actgttcaga aacccagcaa atctggctgg aaagagaaca ttatgtccaa     180
gccacaggaa gcatgaaaag gaaataaaag aatttctctg gaagtataaa gttagaagtg     240
ttaagatgcc ttggaagcca ggaacaattg aaatattttc aaagcacaaa gtttctgatt     300
```

```
tcctcaaagg caaaatattt gagtaagact taactatatt ctagcttcta atatattagc       360
ttattttatt ttcaccctgt atttggctga cttaggtgca gacattctag taataatgag       420
atatttggag tattagcatg gctattta                                          448
```

<210> 368
<211> 478
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 293
<223> 18-1099-293 : polymorphic base C or T

<220>
<221> misc_binding
<222> 274..292
<223> 18-1099-293.mis1

<220>
<221> misc_binding
<222> 294..312
<223> 18-1099-293.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 459..478
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 281..305
<223> 18-1099-293 potential probe

<400> 368
```
ttgatgtact ccgcctaccc cggttcaact gctaagtgac agcctcacag gggcagctgc        60
tggaatcttg ggacaggaag gctggagagt gagagtctgt ccaagccctg ctgagatccc       120
aattgagagt gttggtacag acttgttccc ctctagatag gacaaaaacc ttgagactgg       180
aaattcttgg agaagatcaa aacgctggga taaagctatg aaccaaagca aggggaagat       240
ttttttctgag gggacctgtg agtctccctg ccatctgggg agagaagaat gtyggcaga       300
gtcctgtcta cctgtgaatg tggaagaaga gcagtggatg tgagatacac aaactgtagt       360
gtctactatg acaatgaatc ttgcaataca catattcaat tttgaattaa gaatgttata       420
cgataaataa tggtttctaa aatagaaaag tcatgtaagg ggaaagactg ataaaatc        478
```

<210> 369
<211> 476
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 22
<223> 18-1105-22 : polymorphic base A or G

<220>
<221> misc_binding
<222> 3..21
<223> 18-1105-22.mis1

<220>
<221> misc_binding
<222> 23..42
<223> 18-1105-22.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 456..476
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 10..34
<223> 18-1105-22 potential probe

<400> 369
ttctctcaag catagtggcc trtgccccag gaatgtagca taatgcatat ttacatctat   60
ctctgtatag gcaggtgtag attaaattgc aacataattg gcacagcatt tgtctctatc   120
ttaatgatga tacagatgga aaactaaaaa agatgagaga tttttcttct aaaaaaaact   180
tttaaagtta tggagttaga acatatagtt actgtagacc caatcaccac aagtgctagc   240
aattgtccat gtatatacag agacttaaag gcaaattgag aggcaagcag ttaattattt   300
aaatgctgta gagctatgta gcagcccaga gataaaggtt aacgggaaag ttttcaatca   360
caactttatt atgtaggtat acaccataag ctaaacttaa ctcaaacata atccaccttc   420
agacctctga gcagcaagtt atatagggaa ggaaggatga cacaagtttg aatgac   476

<210> 370
<211> 495
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 418
<223> 18-562-418 : polymorphic base C or T

<220>
<221> misc_binding
<222> 399..417
<223> 18-562-418.mis1

<220>
<221> misc_binding
<222> 419..438
<223> 18-562-418.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 475..495
<223> downstream amplification primer, complement

<220>
<221> misc_binding

<222> 406..430
<223> 18-562-418 potential probe

<400> 370
```
acttgcgatg tggatgaggg gaagcacagg cagaggtgag cgctgggttg ctggcgaggc     60
attttcctga catcgctggt ggggatggtg gaccaagtgc agagctgggg tctgaggcac    120
gaggggaact ttcttttcct cttccttaag cctggggatg tggccagaac cttggggagc    180
tgtggaggcc actgtgagct gcagacagag tccaagaagc gggtgaagac cctgcggtcc    240
atctctttgc tcctttccct cttcccacat ttaacaatta gtttctccca tgggggcccc    300
atcaagtcat ctcctcaaac ctggccagtg cttcatccac tgctgcctta tcttctcccc    360
agaaaatact tcttccccaa ctgtgaggat tatgctccga aactacccc cagcaccygg     420
tagactttca cagctgagag acattgacct caaagtttag gttgcaagtg agtccacaga    480
accacttccg cacat                                                     495
```

<210> 371
<211> 476
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 204
<223> 18-564-204 : polymorphic base C or T

<220>
<221> misc_binding
<222> 185..203
<223> 18-564-204.mis1

<220>
<221> misc_binding
<222> 205..224
<223> 18-564-204.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 456..476
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 192..216
<223> 18-564-204 potential probe

<400> 371
```
tcacgcattg ctttgaacac agcaggtact cactacatag tggttgattg ataccttgtt     60
cacacctccc tagaagtgga cacctattgt cttgcctgcc aaaccatct tccttctctg     120
gaagctgttc cctgtctctc taccccgctc tcccccatcc tcattgtaac gatggaagac    180
ttccttctct acagccccg cccygccatg cacgtctctc tcagctccag agaggaagct     240
acagtgtctc accaagctct tggaggagag cagcagttac agccaacatt tattgaacat    300
gtgccagaga ctgttccaga tggtacataa actcttaatt caagctcatt aaaccctgac    360
aagatcccta caaggcaggc aatatttta tccccatttt acacaggagg agaccaaggc     420
agaggcctcc cggctgctgc gtctcccatg cagtacatag gtttatcaca ctccaa        476
```

<210> 372
<211> 467
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 261
<223> 18-1032-262 : polymorphic base A or C

<220>
<221> misc_binding
<222> 242..260
<223> 18-1032-262.mis1

<220>
<221> misc_binding
<222> 262..281
<223> 18-1032-262.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 447..467
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 249..273
<223> 18-1032-262 potential probe

<400> 372
```
ccactcaaat tctgatagac attttttccct aacctaaaat atttttatat ttaaaagtct     60
ttactcatca aacacacgca catcaaaaat gtgtagaaaa ttgaagtttta ttttttatttc   120
acgtcaccaa tatgccctaa tagtttcata aaattatact ggattgagct attattagaa    180
ttattactag tatacaactg agaaaaatat tatgtataca gtataaatat taataatttt    240
aatatataaa tggtaaaaac maaatccatg gggaaaacat gtctaacaaa atatgcagaa    300
gtttctcttt tttcccagtt ttctcatgtc catggataga tattgcctat tggtttaata    360
gttgagtatt cataatcgat tcctactctt ctttttatat cgtatgcact gagaaaactt    420
gctcacataa ataggtaggt gggaatggga agagttttgc tacagta                  467
```

<210> 373
<211> 466
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 412
<223> 18-1035-412 : polymorphic base A or C

<220>
<221> misc_binding
<222> 393..411
<223> 18-1035-412.mis1

<220>
<221> misc_binding
<222> 413..431
<223> 18-1035-412.mis2, complement

<220>
<221> primer_bind

```
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 447..466
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 400..424
<223> 18-1035-412 potential probe

<400> 373
cagatatgat ccactggaaa caggatcatt aacgcctttg catctaatga ggtcagataa        60
ttgattccag aaaactcaga accaattgag aaaattcctc attaatattc agcttcccct       120
gggcactctc agggcagctg gttaagccat tctctgtaag gtttactgtc tttgaacctg       180
aagcctctag tccacaggtc agagcaagga cagctggaat ccacaatcat gagctacaga       240
gcaggataga ctgaaccagg tcagctcttg tctctgacct tgatggtgtg gatgccctgc       300
catcagcctc cccactgagc ccagctcacc taggggggaga gggagcttct aaaatgcaaa       360
tcgcatcaga tcactactct gcttaaactc ttcagcagct cccagtgccc gmagacagtc       420
cagactcctt actggtatga ggatccctcc tcctcccatt tctcct                      466
```

```
<210> 374
<211> 484
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 293
<223> 18-1036-293 : polymorphic base A or C

<220>
<221> misc_binding
<222> 274..292
<223> 18-1036-293.mis1

<220>
<221> misc_binding
<222> 294..313
<223> 18-1036-293.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 467..484
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 281..305
<223> 18-1036-293 potential probe

<220>
<221> misc_feature
<222> 463
<223> n=a, g, c or t
```

. . .

<400> 374
acaacacacc ttttctcctt aaattcatat ttccactcaa attctgatag acatttttcc   60
ctaacctaaa atatttttat atttaaaagt ctttactcat caaacacacg cacatcaaaa   120
atgtgtagaa aattgaagtt tattttatt tcacgtcacc aatatgccct aatagtttca   180
taaaattata ctggattgag ctattattag aattattact agtatacaac tgagaaaaat   240
attatgtata cagtataaat attaataatt ttaatatata aatggtaaaa acmaaatcca   300
tggggaaaac atgtctaaca aaatatgcag aagtttctct ttttcccag ttttctcatg   360
tccatggata gatattgcct attggtttaa tagttgagta ttcataatcg attcctactc   420
ttcttttat atcgtatgca ctgagaaaac ttgctcacat aantaggtag gttgggaatg   480
ggaa   484

<210> 375
<211> 484
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 95
<223> 18-1038-95 : polymorphic base C or T

<220>
<221> misc_binding
<222> 75..94
<223> 18-1038-95.mis1, potential

<220>
<221> misc_binding
<222> 96..114
<223> 18-1038-95.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 466..484
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 83..107
<223> 18-1038-95 potential probe

<400> 375
gccacaatga atgttgagga aaaagtctgg atatttaaga atgatcctta caatccagat   60
gtcaattctg taaactgtga atagcagttt gtcaytgata cttaagagtt gagaggctaa   120
ctccattgct tctagcaact aacaaaatgg ggattccatc tgaggaagta aattctgggt   180
gattatgaag tatgaggctt ggaatggaaa agggatggat gaatagcttc atgtcagctt   240
cccaatacta ttaggtgttt ttaaaccaag tatatgttgt ggtaacaaat atgaaatttt   300
taaaagaaaa caaaaataat caacatatac acatataaaa aatgacattt atgattttaa   360
gataaacaag ttactacctg aaagggtctc agagattgat gatttattag gagaactgag   420
aacggcaaat gatacttgaa gtggttctat gttttcctaa acaaaggaaa agacagaagt   480
taga   484

<210> 376
<211> 455
<212> DNA
<213> Homo Sapiens

<220>

<221> allele
<222> 361
<223> 18-1040-361 : polymorphic base A or G

<220>
<221> misc_binding
<222> 342..360
<223> 18-1040-361.mis1

<220>
<221> misc_binding
<222> 362..381
<223> 18-1040-361.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 437..455
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 349..373
<223> 18-1040-361 potential probe

<400> 376
ttcagacagg gggatcaact caagaaaaac cttgacagtt ggaaagtagc ctggtatatt   60
tgagggatct gagacagaat cagtttcatt agggttccct tttgaagtaa tgggaggtga   120
ggttggccag ataagggtat acctcaaatg cctgtaggta gtgagggaac cttcttaatc   180
aaaggaataa cagagaaagt gctgcttcag ataaccaagg ccaaggctga gttttgaatg   240
ctgtctgggc ttagcttcca atgactgagg gagttatttc cctggatgaa ggtatgttct   300
tatttcaatt gattcttaaa gtactttta ttaatattta ttaaggagag ttatccaact   360
rctcatgaag tttaggcggt tacactaggg caagatatgt ttccctcatc ttctcatcta   420
ccaccttctt gaagtcctgr aaatctaagg aatgg   455

<210> 377
<211> 403
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 356
<223> 18-748-356 : polymorphic base C or T

<220>
<221> misc_binding
<222> 336..355
<223> 18-748-356.mis1, potential

<220>
<221> misc_binding
<222> 357..375
<223> 18-748-356.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

```
<220>
<221> primer_bind
<222> 383..403
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 344..368
<223> 18-748-356 potential probe

<220>
<221> misc_feature
<222> 27
<223> n=a, g, c or t

<400> 377
gagctggttc acattgatac tgaaagnaag acaacccatt agatgctgtt aacaaaaata      60
ctatcagaaa agaagagcca aaagaagagc caaagttatc catccacctg accttttttcc    120
catcctccat cttgtctttt tctcctctag ccaccagggg gcactttggg gctagctcct     180
tgaggacact ggagattctg agctttcaca agtacctcaa tattggcggt ggggtcagtg     240
gatggggatg gaatgaatca gaaagtagag ctaaaggaga aacctaggga ttctgtagag     300
cagaaaggtg agttcccaaa atcttcagct caaatatacc cctctaatct aatcaytaaa     360
tgctgaattc actaagaaac tacccgagcc cgacagattt tta                       403

<210> 378
<211> 448
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 179
<223> 18-937-181 : polymorphic base A or C

<220>
<221> misc_binding
<222> 160..178
<223> 18-937-181.mis1

<220>
<221> misc_binding
<222> 180..198
<223> 18-937-181.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 428..448
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 167..191
<223> 18-937-181 potential probe

<400> 378
cccaatctct ctaccccaac ccacttccaa catcctccca tgatagcaga atgatctctc      60
tgaaggttca atgacaataa tgaacatgaa aacacttcgt aatacgttac acaaatagca     120
```

```
acacctacct atacacaaat gtaccgatgt ggcaggagag acagaaatgc tgtctttamt    180
cactgttgac tatgcaggtg taaaggccag tgcattgcaa gggaatgaaa tcgatagact    240
aagaggaatg tttctgggaa ataatggtct aagttggcac acacagtatt ggaaccctca    300
aacgagtcaa aaaggcattc aaggtggact tgcctgcttg gcaattgtat gtcactgtga    360
taaacctgat gagagatgta agatgtagat ctaattatgc ctatttttca ggtaactgag    420
gctgagagag gcagtaattt gcagaaga                                       448
```

<210> 379
<211> 449
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 175
<223> 18-942-175 : polymorphic base C or T

<220>
<221> misc_binding
<222> 156..174
<223> 18-942-175.mis1

<220>
<221> misc_binding
<222> 176..195
<223> 18-942-175.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 431..449
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 163..187
<223> 18-942-175 potential probe

<400> 379
```
gactcctgtg tttctgagcc ctggataatt tcacacacat gtctggtttg gggctccaca     60
ttttcagaaa aatatagaaa tcttggagga ggtccagggt agaccaaggg aaatgattaa    120
tgggttgaaa gttggagttt atgaagaaag gttgtgagat ctgatctttt gctaygagaa    180
aagtctgagt ggtgacttaa taacataagg aggttagtaa gcagctgttc tccatcttca    240
ctaaggttga atgaaatgaa ataagatata aattgcaaca ggaacaaaaa tgcattacaa    300
gtgaggactt ccaagcacca gcattgctgg attctagata gctccccaaa agaaggatgt    360
gtagtctact tccctggtct gcaatgacag gcctataaat agtgagaaag atgagataat    420
ctcttaagat cccttctgga cctatcttt                                      449
```

<210> 380
<211> 452
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 221
<223> 18-1213-221 : polymorphic base A or T

<220>

```
<221> misc_binding
<222> 202..220
<223> 18-1213-221.mis1

<220>
<221> misc_binding
<222> 222..241
<223> 18-1213-221.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 434..452
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 209..233
<223> 18-1213-221 potential probe

<220>
<221> misc_feature
<222> 403
<223> n=a, g, c or t

<400> 380
ctttcgggtt ctcatttgcc tgtagccaag acccttgaag agaacttata tggctagggt        60
ccagaggaca ttttcaatta tccatttgat gaactctgtc aaccgtctac ctgtgtttct       120
gctttaaagc tgaattttct tctcattagt tcaaccaatt tgtgcagacc ttaaaattta       180
gaataaagaa taagacagca gtaccgtact taacttggag wccctggacc tcctcggagc       240
ataaaaatca cctgggtgag tgttaaaatg aaggtccctc ctcctgaaat tgtgatttag       300
taggggtggg gcagggccca ggagttataa ttttaataaa taccacaagc aattcgaabg       360
cagacaatcb gaagtcacac tttgagaaac actctcttgg ggntacaaca ctgggtatca       420
gaggaatctc ccaccaagcc cacacccaaa tt                                     452

<210> 381
<211> 448
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 145
<223> 18-937-147 : polymorphic base C or T

<220>
<221> misc_binding.
<222> 126..144
<223> 18-937-147.mis1

<220>
<221> misc_binding
<222> 146..165
<223> 18-937-147.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer
```

<220>
<221> primer_bind
<222> 428..448
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 133..157
<223> 18-937-147 potential probe

<400> 381
```
cccaatctct ctaccccaac ccacttccaa catcctccca tgatagcaga atgatctctc      60
tgaaggttca atgacaataa tgaacatgaa aacacttcgt aatacgttac acaaatagca     120
acacctacct atacacaaat gtacygatgt ggcaggagag acagaaatgc tgtctttact     180
cactgttgac tatgcaggtg taaaggccag tgcattgcaa gggaatgaaa tcgatagact     240
aagaggaatg tttctgggaa ataatggtct aagttggcac acacagtatt ggaaccctca     300
aacgagtcaa aaaggcattc aaggtggact tgcctgcttg gcaattgtat gtcactgtga     360
taaacctgat gagagatgta agatgtagat ctaattatgc ctatttttca ggtaactgag     420
gctgagagag gcagtaattt gcagaaga                                        448
```

<210> 382
<211> 473
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 407
<223> 18-946-408 : polymorphic base C or T

<220>
<221> misc_binding
<222> 387..406
<223> 18-946-408.mis1, potential

<220>
<221> misc_binding
<222> 408..426
<223> 18-946-408.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 453..473
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 395..419
<223> 18-946-408 potential probe

<400> 382
```
aattagtttt tgtgtgcgga caagatggaa ggtaatggaa atttggcttg caaagtagtt      60
ctaacatgat ctacatccac aatctggtta taatgctata agaatattat gtgggaatag     120
tagttcaaat cagtatttag tatgaacata aagggacaaa caatgcaaag ctaacttaag     180
ttgtttacac ttggaactta tttaaattaa aaaggccagt ggatggtcat atgtttggct     240
cattcttctc aaggccttca ggaaaacatg cctatgaaat aaaagatcct caatattaaa     300
cattttactg catttggggg acacatgaaa tctggtaata aaggaagtgt tggtcttcat     360
```

```
ttttctaatt cagcatggaa actatcttga ggaaaactga ctatggyctt agtttgtgtc    420
tcagaaatat atttagtctg aatcatggcg tcgacatctg acttccaaaa ttg           473
```

<210> 383
<211> 497
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 133
<223> 18-787-133 : polymorphic base A or G

<220>
<221> misc_binding
<222> 113..132
<223> 18-787-133.mis1, potential

<220>
<221> misc_binding
<222> 134..152
<223> 18-787-133.mis2, complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 480..497
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 121..145
<223> 18-787-133 potential probe

<400> 383
```
cactgtgaac tactttaata cttgcacatt ttccctaaag tcaattgcca tggtatcaat    60
gatgcttaaa aatagagtga aattttgtta tgtgactttc acctcaataa attattaata   120
aaaaataaag tgrgccataa gtaggtactt cccagatttt atttatattt atcaacactt   180
tattctggtt cctttacagg ctgtagaaga ttctgatagg catgaaaact acaacatatt   240
taaaaaaaca ttgcttagga tatctccggc ctttcaagtt tgttctcaaa aataactttg   300
cttgatcaaa tgaactatat tttggtttac taaagatgtt ctcagaaaga agaatatgtg   360
tacatcaatg atttgtaatg catttaaaat tcaatactat tttttaaaaa tttaagtatt   420
ataatggtac tatttatagc tagcagaagt agatataggg ccaagtttta atttgcttgg   480
aaggttgagg cattcct                                                   497
```

<210> 384
<211> 552
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 239
<223> 18-1149-239 : polymorphic base A or G

<220>
<221> misc_binding
<222> 220..238
<223> 18-1149-239.mis1

```
<220>
<221> misc_binding
<222> 240..259
<223> 18-1149-239.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 532..552
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 227..251
<223> 18-1149-239 potential probe

<400> 384
ggggactaga gcaagagatt gaaaaaagaa tgaaaataag catacattca cacagaaaca        60
cacacatgca cacaacttga gatcaccaaa gccaaacttc tcttttgctc ttcttgcttg       120
ggacataccc aaagtgtggc agttcaacag taagctgtag ggataagtgc tcgagctctg       180
gagttagaga aaatgggttc tgaccctaat tcatttcttt gtatctatat tacttgctrc       240
aagttactga atctttctga cccttaattt ccttcatctg caaaaaggga taataacact       300
tatttcttag gagtgttgtg aagattaaat aagatgatgt atactgagtg attggcacag       360
tgcctaatac ataataaatc aaattaaagg gcagtgagct tcagtataca tttgggagga       420
ctcttggctt ttaggaaaga agtcagaaga ccccaagtcc ctcccatctc ctctgctgca       480
ttatttttct ggaacggatt agggaggggt tggcaagaaa gaacagatga tgtccctatg       540
ctattcacac tg                                                           552

<210> 385
<211> 500
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 291
<223> 18-1159-291 : polymorphic base A or G

<220>
<221> misc_binding
<222> 272..290
<223> 18-1159-291.mis1

<220>
<221> misc_binding
<222> 292..311
<223> 18-1159-291.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 480..500
<223> downstream amplification prim r, complement
```

```
<220>
<221> misc_binding
<222> 279..303
<223> 18-1159-291 potential probe


<400> 385
atgtgtctgg tcagtgaaag caaacagcac tcttctctgc cttaaatgtt acagattctg        60
acagaaaaat atcttaatta atcagacttt atcatgggca ttcaaaggtg attgaaacaa       120
taggtgaagt tcaacttgaa ggtaatcaca aagggcaatt tacagtgttt cttagagttg       180
ggtaggtact gtcctcttgg ttagattcag aaatgctgcc tgtcgtttct ttctgggttg       240
aggtatctag tagccttgcc tgctcttatg tgacaagcac aaattactcc rctgtgatga       300
atctcatggg atcacagaag gtagaggtga caaggagatc tatcacatca tatcaggtcc       360
aaattcccag gtgccctgta ctgcatttcc tctgccttcc actgtatttc attttaacct       420
gggttaaagt agcagcatct tccactgggc tgtactgttc ggaaatgggt ggctaccatg       480
ggttgcttta ggattctaca                                                   500


<210> 386
<211> 449
<212> DNA
<213> Homo Sapiens


<220>
<221> allele
<222> 273
<223> 18-1135-273 : polymorphic base C or T


<220>
<221> misc_binding
<222> 254..272
<223> 18-1135-273.mis1


<220>
<221> misc_binding
<222> 274..293
<223> 18-1135-273.mis2, potential complement


<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer


<220>
<221> primer_bind
<222> 429..449
<223> downstream amplification primer, complement


<220>
<221> misc_binding
<222> 261..285
<223> 18-1135-273 potential probe


<400> 386
gcaagcgatg agctaaagtg gaagtgtagg agaggtgagt tgcttaggtc taaggagaaa        60
gactgcttag gtgtgtgttc accccaggae cgaagaaagg aacactgggt gagattttgt       120
tcaactaccc atagttacca ccagatggtg aaactgatcc cgggcctctt gggtattgat       180
cagtttatgg ggagatgggg agaagactat ctttcacttg ttaattcatt aatttctttc       240
gcaaatattt tttcagtacc tgctaagtcc cayggactat gctaggagct gctgttaaaa       300
tgacaaacca gataaggtca ctgcccttaa tcaacttaca gttgggtgag aagctatcag       360
gtacaagtat ggccctagaa caaattagtc ttttctagtt aataatctta tgtgatgaga       420
tttggcttct cctttggtga cttgcctca                                         449


<210> 387
<211> 450
```

```
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 108
<223> 18-1136-108 : polymorphic base G or C

<220>
<221> misc_binding
<222> 89..107
<223> 18-1136-108.mis1

<220>
<221> misc_binding
<222> 109..128
<223> 18-1136-108.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 433..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 96..120
<223> 18-1136-108 potential probe

<400> 387
gtattactaa attcctcatc cctggtaaca tttccatgtt agctgttttc tatttgtttt        60
ttctttttcca caatggtgcg gcctagaaac agttaacctt cttcgggsta ttacatacct      120
tagacatata aaaaagctat gagcattcaa cactgaaata atcatataaa ccaaacatac       180
tgcacactac ttcagggata ctctgaagcc catccttaga ccccagactc aaacaaaaca      240
aaatacgatg taaagaactg acacaaatca tcggagttta gagaacaacg tgacgggcag       300
cagaggagag gagagggttg aagcaaactt ttttggtttt ttttcctaa gtagggctgg        360
ttctggcttg tcttccttct ccccactttg cttcttactc ttgggcttac aaactgcctg      420
gtttcccttc tccaagtcag ggcttcgttt                                        450

<210> 388
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 68
<223> 18-1147-68 : polymorphic base A or G

<220>
<221> misc_binding
<222> 49..67
<223> 18-1147-68.mis1

<220>
<221> misc_binding
<222> 69..88
<223> 18-1147-68.mis2, potential complement
```

```
<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 56..80
<223> 18-1147-68 potential probe

<400> 388
atctggattt aaagttctgg gaagggaaag ttgaccttct agacagggca acacttgccc       60
ttgccctrtg tatttacctc agtaagcaac aagctgtagc tgtaacctaa tgtgtggcca      120
aggaatggga atttcaatgg tttcactagg aatatttggt caaatgctga tgggtgtctg      180
tattaaagct aagctatgcg ttttctgata aatgtataaa tttattcttt cccttattaa      240
acaaatgttt attgagtacc tactgtgtac cagacacagt tccatgcact gagaatacat      300
cagctaaaaa cataatcaaa attcctagct ttcatggagt ttattatatt ctatttgggg      360
agtgggaatg aggtagcagt tggtgaaatg gaaacagaga ccatgactag tctggttaac      420
agaaaactac agaaggacaa acactcagac                                       450

<210> 389
<211> 595
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 295
<223> 18-1157-295 : polymorphic base A or T

<220>
<221> misc_binding
<222> 276..294
<223> 18-1157-295.mis1

<220>
<221> misc_binding
<222> 296..315
<223> 18-1157-295.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 576..595
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 283..307
<223> 18-1157-295 potential probe

<220>
<221> misc_feature
<222> 568
```

<223> n=a, g, c or t

<400> 389
gagtcactag agagtctttt gtggacacct gctccttctg aaacaattga cttgtctact   60
ttcacaaaca gcagtatttg tattaaagaa ccagttggca tcaatgccca agtgcaggtg   120
tcctaatata taagatggtg cttcattcag aaaactcaag gtagagtaaa ataaattatc   180
aacatcttgg ctccatgctc cattcacaac tgttaatttt acagggttat gcttccatct   240
ctgagcagag aactcctggc agggacagct gctcctgtgt ctcacattgg gctgwgctca   300
tcccagtagg agtcatcaag agcagcaggt tagcgagaag gtgatagtac atcagagaac   360
tgagcagtgg aggagggaga aggatgggcc tctccaaagt gcttttcatt tactcctttta   420
atctttgtgt gtatatacat gcatggttaa ctaaggaaaa aggaaaagtt gacttgaatt   480
tgactgagaa aattatcara cctgctttta cttgtacatg tagctcattt tcaaaaatac   540
ttttgtgtat ccactggtat gttgatgntc ctatscagca ataggtctgt acgct   595

<210> 390
<211> 569
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 459
<223> 18-802-460 : polymorphic base A or G

<220>
<221> misc_binding
<222> 440..458
<223> 18-802-460.mis1

<220>
<221> misc_binding
<222> 460..479
<223> 18-802-460.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 549..569
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 447..471
<223> 18-802-460 potential probe

<400> 390
cctattagca attcattgtt ctccaaaaga attcattcaa atagacatac cagagcagag   60
aggttcagag catgagtttc agagcatgat aaacctgggg ttaaatccat ggtctgtcaa   120
gtactgacca tgtgaatttg gacaacttac taaccctcta taaacttgtc ttctctttca   180
taaaatgggg ttaatcatat ttacttccta gggctaatta tttggataaa gaggatatct   240
aaaacctatt agagtgccga catgcagtaa atgactatac attaaatttt ctattcagaa   300
tattattctt ttatactaat attcccaata ttagtaagat taaatgaatg atattttatt   360
tcctagtcct ctgttttgtt accctattta ttctgattga aagagtcttg ttattggtga   420
tgtcagaaga agaaaggccc tattaatatt ttcagaacrt ggaattttga attaatataa   480
actggaagag tcctttgaca attgtaagct attccaaagt cacataaaga ataacaatgg   540
acctctctgt gcagcatttt tatgatgcc   569

<210> 391
<211> 455

<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 109
<223> 18-1064-110 : polymorphic base C or T

<220>
<221> misc_binding
<222> 89..108
<223> 18-1064-110.mis1, potential

<220>
<221> misc_binding
<222> 110..128
<223> 18-1064-110.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 438..455
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 97..121
<223> 18-1064-110 potential probe

<400> 391
tctgtgactg taaatcccaa ggatttaaat gaaaaataga aaaatgccca ctaattagtc   60
attcactttg ggcatttaac agaaattctt tgagtatatt ttatatcayc tctattacaa   120
tcacactcct ttctaaagtc atagcttgcc ttccagcaag atattcaaga ctaattcatt   180
ctcagttacc acgagtcatt cctttgtggt tatatttccc ccagagtaat atatcctgcc   240
acttctttct ctgtcatatt gtcatattgt tagaatgatg aattctagca tacttcccaa   300
ataattattt tcagttaatc tgtctataaa atctctttat ttttaacaga gtcaacaaaa   360
tgtactgagt gggcacagtc agcaaacatc tctacccagt cagacacaga gcactcttac   420
agccccactg tataacacta tggtgatttc tcagc   455

<210> 392
<211> 516
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 327
<223> 18-1068-327 : polymorphic base C or T

<220>
<221> misc_binding
<222> 307..326
<223> 18-1068-327.mis1, potential

<220>
<221> misc_binding
<222> 328..346
<223> 18-1068-327.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 496..516
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 315..339
<223> 18-1068-327 potential probe

<400> 392
ctactagatt ttgcacagga aaaatattca catataagta tcaaggttaa cgttaccaaa   60
tgattttaaa tttggattaa ccaagatatt tactaaatgc taccatctgg gataaatcca   120
ttctcactta atctttcaca cagattgagc ttcacatggt acaagatatt tcccacgaag   180
tataccagag gataagagct tgggatttaa attccaacag gcagggttca ggtaccaccc   240
ttgctagtac tagcatcact gcacaactgc tatcttctaa gcttgagtct gcatgtgtgt   300
aaatgggaat aatgacaata acatctycct cacaggtcca ctgtgaggat taaatgagga   360
aaggcacgta ctccttagta gtcatcacat aatcatatat gtaaacattt agtcaatggt   420
ggttactatt tataaaccag taaaatctct cccacatgct ccttagccat tagcacattt   480
ttttaaatga taaaagtgat aagcatcttg tgaatg   516

<210> 393
<211> 472
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 365
<223> 18-1069-365 : polymorphic base A or G

<220>
<221> misc_binding
<222> 345..364
<223> 18-1069-365.mis1, potential

<220>
<221> misc_binding
<222> 366..384
<223> 18-1069-365.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 455..472
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 353..377
<223> 18-1069-365 potential probe

<400> 393
tcaggacagg cagataaggt agttgtcata tttcatttgt tattttaaa attgtaaacc   60

```
gattgattag aaaacaataa tttgatttct taatcaaatt ttttaatgtg attttaatga      120
gatgctcact gcagccaatg ttcttaaatt tgaaataaaa acactgaatg tattcattgt      180
ttaaagactt cataattaaa gggtaacaac aaattttttt tcttgtccaa aaatatgcta      240
caaaatatta tagaatacaa attctgcagc acactgttag aaaaggttta tgacaggctc      300
tgtgtcactg tgaagctttt gtcttttcaa tatagatgct agagaatttc catgtagtaa      360
cagtrgttag ggtagcttac ctttttaag tttgttaaat gctcaaaata tattatctca      420
aatagtcatt tattaaaaga aaatgtatgt gaggcctcct tttatttccc ag             472
```

<210> 394
<211> 458
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 367
<223> 18-1073-367 : polymorphic base A or G

<220>
<221> misc_binding
<222> 348..366
<223> 18-1073-367.mis1

<220>
<221> misc_binding
<222> 368..387
<223> 18-1073-367.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 441..458
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 355..379
<223> 18-1073-367 potential probe

<400> 394
```
agagagacga ctttcacggg gcactcatac caaaatctaa cctgaggagg aagctcactc       60
acagattgtt ggaaatcgct agacctcagc ctgagtttac aaggatggac agggcagctg      120
aaaacatgga gccctgggtt tagagacaat ggtcattaca gacctacggg gtctagactg      180
acagatacta aggctgcaag gtcaggttaa cctcagcact ataaactcat tcccatcacc      240
ccaagcgact tgaattcttt ataatcatgc attgtttta caaaaatggt agtcatatgt      300
gttaggtaat gtcccctcct cccccataa aacaaaaaat ccatttcatt tccttctcgt       360
aaacaargtc atggtttggc tcccctcttc ctggctagtg agagcttaga gactaaaaca      420
caattttcac taccacagta ctctttgtcc tctcctct                             458
```

<210> 395
<211> 475
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 272
<223> 18-1070-272 : polymorphic base A or T

<220>
<221> misc_binding
<222> 253..271
<223> 18-1070-272.mis1

<220>
<221> misc_binding
<222> 273..292
<223> 18-1070-272.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 455..475
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 260..284
<223> 18-1070-272 potential probe

<400> 395
atcagacatt tctactaggt ccattgacaa atttatttga ccggagtacc tcattttctt   60
catatattac cctgtataaa atccagaatt gttacagcag tacatttcac cattagctat   120
tagatacctt gtttaatcac ctttttcatt atttttaaat gtgtctcatc tgctaatact   180
gacattatct taaagattct ttgtatttga atcctcaaat tctatagcat actgtctaaa   240
aattgagata cacacacaca cacacacaca cwcacacaaa tttgtgtgta tctataactt   300
tggtaagagt ggatggcctt tcagcgagag ttgagaaaaa ctagacttgg agaattcatt   360
tcaagccttg ttttaaaacc aagttcatat gacattgacc attaggccac tctagtctgg   420
tacttagaaa gatgtaggct gtatataata gatacctaca attagtattt gaagc   475

<210> 396
<211> 469
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 35
<223> 18-1057-35 : polymorphic base C or T

<220>
<221> misc_binding
<222> 16..34
<223> 18-1057-35.mis1

<220>
<221> misc_binding
<222> 36..54
<223> 18-1057-35.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 449..469

<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 23..47
<223> 18-1057-35 potential probe

<400> 396
caagcagtcc attacacctc tcataaattt attaycacc tgcattttta taactattat   60
gctttttaat tgttggccac cattttttagt gcttctgaat tgttatggtt ctcaagcagc   120
agttgtcacc ttggttttga attaatgctg tgacgcttgc ttccaggacc cctatggtgt   180
agccgtgggt ggaactgtgg ggcactgcct gtgcacggga ttggcagtaa ttggaggaag   240
aatgatagca cagaaaatct ctgtcagaac tggtaagtct tgaaaattac aaatcagata   300
acattttaga atcactgaga gattaaaggg tgttagcttt gattatttaa atttctgctg   360
ctgaagtata cttggttttt ctaattacct accatctctt ataataagag gtattaawcc   420
tggtatwgca aatacggact tttttcacct gtgtagaagt tagcaaaat   469

<210> 397
<211> 577
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 415
<223> 18-1062-415 : polymorphic base C or T

<220>
<221> misc_binding
<222> 396..414
<223> 18-1062-415.mis1

<220>
<221> misc_binding
<222> 416..435
<223> 18-1062-415.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 557..577
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 403..427
<223> 18-1062-415 potential probe

<400> 397
acagcacaag tacctagcaa attagataca tctaacaaat gactgtttaa taaagtagat   60
aatttatctt tatatttaat aattttaaaa gaaacataga aatttttttcc agtttgagtg   120
tccaattggt taacaatggt gaaaattaga atgtttaatt ttcccttatt aaatacagta   180
aagtttttatt tataaattaa taacaatata ttgccaggtc tcactttttgc ataaaataca   240
gcttatggc ataatgggag tccaggattt attataacaa ataagatggg atttcaatat   300
acactgaaat agattacaga tttttaatat ggtcacaatt tcattttata tatattttaa   360
tattgaaaaa ggacctaata gggcatatgg agtaatgctg tatttaaaga agtcygtatt   420
tttcataaac ttgcaaaagg atagtgctac tgaatacaac atttgacttt tttgttaaca   480
gctactactt acattttaaa tattctgggg ttaatgaatc actttccagc agatgagtag   540
agagtatttt ataaacctct gaatgttccc cttctgg   577

```
<210> 398
<211> 453
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 165
<223> 18-1082-165 : polymorphic base A or G

<220>
<221> misc_binding
<222> 146..164
<223> 18-1082-165.mis1

<220>
<221> misc_binding
<222> 166..185
<223> 18-1082-165.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 433..453
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 153..177
<223> 18-1082-165 potential probe

<220>
<221> misc_feature
<222> 50
<223> n=a, g, c or t

<400> 398
cctcattttt tcatggcgct tcagtcgtca ccctcgtttg agtatatttn gatttgacta        60
ctacttcacc caagtagcat aacagctgct ttctctcagc cttttatatt ctagaatcat       120
atgcagtaac attcccatta atagcctcac taaattgaag gacarttcta cagaaacatc       180
catgttattt gtgtgaggta taataggaga cccagagcaa ttcaggttta tgagctacta       240
caaaggtcca caatgtagtc tgcaatttga agagattgtg aaagaaccca gttaatcatc       300
cagcactgta ggatgcagca attgtcctac atggtaactc tgtgaggaag atgatagcta       360
ctactgtgga gatcttaaga ggagttttca gcttaaatgc caagttagaa gtagcacatg       420
ttggtaaaaa aggtcatatt tgtagttttc tgc                                    453

<210> 399
<211> 494
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 363
<223> 18-1080-361 : polymorphic base C or T

<220>
<221> misc_binding
```

```
<222> 343..362
<223> 18-1080-361.mis1, potential

<220>
<221> misc_binding
<222> 364..382
<223> 18-1080-361.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 475..494
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 351..375
<223> 18-1080-361 potential probe

<220>
<221> misc_feature
<222> 342
<223> n=a, g, c or t

<400> 399
ttatcggacc taaggctgca actttgcctt catatttatg atgcttttaa ataatattaa      60
tatttaatct ttattaagaa cccaatgtgg taggcactgt tattcctatt ttctaaagaa     120
agaaactgag gcccagagaa gtaaacagct tgaccaagtc acacatgtgg taagtagggc     180
agcccaagtt tgaaccattc agtctacctc agggcccacc acgctcctgg ccacttaact     240
gtgccgctct aaccagctga gcgaacctgt gtgcagaagg cattgtctgt ctggcctcag     300
agtatttgtt tttcatatag tcataactat gctcaaattt tntaatttaa aatatgggtc     360
ttyaggacat aaagtgaaag aacgtgtgtg atttggctca agatatagat tgctttctat     420
accataaaat ctgtagctca gattccttta aaaaatgaaa ctctctcata cttyagaaag     480
agggaagccc ataa                                                       494

<210> 400
<211> 511
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 297
<223> 18-506-297 : polymorphic base G or T

<220>
<221> misc_binding
<222> 278..296
<223> 18-506-297.mis1

<220>
<221> misc_binding
<222> 298..317
<223> 18-506-297.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer
```

```
<220>
<221> primer_bind
<222> 491..511
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 285..309
<223> 18-506-297 potential probe

<220>
<221> misc_feature
<222> 46,100..101,104,123,166
<223> n=a, g, c or t

<400> 400
atctccacct tgccgtgttg gaacacccccc acgcaggagt aggtgntgcc caggtcgatg      60
ccgatcgccg cggctttggc catgccggtk ccctgctctn ngtnggctcs gctctgagay     120
ysngggctgg aaacggmrsa ckggatccgc gasaagagct crgtcnttcs gracgccgga     180
aactcracrc gccggtgcct gcagccgcac aggttcgctc tggaaagcct tgggaccgcg     240
ggagtcactc tcgaaagacg aagcggaccc tcgcagcagc tcctcaggct ggccgtkwtc     300
cggaccgcky gccccctsggc ttttataagt cgtcryggag acccgccttt yccttctga     360
gccaatcacc ragctcgatg aggctgccag gtcgggaata ttccaggggt ttcgcctccc     420
gtcctgcccc ccagccttcc ttggaccaat cagaggscag rgtgccgccc yctgctcaga     480
astctccaga gtcttctggg attcactgga g                                    511

<210> 401
<211> 400
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 38
<223> 18-570-38 : polymorphic base A or G

<220>
<221> misc_binding
<222> 19..37
<223> 18-570-38.mis1

<220>
<221> misc_binding
<222> 39..58
<223> 18-570-38.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 380..400
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 26..50
<223> 18-570-38 potential probe

<400> 401
```

236

```
gaagaactgc ttcattcggg gctcagtggt ccgatacrtg cagytgccag cagaygaggt      60
csacamacag ttgctacagg atgcrgcaag gaaggaascc ctgcagcaga aacagtgatg     120
gctcctcctc ctcttcccct ycctctttca ttggtgaccc ataaccccaa gtcccagccc     180
agaaccccta accccaata cttgaagggg ttttgttttt ttactaatga tggttttgtg     240
ggttttttt aagggatgag tggatgagag gagtaatagg gaacagctat cctctcttga     300
gaaggggagg ataagtaggc tgggaaactt caaagccttc ccagtcccca gcacctgcct     360
ttctcactac ttctctggag atggtaggag agtttcctag                          400
```

<210> 402
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-473-362 : polymorphic base C or T

<400> 402
```
ttcttagggc taagaaatca gaaygtgcct ttagaaataa taagtat                   47
```

<210> 403
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-12361-88 : polymorphic base C or T

<400> 403
```
acctggcatt atttggaatg cttyatttcc tctgtacctg gccttca                   47
```

<210> 404
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-12368-335 : polymorphic base A or C

<400> 404
```
ggtgacagta atacctacca ctamggtgtt gtgagaatta aatgagg                   47
```

<210> 405
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-12370-67 : polymorphic base A or G

<400> 405
```
tttaaaagga aaagcagagt tcartgcaaa ttctagaaat agttgtc                   47
```

<210> 406
<211> 47
<212> DNA
```

<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32148-315 : polymorphic base G or C

<400> 406
gtggttctct ggaaaccgag gctsgttgca aacccctaaa aagtact                47

<210> 407
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 19-46-322 : polymorphic base C or T

<400> 407
ggccctggct gttccctgct gtgyactgcc caaggctaga catcaca                47

<210> 408
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 19-47-315 : polymorphic base C or T

<400> 408
cgctgttttg ggggaagtct ctcycacttt gggatcctgc tgaagct                47

<210> 409
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 19-51-347 : polymorphic base A or G

<400> 409
gtgtttctct ttcacttact tggrtgatca accttggggg gtgtgat                47

<210> 410
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32052-262 : polymorphic base C or T

<400> 410
cctattttt ataacgtatt aacyttatta ttttcttatt attttaa                47

<210> 411

```
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 10-213-292 : polymorphic base G or C

<400> 411
tcatcatgac ccaaagtact ggasagagcc tgagaagttc ctccctg                47


<210> 412
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-419-135 : polymorphic base C or T

<400> 412
cacttccctt ctgttggggc aaaytcagtt ttttttgtga aaatgtt                47


<210> 413
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-424-419 : polymorphic base G or C

<400> 413
atttccaagg gtaaaaggta gagsaggggg tgtggaggtt tggatat                47


<210> 414
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-429-289 : polymorphic base A or C

<400> 414
aggtaaagcg tcttttttcc cttmaactag cccatttgaa actcttc                47


<210> 415
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-246-256 : polymorphic base C or T

<400> 415
tggggtggca gtgaccgttc caayatggat gagtgagaag caggttc                47
```

```
<210> 416
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-355-67 : polymorphic base C or T

<220>
<221> misc_feature
<222> 7
<223> n=a, g, c or t

<400> 416
gactagntcc cctagagctg aggyctgtct tgaaggactc actgggg                47


<210> 417
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-353-267 : polymorphic base C or T

<400> 417
tggcctctag gggatctgca gttygggcgg tgggcggttc tgattgg                47


<210> 418
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-338-305 : polymorphic base A or G

<400> 418
cctgcagcag ttctttggct tctrtccact cctggggttg gggagga                47


<210> 419
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 24-243-346 : polymorphic base C or T

<400> 419
ttccaggagg aagccactgc aaayagggcc tgcagctgcc ctctctc                47


<210> 420
<211> 47
<212> DNA
<213> Homo Sapiens
```

```
<220>
<221> allele
<222> 24
<223> 99-62531-351 : polymorphic base C or T

<400> 420
ccctagaggc agttgactta cccyctgcag ccctccctgc cgcctca                    47

<210> 421
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-54279-152 : polymorphic base C or G

<220>
<221> misc_feature
<222> 9
<223> n=a, g, c or t

<400> 421
acccggcang ggctctataa atasagatgg aaagagggag gtgggcg                    47

<210> 422
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-168-245 : polymorphic base A or T

<400> 422
caagctattt gcatataggg aagwttccca gtctgcccct gttctcc                    47

<210> 423
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-171-291 : polymorphic base C or T

<400> 423
ctgcagagac tgtcacagga ataytgaaga aagcatcatt cctagaa                    47

<210> 424
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-172-346 : polymorphic base C or T

<400> 424
```

ccatccagtc aagccccact cagyatagat gtcctctgcg taccccc   47

<210> 425
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-177-406 : polymorphic base C or T

<220>
<221> misc_feature
<222> 34
<223> n=a, g, c or t

<400> 425
ccccggaggt gcaatgaata gctyaccgaa gggnscaact tcattca   47

<210> 426
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-298-338 : polymorphic base A or G

<400> 426
ttcccacatc tgcctcagac tggrgggggc tcagctcctg gggtgat   47

<210> 427
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-298-110 : polymorphic base C or T

<400> 427
ggaacttcca gattcagaga atsygattta gggaaackgt ggcagat   47

<210> 428
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-299-105 : polymorphic base A or C

<400> 428
taaacagtcc tggggagatg tccmgctcct gtagccccat catgggt   47

<210> 429
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-884-30 : polymorphic base G or C

<400> 429
gctttcctta ctcttcagat agtsataaag gacattaaac ctaagca   47

<210> 430
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-299-343 : polymorphic base C or T

<400> 430
tgtgtatgta caggaattgc tgayggaagt ccaacaggct ctcctag   47

<210> 431
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-61513-139 : polymorphic base A or G

<400> 431
gcctcttcac atcttctttc cacracatag tctggacttt gtacatg   47

<210> 432
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-61514-179 : polymorphic base A or G

<400> 432
tacgaattca gtaaatactt ggaraataag tgaataattt caattca   47

<210> 433
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-61516-323 : polymorphic base C or T

<400> 433
accaggtgtc cttgggcagg agayggcttc aaatgcagac cggagtc   47

<210> 434
<211> 47

```
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-204-70 : polymorphic base C or T

<400> 434
ctcagagata actataggat tttyaatttg gataataaga agatggt                    47

<210> 435
<211> 46
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-207-441 : polymorphic base C or T

<220>
<221> misc_feature
<222> 31
<223> n=a, g, c or t

<400> 435
aaatggaaat gtttgtaatt cttygatgtg ntacaaacct gaaact                     46

<210> 436
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-210-65 : polymorphic base A or G

<400> 436
agacaacttg tttttctctc tcarttacaa aagtagacta caaatat                    47

<210> 437
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-212-200 : polymorphic base C or T

<400> 437
catactctga tacttgtgga gggyatatcc tgataaagca gcgattt                    47

<210> 438
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
```

<223> 18-229-334 : polymorphic base C or T

<400> 438
agaccagttg gactgttgga ataytgtagg ccagaactga gatattt   47

<210> 439
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-230-332 : polymorphic base C or T

<400> 439
gttcaaaatt cttgacataa agayaaagat gttgagttcc agaaaga   47

<210> 440
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-966-378 : polymorphic base A or C

<400> 440
ctaggaatgt tccaagctat gctmcaggat gttgagtttc tcaggga   47

<210> 441
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-987-308 : polymorphic base A or C

<400> 441
gctacaggtt tttaaaaaat taamttttaa ttaaaagcaa ctcaaca   47

<210> 442
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1169-118 : polymorphic base G or C

<400> 442
ggccatgttg aacccacttt ccastgggga gcagttcctt taattac   47

<210> 443
<211> 47
<212> DNA
<213> Homo Sapiens

<220>

<221> allele
<222> 24
<223> 18-1172-138 : polymorphic base G or C

<400> 443
aagagtagga aggggtttct cagsttgtaa aactttcaat gctaaca   47

<210> 444
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1173-92 : polymorphic base C or T

<400> 444
tgaaacttca gagggccaag attyccctt ggctcccaca ctgtagt   47

<210> 445
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1174-387 : polymorphic base C or T

<400> 445
ttatctaagc ccttgggcta cacyaaatag tttaagctaa gaaagtg   47

<210> 446
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1175-416 : polymorphic base G or C

<220>
<221> misc_feature
<222> 36
<223> n=a, g, c or t

<400> 446
aagagtagga aggggtttct cagsttgtaa aactbncaat gctaaca   47

<210> 447
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allel
<222> 24
<223> 18-542-146 : polymorphic base A or G

<400> 447
caactgcttt ttgttggatt gtgraaagta ttacaattaa ttttaaa   47

246

<210> 448
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 8-42-211 : polymorphic base C or G

<400> 448
ggaagaagac cgagtgtgtc ttcsttttta aaaagctacc tccgttc   47

<210> 449
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 8-45-389 : polymorphic base A or G

<400> 449
agaccggcgg caacactact ggtrtctccg acgtgaccgt cagctac   47

<210> 450
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-994-270 : polymorphic base C or T

<400> 450
gtaaatgtgt agcaattact gaayctgtgg tataacaatt ttctcca   47

<210> 451
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-912-165 : polymorphic base C or T

<400> 451
ttgggttttt actgaacttt aaayatttta ttaggactta caaatttt   47

<210> 452
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-991-124 : polymorphic base C or T

<400> 452
tagcagaaga caaagccttt tcaygtttac cgatgaagct gcaaaag   47

<210> 453
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-920-219 : polymorphic base C or T

<400> 453
gcatagataa aaactgcccc acayccccaa gtaaaagtct gctctct   47

<210> 454
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-911-312 : polymorphic base A or G

<400> 454
tcagtaataa aaacaattca gccrtagttt ggggataatg gacaaac   47

<210> 455
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-65963-368 : polymorphic base A or G

<400> 455
atttgtgtct tttacagaat tgtrtgacaa tgacttttgg acatttg   47

<210> 456
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-65966-225 : polymorphic base C or T

<400> 456
gccaccctgt tgcaactctt taayggttaa tgattctctc ctcattc   47

<210> 457
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24

<223> 99-65968-75 : polymorphic base C or T

<400> 457
atcattctga caccagaaag cagyagaatg aacaaacata acaacag   47

<210> 458
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-5069-331 : polymorphic base C or T

<400> 458
accccggaag accgctcgga cccygacgca tgcaccatta gcaagga   47

<210> 459
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-5070-176 : polymorphic base G or T

<400> 459
ggttctctat gggcgcatat tcckagtgcg cgcttccgca tccgcaa   47

<210> 460
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-511-348 : polymorphic base C or T

<400> 460
agaaggttac tacttgtcaa attycctgct agaccagttg gtaaatt   47

<210> 461
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-523-352 : polymorphic base A or G

<400> 461
gacattgggg aggtggtaat gttrggctct gtgatgtaaa atcaacc   47

<210> 462
<211> 47
<212> DNA
<213> Homo Sapiens

<220>

```
<221> allele
<222> 24
<223> 18-545-478 : polymorphic base A or G


<400> 462
aggaagcaag acctggcaaa cccragacga tgcgctctta cttgtgt                    47


<210> 463
<211> 47
<212> DNA
<213> Homo Sapiens


<220>
<221> allele
<222> 24
<223> 18-522-194 : polymorphic base G or C


<400> 463
tttttcaaa gaacaagttt tcasaaatac actggattca acaattt                     47


<210> 464
<211> 47
<212> DNA
<213> Homo Sapiens


<220>
<221> allele
<222> 24
<223> 18-524-284 : polymorphic base A or G


<400> 464
gcattgcaat gagaacataa attrcaatga ctttgcatcc taatggg                    47


<210> 465
<211> 47
<212> DNA
<213> Homo Sapiens


<220>
<221> allele
<222> 24
<223> 18-626-52 : polymorphic base C or T


<400> 465
ggaaagttgg tttggttgag cagygaggga taaattgagg gggtaga                    47


<210> 466
<211> 47
<212> DNA
<213> Homo Sapiens


<220>
<221> allele
<222> 24
<223> 18-629-189 : polymorphic base C or T


<400> 466
taagatgatt gccttttttcc cttygaacca aatgaaaaga tgagaag                   47


<210> 467
<211> 47
<212> DNA
<213> Homo Sapiens
```

<220>
<221> allele
<222> 24
<223> 18-1131-71 : polymorphic base C or T

<400> 467
gcatcatttc cttgtgtgcg gttyaggtta aaaataacct ctaatcc   47

<210> 468
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-534-126 : polymorphic base C or T

<400> 468
tggacataaa aaaaaataaa aaayccttaa gataattata tttataa   47

<210> 469
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-596-59 : polymorphic base A or G

<400> 469
tttctaatta tggttacttt tctrttctct tcacttttct gtttaac   47

<210> 470
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-597-27 : polymorphic base G or C

<400> 470
tgggagcttg cgttctgtca agasctgaca ccaaacagtt attgggc   47

<210> 471
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-730-203 : polymorphic base A or C

<400> 471
gaatcgtact ttacagttta caamgatgtg agcatccagg atcacga   47

<210> 472
<211> 47

251

<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-734-89 : polymorphic base A or G

<400> 472
ggaagagaag gagagatgca gggrggagga tatagggggtc ctctggg   47

<210> 473
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-895-321 : polymorphic base A or C

<400> 473
aacatcccca attagggaag aagmtaacac aaggcgctct tgccctg   47

<210> 474
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-896-69 : polymorphic base A or G

<400> 474
catgcgtcta tttccccttta tgcraacagc aacagaaaag cattctt   47

<210> 475
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-903-58 : polymorphic base A or G

<400> 475
tggaaaacat ggacaggcac cacrttgttt tatgaggctc tgagtct   47

<210> 476
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-590-216 : polymorphic base G or T

<400> 476
ggcatggcag gcagggagcc agckcagcct ccaggccgtc catcctc   47

```
<210> 477
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-817-436 : polymorphic base G or C

<400> 477
gactccaatc cctgaagtag aggsattttt gcatagtcac gttcctg                    47

<210> 478
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-829-85 : polymorphic base G or T

<400> 478
tgccctgcag tgcccagcac agakcagtgt ctgttgaatg cgtgagt                    47

<210> 479
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-832-387 : polymorphic base A or G

<400> 479
aaacaggggc agaggttgag gttrtcagaa cctggaagct gggagga                    47

<210> 480
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-833-259 : polymorphic base C or T

<400> 480
ttagatagta ggaatgcact gagyttgtgc tcctgggaag actccac                    47

<210> 481
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-839-271 : polymorphic base G or T

<400> 481
```

atgtcctttt gtgtcacctt atckaagctc actggtattt atacact   47

<210> 482
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-770-194 : polymorphic base G or C

<400> 482
aaatgggatg tccctttcct ctgsaggagc agcgtcttcc ccagaac   47

<210> 483
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-771-302 : polymorphic base A or G

<400> 483
gtcctgtcca ctgtgctgca gccrcataca cagcccagaa aggatgt   47

<210> 484
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-827-53 : polymorphic base G or T

<400> 484
aggacagcta ttgcacaaaa ttaktcattg acctgaacat tctcaat   47

<210> 485
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-768-318 : polymorphic base A or G

<400> 485
tggtccaggc cctcactcct ctcrtctcag cagctgccac agcttcc   47

<210> 486
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-769-26 : polymorphic base G or C

<400> 486
ttatgctgag agcaccaggc acasgttgaa caccgcagtc ttagaaa   47

<210> 487
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-709-321 : polymorphic base C or T

<400> 487
gaggtgttcc cccacagctc tctygggaaa cgacacgtgc ttcctgc   47

<210> 488
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-714-280 : polymorphic base C or T

<400> 488
catgtgagcc caggatcagg gcaytggggg aagaaccagc tgaggac   47

<210> 489
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-843-271 : polymorphic base C or T

<400> 489
agcaacggcc gagcatacgc agccygcactc accaccgctg gtacagg   47

<210> 490
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-850-265 : polymorphic base C or T

<400> 490
tgccccagct gtaccatctc aggygctgag aacgcaccca tcccttc   47

<210> 491
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele

```
<222> 24
<223> 18-853-296 : polymorphic base C or T

<400> 491
caggccacgc cacacctgtg ccayccaggg agtgggaagg aagcacg                47

<210> 492
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-867-331 : polymorphic base A or C

<400> 492
tcctctcaac cagtgcattt tgcmtctgag acattgtggt tttcatc                47

<210> 493
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-877-73 : polymorphic base C or T

<400> 493
tttacaccca ctgcctgcca tccyacagct tccagaacac tgaggcc                47

<210> 494
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-856-85 : polymorphic base C or T

<400> 494
gacacatgag agagactgtg attyggggga aaagctgctg tcggcac                47

<210> 495
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-861-101 : polymorphic base C or T

<400> 495
agcaacggcc gagcatacgc agcygcactc accaccgctg gtacagg                47

<210> 496
<211> 47
<212> DNA
<213> Homo Sapiens
```

```
<220>
<221> allele
<222> 24
<223> 18-635-323 : polymorphic base A or G

<400> 496
agttgacatc ttaaaacttt atcrtgatca tcactccctt tactatg              47


<210> 497
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-636-205 : polymorphic base C or T

<400> 497
caaatggctt tgaacccact tccyggccac acaagcctct tcctggg              47


<210> 498
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-649-427 : polymorphic base G or T

<400> 498
ttaaaaagat gctaaatatg agckctgagt ctcaacactg tctcaag              47


<210> 499
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1134-316 : polymorphic base A or G

<400> 499
agtttagagt ttaagttgga aggraaaaaa aaagaaaaga acacatt              47


<210> 500
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-633-316 : polymorphic base A or G

<400> 500
agtttagagt ttaagttgga aggraaaaaa aaagaaaaga acacatt              47


<210> 501
<211> 47
<212> DNA
```

<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-489-425 : polymorphic base C or T

<400> 501
cagggttccc agcccctgg aaaygggtg ataacagctt ctcctgt   47

<210> 502
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-492-212 : polymorphic base C or T

<400> 502
ctgctgcaag aagccctgcc cttyggggct gatccggtgt gataaag   47

<210> 503
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-488-156 : polymorphic base C or T

<400> 503
gggagagcag gctgggccca gagyggccct tccccacccc atctcct   47

<210> 504
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-491-266 : polymorphic base C or T

<400> 504
tgcacgccac atgcagatgc acgygtgagg gcatcctcag tgcctca   47

<210> 505
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-497-141 : polymorphic base C or T

<400> 505
taaaaagcaa caggacacaa aaayccctgg ctggaaaaat ccaaaaa   47

<210> 506

<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-503-174 : polymorphic base A or G

<400> 506
tgcaggtgga gagggtatgc ctgrctaaag tgggtgaaag gcaaggt   47

<210> 507
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-490-95 : polymorphic base A or G

<400> 507
aatgatgtgt aagaccaagg gctrgtttay caagaacata cacaaac   47

<210> 508
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-699-115 : polymorphic base G or C

<400> 508
ttttcccttа ccgaccctcc agcsaagaaa actgtgttaa actgttc   47

<210> 509
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1099-293 : polymorphic base C or T

<400> 509
gccatctggg gagagaagaa tgtygggcag agtcctgtct acctgtg   47

<210> 510
<211> 45
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 22
<223> 18-1105-22 : polymorphic base A or G

<400> 510
ttctctcaag catagtggcc trtgccccag gaatgtagca taatg   45

<210> 511
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-562-418 : polymorphic base C or T

<400> 511
ctccgaaact accccccagc accyggtaga ctttcacagc tgagaga   47

<210> 512
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-564-204 : polymorphic base C or T

<400> 512
ttccttctct acagcccccg cccygccatg cacgtctctc tcagctc   47

<210> 513
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1032-262 : polymorphic base A or C

<400> 513
tttaatatat aaatggtaaa aacmaaatcc atggggaaaa catgtct   47

<210> 514
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1035-412 : polymorphic base A or C

<400> 514
tcttcagcag ctcccagtgc ccgmagacag tccagactcc ttactgg   47

<210> 515
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1036-293 : polymorphic base A or C

<400> 515
tttaatatat aaatggtaaa aacmaaatcc atggggaaaa catgtct   47

<210> 516
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1038-95 : polymorphic base C or T

<400> 516
aaactgtgaa tagcagtttg tcaytgatac ttaagagttg agaggct   47

<210> 517
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1040-361 : polymorphic base A or G

<400> 517
ttattaagga gagttatcca actrctcatg aagtttaggc ggttaca   47

<210> 518
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-748-356 : polymorphic base C or T

<400> 518
aatatacccc tctaatctaa tcaytaaatg ctgaattcac taagaaa   47

<210> 519
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-937-181 : polymorphic base A or C

<400> 519
gagagacaga aatgctgtct ttamtcactg ttgactatgc aggtgta   47

<210> 520
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24

<223> 18-942-175 : polymorphic base C or T

<400> 520
ttgtgagatc tgatcttttg ctaygagaaa agtctgagtg gtgactt   47

<210> 521
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1213-221 : polymorphic base A or T

<400> 521
gcagtaccgt acttaacttg gagwccctgg acctcctcgg agcataa   47

<210> 522
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-937-147 : polymorphic base C or T

<400> 522
cacctaccta tacacaaatg tacygatgtg gcaggagaga cagaaat   47

<210> 523
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-946-408 : polymorphic base C or T

<400> 523
atcttgagga aaactgacta tggycttagt ttgtgtctca gaaatat   47

<210> 524
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-787-133 : polymorphic base A or G

<400> 524
aattattaat aaaaaataaa gtgrgccata agtaggtact tcccaga   47

<210> 525
<211> 47
<212> DNA
<213> Homo Sapiens

<220>

<221> allele
<222> 24
<223> 18-1149-239 : polymorphic base A or G

<400> 525
tctttgtatc tatattactt gctrcaagtt actgaatctt tctgacc   47

<210> 526
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1159-291 : polymorphic base A or G

<400> 526
atgtgacaag cacaaattac tccrctgtga tgaatctcat gggatca   47

<210> 527
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1135-273 : polymorphic base C or T

<400> 527
ttttcagtac ctgctaagtc ccayggacta tgctaggagc tgctgtt   47

<210> 528
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1136-108 : polymorphic base G or C

<400> 528
agaaacagtt aaccttcttc gggstattac ataccttaga catataa   47

<210> 529
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1147-68 : polymorphic base A or G

<400> 529
agggcaacac ttgcccttgc cctrtgtatt tacctcagta agcaaca   47

<210> 530
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1157-295 : polymorphic base A or T

<400> 530
ctcctgtgtc tcacattggg ctgwgctcat cccagtagga gtcatca   47

<210> 531
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-802-460 : polymorphic base A or G

<400> 531
ggccctatta atattttcag aacrtggaat tttgaattaa tataaac   47

<210> 532
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1064-110 : polymorphic base C or T

<400> 532
ttctttgagt atattttata tcayctctat tacaatcaca ctcctttt   47

<210> 533
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1068-327 : polymorphic base C or T

<400> 533
tgggaataat gacaataaca tctycctcac aggtccactg tgaggat   47

<210> 534
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1069-365 : polymorphic base A or G

<400> 534
gagaatttcc atgtagtaac agtrgttagg gtagcttacc ttttta   47

<210> 535
<211> 47

<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1073-367 : polymorphic base A or G

<400> 535
tttcatttcc ttctcgtaaa caargtcatg gtttggctcc cctcttc   47

<210> 536
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1070-272 : polymorphic base A or T

<400> 536
tacacacaca cacacacaca cacwcacaca aatttgtgtg tatctat   47

<210> 537
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1057-35 : polymorphic base C or T

<400> 537
ttacacctct cataaattta ttayacacct gcatttttat aactatt   47

<210> 538
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1062-415 : polymorphic base C or T

<400> 538
gtaatgctgt atttaaagaa gtcygtattt ttcataaact tgcaaaa   47

<210> 539
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1082-165 : polymorphic base A or G

<400> 539
tagcctcact aaattgaagg acarttctac agaaacatcc atgttat   47

```
<210> 540
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1080-361 : polymorphic base C or T

<220>
<221> misc_feature
<222> 3
<223> n=a, g, c or t

<400> 540
ttntaattta aaatatgggt cttyaggaca taaagtgaaa gaacgtg                    47

<210> 541
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-506-297 : polymorphic base G or T

<400> 541
cagcagctcc tcaggctggc cgtkwtccgg accgckygcc cctsggc                    47

<210> 542
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-570-38 : polymorphic base A or G

<400> 542
ttcggggctc agtggtccga tacrtgcagy tgccagcaga ygaggtc                    47

<210> 543
<211> 123219
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> 53695..55695
<223> 5'regulatory region

<220>
<221> exon
<222> 55696..55860
<223> exon 1

<220>
<221> exon
<222> 63298..63534
<223> exon 2
```

```
<220>
<221> exon
<222> 72940..73022
<223> exon 3

<220>
<221> exon
<222> 74834..74978
<223> exon 4

<220>
<221> exon
<222> 77044..77214
<223> exon 5

<220>
<221> exon
<222> 77764..77844
<223> exon 6

<220>
<221> exon
<222> 80888..81036
<223> exon 7

<220>
<221> exon
<222> 86504..89112
<223> exon 8

<220>
<221> misc_feature
<222> 89113..123219
<223> 3'regulatory region

<220>
<221> allele
<222> 68753
<223> 24-243-346   : polymorphic base A or G

<220>
<221> allele
<222> 108366
<223> 99-62531-351   : polymorphic base A or G

<220>
<221> primer_bind
<222> 68583..68603
<223> 24-243.rp

<220>
<221> primer_bind
<222> 69081..69098
<223> 24-243.pu complement

<220>
<221> primer_bind
<222> 108259..108276
<223> 99-62531.rp

<220>
<221> primer_bind
```

<222> 108699..108716
<223> 99-62531.pu complement

<220>
<221> primer_bind
<222> 68734..68752
<223> 24-243-346.mis

<220>
<221> primer_bind
<222> 68754..68772
<223> 24-243-346.mis complement

<220>
<221> primer_bind
<222> 108347..108365
<223> 99-62531-351.mis

<220>
<221> primer_bind
<222> 108367..108385
<223> 99-62531-351.mis complement

<220>
<221> misc_binding
<222> 68741..68765
<223> 24-243-346.probe

<220>
<221> misc_binding
<222> 108354..108378
<223> 99-62531-351.probe

<400> 543
aggacagggg tttgagacca gcctgggaaa cataatgaga ccccatttct ataaaaaaaa   60
aaataaaaaa ggtagccagg tgtggtggtg catgcctgta gtcccagcta cctgggaggc   120
tgaggctgga ggatcacttg tgcccaggag ttcaaggctg caatgagtta tggtcacccc   180
agtgcactct agccttggca acagagtgag actttgtctc taaaataata atgataataa   240
tatagtcaat attttccttt gtgatgtgag ctttttgtgt tttgttaaag aaatgcttcc   300
ttttcttgag gcaataaaat attctcccat attccctttt aaatgttttt aagttttact   360
gcttgttttg agaataaatg cttctggaat tgtgttttat gtacaatggg acctagagag   420
tctatttatt ttttctctca tggcaacaac cagttgccta accagttgtc ctggcattac   480
ttatttagaa ctccatcctt tttcaattca acctgtgaca tatattaagc ttccatgaat   540
gcatggcctg cttattttat tccattcgtc tatttccatg ctaatatcac actggcataa   600
ttcctttagc tttatagcaa gtcttgatat ctgtcacagt aagttccccc aacttgttca   660
tcttcttcag agcaattaag ctattcttag ttcttttctc ttttatataa aatttggaac   720
tagcttggca acttttgcaa agaaccctgt tgggattttg attggaattg tattgaaccc   780
atcacacaat ttggagaggc atgacatctt ataagactga gttccctcat ttatgaatcc   840
tcctatttat gtaggtcttc ttaaacatct ttctatatgg aagtataatt ttctgtgcaa   900
aggtcttgca catatgccaa tagatttatt ttcagtaaat tttatttcac tattgtaaat   960
ggtatcattc ttaaaattat gcgttcttta tgtgagaggc agaggattct gcatgtgctc   1020
attaaatcaa gaatattaat tgtgttgttc aaatcttttc tattcttacc aattttttctt   1080
ttttactctt tggcctgtca atgaaagacg tatgttgaaa catcacaccc attaggatgg   1140
ctgctatgat ttgaatgtgt cctcccaaaa tttatatgtt gaaacagaat ccccaatgtg   1200
atagtattaa gaggtgaggc cctgtgggag gtgattaagt attgaggtgg gaccttcatg   1260
aatgagatta ataagaggcc caaaggagtc tgttttctca ttctggcatg taaagacaat   1320
gccagaaggc accatctatg aagcaaagaa caaaccctca ccagacacag aatttgctgg   1380
tgagttaatc ttgtactttc cagcctccag aactgtgagc aataaatttc tacggcttat   1440
aaattaccca gtctatagtg cttttttata gcagcccaaa cagactgatg caatgactat   1500
tattgtttaa aaaaacaaaa acaaaaaagta ggaagtgttg gtgagcatat ggaggaatta   1560
gaaccctcat atgctgttga tagggatcta aaatagttaa gtcactgtgg aaagcaacat   1620
ggctatttcg caaaaaaaaa aaaaaaaaaa aaaaagcata aaattaacat acaattctgc   1680
tgtgccactt ctgggtatac ctaaaagtag tgaaagcaga gacttgaaca aatatttgca   1740

                                   268

```
cactcatgtt catagcagca ttagccacaa cagcggaaag gtggaggcaa cccaggtgtc     1800
gtccatcaac agatgaatga gaatatgatg tggcaggtac ctgcaatgga atgttattca     1860
cccttaaaaa ggaagacatt ctgacacata ttataacatg gattacatta tgctaagtgg     1920
cataagccag ttacaaagaa ccaatatttt atgattccat tgatatgagg ttcctagagt     1980
agtcaaattc atagatacaa tgtaacatgc tggttgccaa ggggtggaga gagaggtaat     2040
gggagtcagt gtttaatggg tacagagttt ctgttttgga tgacttaaaa gttaaggaga     2100
taggtagtgg tgatggttgc acaacaatgc gaatgtactt cataccactg aacttataac     2160
cactgaaaaa tggttaaaat ggcagatttt atgttacgta tattttacca caataaaaaa     2220
aatttaagtg atatgttaaa atgctccact aaagaatgaa attgtcaatt tatcctttta     2280
gttctctcaa tcttcatttt atgtattttt gtttcatata cagcatcatg catgaagttc     2340
tagaattggg atctcttcat ggtgaattta ttatttggta gtaaacctct ttatcctaat     2400
tattacttaa tctaatctta atcgaatgat tttgttcaat attcagagct gcagcagcta     2460
tcttttactt cacgtgcctt tttccatcct ttgactttca acatttctgt gtcctcctcg     2520
tgctctgggt acatctcttg aaaacagcat acagttgggt tctgcatttt tagccaacct     2580
gataaccagc cagcgtattc acctaaacag actataatta cagatatttt tggagttcct     2640
tctacccatc tgattttgta tttttatttg tcttgctttt tctttacttc cttttctccc     2700
tcttttcctt cttcttttgg attgcttgag cttttttcct tatttctttt tcctctactg     2760
tcttaaagtt atacagttta cttccatatt ttcagtgact aaaatagaca ttttaccata     2820
ttattttatg gtaaaataaa tcaaatccta aaggaatcaa aatctcaatt gtcatctcaa     2880
acaataaatg ctttaacctc aatttctttt ctcacagaag catgtgtaaa acacatgcta     2940
tgacatgaat tatattatgc taagtgagat aagccagtta caaaggacaa atattttatg     3000
attccattga tatgaagctc ctagagtaat caaatttata ggtacaatgt agaatagtgg     3060
ttgccaaggg gtggagggag gggtaatcgg catctgtgtt tttggtccag ttttttagtt     3120
ttaacatcta catttttaac atacaaatta gaccactaat tttatatgca caatacgtat     3180
tatcattcac tcttaaatat gttattatat ttccccttttt ttcaatcatt cttttgattt     3240
cttccttgac ccatgtatta tttaaaggtg ttttacttaa tttcctaata tttgaggagt     3300
tttgtagaca tctcattgtt actaaactcc aatttccaac tactatcatc aaagaataat     3360
ttgaaaaagt tcacattttc atgtttcatt tgtctaataa tctttaatgg aagctggaca     3420
ttgtgaacat tatgccgttg agtgtttagt tttgtttttct tcctttaaag aatgtttggc     3480
tttcttctgt ccaacattta atttacttgc agatcagttt gatgcctttg cagtttagtt     3540
ttaattttttg ttaggtttgg tcttagggtt gcttttacat gagcacttgg tcagcccttt     3600
acctaagtca tgaccattct gggctctcta ctgaatgcca agggaattta gcaagatctt     3660
tccactctga ctgattagaa ctcaaatgtc tcccagcctt gtgagagatc cagtagttag     3720
tcaattttca gctcccttgt agcttgtctt tgcctaaatg caaaaagttt catctgttat     3780
atgtttggct tagtattcat tcagagactc aagaggaccc aaatgtggcg ttttagagct     3840
ctttatgtgc atggctccct cttgtctgat attctacctc tcaaatccca gcttccttgg     3900
gtttctctgc cttctacctc tcctcagctc agcaaagtca ccatgctctg cttcagttcc     3960
tcttcttaca ttacagttga caaagtgcca agtcgtcata gagttcacct tatttgcatt     4020
tcttctctca gagattactg ttgtgctctg tttgttgccc aagatctgaa aacaaaattt     4080
tttgcatata gtttgtccaa ttttcctcat ggataggaac agaaatctca actcttcatt     4140
ttctctcagc atcttgaata tattagttct atgtctttgg ctttctattg ttgctgttga     4200
caactctgtg gccagtttac cacatttcat tcataaatgt tcataagata ccactgaata     4260
tgcaatccat cattatttta ttgacagtaa gagataaaaa actgccaatt ataattgtaa     4320
gactccatca atgataagat tagtcccaat ttcaaacgtg ttaaattgtg ggaaaataca     4380
tatcttggaa ttgatgaaat acggtcactt ttattttttg tagagtatct tttctgtttt     4440
tgttgcttct tgatttatct tgatgtcttc ttatttcatc tgaaattatt atatgtagat     4500
tattttttctt tacactgctt gatatacttc gtttttccta gatttgaaat ttgtcatctt     4560
tgaacagttg tgaaaaattc ttaggcacta tctcttcaaa tattgcctct cctcagcttt     4620
ctctatttta gtcttctgga actccaatta ggcaagtgtt agactttcat attttatcat     4680
gcatgtcttc aaacctctct tatttctctt ttcttgtcac tttgcattgc attctcggta     4740
atatcttcag atctgtcctc tggcttattc tgtcttcagg caatctgatc tgctatataa     4800
cacaacaatt gaggtttcaa tttcaatcat taaatttctt tgtttgtttg tttctttgtt     4860
tgtttgtttt aaagacagag tctcactatg ttgcctaggc tggtctcaaa ccccggcact     4920
caacagatcc tcctgcttca gcctcttgag tagctgggac aataggtatg tgccaccatg     4980
cctagcacat tcactatatt tcttactaca agatgcttta gttggttctt tctcaattct     5040
tccgggtcat tttgtttgac ttttgctctt tgaactttta aattccattt ttaatttctt     5100
aacacagttt atgtttatac atgattattt ttgctctctg aattagatgt ctactatcag     5160
aaatgcttga ggacctaaat acattgttta ttattcagct gcttcttgct tacattgagc     5220
catttcgccg tgtgttgggt aattttttatt atgagctcag gcaggatatg tggtgatggg     5280
actagactga ggatgctttt ctccagacag cactggcatt tgcttcttct aggctccagg     5340
aggcactacc aatctgtaac tataatattt taatttcgtt gcccgggtga tgtttcttga     5400
cattaggggc agtataaatt tgaacctcag tcacacgaca gagcagtcct ctggctacaa     5460
aagttcagga aagactctct agctttgtgt acatgtttcc acccagaggc agcagagatg     5520
```

269

```
gctgtgttca tctgtcctct atatccgtat gaatccctcc agcttgaagt tcctgttgca    5580
ggtgcctgta cccattgggg cctggatttc cattttcata gccactctag tttgggctga    5640
ttattcctgt tttttgtgaa gaggcataat ctttgggcat ttctctggat tctcctgtga    5700
gtttagcagg gcattttgag tttgttgtaa atagtttccc atctccatat tttagtctgt    5760
gaaggtgttt cagttgacat tttcagatga gcataccatt gggatcccaa agccttcttg    5820
caaatttttt attgtttact ttattacatt taagtatta  atctgtctaa aatttacttt    5880
tgtatttggc ataatgccag agtccatttt cccctttcca atggctagcc cgttaccagc    5940
aatatttatt attaatttat tccttttttac tgaatttaac cattagattt gtcgtaaact    6000
agtctagcac atgttctaga tttaattcta gttccatctt ctgtttgact catctatttg    6060
tccattccta tatcaacacc aattactgat tagattccag tggctctttg tatcctctga    6120
tgtaggaaca ctcgagtctc acttgaatgt tcttacattt tgtaattttt taactattct    6180
caaagattta gtttcagaga ctatttgta ctcactttgt taaggaggcg gtctcagcat    6240
gtatttgcta cacttaattg gactaaattg agaagcttca tggggaggta gacagaattt    6300
cacttggaca agccacttac cctcttccag actcagtttc tgccactaag gaaggatggg    6360
ctagtgccct agacctctgg gctccttgcc ggctctagaa tcccagcccg gattggcttc    6420
tccttaagca ctggacaaca tgcagtgata agaacagctg tttgtatgtg tgtatttttg    6480
tttgttttag agacaaagtc gtgctctgtt gaccaggctg gagtgcaatg gtgccgagat    6540
agctcactgt aacatcaaaa ctcctggact caagtgatcc tcctgcctaa gcctcccaag    6600
ctggtactac aggcatgcac caccattctg agctaatttt ttaaaaagag atggggtctt    6660
gctatgctag ccatgctgtt ctcaaacccc tgacctcaag tgattcttcc caccttagct    6720
tcccaaagtg ttgggattac aggtgtgagc caccacaccc agctttttg tgttcttatt    6780
ggccaggtaa cgcatgtcag gcgtcctgct cagccagtta tgtacattca ccctcagca    6840
tctcatttaa tcctcaggca tccctgggag gcaggtgcta ttcatactat ctccattcta    6900
tagagcaagg aactaaagaa tacagcgcta tagtgactta tttgctgaag atattggttg    6960
agtaaaaaag gaaacaaggg aatggagtgg cgagctttgg gggagtatgc aaagaccaaa    7020
ttatgttatt acataattag tgcacattgt tcttgataca tgaagaagcc ctcagtaata    7080
atagcttact cgtttattga gtgcttccta tgtactttag gaatattaaa tcattaatcc    7140
cacaaccttc ttagctaata ggcactatta ttatctccag tgtacggacc acgagattga    7200
gccccaggta tgtgaagtca ccagcccacc ggcacccagc agaggtggct gatgagccca    7260
gaccgctagg ctccagggac tgtgccgtct ctaggcaacc gcaaaaatta ccacccacag    7320
atatggcgaa ccctgtgatt gtcaccagct cacctgtctc gggtgggaag gggatgtgca    7380
aacatggaag cgttgccatt ggaaggaggg atggagctcg tggccatttc taatgtttaa    7440
aactatcgtt taaattatac tttgaatgtt tttatgtaaa ggaggtgcac caaagggtta    7500
acaggtggtt gactctggaa aggactcccg gagagcagct gctctgaatt ttctaatttc    7560
gctacactgg tgatgtatca tgtattcctg tgtgattcga aaatgttaaa agtcatataa    7620
taatgtagaa gacgacccct cgcgagcgag gcccccacc tctggccact gagggcactt     7680
acgtaactgc ggggcgggcg caggcctcca ctgggtgagc ggcaggcggg ggcggggctg    7740
cccggagcct cggccccgcc cacccctctc ccccgcccac tgtccccgcc cagccccggg    7800
ctgctcggaa aggccggagt ccggagcaca gcaacgcgcg gagcggcccg gcccctctgg    7860
tggtcccgcc cacgcgaccc gggcgcagcg gcgggcgccg gacagctgcc ccggcgggcg    7920
aacgacatgc agcggaaccg cgggaggctg cggttcggtg gctggacttg cgtcccccac    7980
ctcctctgtc gcgcgtgccc tgctccccag tgagggcgtc cctgggatgg gatctgggcg    8040
cccggcgcag cgcggctgac aacagccgag cggttccggt gcgctggcac gtggctcggg    8100
cctgcccccc cggcctggcc gcctcccggc gcgttccccg gtgcaggtgc ctggcccgtg    8160
ccccgccatc tccgcccggc gccgcctgtg ctgaaggagc cacgccccgg gctccggagc    8220
ctgcctctgc aaagtccagg cccgcggcgc gcaggtcagg gccgctgctc cgggcggacg    8280
gggacgcgcg gtcacaggca actcctgtcc taagggcaag tgagacagga tcagggctgg    8340
tatgaaggca tctccattag cagggaacca gacaccttcc atctgactgc tctgctatcc    8400
ttcgcatgct gcctcatggt ccaaagtggc tgctgagcac cagccttcgt gtctgcattc    8460
tagccagcag gaacgaggta agagtgaaaa aagatgccat ttctttatga atatgtccca    8520
gcagttcatg tagatcacaa gaagccagtc cactttacag gcagaggtgg actccaaaag    8580
gtctgatgac tctcagaagg taatgtgtgc agcggggag caggattcaa atgtaagtgg     8640
actgccatcc gtacaatagc agccaaccgg agggcttcct gcagtccagc acctatccag    8700
cgcttaccta gtcgtttaat cctcacagct agtgagagaa gagctggtta ccctattgta    8760
cagaggaggt cactgaggct cagagagggt aggtgatgtg ctcaagactt cagagccagt    8820
acatggagag gttgggactc caatccgggc agtctgctcc agaatccaca ctttgaccac    8880
caccctccac tgtcgctcag ccttgtaaac tctcccttg gaatcctgtc tgcaaacctg     8940
gttcaagttg agatgagaaa tgaggcaagg gagggccatt ggtgtctaac agtcccgtgt    9000
tcaaaaataa taaagtacag cgtgggcaac atagtaagac caccgtctct acaaaaaata    9060
aaaattaact gggcgtcatg gtgtgtgcct gtagtcctag ctacttggga ggctgaggtg    9120
agaggatcgc ttgaacctgg aagattgagg ctgcagtgag ccaagttcac accactgcac    9180
tccagcctgg gtgactgagt gagaccctgt ctcaaaaata acaataataa taataataaa    9240
gtacttcttt tgcactgtat tcgtcacctt ggcctgccat aacaatatgc catagacgga    9300
```

270

```
gtggctgaaa caacagaaat ttcccccagt tctagaggct ggaagtccta gatcaaggtg    9360
ccagcagggt ccagttctgg taacgaacta tccctggctt gctggctgcc tcgctatgtc    9420
ctcacatggt ggagagaaag atttctctgc tttcttctta gaaggtgaca gtcctattgg    9480
attagggctc caccctcatg atctcattta tccttaaata ccttctaaag accctatcta    9540
cagatacagc catattgggg gttagggctt aaacatctga atgtgtgggg gctgagtgga    9600
ggatgcaatt cagtccacag cacagggtta gtttacttca gaaataaatg aactagaatt    9660
tcaaagtcag gactacagta tcaaaaggtg agaacccagc ctttaacagt ttaacttttc    9720
tcatggtgtc tagaacaatg taatcaacat tcccactgtt cagatgggga gagtgctgag    9780
tgcccttgac aaagttcttg ggaatagcca ggatctagac tttgctaggg cagttgtttg    9840
taaacccaca gaggccatgg gccatttcct gacagtaact gtaatcatct tccgagcttg    9900
ggtctggttc ccaaatgata cattgcataa actaaaatgc ttttcccttt gaggcttgct    9960
cagcaagctg cagaatctgg ttgatcggtt tgtacttgag ttttttccct tactggtaaa   10020
gagagagagg gaaggcatgt gctgagttcg gccatgtgcc aagccctttg caaacattag   10080
ctccccgacc ccaccactgc tccttgttgc ttcccagtta gcagcttggg ggtaaaggag   10140
ctctcagggt cacaccatgt cagagctggg ggtgagccca gagctgtcat tcaagcccct   10200
gtttgctttt gctcctgctg accccccaaag gagcttctct tcgtaaaaca aaattctttt   10260
taaaaaaacc taaatatcca aaattcacca tctgttgcaa tctcaatgta ttacgttggt   10320
gcaaaagtaa ttgcagtttt caaagtaatt gaaattgcca ttgaaagtaa tggctaaaac   10380
tgaaaatact tttgcaccaa cctaataaaa gggttgtgct ggtgaaaact cctgttggaa   10440
tggatttttc cccttggaat cttgccaatc aattaatttg cagctctgct actggccttt   10500
ctaaaacttg aacctgggag gttgaggctg cagtgagcca agatcacacc actgcactcc   10560
aacctgggtg acagagggag accctgtctc aaaataatag gttttttcagc cttcccttgg   10620
tgggccatgc tctcttcctc tgtttcctct gtagctgaca cattactgtg tgtgggcaat   10680
gttctccacg tagtaacacc ctgtactaat gatgagtgcg ctgtctacgt gactctattt   10740
agggcaaggc aatttggtgt aaatcctgca tgaggagttc aacaagaaca aaaagcttca   10800
gaggaaaaca tcctgcagcc ttcccctttg tctcagtaac tatggtttct gggcaaatta   10860
agaaaacact caagaaggtt ttctttttttt ttaatggagc tgaagcacag agcctcagat   10920
gggcacaaaa tgatgaacac atttatttg atttttttact tataatacta gcatatagag   10980
aagtacggta aatataatat tccctccaat taacaacaac aacaacaaaa aaccttctct   11040
gcgccagagc agggaggctg accaagaaaa gagtagaaga tggccactgt gctccagggc   11100
agaggatacc tggcccacct tcccctgacc ccagagagtt gtggggcctc tgtcaggagg   11160
caccggctct aacaagagct gtgggtgtgc tctgggcttt ctgcttggca ctgctgctca   11220
gtgatcaaac cacatcatcc ttctgagtgt cttcttgtga cataacgttg atgatatttg   11280
cttcaaccag aaaaggtgag actcagattc agggttttgt gtgtatttga attagagccg   11340
acccagggcc ttgggagctc tccggggtgc tgaaaggatg gtcctcaaac tccaaggatc   11400
agcatagtct gtgcatagga gtgagccagt gagaatgtca ttcattgagc acctactgtg   11460
tgcctggcgc ctggcttcct cattatctcg ttaacacata tggttgctat caggctgttt   11520
gcctctgcct ggcctcagct tggccctcct gctcctgaag tccccagtgc cagccgctgc   11580
accaacatgt gtgtggcctg accgcctctg tcctttggtc tgtacaacaa ctggcttgcc   11640
tgtggcagtg ccacccagcc agcctgctgg gccaccgact tgctttgtat cttctggcct   11700
tggaaaggct gacttgggct tgtttgtgag ggagattgga aaactggaag gtgaggttct   11760
taaggtcacg tcttgattat tctctaccat ttttgtcatg tgtgtttggt tcaggaaaat   11820
ttgaaactga accgtgagga cagggggcatt caggctatca tcctataacc ccactcccct   11880
gtgctggact gttacaatta tttctataaa atcagcctcc ccatggcact gtgagccact   11940
tgagggcaga gcctgtgcct tatccagccc tctagcttct gagcctggca taggctcctg   12000
ataatagtgg gagctcagtc accattgatg aacccagata tgaaatggat ggaagggtga   12060
gcccacaact tggatttctg tcctgagagc tggcgtctgt gggagagggt tctgtacaca   12120
gtcacgccag cctctgcact cactgagcac ttgctgggct tctggctctg ctctcaaaac   12180
tgcatgaata tcaacatttc caatcctcac tgaaacccac gatatatggga ctatgatcct   12240
cattttacaa atggggaaac tgagtcaaag agctatgcat aacttgccaa ataccacaca   12300
gcaggtcagt tgcagggctg agatgagaac cccagcggag ttgccatctc agctgtcaac   12360
cctctgcacc accggtcctg gtgccaaggc ttcatcccat cccccatgga cctagtaact   12420
aaaactttgg gtgacttact tgattgtgcc cagtgaccgt cacgcagctt ggatgggagg   12480
gaaggtcctg gctcccacac tgctgggcgg tgctgggcgg aatcactgca tctttccata   12540
cttcagttcc ctcaacttca ggggggaggct cactcctacc atggaactgc tgggaggtca   12600
taggccatct gtgtgaagcc cagggccctg tggtggcatg attgtatgct gtgatctgaa   12660
tatgatcagt cgttattgat ggtcttgagg ttttcccgtg tggtatttct ttttcagaaa   12720
aggaaagggg gctggcctaa aggcaagaag agaaaccccc cgagggacct tgctgttccg   12780
tgttcctacg acagggtaag atgcagggag attactctga cccaacgttg aagtaatctg   12840
cagggctcac catgtggcct gggccacatg gcggggttgg tacgatccca tctcagcctt   12900
tacctgttct tttagggtgc ttggttagct aggggcctg acaccactgg gagtgtgggg   12960
tgggctgctt agttctttaa gctgtaatga ggtcctggtc ctggaggaga gaggacagaa   13020
gaaccaggtt tgggttccag acaggaaaag gggtaggtgt gggcttggtg ggtctgcttt   13080
```

```
ccatcccagg cttgaagaca tgggcgctct gtggccttgg gtaagctggt taaccttcag 13140
ggggctcaag ccacccttct cagcacctgg gaccttgtcc ctttcccatg aatcttgcgc 13200
catagaagaa aggtcccatg ccagctgctg accagagctc tgagggtcac cttgccccat 13260
ctagaagctt gtacacttta tcctcagggt tcacacggct ctaacgctga ggggcttcct 13320
tcagtattcc tgtggctcac atggatgaaa ctggtttggc cacagccttt ctccctcccc 13380
ttcaaaagaa gtccttgagc aggagggggga ggggcctgca cctggagtat taggccacac 13440
ctgtgagcag gtggcattat gttcattata caaaggggga aacggaggct cagatgggtt 13500
acatggtttg tccacataat gcagcatggc tatttgaacg tgtcccctgc cagacacagc 13560
cacccagcct tcatacacct cttgccctgt ggggagcccc tcttctcatt cctaggcctt 13620
ttacgagact ctgggttaac aagccactgg agggtgtgcc cctcttagcc ttcagttctc 13680
tggttagact gaacaagatg ggcaaaccag tgactcgttg tgaaaaccgg aaagtggaat 13740
gagctgcccc tggccggctc ccttccccac cggttctcag agccaggttt gtcccttctg 13800
tggcacaggt acatgatatt cctgaatgag cagagaagtc agctgagggc cacacacccc 13860
gatctgcctt tcacagaaat catgaagatg ctggctgttc agtgggccca gctgtctcag 13920
gataaaaagg ggtaagtcct gttctatgtg gtgaatacaa agcgagtccc cccgtgagat 13980
ggggcctggg cagcccgcag ccaccgccag gggccgttcc ctcctaatcc atttcttaca 14040
ccacagccag agggaaccct ctagagtgca gacatgagat gccactcact cacccatta 14100
gagcaattaa tgggtcccct tgcttttggc agcatctcct aaactgggtc aggcagaatg 14160
gcccatccag gaatcatggg ccggctgtca aataagtcta ggaaattctg gaggaaatca 14220
agatcgtaga tttctccctc agcaggacat ttttggcgaa tctacaatat atttgtgtag 14280
cacttgttat gcctggcacc acgctaggtg ctggggatac agccacaagc acggccaatg 14340
gggcccctgc tgtcctggag tgaggctgcg gaggaagaga ccgagccaag catgtaaagg 14400
ggcatgagag tctctacgtg tgagcgctgg tgtgcggtgt ttctcaaact aatttaccaa 14460
ggagcctctt tttcacagag cacctgttaa cctcctacag aggcatgttc tgggggccag 14520
gggaggaatg ccaaattatg gcataaggtc aaagcccatt tcgcatgaaa tactgttaca 14580
ttccaatatc acttctgcca cccccagctg taccttccag ccacactgaa caaacgtgtc 14640
attttctgtt caagccatgc ctgcctcagt gccacctcct acaataagcc ctcccacacc 14700
cctaagaata tctgacctca aagcccatac tttctccaga acagcaccct gcctccagag 14760
tgtcatttcc ttgagtcaaa tacaaagacc ctgacgtgaa cttctttaaa cctctacaat 14820
ttcatcttgc tttagtcata gaaaactctt gtttaacaat tgacaaaatc ctaatggggg 14880
gctcagttag taacatccct ctccttccta cccacgtttc caaccaacta ggaactatcc 14940
agtagccagt cagatggaga ttaaatgtca gctgtattca cgcaaagcga ggggganggt 15000
gtctttggat cagtggctcc agctgctggc agtgccggac aattcctggc actaggtcag 15060
agcaggcccc tgagcatgtg gccaagagca gtgcagagcc ttcgctgcct gccagcggat 15120
ggcaggggca aagagagagg gaggggctct actcagcatc ccaaggcctg gggttggatc 15180
tgattcgtct gtcactagtg cccagcccag gaccctgtgc agggaaaagt gctgatgttt 15240
gcatgaagga tcattgaaga gaagtctaag gttcccctg gcaggagctg ataatgctgc 15300
ccttctctgc agtcatcaga ccaaacctgg agaatggtag tggccacagc aaggcagatg 15360
ccagttgatg ggaaggaaaa cagtgccatt caaacaagga atgaacttgc ttggaggtag 15420
tgaggtccct gtccctggag gtgtgcaagc agaagctgag tagtagcttc ttgggatcat 15480
cctaaagagc cccaaggagg ttggacaaga ggatgcccag cctccatccc catcccaacc 15540
ccaaatctgg agcgcctcag aatctctgtg ctccttcctc cagaggtatg tgtctcaggt 15600
ggacgaggac aagtagggct atgtctgcga gctacaggcc ttccagagct ctgaggccta 15660
ccgagctttc ctgcagaggt gtgcagccca caaggcgctg tgtgggatgc aggagtggac 15720
tggagttcac ctctcccaag ccggggtctg ggatgtttac gcagcagaaa gtacgctggg 15780
aaagcccttg gtgttactcc acctccttca gcgctcacac cagtcgcctt gattgaagag 15840
ccaaagcagt tggacatcca gtctcttcct tttcagccca tcctggaccg gttaaagatt 15900
aaagataaga ggcagcttgt tccctcctac ctgggagggt cagtggacat tcagggagtg 15960
ctgaggcagc ggttactttg tagtgtttag aaaagggaaa ggaatcacag tgacaggcct 16020
ggcacttctc aaattccagc atgcacacgg tcaccgaggg tcttgctggt aggcaggttc 16080
tgctccagca ggttcagggt ggggcctggg agtctgcatt tctgacatgc ccatgggcca 16140
tggctgctgc tgctccaggg cccacactga ctatgctgca ggttggttcc tgcagcactc 16200
accactccta catgccgcgg caccctccca cagcccagca tctctgccgt gggcttttct 16260
cagatggcca tggggccaca tgtgcaggc agagctagca aactgagcat ctatgtaaac 16320
ccacgcagac agctttccac caccaccgcc atggtgagac aaatcccagg tgggttccat 16380
accccagaga gttcccatgg gactgagccc cattcctgta atggccctgc ccagccagct 16440
gactcacttc cagccctact ggtgcttcct gagatcaata cccaaacaaa ccattgacac 16500
caaaatcctc atctgggggg cctggctctg tccccagagt ctgaggcaga ggagggaacc 16560
ctatccattg tctactcact atgccttcac catggaggac actttccact catttttctt 16620
tttcatcctt tttgaaagta ttctcaatcg cagagcccat cagcagcact tttacattga 16680
gacccacagg gcggccaccg gccaccagga ttccagtctt ctctgagggg cacaggcctg 16740
cagggcagca ttgaagtgtc cttgtcagtg ggggtccagg cgccagtctc tggccccacc 16800
agtggctgcc ccagggcaga ggtaggcttc tcccagtggt cctgggtcca ccccgttca 16860
```

```
ccctgcatgt tcctgccctg cacgctccat ggtcagggct ggcccgcgtc cctaggacgt  16920
cacagcaagg cctgcctatc tttcacgttg ctgcctctcc ggctgagcac cggaggaagc  16980
atgcatcagg ggctctgcca tccacgagac tccaggacca gccacgtgtg tcccatgctc  17040
ccaccgggac tggctgagag agctgccttc ctggtgacca gggtgtgggc tccagagtcc  17100
aagtgcccag gttggaatgg cagctctacc actcggtggc tctgtggcct tgcacaaatt  17160
gctggaacac tcactgcctc agtttcttca tctgaaaaat ggggctgtca caggcccttc  17220
tcctcaggĝc tcagtgagga tgaatgagct aaaccacaga gaggttggta ctcagcgcct  17280
ggtacatggc aagtgttcac acttgcggta agtgttcaca cttagtgccc ctccctgtgc  17340
gctgggcat ggcccccacc ctagcttcct ccaaagcagg ggtcagcaaa cttttctgg   17400
aaagggatag atagcaactg tcataggctt tgtgggccac gtggcctcca tcgcagtcat  17460
tcaactctat gcttgtagca ggaaagcagc catagacaat atgttcacaa agggccgtgt  17520
ctgcatgcca ataaaacttt atttataaaa acatacagaa ggctgagttg gtccacaggt  17580
aggtctactc tggcccatcg tacttattgg gtttccacgt aacctttgtt ttcaatcaag  17640
tgcctgtaga taaaaataat caactggaaa atctctggtc tggcatagaa ctagcagata  17700
tacccacgca tggtggcgtc tctgatggtt ccaggggagc tgcaaggcct ctggtcctca  17760
tcatgaatgt cagatctctt ggtaccagag ttaagcagag ggtgcctgag aacagctgtc  17820
attcctgctc ctggttttct cccaaaatgc catttgtcca agcttagcag agaacagctt  17880
gtcttgctga attcttcatt catgctgagg ccctgcggcc ttctccttat ttgggggatt  17940
gtttgtaaat tgtcgtcatg caaaaacctg gtgtgttaca aggaaaggtc actccaacac  18000
agcagcctcg tctttaaaca aataaaatat atcactgcct tatttaaaac atagtaattt  18060
taagagtttg ctgtataaaa ataaattagt agtcaatatc cattttaaaa gtatcaccta  18120
gaatctgcca tgctaaaaaa tgaagtttcc attttttcctc gtttctccct catcttcatt  18180
ccatacctag ccaggtgctt atacattgac atcagaggta cctggtgttt cctcttggct  18240
cattggggtt ttcagacctc agattaaatt gaaccgcatt gatcctcctc cagcaggtaa  18300
catgaagacc cctcgagatg atgtttgcaa tcaaagaagg cacctctgac cctctgattg  18360
gtgtccccca aatagggctg agccctttcc tgagacaaat tctgaaaacg cacctctatc  18420
tactgaggac ctagcacttt ctctctcacc ggatgacaga ggtcttgaga tgaattgaaa  18480
ttctcatctg tgctcagaaa ggtgtcacac ctagcaagga aatttacagt ggggaaaggg  18540
agttgcaggg cccagcccctg tccacacaaa gcccgtgtgt cttttcagc tgatttatg   18600
ttcagagaag gctggatcac ctgcgcctcc tccctgctca cctgaaaccc tttctgtcct  18660
cagggagatg aactcaatga cctctactgc gggacctcca ggcagctctt cagctccctg  18720
tgcaacaaga aggaacctgc tgcaaaggca gcacctgcag cgcctctcag gtaaccagcc  18780
tgggccaggc ggctcagccg caaacgctgg ccttgactcc acctgcgcca gaggtcacca  18840
acaggcggcc cacgtgacac ctcttgttat taaaatgcaa ttttaagaca gactctagtc  18900
aagcccactt accaccaggt gggtgtttag acagggtag gtcttccact atatctgttt   18960
tcctcttagt tcgccaggcc cgcctgctct gggccacgca ggacacggac gtcagcttct  19020
cctggagcgc tcgctcactt tattccatct ctacgagctc ctcaagtatc ccagagcatc  19080
cccaggcctg tggccacctc gggtctggat gccgcattct ctgacctgtg gcacattctg  19140
ggtgcccatg attatgatga ggttctgtgc ccatgtggcc tcagggctct tgagaccacc  19200
cttcaaccag gtctttgctc acctgtctcc tgcccaggga cgccacccag gtcaccggtg  19260
caaacctcca gcccctgccc gtttctctcc atgagtgcat tgccacctcg cagcctcttc  19320
cacttgctca ttcctggtgt tattgcctgt ctcccactgg aagagaaggc cctcgagttc  19380
agcaactgtt ttgcctgttt tgttcactgt ggtgaacccc gggcctagaa ccacgcctgg  19440
cactcccagt aggtgctcaa taagtatcca atgagtggac aaatgaatgg atgtgttcaa  19500
caaatgaccc tagagcgtgt attccttcca gggacagagc gaggtactgg ggacacagga  19560
aggacgaggc agagctccgc gctgacgaaa ccaagggcca agcgtgcgag tgaatacgaa  19620
catcctggcg ttaaaacgtc ttgcattcta gtgaaatgag acccattgga cacagagaag  19680
ccccaccaca attgcatctg tgtaaaatcg agagaaagat cgtgaaaaca gccatggcag  19740
gtgctggact aaggggtgac attgggtttt ctcttcccac ctatccttta gggttgttaa  19800
aacagaaata gatctcacgt aggccctgc tctgcaccct gcttgctgag tcacgcaggg   19860
ccagttacgc agctaccgtg tgcttacccg gcctcatctg taaaataagg atgacactgc  19920
ctgcctggca gggctctcct gagaatacac agtgcctcgt gcagggccca gtgcagcaga  19980
gaggtcacct cctccaggaa gactttcctg acctgggctt ggggttgggc ctccccaggg  20040
ctcctaaggc ttccccacat acccttcact ttgcaatgat catccctgt tactgtccca   20100
caacacacat tacacacaac accatacaaa cacatgcatt ctacacacac acaacataca  20160
catgcactac atataacaca cattatacac attacaaaca caacacatac cccacacttc  20220
acactcatat acacacatac accacccaca tacactccaa acactccgca cacatacaaa  20280
cacatactac atacaacaca ctcataccac acacatgcac acacgggtct ggagggcggt  20340
gctgtgtggg gctccaggcg catccctgat ccatagcaga tactgaatat ttgctgaagg  20400
aatatccagg agacttgtgc tacgtctggt gtttgaaagg aaatgaactg ttcttggtaa  20460
tgtcttgttt agggtgaata atggcactga agacagaaaa tgcatcttat cacctgctct  20520
ggagcaaaac atgtgtgctt ggatgcatag agttattcta tgtaaattac ccaccagaga  20580
gaattcaggc atgtttcaaa atctataaaa ccgtgtgctg ggggaccatg aaaagttgta  20640
```

```
gatgcacgtg gccgtgaacc actgtaactc tctgggggcc tgcgtgaccg tttaaaagga   20700
aacagacatg ggcaaacctc gtttcatctt ctctctaaat cacctacaat tttacagtag   20760
cagtcgggct cttgagagct ttcccatttc cacttttctt ggtggatctt gctggaaatc   20820
agtgcttttg gcagctgcag tctctgaggc ggggccctga ttggggatgg ggtgttaacc   20880
ttgcattctt tggggttcag gtctcaaatg gctcttgtag ccctgggatc tgaggagcga   20940
gaccaggact cagctatctc caccccggaa gaaccttccc tgctcttcca catccagccc   21000
aggcctcggc ttcctcgtct gcaaaacgag ggtgctgaga agatgggagc aggggtccag   21060
cgttttcatc agcagggctg ttgagatgta attcccatgc catagtgccc actggttgaa   21120
agtctataca gttcagtggt ttctagtgta ttttcagata tatgcagcca tcactgtggt   21180
ggactttaga acatctctgt caccccaaag agcaaccccg tttccattgg tgtcactccc   21240
ggggctccgc attcccagcc cagcagccta ggacaagttt tctgcctctg caggaagccc   21300
ccaagtttca gatcttgatg tctcctttct gtggggagtc cagcaggcat ctccacctta   21360
gggacagctt agtggacagt gctgtgtcac catcaagggc ctgaatcccc gctctgtcac   21420
ctactacctc ttttaccttg ggcaaattct tcaccctttg ccttggtttc cttaggtgaa   21480
aatgggatca tcgtgctgac ctcaagggca gctgtaggat tcgatgttcc tcatgtcacg   21540
gtctctaacc gtgtggcaca ttctgggtgc ccatggttac gatgatgggt ttgggggctg   21600
gagggatcag tgactttctg cctccacccc ctctctagga acggcaggct gctaaggaac   21660
cccacaggca catgctgtgt ggctccctgc acgctgtcct tctcctgccg tggctttca   21720
cctttgtgtg ccagtcttgc tcctgttcat gcctcaaaat cccaccaaaa agacaataac   21780
aggtgctggc aagcatgtag agaaactgaa gccctgctgc tctggtggtg acagagggca   21840
cactgcattg gagaatggtc tgacagctcc tcaaaaggtt aaacgtagag ttgccgtgtg   21900
acccagccat tccgctccgg tggccaatct gaggtttcag tccaggctgt ctggttccaa   21960
ggactctgtt ctttaccact ttctatgtgt acacccaaag aactgcaaat gtatgatcaa   22020
ccaaaaatat gaacatgaac gctcatcgcg gcacagttcg taatagccaa aaagtggaaa   22080
caaaccaaac gcccatcaag ggttgaatgg ataaacaaaa cgtggcccat ccttacaaca   22140
gcgtaacctt gggccgtaca gaggagtgaa gtatgatatg caccacgatg cggaggaaac   22200
ttgagaacat agtaagtgaa agaaaccaga cacaaaggac cacacacggt gtgattccat   22260
tcacaccaga tgtccagagc aggagatctg tagaggcaga aaggagattg ctggttgtct   22320
agggctgggt ttcgggagga taagggagtg atagccaaag gctgcgagtt tctttataaa   22380
ggatgaaaat gtcctaaaat tggggtgatg gttgcatgtc tgtgaaccta ctaaaaacca   22440
ctgaatcaca cacttacttt attttttattt ctttatttat atttatttat ttatttattg   22500
agtcaaggtc tcactctgtc gtccaggctg gagtccagtg gtacaatcac aactcactgc   22560
agcctcaacc tcccaggttc agctgatcct cccacctcag cctcctgagt agctgggact   22620
gctggcgttg gtcaccatgc ctggctaatt attttgtaga gatgggtttt acgccacgtt   22680
acccagcatg gtttcgaact cctggactca aggggtctgt ccacctcggc cacccaaagt   22740
gctgagatta caggcgtgag ccactgcacc caaccatgat atgtgaacta gatctcaata   22800
aaggtgttag gcaaaaaaca aaacaaaaca aaaaacacc atctcaatca aggacccta   22860
ctccaggagg cctcctctgc tggcctctgc ccctgcctgg tcctggcgtg ctctgcttgt   22920
ctgtctctct gtccaccaaa caggggaccc tgaggcagag gctggttcgc ccacatgtgg   22980
acagagggcc aggcctggaa gtgctgctaa ttctctgctc gtgggctgac ctctgtgaca   23040
ggatttcttt gcttttaggg ggaatttaaa aaagatcctg ccacgtactc aaagcacctg   23100
gagcctctgg aggaagagag ggacaaatga ggtcaagtca gaggaggaag ctgagggccc   23160
cgagtccctt ctgctcagat gtccgcatcc agagaggagt tctgcttctc tcaacctgtg   23220
tttcttgcaa gagtttatct ataaattgct gaaaaatggg taatcaagtt cagcaactcc   23280
ctggcatctg tgatgaccta tggtttgtaa tcctagtcag aatcacctac atagaggata   23340
taatattaat cagaacaaaa cagaaaagtc gctagaggaa taacaatagt aaaatttaca   23400
atcagatgaa gaataaagtt ttcaatgagg cacagttcta agcacttcat acaaataacc   23460
tgtcttaatt ctcataaaag tactgcaagg caggtgataa tatcatctcc ttctaaagat   23520
aaaatgcagc acagagaggt taagtaactt gtccaatgtt gaacagctag tgagtggtca   23580
atctgagatt taaatccagg ctgtctgggt ccaagaactc tgttcttcac tacttctcaa   23640
caacatcaac tatgtaaaat gacacacata cataaaccca catcaatggt aatggtggta   23700
atctctggcc ggcaagatga aagaagatgt tatgcaattc ttcagtcctt tctgtgtctg   23760
ccacattttc cccaatggat agatgtcact taaattatca gaggaagaaa caaactctat   23820
taaaaggaat ttcaagggcc gggcaagatg gatcacacct gtaatcccag cactttggga   23880
ggccgaggtg ggcggatcac ctgaggtcag cagttcgaga ccagcctggc caacatggcg   23940
aaaccctgtc tctactaaac atacaaaaaa attagccggg catggtggca catgcctgta   24000
atcccaacta cttgggaagc tgaggcagga gaatcacttg aatctgggag gtggaggttg   24060
cagtgagcca agatcgcacc actgcactca agcctgggcg acagagcaag gcttcatctc   24120
aaaaaaataa aataaaataa aattattgtt ttattctgct tataaaatta gcatattcat   24180
tgaagctagg cacagtggct cctgcctgta atcgcagccc tttgggagac cagggcgggt   24240
agatcacttg aggccaggag ttcgagacca gcctggccaa catggtgaaa ccccgtctct   24300
aatgaaaata caaaaattag ctgggtttgg tggcaggcac ctgtaatccc agctactcag   24360
gaggctgagg cacgagaatc gcttgaaccc aagaggcgga tgttgcagtg agctgaggtt   24420
```

```
gcaccactgc actccaacct gggtgacaga gcgagactct gtctcaaaat aaataaaata   24480
aaataaacat attaattgaa gaaaattttg aaatttcaga aaagtatatg aagaaaatgt   24540
aaacactatc agtagagaag tgttgttagc atttcagtgc agtgtttcta gtcttatttt   24600
ctataaatat ctgaatctac ccgcctattt ctctatctct ctacctaaat atatctgcat   24660
gttatttgta tatctgcata tttatcttat atttatctaa ataaatatat ctaactatat   24720
ctctatatag agatagagat agaaagatgg agagaaagag agatagagag atggacatga   24780
aggtaaaatc cgtcctgcag ctcccatttg cagaagagcg tgagcatttt cacatctcct   24840
tcaacgttct tttaggcatc gcccctcctg gctgcataat atttcatcat atgcgtgagc   24900
cgcactggct gcccagttcc tcactgtgtc gttgtttgtt tgtttgtttg ttttgaaaca   24960
gagtctcact ctgtcgccca ggctggagta ccgtggcatg atcttggctc actgcaaact   25020
ccgcctcctg agttcaagtg atttccggct aattttttgta tttttagtcg ggatggggtt   25080
tcaccacatt aaccaggctg gtgttgaact tctgacctca agtgatccgc cctcctcggc   25140
ctcccaaagt gctaggatta caggcgtgag ccaccgtgcc tggccattat gactgtacgt   25200
tttggtgaca cctggttctt acgttagaaa tcaggctgct gaacgttctg ctctgtgtgt   25260
gtctttgtgc ccattcttgt tggcttcctt agagggattt ctggaagttc aatgattatg   25320
taaaaagcac aagccttgct gggaccctgg agtggcgttg gagtctctcg tggttaggag   25380
cccaggccct ggcctggcca tcgggggctg gaatcctggc tgtgtcctcc gtagccatgt   25440
gccccaggca gctttcctca ccgcctgcct gtcatccagg gatgcaggta ggtcctgctc   25500
catggggttg tcatggcgat cacagagact tgtccgtgtg gaccacctag agcagtacct   25560
agcagggcac ctggcgccct ggggtcacct tggatcaggg ttgcagctga cccactccca   25620
tccctcccaa aggcccttca gcccagactt ttgtgcaccc caaattccat caaaatcctt   25680
tttcctttga gagtaacttt attcatttcc ctgcagctta ttaaagaatt ctgaagaaca   25740
gtgggtgtta aattttttaa aagaaagaaa acattccagt aatccaaagc catcacgcaa   25800
tagcccaccc gacagaggtc cctgaaaaac agcccacagg ggtccttggg gtttgcgtcc   25860
acgaccctct aagcaaggtg cctcacctgg cggagctcct gaagacggga gctcctgaag   25920
acaggcgccc cctcctagga tgccaaaggt cagaggccgc agtgggagag gcctggctga   25980
cagcttgtat tccagtgggc tagagcctcc agagccctca ccactggatt gccccttctc   26040
ttggctgggc gggacctgat ttccacctgc acagccctgg tgaagccacg caaaaggaac   26100
ctgggaaagg ctcaggtcca gaattggatg gacacaattg tggaactcag ccctcctccc   26160
cggctggggg acctctggac aggtccctga gccccttgga acttcgcttc cccagcctat   26220
aaaatgaggc aggcatgcct ctctgagggt ctggtgagct cttgagctcc tgcaaacggc   26280
ccagagtgaa gtaataggag tttttgagct gaattctcag tctgttgctc aggctggagc   26340
acagtggtgc aatcgtaggt cactgcaacc tccacttccc aggttcaagt gattcttctg   26400
cctcagcctc ctgagtagct aatttttttct acttttagta gagacagggc ttcaccatgt   26460
tggccaggct ggtctcaaac tcctggcctc aagtgatctg cccatctcga cctcccaaag   26520
tgctgggact acaggcatga gccactgcac ccggccagaa gtcataggat tttaacgagt   26580
ggagacagtg tgggtggggc cattattcca cttcctggag aggaagagag atcctggcaa   26640
tgtctataga tctcaggtgc tctgcagggc atgagtgtat ttatttacat atttatttac   26700
ttgcttattt atttattcac ctatttattt acttatgtac ttatttacat atttactttt   26760
gatttgctga catatgtatt tacttattca tttacttata tatgtatttta tgtacttcat   26820
tcccttcttt atttactctt tcacttgttg cccgtctatt catgacatct gagtgtctct   26880
ctcccagtag aggccagggc atgcacctct catgttcctt tcagaaccag cagtagaggc   26940
tggaggtgga gctggcaggg ctgaagacct atggggggga cctggaggag tttgagaccc   27000
tcagcatggt gctgatgctg tcccacttca gcccgcaagt gatggacacc gggtgagccg   27060
ggccgtggag ggcgctcgct gccccctcca ctctcccttc tcccctctcc cctgcctcat   27120
gctccttccg gtcctcacta ggccatacag ccaaggccct gggacactcc tgtctgtcca   27180
ttgacttatt cgtacatgct tcactctttt cttcactcaa caaacattcc tgtgtgtcag   27240
cgcatcccag ctatgctgtg tgctggagga tggggagata gacaatgact ccggtcatcc   27300
ctaacccagc cccatgggta ccaggccctg agctgggcac tgggcagagg aatgcagaga   27360
tgaaggagcc cctggtaagg agcctgtcag gggacagggg caggggctg gggagtctgc    27420
ctccatggac aaggtgccgt tggcactcag gtgggaggca acgagttatg cagcagggtg   27480
gctcagcgaa gggccagata gaggccagag ccttccagcg gggcccatgg ggacagttac   27540
aaactccttc atcaaagggg acaccggcac gcaggcaggg aaacctgtgt gtgcaaaggg   27600
aaggagattg gaaatgcaga ggaaggagg gagggaggag agcagtagat gatgcatcct    27660
tgtgcaggat cggaggatac acgctttttt tttttttttt tttgacgcag tctcactctg   27720
ttgcccaggc tggagtgcag tggcgtggtc tctgctcact gcaagctccg cctcctgggt   27780
tcacgccatt ttcctgcctc agcctcccga gtagctggga ctacaggcgc ccaccaccaa   27840
gcccggctaa tttttttttt gtatttttag tagagacagg gtttcactgt gttagccagg   27900
atggtctcga tctcctgacc tcgtgatccg cctgcctcgg cctcccaaag tgctgagatt   27960
acaggcgtga gccaccatgc ccagccggat acactctttt ctttaaagaa aaactcatga   28020
atgccatttc gtcctaaaat attcagacgc aatcctttgg acagtcagaa actgcggcca   28080
ttccccttcc tctccctgga agttttcgct gttaacattt tcatgtgcat ctttccttcc   28140
aggcattttt ctatttatga atgaatgggt tgatagttga atagttgaaa actggcactt   28200
```

```
ctcaggacac caccagcaag caggctttgt ccttggagca gggtccctgg gggtcatgtg   28260
ctgagccagg tttcagcacc ttagatggtg gatggtctgg gggacatttg ccaaacagac   28320
ctgatgtggc cccactagtg cgtttctgac cagccgtcag caccatacaa acactagcag   28380
agaagctcgc ctgtcagcag cgtgattcct atttcttacc catgggaggg cactgttcat   28440
attgttcttg gtgtgctgtt ctgcgcctga cttagcactc cttcccatct acatgtagtc   28500
ccctttgttg tcacctgtgt atggtgtgat gcagccaacc ccagcaccct gtccccgctg   28560
atggacactg cagtggggac agcctacggt tacaccagca cacgatggtg cagtgactcc   28620
tagggcacac cacggctgga cacaggctgg agcactcctg ctctcaaaca gtgaagctcc   28680
gacccaggcc cctggcatga gaggggtggg tgggtcctgc tgctgcagaa gcttggagag   28740
acccttcccc tccatgcccc tcccattccc ctaaccttga gtgagagcat tggccttgga   28800
gtgatttcca tgtgaaattt tacacataca tcatgtagga ttggacaaaa gtggtcaggc   28860
tcgagkgcta ctaaggaaga aggaataggc agacttgggt cttaccagat gcagggagca   28920
ggtaggaggc acactcttta gtgttaataa gcccaccagc ccccattctt tcttccttga   28980
cactcagatg caattcctgc agtcatgaya ttggctgctt tgggaagcag ctgcagaatg   29040
ctgtgggctg ttgggcagtg gggggctggc taacgtcagg tgtgttcaca tgagcgtcct   29100
cacagggaac gtgtgatgga aggtgctgga gctggtacct gggcagtgtg atgagaaagg   29160
aacgtggctt tcagaaagca gagttacaaa tgcatctagc atcaagtaat gtccagaaag   29220
cagttttgcc agattcagct ccttcctggc tccagccact ctctctactt cctgcagttc   29280
ccactccagt ccgctcacta agttcattcc ttccagaaga catcttctga gcacctactg   29340
tatgacaagc cctgggcttg gtgctggaag tccagaaatt agagatgttt tatgacttca   29400
cagggctctg agtctcagaa gtgtggcaca ggggtagtga atcaggggta ctggtgtggt   29460
caaggcatcg gggtgacctt gagtcatgta caccaggggt actgggggtg ccaaggtggg   29520
gagcagagct tcagccttca agacccagtc ccagggcaaa gtgaacctcc gagttctttc   29580
ccaggcccag taggtctcca ggagggttta agaggagagt gaatgaatta agatcaagtg   29640
agactggtgc tcccccagct ttgtcctggc agtaactctt cctctccctt ccctactctg   29700
cagcataagg ccatgtcctg ccccaggacc agcctccagg accctccca ggtgctcaag    29760
tgtagctccc atagcagcaa aggaaggatg caaagtctca gggctttgca ggtggacagt   29820
cagacagctt tgctgaccaa ggagaaaata agtttgtgtg tgtgtgtctg tgtgtgtgtt   29880
catgagtgtg catgtgtgtg catgcatgtg catgtatgtg tgcacgtgtg agtctgtgtg   29940
agcaaccagc tcagtctgtg tctgtgtctg gggctcagca gagcatctgc tctgtaagtg   30000
ttcctactgt ggactataac ctgggcagca ttgatttggg aagattttgg taacatggct   30060
ccatctttcc acacctgaca tcccttagag ggacatgtac acacccactc tgaccatgtg   30120
cacaggcgcc aagcagccat ggggaccaga gcgcttacgg tcttggcctc tggagcccctg   30180
attttgagcc cattgctacc tcctgtgggc caccacggtg acttggggca cagttggttt   30240
tctccattga ggagacaacc aacaacatta ggtcaataat cgctacttgt cagccttaaa   30300
tggtgggggtg aagatggagt aaggcaatca acttgtccaa gtttcggtcc ccaagaaacc   30360
aaccccaaga tcagcatttg cctgcaagcg ggttatctgg gaggtaatcc caggtagggg   30420
atgttataaa taaattttca tggcactcgg acataaattt aattttctca gcaaggcaat   30480
tttacttcta tagaagggtg tgattcgtgg atggagcaat ggcaaaagca cacctgaaca   30540
agggaggggga aggggttttt atttctgact caagcagccc ctcctgctgt gtcattcccc   30600
tattggctag tgttggactg cacagtctaa gctaattcca actggccatt tcaaagagag   30660
caggggtacg agctggagtg gcggggtgag tagtttggca ggaaagatgg ttacagaaca   30720
ggtgactcag gatgactcag gtcagagcag gtgaccaggg gtaactcggg acagagctgg   30780
tgatagaggc aaggaggggg ttgtttactg aaactagggg caaggagacg aaaaaaacga   30840
ggaagttaaa ctttaaaacg aagaacaaag aacaggggag ctgaacatac tgatacatta   30900
gttatttgga gaggatctca gaacccattg tactcaacaa tttacaggct aaaacctttg   30960
aagaggaatt tattatatgc tatagggagt tagggaagag aaactggaa gggaagacag    31020
ctttgtgagt taggggggtta tcctagccac tggagctggg aaagccagaa gccagcgcag   31080
cgcgtgcatc tgagagtcaa cacgtgatgg cgaggaagcc agggtgtttg tgcagcagct   31140
ccctccagtc tgcaggagga ccgcttccag gaggacttcc ggcctgctgc accagtggca   31200
acctgagcac agaaggccag aagagccoct gggcagggag tgcggtgctc cccctgggag   31260
gctgtgccct gggtgctcgg gtgtggggggt cgcccgcgct cctgggagcc gagcaagggc   31320
gcgcacccg cagtgggaga ggggcttcct gcgcagcgcg ggaggagctt ccaggacggg   31380
agctgtctgg ggcagagccc tggctacggt ggcctcgcag cacagcgaaa gcacagggac   31440
tgcgcagtcg ggaggcgctt gctctccgtg cagacccccg ggtgcgcggc cgcagtgcct   31500
gcagccatcg ccctacgggg cctcgcgact cgggcatcgc ccctgctctc caggcaggac   31560
tagagcttcc agaaagtccc agggcacccc tcgcgcatcc caggggccag gcgggcgctg   31620
caaagcctgc tgggaggtgt agttttcgct gaagacgggg ctgcccagag ccaaagcagg   31680
gtgggctcca gagcaagaag ccatcgtgga cgcggcgtct gcgggaggaa agcagctcct   31740
tctggcttcg cgaaggccgc ctagtccagg agccccagcg cccttctccc agccaggtgg   31800
atgacagttc ccagcgcctc.gaaggcctgc tctgtgccgc gcgccctgca cacacgattg   31860
catttcctgc acgcagcccc ccggcggggc aggtcgagcc gtttacggat ggaagagagg   31920
agccccacac cttgttggag gcgccgtcag caaaggcgag ggcttcttt ccatcctgac     31980
```

```
tgtgtctgtt ctctgctctg accgcggggc ctgcagggct gttagcccca tttgcaggag   32040
gaagggcacc cttttctttc cagaccagtc tctccctccg ggcagttacc acctcctccc   32100
taccggccct gccctcccac tttacccccc ccccacggta tccggcattc tccctgcttc   32160
ccctctgggc tgggagctct tccagagccc ggaccctggt gccagctggg ccaaccttga   32220
tgagtgatta acagtcagat tctccaaatt agactatgaa taggattcac agataaagca   32280
gataaaaata cagacaccac cagctaaatc tcaatttcag atagacaact ttcagtgtaa   32340
gtcttacagt aggtaggtag tcagacagga gcaggcagg agagccacca ccgcccccca   32400
tgcagccagt gccagggaaa gttggtctcc cactccgtag aaacactgga agctggtgat   32460
cagcagcttt ccgaatagat cgcaggagtt gggcaggtgg gctcaagcat tcacgctaag   32520
aggcaaaatg gtggagttta actggtctgt aaccttctag gagaactcca ctggtaaggg   32580
aagcacgcct caagagagca tgcgtacaac tctggtaaac acaccgcaat gcagccctc    32640
ccaagtactg gcaggccact gtgaatacag acagcccacc ccaaaggaag aatcagggag   32700
aagggacaca accccgaaga agcatgccaa catataaaac ccaaggtcaa aggtgaaacc   32760
gcacacttga tctctcaagt cacccacgtg gccctcttcc aagtgtactt tacatccttt   32820
ccttcctgct ctaaaacttt ttaataaact gtcacattag ctctaaaact tgcctcggtc   32880
tcaaactctg tcttatgccc ctaggttgaa ttatttcttc tgaggatgca aagaattgag   32940
gttgctgcag acccatatgg atttgccact gctaacgtaa gtatatccct tgcaatattt   33000
gggatatact tatataaaag ttatccgttg tttatgtgaa attcaaatct aactggatgt   33060
attagtctgg gttctgtaga gggacagaag taataggata gatctatata taaggagaat   33120
ttattaagta ttaactcaca tgatcagaag gtcccacaat aggccaaatg caagctgagg   33180
agcaaggaga gccagtccga gtcccaaaac tgaagaactt ggagtctgat gtttgagggc   33240
aggaagcatc cagcgtggga gaaagatgga ggctgggagg ctaagccagt ctctcctttc   33300
acatgtttct gcctgcttta tcttctagcc tcactggcag ctgatcagat ggtgcctacc   33360
cagatgaagg gtgggtctgc ctttcccagt tcactgactc aaatgttaat ctcctttggc   33420
aacaccccca cagacacatc caggatcaat actttgtatc cttcaatcaa gttgacactt   33480
agtattaacc atcacactgg gcatcctgta ttttatctgg caaccctaac actgactatg   33540
tagctcattt agctcagccc cttcctgtca ccataggaaa tacaggtgcc cagagggga   33600
aaggggtcct cccagacaca cagcaaattg gtagtagcta tccccaggca cctggaactg   33660
agacagggct tttccacaga ataacactaa agtggcagtt ccaagtgag gagggagcag   33720
tgccatggtc caggaggtgc agtgcgtgtc ttgggcagca agaggaagga tttacctgca   33780
gatggtgggc agggttaatt ctggccttgg tgctacctcc agaagcctgc aggacctgaa   33840
gcccacccct tcgcctttt tccccactgc cacaagcgag ttagaatagc tgggggatct   33900
aatacttcca gtctcgatgt cagcagacac gcccagtccc cacactcaat cttatctcca   33960
ccttagctca ggtggggcac tgagcagggc actccctctc tcagcctcag gtttcagatg   34020
tataaaatgg gatatcaata cctgacgggg ttactgcaag gatgaaagca gatgcatttt   34080
tttaaagtgc cctgtgtgat gcttgtatcc tgcaggggct ctagacctag ttattcatgt   34140
tgttattgac agtcactctc ccaggatcaa tgctgggaga tgcagtgata acaaaacccca  34200
gatggactgc ctggcatgtg ccatgcctgg gctgactgtc tcgtgtaatc cctgtggttg   34260
agccttattg ctaaagtgat tccattcaca gtgcaccttg gggttcaggt cgggccttgg   34320
gtttcatgtc tggccagcaa gcaagccccc cagctgaggc gcccacacat ctccacccaa   34380
tgagcccgca cttacaggac ctagggccac cattctgggt cattggggat gaaacagcca   34440
aacctgggcc ttcagcattg cgggtgaggt cgaggagcag agaggagtga cagacacaga   34500
cattggtgca catcgccccc ctcctagtgg gtcgggtcgt cgatgccagc ctggcctgca   34560
cctggagctt gggtcccaag cctcagcagg acattcttct ctggccaaat ttaaagtgcc   34620
ccaggaaacc aaatcactag gggtaacaga gcaagcagag ctgtggcatc acagtctcag   34680
tcaccctgct gggacaggag gcatggtaag aaatgaattt tacatatggc ccagcacaca   34740
gatataacta agaccaagcc cttgcccaac aatatttact ccacttcaga ggtgcgctct   34800
gaccctttgt tttcttttct atttcatatg ttttagctac tgcacacagc ccactgaatt   34860
gctttcagga cttcctaata aagcatggga tgcagcttta aaatcttaga caatcctcat   34920
cacagaccct ttaaatttga cgacccactt ttatggccag acaagttgaa gtcgtgagcc   34980
gtgaactatt tcctctcttc acgccgggaa gtgcctagac cacagtgggg ggccggccag   35040
cccttccatc ccaagagcca gccctgtgg ctcctgcggc ccctgcataa atatggaact   35100
ctcaggccag gatgggaact gccagggctc aagcagtaaa ctttataagt tattacaaaa   35160
cagaagtgta cacagggaca ctgtaataaa gcgtattggg agttacggga actctccaac   35220
aagtttagaa tctctggttt caaaaactat tgcaacatta taataaacaa atatccaaaa   35280
gcttagaaat agaaattaaa gataaagatg gtcacgtttg accaaaagaa caatattttc   35340
gtactgagct ttgatgatac aattattaat gaggaagatg attttaaaat taaattcccc   35400
ttgtaattca agatacagtg atacaaggca taaacgggca attacgctat agtgcattca   35460
atccttaaag ccaccgctgg ttttctgtat aacccccaca ggttgcagga aggtcagcca   35520
tgaaacatta aaataccact gtctgtctac atttaaaaatt aaattcagat tcacataaaa   35580
atgatttgta taaagagtta aatatttta gaaaattgt tctgcaagaa tcatcagctc   35640
tagatatacc aacatttgta tttcaaaatt ataaaaaatg tatctcaaag ttattatagc   35700
ctataagata ctcttaatag ctccaataaa aaatgcatca gcagaaaggt ccttcttaaa   35760
```

277

```
atggaaagtg tcctaaaatg atttgtgagc ttgtatttgc caacagcaac tgatgtcaca  35820
ttcaattata tcgattgaaa acaaagttgc taaaagtgta agctttgata acctaataaa  35880
tgaatttgca gaaaagtgag ccagggaaag cttctaatcc agttatcaca taaagtatta  35940
tttgttttat tgtataaata atcacaccca aaatattatt ttgacaaatt tgtaagttta  36000
tgttgttact catgcatcac tattatccct attacattgc ataagtaata aattttttcaa  36060
gggaaaagct ttctatttca cccctgtaac tgcactttcc tcctgctttt tgaataaggg  36120
gcctgaattt ttattttgca ctgggctttt caaattatgc agcaagggat gatccagcag  36180
gtggagagct ctgagctccg agtggactgt gccgtgctgt ctgtgatatc tgctaacata  36240
gaatgtcttc cgatatgtta ctgtgcatgt ggggagtact ggctttgaat caaaagatcc  36300
ttggtgaaaa cccctgcctc accactatgc gtccttgggg aagtcacctc tgcacctttt  36360
ctttgacgtc aggtagtgag atggcacagg gaagcgcctc ctgtgggcac ctgcatagag  36420
gggaatgtag gtggctctta agtgctgaat ctcttcccga cgcaaaagtg tgctctaagc  36480
accagccgca tcgacatcac ctgggaactg gttacaaatg ccgaatctag agctcgcccc  36540
agacctattg agaaagaatc agcatttttaa taatattcca agatgatctg taggcctggg  36600
agtgtctaag aagcgtggcc ctagacaaac ggcttgggga ttacctgagt actttgccgt  36660
ttaaatttag tcctaactat tgctattcaa agagtgacca ctagagggca caagagtcaa  36720
gtgattagtt gtttgatttg ccaaccagga gcttggaaag agaaaaataa aatgtcacaa  36780
acagggctgg gagttacctc caagagtcaa atcttcctct acacccccga tccccacccc  36840
aaagacaaga gctttctgct gacctcctca aaagcatggg tttttttttgg gagggccaag  36900
gtgagggttg ggtttttttgt ttgtttgggg ggttttgttt ttgtttttttt gaggcagagt  36960
cttgctctgt cactcaggat ggggtgcagt ggcatgatca tagctcactg cagcctcaac  37020
ctcccaggct gaagcaatcc tccccatcag cttcccaagt aactgaaacc acaggtgtgc  37080
accacaatgc ccagctaatt ttttttatttt catttttgta gagacatggt ctcactatat  37140
tgctcaggct ggtctcgaac tcctgagctc aagtgatcct cccacatcag cctcccaaag  37200
tgcttgggta acaggtgcga gcttccgtgt ccggcctcaa aggcatgttt aatcggaaat  37260
gtgcattggc catgggcctc cagatctgag gtcggaggac tgatttccac agcggaggcc  37320
ctacagttga gccagcctgc agggatgtgg gaacccagga ctggggggtt tggggcttgc  37380
acggcactca ctgccaccag gtgaccttgg gcaagtcact tctctcctgg cccgcgtgcc  37440
tctatcctta aagtgcaggc agttggcgcg cgagattccc ggggtccctc tcggtttttaa  37500
agcctaggct tgcatagtat gggtcttttc ctgttgcagc tttctggttt gtgccccaga  37560
atttgccagg gaaatagaac caagccccaa gcttctgtct ccagagataa gatggccttc  37620
tcttcctgtc atttaaggcc ctgggaggcc ctagaatttg gagtgtctgg caggcctgga  37680
ctgttaaggt gcccagcatt ccagaggcga tggcacattt gtctgtgtca aggaggctct  37740
gggcatgggt agggaggtgc gaggtaagag agggcagagc tgagggcaca aatccagcca  37800
tttcacagat ggggaaacca aggttcagag gaggacatgg ctatagccca ggtccctgta  37860
gcccggagtc agtggtggag ccaggacttg aactcaagta ttggagtgca aaaggcagca  37920
gcccaaatgc tgacggcatc ctagcgaggg ctctgagccc tggagtcgag tgggtgcttg  37980
ttgcctgggt ctctggggga gctcgcactc cctggcattc tcatgggcac ctcctgcccc  38040
aggcagagct ccaagccttg gccagcagag caggacaggc ctgcagggc tgcccacgga  38100
cctagtgttc tcggggtttc tgccaaggta acaagagcag ggagggctcc ctccccacgc  38160
tggatcctgt ccagtcctct gcttggctcc aggggcacta actgggaccc tcaagcctgc  38220
tgggccacag tggtaggcca taccatccca gagcatggct ctgaccaggc cactcccctg  38280
cttaaagcct ctaggggccg ggcacagtgg ctcaagcctg taatctcagc actttgggag  38340
gccgaggcgt gcggatcaca aggccaggag ttcgagacca gcctggccaa tatggtgaaa  38400
ccccatctct actaaaaata caaaaattag ccaggcgtgg tggtgcccac ctgtaatccc  38460
agctactcgg gaggcaggaa aatcgcttga acccaggagg cagaggttgc agtgagctga  38520
gatcccacca ctgccctcca gcctgggcga caagagcaag acttcatctt gggggaaaga  38580
aaaagccttt agaggctccc tattgcctgg gtgatacagc aggtggcatc ctcactcctc  38640
agcctggtgt tcaatgcctt tggcttggga cccaccctcc ttggccatgc acaccaagct  38700
gtcctgccca agggcatctc ttgctgggcc cacctaagcc cacgcatgcc cgcccacctc  38760
cctctttcca tctstatta tagagcccct gccgggtgcc aggcagtgct ctaggcactc  38820
gggggcaatg gtgagcaaac ggagccctcc ctctttggac tcatgttcta atgggaggca  38880
ggcgaagaaa tcaacagcta agcttatggc acccagcagg gaggaaggaa gggggacggg  38940
atgggagggc tgcagtgtcc cctagggtgg ccagggaggg tgtctgagaa ggtggcacat  39000
gtgttgggat catgaactct gggcgtggct gtgtagcatc caggcagagg gaacagcaag  39060
tgtaaggacc tgaggcagga gtaggctcag catgttccag gaccagcaag gccagcttga  39120
ggccagtgag caaaaaaaca gtggaggtgg gagatggggc ccacgggtga caccgccagg  39180
ccacgcaagg ccttgggggc attggaagga ctttggcttt tacattgaga agacagagct  39240
cctggagggc tttgtccaag gactgatgag cccagacatc actggctgct ccggtgagcc  39300
tggagggcag acaggggagg aagtggggag accatgggag gtgaccgtt tccgtaaacc  39360
tgaacccctg cagatgccat tccatctacc tgagcccctc cctgcaagct gtgttcggag  39420
aacgcctata tgttcacgaa agctaagctc aaatgccacg tgcctgctcc ttcctgcacc  39480
ccaggtagaa acaccctcgt ttgcctctca attcccactt tctttgagca ctgttttttga  39540
```

278

```
aagcacctgc tttgtagacc cctacagaaa ttctcacttg tgagcatctc ctgctctggt  39600
accagatgct gagcccttgc aagagagcag ggagctgggc tggttttgcc atcatggagc  39660
agtgcacctg gccttctgca caggccccca agccacccag cagggccttc tgggtagcct  39720
cacccagacc aacggaatca aaatctgtgt tggggtgggg ggcttgagct tctgctttta  39780
aaattcttcc aggggtttgg gttaatttgt ctccctgggg ctttgtgtta atttgtctcg  39840
ctgggagtag gggcccagcg agatcgtcct aaattcaaat cctgcagcag ccataggtag  39900
ctgtgggatg tggtcactta atctcgctga gcctcggtcc ctcttctata gccccaggtg  39960
cccagcaggc cgacagaggc tgtggccgcc tctcccacct ctttgaattg ggctgagaga  40020
cagacgcgca ccttccggag aggaccgtca ggctgaagaa gacacagcta gtgtctaacg  40080
ggagggtagg ttctaaggaa gtgaagattt atgagagaaa tgagtgagtg tgatcatgtg  40140
tctcatacca cagcgtgtga gtccgtgcaa acgccatgtc tgtcccctct caggagaacc  40200
ctctctcaga gctatgaaaa tccttaccat tgcctcattc agactctcaa agtctgaact  40260
ctgtcacttt agagcacagg actcaaatgt gactgtgctc aggaatcaga tggggttgg   40320
gttaacatgc acattcccat gggcaggtcc agggcagggc ccaagattgc atttctagct  40380
catccttggt gatgctggca ccactggtcc acagatggca ctttgagcag caagattgca  40440
gccctaagc cctactgaca tagaatctgc aatgtaacac tatctccaag agatgcgttt   40500
gcacactaat gtttgagaat taccagtgca gagacttgga agaatgctta ttttgggt t  40560
cagcatgccc tagagagagg ccaagaatac gtttgtcatt ctggtctcct ttcaataact  40620
gtgagtgcct cttggtttat tgttagacat tgagttattc agataattcc tagtcagctc  40680
cacaaaagcc ctatgtgagt gtgtgcagtc atgtctggcc cccagtggag gagtggcaga  40740
gggtgtgtgg tggcccggga aaggtgtggg ttctgcagag agggaaatta actttggtta  40800
aggctgctta ctgggtgcca gcttttgtg ctgatcactg cgcctggatt agttmccgta   40860
tgtactcctc acagcagcct ttggaggcag atattactac tgtgttacag atggggaaac  40920
caaggttggg aggaggaaag gcacttgccc aaggcaagct ggctagcaga gggtgagacc  40980
gggattgaag tcaggcttgt ctgtgtgtca gatgggcaa agctagctgc ggcaacaaat   41040
caaccccaga ttgcaggagc ttggcaaaca gaagttcatt tttgttccct aacagtgcaa  41100
gctggtactc ctggttgatg ggccaccttc ctccacatgg tgactcaggg atccaacctg  41160
catccagcct gtggtatcac tctccccagg gcctcggaga gcccactcg tggctggcag   41220
ttggaggatg actgtgtaga gacggtagag tcttctttaa acccatagcg cagaagtggg  41280
actcatcatt tcccaggctt cccattggtg agaagcagtc acatagtcac acgcacggtg  41340
agggcactgg gagctgtcac ccaggctgga gtgcagtggt gcaatcatag ctcactgtag  41400
ccttgaactc ctgggctcca gtgatcctcc agcctcagtc tctagagtag ctgggactac  41460
aggtgtgggc caccatgctg gctaattaat tatttatgta tttatatttt ttgtagagac  41520
ggtgatatgg ttaggctttg tgtccccacc caaatctcat cttgaactgt aatctccata  41580
atcgtcacat gtcgagggag agaccaggga ggtgattgga tcatggggac cgtttccccc  41640
atgctgttct cgtcacggtg agtgagttct ttgagatctg atggttctat aggggctct   41700
tctcccttcg ctcagtgctt ctccttcctg ctgccttgtg aagaaggtgc cttgcttccc  41760
cttcaccttc caccgtgatt gtaggcctct ccggccatgc tgaactgtga gtcaattaaa  41820
cctatttcct ttataaatta cccagccttg ggcaattctt tacagtagtg tgaaaatgga  41880
ctaatacaga cgtggtctca ttgtgttgct cagggtagtc tgaaactctt gggctcaagc  41940
gatcctccca gcttggcttc ccaaagcact gggattacag gtgtgagcca ccgtacctgg  42000
ctggggttgt gatgttgaaa aatcacacag ccttggagcg agaaaggctc tgaggttctg  42060
ttcatccatc cggcacctga aggtgctctg caaagctggc aagatgatca tccagcccct  42120
gccagacatg aggccacagc cggcccagtg acctggagtc accctctggt aaggctgctg  42180
ccctgggacc tgcgtttctg ggatgctgct gacctctgcc ctccaggctg acccgaggct  42240
gaccgggaag cccagtggtt cgagaaacaa ggaaaggtgg gagtgcgggc cctcccagtc  42300
acctctcacc ctcctcaggt cacagtgatt atctgattca ttcattggatc aatcaataga  42360
taccctggac tggttgctag ggacagtagg tgtactagtt gaatggcccc ctaaatccat  42420
gcccacttag agcctcagaa tatgacctca tttggaaata gggtcttgga agaggtaagc  42480
aagggaagat gagttcatta tgtgaccggc ggcaataccc tgacattcct agtgggttgg  42540
ggaagccttc tcctgccctg ctcatgtctg tctcaccacc tgtagcagct aggaggggcc  42600
ctactctgag gactggtgcc ctttttaagaa gaggaggcgg gcacagtagc tcacgcctat  42660
aatcccagca cttttcagagg ctaaggcagg ctgaggtcgg gagttcaaga ccagcctggc  42720
caacatggtg aaaacccatc tctactaaaa atagaaaaac tagccaggcg tggtggcgga  42780
tgcctgtaat cccagctact caggaggctg aggcaggaga attgcttgaa cccaggaggc  42840
ggaggtcgca gtgagccaag attgcggcac tgcactccag cctgagagac agagcgagat  42900
tctgtctcag aaaaaaaaaa aataaaaaca gaagaggaaa ctggatacag acacagagaa  42960
gctaatgcca tataaacaga gacaaggaag actgtggaac aacggagacg cgatgggagc  43020
gatgctgcca caaagaccgc cagcaaccag cgaagccagg agagaagcaa ggacccagga  43080
aggagccaac cccgcccaca cctgggttgc agactcctga ccctaggact gtttgggaga  43140
gtgcatttct gttggccgaa gccactcatt gtggcgcttt gttacggcag ccagggcacc  43200
accagcgagg ggcagaaacc agcgggtgag tcatgtgcag gccaggaacg gagaaagagg  43260
aagaggcaat tcacaggcaa agacacgaac aaaacacaaa caagggagac caagagcgcc  43320
```

```
tgcattgagc aggggtggga gggtgcggtg gagggcagca ggagaggacg ctgtgtgagg   43380
gtggggaagg agggctgaga gtgggcgcct tcgtgaagca gggactctgg gcagagagaa   43440
tagcatggac gaaggctctg ggctgggaaa gagcttggtg tgttcagggg acaggaagga   43500
ggccggtgtg gctgagtggg tgggaggggc agagaggggc ctgagctcag cggggagggt   43560
cactctcgga ggccacagga aggagtgggc attttcttct aagtgcatca ggaagtcttt   43620
ggagggtttt aagcaagaga gtgacatgat gggattgatg tcatttggac tgctgtgtgg   43680
aggatgtgaa agcattcatt cattcattca ttcattcctt catttcaaca agtaataata   43740
caaacaacct caggaccgtg accaggcctg tggacaaaag aaatggcaga gagatcacag   43800
ccttggggag tcagggctgt cagagaattc ccctctaaga tgacctggag caggggcctg   43860
gaacagccat aggagggctg gggaagggtg ctccagggtg cgcagtgagc acaaaggcca   43920
gctggtggct cacacccctg caagccatct ctcctccagg ctggagtcgg tgcttcccac   43980
agttacttct cacgactttc tcattttgtg agaaattcct gataatgatg ctctcagctt   44040
tctgacaaag agctcaattg ttcctcaggc ggtaccaatc ttaatcgtta tagtcaagaa   44100
gttttataag cactttttta tttatttttt tttaattttt tgagacagag tcttgctttc   44160
tcacccagtc tggagtgcag tggtaaaagc tcactgcagt ctcctcctcc caggttcaag   44220
caattctcat gcctcagcct ctcgagtagc tgggactaca agcgtgtgcc actatgcccg   44280
gctgattttt gtaatttag tagagatggg tatcaccatg ttggccaggc tggtctcgaa   44340
ctcccgacct caagtgattc tcccgccttg gcctcccaaa gtgctgggac tacaggtgcg   44400
catcaccatg cctagttaat ttttgtattt ttagtagaga tgtggaggga ggggtttcac   44460
catgttggcc aggctggtct cgaactcctg acctcaagtg atctgccctc cttggcctcc   44520
caaagtgctg ggattacagg tgtgagccat caagcctggc cttataagca ctttataatt   44580
tgcaaagccc ttctgcaatt cagttcaata gcccttccct ggcccagagg tgtggggaga   44640
aggcagatgt gcacacagat cttatctcac cttcaggaag gtctgactcc atctggtcat   44700
acaagataac cgctgtgcaa gttccaaagc aaggccaaca tagagacaca tgcccaggtg   44760
cactgatgtg aaacattcac ccgtcattca actcccagag gggcctcaga ggcagcagtc   44820
taaaatgtgg caggttgata acaagctggt accaggtcag ggtgtgtctg caggcacaga   44880
gctccccgcc aggagggaga agacaacatt tggtccttgg ctctgtggcc ttgaacaagc   44940
gtcttaacct ttctgagcct cagctgcaaa agatcgattc tatttgattc tcacaggagg   45000
ctctgagcca tcaagagtgg gtcaggctgg gcctggcacg gtggctcatg cttgtaatcc   45060
cagcactttg ggaggccgag gcgggcagat cacctgaggt caggagttca tgaccagcct   45120
ggccaacatg gtgaaactcc atctctacta aaaatacaaa attagctgat cgtggggggcc   45180
agcgccagct acttgggagg ctgaggcata agaattgctt gaactcggga ggtggaggtt   45240
gcagtgagcc aagatcgcgc ggctgcactc cagcctggca gatagagcaa gactccatct   45300
caaaaaaaa aaaaaaama aaagaaaccg ggcacaagrt ggctmaacgc catgtaaatc   45360
cmarcamttt tgsgargccr aaggcgggcg ratcacaarc gtccargara tcaagaccat   45420
ccwkgctaaa cacagrtraa acccctctc tactaaaaat acaaaaaagt tasmcaggcg   45480
cgrtgrcrrg cgcctgtagt mccagmtact cgggaggytg aggcaggaga atggcgwgac   45540
cccgggaggt ggaayttgca gtaagccgag cttgcaccay tgcactccag cctgggcgac   45600
tctgtctcaa aaaaaaaaa aaaaaaaag agtgggtcag gctgggcatg aattcgcctc   45660
tatcaactac cacctgaccc cggacaaggc agtatggttt cctgaaccat aaaatagggg   45720
gagtgataga acccacctga tagctattct ttctttaaga ctgagctcca gtgtcaccct   45780
ttccccagcc cctcgcagtc catctccgga cctcaccgtc catgctctgc acttgccacc   45840
ctgagcctca ttccgaaaat acctgcccgt gctgccctca aagctcagca tgtcttgggc   45900
ccccagtgtc tctccaggca ggttctctgc acagatgtca ggccagactg tccctctttg   45960
ctcagggaaa aagaagatga gctctcaagg tgccagcctg tagtccctgc actggggcag   46020
gacaaaggta agtagaatca agaatcgcca ccaggactac actttcccca ggaaaaactt   46080
gaaacgagtt cacgtagcat tttggatccc accmkwwcag cagcmctaga gaaagtgcca   46140
agagaattcc tatacccaag tttcttctct ttctcttacc agaagctctt tggcatttca   46200
caaagcaagt tgcaaccaga gtctggcagc ttccattgta tcgaacaatt aaggaaaaca   46260
atgatctgtg atcacggcaa gcttctgggt aatttatatt tctaaagatt gtcaaaaaca   46320
atatctcctt cgctaaaact gttcaaattg ctcccacaaa catcaaaagt gctccccacc   46380
ctgccccca ctttctctgc ccgtctctat ggcaacgtgg agctgtgcta ttctgatcac   46440
tgctaccaag ccaagcaggt gtccggaaag ttttggggag gattttgagt gggtaattt   46500
ttggctcttc ttgacatttc ctaagtgccg tgatgcctaa aattttgttc tattgtttcc   46560
tgctaaagtg aacaagaagt tccctctccc accagctctg gctttttttg tgtggttttt   46620
tttttttttt ttttttttt tgagacagag tcttgctctg tcaccaggct ggtgtgcatt   46680
ggcgtgatct tggctcactg caacctccac ctcctggatt caaatgattc tcttgcctca   46740
gcctcctgag tagctgagac taaaggtgca tgccaccatt cccagttaat ctttgtattt   46800
ttagtaaaga tggggtttca ccatgttggc cagaatggtc tcgatctctt gacctcatga   46860
tccgcctccc tcagcctccc aaagtgctgg gattacaggc gtgagccacc gtgcctgcc   46920
wakmtytkrr wtttgagawm gatcacagga gggactcagg ctgaaagaa gtgagggagg   46980
aggcaggcg tggtggctat tgcctgtaat cccagcagtt tgggtggct aggcagttgg   47040
attgcttgag cccaggagtt caagaccagc ctgggcaaca tgtaagacct catctctaca   47100
```

```
aaaaaatacc aaaaaaaaaa aaaaattagc tgggaatggt ggagtgtgcc tgtagtccca 47160
gctacagggt ggctgggatg ctgaagtggg aggattgctt gttcccagga ggctgaggtt 47220
gtggtgaacc gagatcatgc cactgcactc tagcctgggt gacagaacaa gactctgtct 47280
caaaaaaaaa gaaagaaaga aagaaaaaa aaaagaagtg aggagatgtt gcaaatgccc 47340
ccccaccca aaccacacct cggggggtgtt tgtctaagaa aacatctttt gtgacctgtg 47400
tgttatcttc tttacagcca cctgaaacgc agaagggagc ttgctgggtt tcagacatgg 47460
gtaagtgtgg ggtggcattg cagcagagat tggaggccgt cggaccaaag aggtgaccca 47520
gagtggccat gggcacagga ctcaacctct cagagcctct ggttcctggt ctatagcctg 47580
aggacgatcc tacctcccag gttgtcaggt ggatttaatg ggccaccagg tgtaatcagt 47640
attcaggaag ggatggtaat ggtctgtggt gtggttatgg aggaagctga tgtccaccaa 47700
ttccacgtcc acgcaggtta gctcccaggt cttcccaata accctttggg gcaaaggatt 47760
tactgagttg acgcccaggg aggtccaatg agttgctcca ggtctaacga cattgcctaa 47820
gcgtgtcata gcccctcccc atgctcagtt ccctgattta aagtcagtgc ctcttggaag 47880
caatcaccgt gtccttcggg aggtgagtag atacataagt ggatacgtaa gctgtggtcc 47940
atccagacaa tggactatta ctcagcaata aagagaaatg agttatcaag ccatggaaag 48000
ccacggagga aactgagccg catatcacgg agtgaaggga gccaagctga aaagtctacg 48060
cactgcaccg ttccaactct gtgacattcc ggacagggca caaccatgga gattgggaaa 48120
agatcagttg ttgccaggag gcagcgggag ggagggatga agcagtggag tgtcaagagc 48180
cttaggacag tgacgctgct ctgtatgatg ctgcagtggt ggtccacgtc attctacatt 48240
tttccaaacc cacagaatgc acaatgccca gggtggaccc cgatgtaaat gctgcgctct 48300
aggagatagc aatgtgtcaa tgcaggttat ccattggaac aggtgtgggg aggctttgca 48360
tggggaggtg tgggatctac gggaactgtc tgcactttcc actcagcttt gctgggaatc 48420
ccaaactgcc cttagaaata aggtctatta aaaaggggta ggggcggct gggtgtgggg 48480
gctcacacct gtactcctgg cacttttggg gggcagagag agatgggagg atcacttgag 48540
ctcaggagtt caagaccagc ttgggcaaca tggcaaaacc ccttctctac agaaaataca 48600
aaaagtagct agatgtggtg gtgtgtgcct gtagtcccag ctactttgga ggctgaggta 48660
ggaggatcac ctgagcctag gaagatcaca ccactacatt ccaacggagt gagaccctat 48720
ctcaaaaaaa aacctggggg gagtaggggg cagaataaag ccagcacctc ctccagggag 48780
ccgtccctga ccaccatcac ctgctgcaat ttctccccct gccaggaatc cgcaggctgt 48840
catcacttct cctctggtta gccctcccc agaataacag tggctggggt ttccagcttc 48900
cggacctaac aagcccctcc agggcaggta cggggctgtg tgccttagac ccttccacct 48960
cacaccaggg cacccagtga gacctgtgag ggagcgggta gcaggtgttg aacgattgcc 49020
ccttcctgcc agtgactgac atttgtaaga gagactcagc atgaaatgac agctgcacgg 49080
tgtgggcaca ttgatgtact tagcaaatga ggccctgct gctgccgtgt cctgtgtcca 49140
gtcctggtga cacagccctg ggacctgaga cctgtgccca ggccccatgc tggctgctgt 49200
catggtctcc ctgcatccag ggcaggctgg gcccatttcg aaggtgaggg ctgggggagg 49260
tgggggatct cagctggcac tgctcagtga tgtaggggca tgactgggac acaggcaggc 49320
ctgggaacag cgtctctccc cacacgggca ttttccttct tctgcctcaa agttgctttt 49380
gcatcctggc ttttttttttt ttttaattcc ccaaatgaaa cttcccagtg cacttggtga 49440
ctcgtctgtg ggctgtgaag tggcgttcgc tctctgcctt cagagatgag cacatcacca 49500
ctcagaccca tgggagggct cagaactacc cggcgacaat gcagtgtgtg tgtgtggcag 49560
gtgggtgtgt gcacgggggt gtgtgtggag gtgcttdchg ccvttgbcct htgatgtdgb 49620
accamgkcbb tggtvacack accgccgtgb gcccavcacb tvtbccchca hgvcagcccc 49680
hcchghcaca acbhchgcyc acthgbcctg tcaygagtcc tdgkgdtact abavavcdgg 49740
hdgggdgbtv dggttbhtag dggtgdavac tgggcaggvg gdaggagtgr tgggcbgagg 49800
gtgbgrtdtg dghadtgadg tgggavrggr craaggabgv gggtgggdgb tgagagbcbh 49860
tabgbtctas vdsctvgvag stgbdgggwa tgttwkgbtg gdavbtttch thhccbthad 49920
hccbtsggac agtgagggaw ggctgccccg tgtgtcacat tgtygttagg aagatctgtc 49980
ggggtatagc agcaaagagk agcttcctac cttagatgtg gtcaaggcct ggtgggatgg 50040
cctcaggaaa gaggcyagtg gatkgggkkc acatggcctg kagtgagctc cagkaccttg 50100
ctaaattgca aaggcaccca tgcggttcct ctgctgcacc cctatccagg actccccata 50160
gaatgcagac ttctggtcca gctggcctgg gcaggacaag ctctccaggt ggcgctatgt 50220
gcatagcctg agctaagcac ctccagcttg cagcatggct tctctagctt gctttattta 50280
tttatttaga aacagggtct cactatgtca tccaggggtgg tcttgaactc ctgggctcaa 50340
gcaatcctcc tgcccaagcc tcccgagtac ctgggactac aggcatatgc caccactggc 50400
tccaacctta atgtgcatgc aaatcccaag ggcatcttat taaaatgcaa attctgactg 50460
aggaggtcca tggttggcgc gggattctgc attcgtaaca ggcgtccagg tgactgagga 50520
atgctggatg ctgatgttgc tggtctggtg gacccatcac actatgaacc acactgcttt 50580
atactcatgg gtctcaaatg ttcctatgtc tcacaaaccc cccaggaacc tgttaaaatg 50640
cagattcctg ggcctggctc ccaggatgc tgacaaggct agtcctaggg tttcgctgtg 50700
ctagaagtcc aatgtgtggc cgacatgccc aaacatgttc tgttcttttc tattcttatc 50760
tcttttactt tttctttcct tatctctttt acttttttctt ttcttttctc ttctcttctc 50820
ttctcttctt ttgagacagg gtctcactct gatgcccagg ctggagtgca gtggtgcaat 50880
```

281

```
cttggctcac tgcagcctca aactccccag ttcaagcaat cctcccattt cagcttcctg  50940
agtagctggg actatgggca catgccacca cgtctggctg atttttaaat ttttttgtgg  51000
agatgggttt ttgccatgtt gcctaggctg gtcttgaact tctgggccca agcaatcccc  51060
ctggcttggc ctcccaaagt gctgggatga caggtgtgcg ctaccatgcc caaccagccg  51120
cacatgttgt ttttttgttg ttgtttttg tgtgtgatgg agtttcgctc ttgttgccca   51180
ggctagagtg caatggtgtg atcttggctc accgcaacct cagcttcccg agtagctggg  51240
attacgggca tgcgccatca agcccggcta attttgtatt tttagtagag acggggtttc  51300
accatgttgg tcaggctggt ctcaaactcc cgacctcagg tgatccaccc cccacctcca  51360
ggcctcccaa agtgctggga tcacaggcgt gagccaccat gcctggccca tgttgttctt  51420
atctcattaa cccagtgggc taaaaactca ttgccacact cagtagctta aaccacagaa  51480
atggattctg ccacagttat gaaggccgga agtctgaaat cagtgtcact gggcaaaaat  51540
caaggagaat ctgttccctg ctcttccaga ttccagggac tgcctgcatt ccttgacttg  51600
tggccacata attcctatct tcaatgccag cgtcttggaa tctctctctg ctctatgtcc  51660
acatcaactt ctccgtgtgt ggtcaaatct ctgtctgcct ctctcctgca aggagataag  51720
ccaggctaat ggccccttct caaaatcctt aatcacatct gcaaaaaccc ttttctaaat  51780
aaggtaccat tcacaggctc caggaagtga tctctttggg ggccttgtac accaatagcc  51840
tgtaaaccgc cacactctgc tgtctttcaa atgacaactc accaagcctc tgtcctcatt  51900
ttctttgaat acttggcatg tagtccaatg cctggaacag gcaggatgtc actaaatgtt  51960
tatatttttt aatttttatt tattttatta ttattcttat tattttgag acagagtttt  52020
actctgtcgc ccaggctgga gtgcagtggc atgatctctg ctcactgcaa cctccagttc  52080
ctgggatcaa gcgattctcc tgcctcagcc tcctgtgtag ctgggattac aggcatgtgc  52140
catgacgccc ggctaatttt tttgtatttt tagtagagat ggggtttctc catgttggcc  52200
aggctggtct cgaactgctg acctcaagtg atccacccac ctcggcctcc caaagggcta  52260
ggattacagg tgtgagccac cacgcctggc caaaagtcac taaatgtttg ttgagtaaat  52320
ggaagtaggt tttaaatagg tgtagggaag gaagtgggcc aagaacttga atgcagagtc  52380
tgaaaatcat gggcagacat caaaggactg aattgtgggg ggtatatttg gatgtcaggt  52440
taaagagttt ggacactgtc ctatgggcaa gaaagagctt atatgaagtc cttgcatagg  52500
tgattcatcc atccatccat ccattcattc attcaatact cagcagcaac atgcagagct  52560
cagctcttgg gggaatgagg acaggtgtcc tagaaaagat agcattgaac agctggctct  52620
ttctcccacc agagttgtgt tttaataagt tctagtattt ctagcagtta ctgctttaag  52680
tgtgtggcta ctagattttc tggctcattc agattcatga caatgaaatc tttgtggatt  52740
gtgcctggca cccttacata ataccactct tcccgtgaat gctttccatc atgcgttctt  52800
ccttatcaat agtaatttgc cattttttcaa atgtctgctg tgatcttcta cttctcaata  52860
tttttggtgt gtttcttgta aatagcgctt aactggactt tagtttttgc cccaatctta  52920
cagactttgg atgggaaatt cagcccattc accgtgttac gaaggcgggt agccatggct  52980
ttatttattt tatctcatct tatgtttact attattaagc ttattgttct tgctattatt  53040
tactttcccc cttaattttg cttccttact ctccctccac ccctcccca  acttctacct    53100
agtaattcag gagttctact ctgcttcttt cccgtgagtt gctactttcc aattcctgag  53160
agtcataatt caaccaatct ttccctgata atgtattaaa agtaaatggt aatgaagccc  53220
cctccccacc accaataagg ctttccttcc ccagctgaga gtcataatta aaccaatctt  53280
tccctgctaa tgtattaaaa gtaaatggta atgaagcacc cctcccaacc accaataagg  53340
ctttccttcc ccactcacca aatcagatcc ttttacttcc tccttctccc ctcaaccaaa  53400
tgtgatctta aaatattctg acttctctgt gataagattc tattttttt tttagttcca    53460
ggctaataca actttctctt gaagcatgta gcttatgttt taagaatcct tatgtggcac  53520
tgctagtaca aaatcacagg cacatgtgga ttatccatac tgtatatttt gcaagggtca  53580
ttgcttaaca ccacttcctg ttctgagcgt ttgctctatc ttgaaatctc tactgtgatt  53640
gaactgtctc ggtgacgggg gaactctgaa tatcttcctc tgaaagggga catcactgag  53700
gtcctttctc tgtcttgcca cagtggatat tttctctctt ttgtccacat agatgaatcc  53760
tgtagtagcc atggtaagga tccttgatcc tatcatcaga gtccctggac attgctccaa  53820
agtcccctag gaaccacttc aacttttctc cccttagatg tgacctgttc tttctggaac  53880
tctgcaagac cgtctcttta tccttggcat ctgggatttc cagggacacg ttctcctggc  53940
actttgctca cctctgtttc ccctccagct cttcctggag tacctgtcct ttgtgcaata  54000
cacctcctgg aactgtcttt ccagtctctg ctttttgtcc tgatgatttt catgtgcttt  54060
tcctctacat catgaagcat ttactccaca ttatcttcca gtttgctcat ttgtcctcac  54120
ctccactctt ctctttctga atttgcctgt tgctttttca gtctcttagc tccgtggagt  54180
atgttcagtg ttgctgtgtt ctgatagagg ctccttaagc catcttgtag attttttgtt  54240
gcacttcctc tcttccctta gacctccaca ggaggaactt ttcaatctgt cctcttctct  54300
ctgcttaatg agcccctgca aagggtttgg gaagtgcttc agcctctctg tgattgtgtg  54360
ttcacattaa tatttattat tttcttaaat gtgcataaat ctcacaatgt gaacagtgat  54420
catctttgag tgattttttt tctcctttct actttagta attctccaaa ttttctacag    54480
ttagtgtgtg ataaggtgga aagacatctt caagactttg ggcaaataac tatgtctgag  54540
cctcaatttt cacatcaata aaaaatgggc tcagtgccac ctccctcctt gggtcactag  54600
ggggggccctt gaaagctgtg aaagccccta agccaacctg gacagagcag gcgaggctga  54660
```

```
cggcaggtgt tcttccttcc tctgtgagcc tcacagggtc acacgtgaac attggggatc   54720
ggggggtgggc agtggggggca gctggagaat caaatgaggt gactgacatg aactacgccg   54780
ctttgacaaa agtcctccga agtagtgtgt tcagaactca tctccaaagc catctggaat   54840
atttgctccc aacatgttgg taagcattat ctctgacagt cactccgagc cccagtttct   54900
gctgtgataa ctaggacagg tagctcaggt tggttgtggg gaccagagac agagcaggca   54960
gggtctcacg ttccccaggg cctctcaagg atagaccctc gccctcatct ccaaaccacg   55020
cctcccagac aggaaccaaa ctcccagagt ctccaaactg cctgagcctt gcccactccc   55080
tgggctaaca cacactttaa aggaatccca cagtcaccgt gtgaaaagct tgctacactg   55140
catttgattc tgggcactga aagcagtact tggctgcaga cactcgtttc aaacaggccc   55200
cattttttcca tctctgctgc tgttattagg ggagccctta gactctcttg cagcgccgga   55260
ataggcgctc aagacgtgtg ttaatattgc aacagcaaat ataatgaatc tgcagttggg   55320
gacgctgagg ccggagtggt ggatgaaagg tggccggagc cttttccacg ggtccaaacc   55380
acctgttaca ggagaaggcg agcggcctcg ctaagcaact ggacgttccg cgggcggggc   55440
ggggggcgggg ccggggcccg agtccgctcg gaaactttcg ctgtgggcga ccggacccg   55500
ccttctggcc cctcgggccc aaccacgcag ggggagtgcc gggccgcagc taggcgaggc   55560
gcaccgtgat tggcggagat gtggagtgat tggcggctac accggccact cagcaggccg   55620
agctggcgcc gcatccgggg ggccgcgtyt ggagtggagg gaggccgaaa ggccccgccc   55680
ctgyccccgcc ccctmgtgca gaaggccgcg ctagccggct cttcagcagc gagtgcagat   ·55740
tgctcccccg cggccgcaga tctcccgttt gcgccgcgtt cagctgctcc cgaacaactt   55800
ttctgccggc ccagaggccc cagggcgtcg cagcgccgcg tgcggcccac tcacgggccg   55860
gtgagtactt cggcgctggg gcagtggcgc ggtggctgtg ggcagcgcgc aggaggcggg   55920
caagagccct gaggcactgt cctcttcggg cctcagtttc cccttccgag ctgatgggtg   55980
gctggccccca aagtcccgac aaggtccccg aagttggagg gccgggggtc ccgcccgctc   56040
tgcaacgcgc aaggcgaccc ctgttccggg cccgaacggg tcacccgggg ggcgcgcccc   56100
ggtcccccgc gcgctgtcgc ctggagcccc gccgcgggcg ggacagcagg cccgagaggc   56160
ggagcggccg gcgggcaggc cccctccccg cgcccgcgc catcccccc gagttgcccc   56220
gtcatgcccc tccccgcgg tcccgggacc cacggccgcc ctcggtgccc gcccggccgt   56280
tggaacgcgc ctgggccccc gggaggtgtt gtgggggggga aggggggttc agtcccccag   56340
ggggacccgg cccgcccgag gggcagctta ggggtcattc tgaatcccca cagcccactt   56400
aggagcgctg tggcagttcc tctctctctc ggggcccctc agtagagagt tgaggggttt   56460
cagtggcagc acctggaccc tgcctcgtat gaactccacc ctctggatca ttagctttt   56520
gtttgatcaa cgaaaacttt ctggagaatc ctacccagcc cttttggatg tgatggcgcc   56580
ctggcctctc acccacttag cagatgatgt tatgaattcc aaggaagtcg catttgtgca   56640
accccccacc acccagattt aaccctctca gtagccttag gcggagaagt tatagtcccc   56700
gtttgacacc ccaggaagct gaggctcagc agggtttggt gccagcccag gaccacgaag   56760
ctgatggggc agagcctggt gtgaggcctc tgccctatct ctccagaagc agcccgtct   56820
ctcctcacct tggacagtga cccctggcat ttggcccagg gctttgcagt ttgtaaaggg   56880
ctttctctta tgccagcatc catcactcaa ggagctgtgc cctgggtacc ccatgtgctg   56940
gctgcctgtt ctctgcagca ggagagggag cccacgggaa gcccagaggc caccttgtc   57000
actgtcgcca cctgtttact tctgtgtcca agggtctgtg attcccatgg ggtctccgtt   57060
gtatccaacc agggatttgg agggaggctt ctccacattt cagcctcttt tccctacctg   57120
ctggtttgtc ctcccttcgc agacacagga aaagttggct gggagacccc atctcacctt   57180
ctttcccagg atggaagagc atggagggcg tctctgactt aggcctcccc tgcccatccc   57240
ggaccagtgc tggacaggct tctggggctg gtcacagagg ggacctcagc tcagtctcaa   57300
ccccccagaga tgtctgcact gccagacaga cccgaaacac ccatccttga cggtggcaat   57360
aagaatcata ataggtcggg agctttatgc ctacacggct cccctcccct cccacttccc   57420
tacttccgga agtggtacca ccacagccag ccagccccag ccacaaacca gaccacccc   ·57480
tgtgcccttc attcctcact cccagttggg tctctcctgg ctcctgagcc tcactcggat   ·57540
gcctgccctg gttcaggacc ctcgcctctc cctggacgac ccccaggctc ctccctggtc   57600
ccgatccggg cctggctgca cgcagccctg ctggttcttc agctgccact tccctctggg   57660
ctatcgggtc aggtccgcct cccgagccag gagccggcat tctttcgggc cctcagggac   57720
ccgcctcgct gctcactcag cctctccctc ctgtgtcctc tctccagcag tcacctccca   57780
gccacctgcg tgttcctggc cacaagcctg gctcactgtc cctctgctgc ctcctcttct   57840
gggcacaacc cctgctggaa tgcccagcca cctcccagct tgcctggctc ctgcctgctt   57900
gtccagaagg ctcagtcaag tcctcctgca ggatttctgg cctgcctctt cccacagtgg   57960
agtgagggcc cccttctgtg ccgtctttgt gggtgtctgt ttaggtgtta acccttccca   58020
tctagatgaa gctgctccaa tgctggccct ggacaagact tctctaggc aggggggccc   58080
agcacagtgc ttggcacaag atggacctac cctcagtcca cacctgctgc ccatccaggc   58140
caggcctgga gcaggtgcca ggtgtgtggt gggggcttgg ccactatggc cgtcatgaat   58200
gctgcttggg gcagtcccaa ttcaaacccc tctgttcctg tgaatgtgcc acattggata   .58260
gagctggaat gttccttggt ttgtcccctta atactctgag caaaaatagg tacctgggat   58320
ccatcaaggg ctttgtgccc ttgtcttgag gagcagccct gtgccagggg ctgggtcag   58380
gccaggccag agcagacatc ccagggccag gacctcctgg gcctgctccc ttagagcttg   58440
```

                                  283

```
ctcacagatg ggttttaaaa taacatttgc tttaatttca aaaacatcac acattcatta   58500
tagaaaacta gggaaatatg tttaaaagaa gaataaaatg aaaccgcgca taagctttat   58560
ccccagagac aacaagtatc ttttttaggg ggcgttttct tccgtttttt ggcagataaa   58620
ttttgttttc atcctaaaca gactccggct aatatcttct gctgctttaa atcctgcctt   58680
aacagtgtta ggcccacctt ttccttgtct caaaacgttc atgtacgagg tcacgtttac   58740
cagctgtaca gcgttgcacc atatggaggg gtgtaggctt tatagccagc ccctttctgg   58800
acagtgctga aagtgccata tgatggacat tgtgtgtgag ccccgagggc atctccagtg   58860
actccctgg actggcatcc tggaggcaga ggcactgatc agagagagtg aacatcatct   58920
tggcttccca caggggctgt ttctgaggca ctggcttggg agatggggtt gcccccccag   58980
agagaacaga atggggggtgg cctgggtgag ggccagagcc cttagggcag aaggccacgt   59040
gtggtcattc tgctgcgggt ctgagtggat gcatggtgcc tgcagccctc tccaggtggc   59100
ggcctctcag ctgaactcct tggtgccggt gtttgtgttt ggacgggata aaaatatgcc   59160
tcattgctca tgaggaaaga atgctagcaa cttcggtttt gtggatctta cacagtgacg   59220
gcttctaagc cattgctgtg gtcaccagta gggagttggg gctgagtgcc ccaccgtgca   59280
ggtgggggatc tgagggtgca gagtggatgc agctggagat gcctggatgc tggggtctgg   59340
gggagggact tgctaaggtc ccacagcatt attgcctgga tggtgctcct gccctaggcc   59400
aggctgcctc aggcttctgc ccacatgcat taagtgctta acgtattcct ggcaaggcag   59460
ccggtcttcc gagtggataa gctgcagccc tgccctcagg gctcacagtg gctgtaacat   59520
gcaggaagac tcagagaggg aaggaccaga cagcaggtcc ttccaccggg agatcttttc   59580
tgatcttcat tgtccctgtg accaaccatg accaggaatt gttgtgcttg ttttgaaata   59640
acaagccctt tgatccaaac cagacttggc caaccccccag ggaacctgaa aattaatcct   59700
cctgtattca tccattctta ctaaccagag attttacctt taaacagttt ttttttaact   59760
gcagtgtgac atacatggta cataggccag ctagaatctg ttttcctgaa attccttta   59820
tgaagtgttt tccaactgaa catgcctttg tttagcacct gggagtaatg cttagggtt   59880
tttctttttcc ttttttcttttt ttcttttttttt tgagacggag tctcgctttg tcacccaggc   59940
tggagtgcag tggcgcgatc tcggctcact gcaagctcca tctcctgggt tcacaccatt   60000
ctcctgcctc agcctcccca gtagttggga ctatcggcgc ccgccaccac gcctggctaa   60060
tttttttgta tttttaatag agacggggtt tcactgtgtt agccaggatg gtcttgatct   60120
cctgaccttg tgatctgccc gcctcggcct cccaaagtgc tgggattaca ggcgtgagcc   60180
accgcgcctg gccggcttag tttttttta atgcccaata gtttgctttc tcttctgcca   60240
cacacgtaat ccccatagca cccctatgtg ggaggtgcta tccccatttt acatatgggg   60300
aaacagacac agtgaggtca tgtggccact agtaagggta accgacgccc cacaccatgt   60360
tgcttccagc tgtaacctct agcagaggga gggctctgat ggagaggtga tcgcctgagt   60420
gctgtgtgtt tacctgagta ggtgaggaag acagggactc gggacagaca tagcttggaa   60480
gctcccacaa aggaggtatc gctggagctc ttgacttgaa gggtgcttag ggtctaggct   60540
gggggagggg ggtaagaagg cattccggga agagggccct gcagaaacag aagtgtggag   60600
gtcagcattt gtatgctgat gttgaagggt agccagtgtt ttgcagtgaa tgggcccggg   60660
gagagagggt gcagtggcat ggcggtctga tttcaaagtc gtcttttca gaaatgagct   60720
tgcagaagca ttagaattgg gcaggtctgg atttgaattt caggtctggt acctggagct   60780
gtttgacctt gagcaggtcc ctcccctccc tgcacctggg ttcctgtctg tgaagtgggg   60840
tgaggttgaa ggataaaaca tttccccatc tataactctg ggatgacaat aggatctacc   60900
ttccaggtcc atgcgaggaa ctcacgacaa taggacctac cttccagggc catacgagaa   60960
actcatgaga aaagacaagt acagagaaca gagccgttgg tcttgatggc agagatgccc   61020
tggcgtaggt cagccctcag taaaggtgcc ctctctctct gtctgagaaa gtgacacctg   61080
acttcggggc agtgggaacc atgggagaga aggtagacaa ggccacgtgt catttgaaga   61140
cctgactttt caccatctca ggtggtccgg tggcctgcag gaccgtggtt ctgtttgccc   61200
acagcgtgtg ggttctacgt gcgatcctgt atttctctgc cacagctgac taagggaca   61260
cttaggtctg cacgtgcagt taaatggctg cttttgtgga aggtgccagt tcccgggagc   61320
tgggaacttg gaaacaggat ggagcaggct cccaagcttg accatgcatg gtttgcacct   61380
gggggatgca cccggggggtg cttgaccatg catggtttgc acctggggga tgcacggggg   61440
tggggtgggg gggggggtg tgcttgacca tgcatggttt gcacctgggg gatgttttac   61500
actaagggct cagtccctct gagggaggaa cgtgtggatt gaaatctgca gagttcttga   61560
gcgacaccag tctgatcttt aggactcatt tgcagcggga atggagcaga aattgttgtg   61620
tgtggagcct ggggccactc ctgactcttc cagtcacagc tgcccccaaa agtgacctct   61680
gggcacctac tcagacctgg ctgctcagtg ccaagcgctg ggtgttcaga ggtggccagg   61740
ggactccctc gtgctgccca tggtgtctgg tctcactggt cctcacagtt gccccgtccc   61800
cattttcaga tgaggaggct gaggtgcaga gcgggatgtg ggctgctcag gaccacacag   61860
ctggtgggca cagagccagg agtacagcgc tgcggcagct tggggctggg agcgagactc   61920
tctgttacca gcctctccct gctctgtgcc tcagaggatg gctgtggccc tgagcttggg   61980
agggtcattt gggaatctga ggaaaagttt ccacagcctc acacagcagc aggttcaagg   62040
tccagcagtg ccaggggttt gcatcccacc cctaacgccg ctcatccagg gcccatccgg   62100
gtccggggct cgggatcctg cagcgctttc agctctgtgt ctgtggccgg tggttgtcct   62160
tcattacagg gatggtggtg ttttttccatg ttgctaagca gcatgtgagg gcctctgttg   62220
```

```
aataaaataa agcccttgct ccggcgtgac acgggtcacg ggatctctgc tcactctagt   62280
ctcttctgat gcccccaccg cactgtttgc cttagtttgc tttttactct ctgtgttggt   62340
ttctggggca tcagtcctct gacttcggtg ctgtggcttg ggcctggggt ggggctgtg    62400
gagcggcaga tctgggtatg aatcccagct ccacccattt ggctccctct cttctctccc   62460
ctgccctctt ctcccctccc cagctcccTt ccctctcat atttacttaa ctttactcag    62520
taccagcgta ttagttttct agggcttccg taagaaacta ctggaaactt ggtggcttaa   62580
aacaacagag gtttgttctc tgatggttct ggaggcagaa gtctgaagtc aaggtgtggg   62640
cagggtgggt ccctcctgga ggctctgagg gaggctcagt tcctcgcctc tgtccagctt   62700
ctggcagtgg ccagtggtcc tcctgctcct tggccactgt cacccgtctc cgcatggctc   62760
tgttacactt ctcttcctat aggccatcag ctcttggagc cagggcttcc ctactccagg   62820
ctgatctcat ttcaagatcc ttaaatacat cttcaaagac ctgtttttcc aaataagggc   62880
acattcacag acattggtgg gcacatgatg tggggcccaa ttcagcccc tgcagccagg     62940
ctccacatgg gtgggctctg ggtgttgcta tcatcatccc cgtttcttgg atgagggaag   63000
gccaggggttg tgtggctcat gcccagtgag gcagggactc caggcctcgg catgtgcagg   63060
tctgagattg taagtgccat gccatctgta gagtcacgtg ggtgagtgtc ctcccatggt   63120
ttcctccctg gaagcggtgc tggcccatgg ggactgtact gagtgtcagc gagatcctgt   63180
atggagtgtc tggcagctcc cacctgcctc cctctgcttt tctgtctcca gcagacacta   63240
agtgccagag cgggctctgc cggtgctgga tgtgcctgac cttgactttt cttccaggca   63300
ggatggactc caacactgct ccgctgggcc cctcctgccc acagcccccg ccagcaccgc   63360
agccccaggc gcgttcccga ctcaatgcca cagcctcgtt ggagcaggag aggagcgaaa   63420
ggccccgagc acccggaccc caggctggcc ctggccctgg tgttagagac gcagcggccc   63480
ccgctgaacc ccaggcccag cataccagga gccgggaaag agcagacggc accggtaagg   63540
gagcaggctg ggaagcccag gctggggatg ttcagggata gctgggtggg aacggggttc   63600
agccacccct ggagggtccc cccgccaggt cctctgcagt tcagcattgt gcagctccca   63660
tgctgtgcac aggcgtccat ccagtggggc tacccacctc ctcagagcct tgcacctgtc   63720
acctttgtgg cacccactcg aggtggtgct ggtgccccca ctcctctgca gtccttctct   63780
tcccagggcc tctgcagcac ttcacagctt ccatttgcaa cagcgtccaa acatgtggag   63840
taaattcacg ggccctctgt aaccaactag ggtggcaggc cagaggtgac agccacactc   63900
tcgggagtga ggccacatgc gggcgaagcc cttggtgctg agtttcccct ctccctgagg   63960
gagacttgtg agggacgggc gtccttcacc tccatcctga ggcgggatgc tggggccctg   64020
ggtgttcaca ggcagagctg actgaggccc ttggtcttca caggccgagc tgactgaggc   64080
cctgggtgtt caaagcagag ctgaggccct tggtgttcac aggcagagct gacaggcttg   64140
ttggttcctg ggtggtgatg tgagggtggt gggtgtgagc caggggagtc cggcccctgg   64200
gcaccttctc cagctgactc aggcctcggt cagccttcac ttttgctaga gaggccgctg   64260
ccagggaggc tcagtcccag ctcatcactg cccctcctgc ccatgcagaa gccccagacc   64320
catggtgagt gcctgctgtg tacaccagcc ttttccatgt gcctgcagga ctcctcatgg   64380
cagtcctgag aggggaaact gagacaccga gtctaggtga cttgcccaag agacccagcg   64440
ggtgagagac gaggtgctcg agtggtccag gtttccttct tgtcccagtc accccactgg   64500
cagggccgtg gggcctccct gctgtggtcg cagcgcgctg aggctcccat gtaccactta   64560
tgctgggcgt gcccttggaa actcactgca gccctgggcc ctgtttgtct ttgcatctcc   64620
ttaaaagatc actgtgctcc tctgctttgt tttggaggcc tctgggcgga tgagggcctg   64680
accccgggat ttgggcccag cctcacggct tcaggggaac agataccagg gctcggaagc   64740
ttggtttcaa tctgggtaat gagaacagcc cgcaaaggac agagtccaag actgtgtgtt   64800
tcagataaga agagtcagga agcagctgtg gtttgtttgg cttcggtctc caatgtgggg   64860
gtggtgaaga gcaagccctg ggcgccgcct gacagcccag tccccaccac tgggcctgca   64920
gctgggggca gtgggcatcc cgtctcccag tcactggtca ctgatgtggc caaagcaggc   64980
ctggccctgc atgcccagtg gccgcaggga gggcagggcc caggtccct gccagtagca     65040
gctgctgcga gaatctgtta tttagctccc ccatccagcc aacataggtg ggtgagcatc   65100
agttgaaata ccaataggta acaacaaggg tagctattta actgacactt ccccgagcta   65160
ggcatctttt tagggcatta gcccacttgc ctctttaaca gccctgggag gcaggctctg   65220
ctgctgccct gtttttcaga tgggaaaccg agggatagag ggcttaagta gatgacccag   65280
cgtcccgtgg ttggtgaagg gtggagggga gatttaaaca taccgtggag cctgtgctca   65340
ctatgggcct caggtcatct gcgcccaggg atccccatgt cccaggctca gagaagtgca   65400
cagagcaggt tggcctgtcc ctagatcagt gcctggccag gccctggtga caggagtgaa   65460
ggctcagtcc tgccctccgg gagccctgag caatatggga gacaggagtg aacaaggaac   65520
tacattctgg ggctcatgta gcgcggggga caacccacat tgcagtcccc taggggcacc   65580
ccaggagggc ctggtcactc ttcagggcat caggaagact gcctggagga ggcatcgtcg   65640
gagccccatc tgagctgctc cttggcctgt acacttggga aacaggagaa gagcagcctt   65700
ggggttgccc ttctctggtt gcctccctga ggaactgacc cccttttcag ccctttcattc   65760
agcaaggctg gggaggggct gcttcagaaa cgtcactggg ctggagcccc acacttcctt   65820
cccatcctgg ctctgtggcc ttggcaagtc acctgccacc tggggaacca ctgccaacgg   65880
gtcggggctt ggaagctcag gggctcctgg gcccagacag gtaaaggaaa cagtgactcc   65940
ggctagaaag gagactgcag ggagttgtga ggctcttggg cgtccctgtg ccagggcggg   66000
```

285

```
actcctcatg gcagccctga gaggggaaac tgtgtcctgt gtggagcgtg gatgcccacg   66060
tgctgagagg tgttgtctgt cctgattttt gacagcagcc caagtgatgt gccagtgggc   66120
cagggccggc acctgcctgt cggtggctgc cccagggctg atgggcaggg gccgtttctt   66180
cacaggcagc tgtggtgagt cctgtgatca cctcagtgtt gtctccagcc ctggggggat   66240
ctgttgttct gctcaacaag agaataaagc tgggcttgtc acacctggtc ccaggtgacc   66300
cagcaggcac agagaggtag agttgacacc aagcctcact cagccaccgt gacacggctg   66360
tgcgagtcca cgccctggca gagagcctgt tctgggcctg ttctgtttag ccctgggggct   66420
aaagggcggg ctcagatgca cagagggaca ggcctggtgc aggtggggagg aaggaaagca   66480
gactgtgtca tcgtctcagc ttcaggctgg gcatgctgtg gctatcatgt gcttggcctg   66540
tgctaagtgt gtgctaagca tgtggccctg gtgggcactc aggcctcctg ggtaccagcc   66600
gaggccccac cccttcccac tatgcggccc tgagctctcc tgctgtctct gtcattcacg   66660
ggtctaccag taggacaagg cctggggttg gtggaggagg gaaggaggtg agattcggga   66720
gctttccgag tcgtacccgc cactccgtct ccgagcagca gcactctcat ctctacaagt   66780
ctctacagca gtgctgccac cgccttgacc agggaatcac cctactgtga ggtggcccag   66840
ctcactgtga gactctgggg cagtcatatg ccctttctgt tgaccccagt gggtggccag   66900
cccacacgac tgctgaatct gccaggcctc ccagccattg ggggtagggg gattgctttg   66960
gcagccacag ggacacagat gcggacagga gcaggagccc tggggaggag gtgcacccca   67020
ccaggaagca cccaccaatg ctgactgagg ctgcactgcc agttagagcc gctgggcgag   67080
ggacaaagaa gggccttcgg gtgtggggaa agcaggcacc ccagctccta cactaagggc   67140
accctgggca gagaggggagc ccagtggggg gcacccaaga cccatgagga attggctgtg   67200
gtgtcaagag gtcagccagg ccaagcaggg ccctgagggt cagggaaagg agagggcatt   67260
gtcgtgagtg gggctcagct gttagatgga ttgtttacat taaaggccag ccaggaggcg   67320
gagcagagag aggagtagcc aggccacaag aaggctgagg gacaggtaga catggagggg   67380
agaaagccag ggtggcctcc aggtttctgg ctggggctgc caggtggacg gtggtggcac   67440
agcctgaggt agggtcctgg gggtggttcc cggcggggtc cgagcttagt cttagagggt   67500
acaagggggc ccaggaggga ctggggctct gatgcagatg tgggagtgcg ctgagcccct   67560
gctgccctgg ggacaggcac agcaggaggt gctactcagg gcacccaccg ttgattattt   67620
aggaagcagc tgtcacgcct gttctttatc ctgacctggc ccatctgatt gctgatgtgc   67680
tcctgctgag cccccacac cacactgagg actggccaca ggatctggtg gcactcagtc   67740
ttctgggaac ttggcagtgt gcctgtccta ctttgcgctc caagcctcgg acgtcacctc   67800
caggaaccct cccactgtgg gtgatgtcta cagtcaccta cacagcccca actctcatgg   67860
gtggacgtgc tcgttcttgc ctggcccagg gcaggccgtg gtgagctcag gggtcctgcc   67920
tgtcagtttg gtgccctcgg ctacgcaggg cctgttagaa gggtgccctc cctgccaggg   67980
cctccagcca ctgtctgtcc tgttcccgcc tcagagttca gccagcatag aaagagaggg   68040
ctgaggacca ttcagcctgt ccattcacga gaatcattgt cagtgtcaca gaggctgatg   68100
ggatgcctgt ggtgcagggt gacccccagct tccccatgtg ggggatgcgc cggtggtgca   68160
aggccaccac cctgtgccct gtctctggca cagggatgat gacagcacac agcacatcct   68220
ctttcttttc tacctttccc tttggcacag ccccttgttg tgggcgtcac gagaggcgca   68280
gagagatcgt ggaggtcaag ggcttgccca ggaccagtga gggagggagg gagagggcag   68340
cagcaccctt ggagacggga ggattacatc atatttattt accacatgcc taagatcgca   68400
ctcttaagag catttgacat acatccaaaa attttaaaac actatggaag tatgtctgga   68460
tgcatcagta atatgaaagt ggaagccagc tgccctgctc ccagcccact ttgggaaaat   68520
tttgtgcatg ttttgagcca gctgtttggg aagggaggcc ccagccactg cccccttgggt   68580
gggtttgatg ttcattgtgt gggaagaagc cttccctcca tccttttcta tttctgcaga   68640
atatctgctc aatcagggag ttgagcttgg cagttcagct gctcagccag ggaggtgctg   68700
tgtcctggac tatgctagga tttcagaagg agagagggca gctgcaggcc ctrtttgcag   68760
tggcttcctc ctggaatccc cgtctgctcc ctgtgtactg tccagcgtcg tagtggaagc   68820
tggtggcgag acgggtgaga cccacggaca tagatggcat ccacgaaggc tggcggagcc   68880
tgtgatagac gatggacgat gacccaggtt ccagcaagat atggcagtgg gctgtgccgg   68940
gaaggggcgc atcctggagg atgccctagg tagtgcctga gaaagtgagg gtcattgact   69000
gattccacgt ggcatccatg aatctctcaa atccatagggt cccgtgcatg acaaataatt   69060
aaaaagatgt agggtgttct ccatagaacc tcacagaggg aaggagacct gcccatggta   69120
tccagctctg atcacactgc tatttttgtga ttgataggca gactttcaaa gaatgagtta   69180
gattcaggac cctttttagtt gtaagtgaca aaatctcaat ataaattgac acaagccaaa   69240
aaagtagagg ggcaagggat tgatgagtcc atagatctgt agagcctaga gtagtttgct   69300
tcaggcacgg ctggatccag gggctcagat gatgtcatca ggaagtactc ccccgccccc   69360
attccactct gctttcctgt gctgcctgtg tctcagggggc tctgcccaca gggtgacctt   69420
ccacagttca agctggcatc cacgtgccaa gatgagcaga aggtgaaagc ccatttccca   69480
gcagttctag cacaaactcc gctgggctgt gtccatccct gaaccaggtg ctgtagtcag   69540
ggagatgacc tggcaactct gattggccag gtggggggtgc gggccttctg tgcagcgcag   69600
gggagggggc agtgccaccc agaccatgag gactgagagt ggcggggttc cccaaaaggg   69660
acatcaaggt gcagtcatca gaaaaagcaa ggaacggagg tcgagcacac agaaaacacg   69720
tgtgtttgat ggttcttggt ggtccacact gatgcagccg gcttctgggg gtgatctttc   69780
```

```
tggcactgag cagtgagcat gctgggattt gcctttgagc ccacgaaggc tcctacttca   69840
tggactgagc taactggtct gcaggacgag cccaccactg ccatatggaa gctggaataa   69900
tgaagagggt gtgtgtccat ctcaaagaga ttctgggctg ggcgcagtgg ctcagacctg   69960
taatcccagc actttgggag gctgaggcag cagatcacct gaggtcaggg gttcgagacc   70020
agcctggcca acatggtgaa accctgtctc tactaaaaat acaaaaaaac ttagctgggc   70080
atggtggcgg ccgcctgtat tcccagctac tcaggaggct gaggcagaag aatcgcttga   70140
acccgagagg cagaggttgt ggcgagccga gattttgtca ttgcattcca gcctgggcga   70200
tgagagtgaa actctgtctc aaaaaataat aataaaaaag agagagagat tctgtatatc   70260
ggggagatgt cttgaaatgt caggctgtga ataacttctg tgaaaaatta attatggact   70320
ggaagaatct ttttagacca ccatatagac ttggaccttc catgttttga ttttttttaaa  70380
aaagggaaga ataatatgac ttgtgaactt aggtcaagta aggagacttg aattcactag   70440
aggtgctggc gttgtggtgg gaagtacagc aacagccctg gggtctcctg gggaagtggg   70500
ggagggaaga gaaagcctcc tcttgtgaac agcaactttg gaccactcac tacaaagcat   70560
ctctttttcat cataaaccat cctatcagat tgatgttaac gatcagattg aagctgcttc  70620
ggagcagtga tgtggcctgc accaggtcgc acagcacctt actgtggagc atggatccac   70680
acgtgcgtct gtgtcattgt gatcgctcac gctgctctgt gggcccatgg ccttggtgcc   70740
tgcaggctct gtgtctgcag ttcctctagg gatagtgagt ctgctgctga gcccgcagcc   70800
agaaaccacg ctggggggct ggcagggtga cggcagcaag gaaggagaac tgtccttgat   70860
ggattcaggg agcaccaagg tctgggggct ctggggaggg tgggtgtcca aaagggctgc   70920
cctgcgggac ctgatgccat ctctgagcag cgtccttgag gaccccggca aggaagctga   70980
gcccgaaact ctgtgcaaga gttgcgtcca gggagagtta catccaggga gagttacgtc   71040
cagggagagg ggcgtccagg aagaggggca ttcagggaga gggacattca gggaggagtc   71100
ttccagggac ggggacatcc agggagaggg gcgtccagcg agaggagcct ctaggaggg   71160
gtacatccag ggaggtggcc tgtcagggag ggtggtgtcc agggaaagca gcatcaaggg   71220
agaggggtgt ccagggatgg gggcatccag ggaggggggc ttccagggag aggggccttt   71280
gtgttggcga gttgtccatc cacagggctg gagtgcgtgt gcctgaccac gagagcttgt   71340
gaagaatcca tctgattctt tccttctcca aacacatgcc tcacccacac agccttacct   71400
gtgagggcct cacctgccac ctgcgacttt tgagttgtcc cagcctccct ctgccctctc   71460
caaactgggt gtgacccttc ctctctgcct ttgcacctgg ccacatccca tggtctccca   71520
ctggagtcct gtctcctgta cacctgggtc atctgaaggc agtggccagg cagcacttgg   71580
tgctgcagag ccggttcaga gcctggcacg gtatggttct gggaaagccc tgggtgagtt   71640
ggaccagaaa ggctggtcct cagtgtggtg ttactgggaa ccatgcagcc tgtcccgttg   71700
tcagccagcc ttgggtgaaa tgggtaagac tgcatgatgc ttttgtaaat tcaggtaact   71760
tcttaggaag taaaatgcag cacaaactgt agttgatgtt ttgacccttg gtctaataat   71820
tcaactggag aacctgtgct aggaaaatga cttcccaaaa gaaaagaaac ggttcatggc   71880
accaccgtag aaaacaagag gttattggaa gcaacctaca gacctgatgg agaggagggg   71940
agggtcagta acctgactct gtctccttga tggatctagg agccaccaaa atggtgagct   72000
gactgcagcg catcgtggga agccagagaa caatccactg ctgtggactg aaagtttgtg   72060
tctctcccag attcatttgc tgaggtcttc accccagtc ccatggtgtt aggaggtggg    72120
gcctttggag gtgatgaatc atgagcgatg gctttacggt ggaattagtg cccctataaa   72180
agaaacctca gggagctccc ttgcccttc caccctgtga ggacacagcc agaagacctg    72240
aaacaaaaag caggccctca gtagacacgg agtctgcaac actatgatct tggacttccc   72300
agtctccaga atcgaaagaa atacatttct gatgtttgta agccaccagc ttggtctatg   72360
gtattaatat ttttgttata acagctcgaa cagactaagg cattcactct taagaaggaa   72420
aaggtaatat caagatgtat atacactgat tataatatcc aaaaaatgtg gtttttgttg   72480
gtacaatcat ggaaaacatg aacttgattt gttgggttc tgggcttcgg gtacaggtgc    72540
tttgtattat ttaggtcatg ggctgtcaaa cttgagtcct ggatctttc tagagcccca    72600
gctagagcag gcctaggcca aggggtgtga tggtgggact tggctctgtg ctcgcctcct   72660
tcccatgcct cccaccccga gcgctttgag ttgctgttga accacctcac ccgcatagag   72720
tttgctcatc ttgctctggc gctgcttgtg accggaaggc aaacagtggc tttctgggca   72780
tcttccctgt ctgtgtctgt gtctctctgt actcctggcc tggatttgaa agtgacaagc   72840
agcagcagat ctgaagaccc tcatgccttg tcccctccat cctgacaagt gacaaagtct   72900
ggctttgtga catgtgtgtt tgtttcttct gtgttaaagg gcctacaaag ggagacatgg   72960
aaatccccctt tgaagaagtc ctggagaggg ccaaggccgg ggaccccaag gcacagactg   73020
aggtgaggac tgcggtgccg gcagggactt cgggacgcgg ccccggcac aacaggcctg    73080
gccacgagct ccacagccca cagagaagtg tcggtgcctg agatcggggt caggagccag   73140
cgtggtgcac cctaccccac ttgagcccca tgttggtagg gtgcccatgt tcactgtgcc   73200
agttttcctc ctggcactcc tctggggagc agcgctcatc ccccttttgt ccaactcaca   73260
cctcatcttg ggcatcacct cctccaggat gacctcctgg cttcctgcag ctgcctgctc   73320
agtgccaccc ctcaacatac actgtgtatg ctgcccactc ttgtctccct gactggcctt   73380
tcacctggct gttagctgtg tgcacggggc cctcagagcg gtgaccattc acttgggcat   73440
cagccaaggg ctgggctttg tgccagtgct ggggacatga tgtggccctc tcttcatggg   73500
tgacaggtta gtggaagaag cagacccaaa aaacccaagt agacaagaca cagaaataca   73560
```

```
gtgattttga attctggtga ggggagaagc cagcagaacg ctgagacggg aggtggcagg   73620
gggtcctgtg tcctctgtgg aggcaagttc tcaccacctc actctgtccc cttgcacagg   73680
gctcaagcaa gtgaccacag ttatcctgag cagtttcctg ccccctcttc tccctaaaga   73740
ggagaaaagc ttccacgcga aaccataaat taagaatttc tggctgggag cggtggctca   73800
cgcctgtaat cccagcactt tgggaggctg aggcgggtgg atcacctgag gtcaggagtt   73860
cgtgaccagc ctggccaaca tgatgaaacc gtgtctccac tacaaataga aaaattagcc   73920
agacatggtg gtgcatgcct gtaatcccag ctacttggga ggctgagaca ggaaaatcac   73980
ttgaacccag gaagtggagg ttgcagtgag ccgagatcgc accaccacgc tcccaactga   74040
gcaacagagc aagactctgt ctcaaaaaaa aaaaaaaaaa aatttctttc ctgacctcac   74100
agccatattg tactttaaag ttcctcccac atccttttgc ccaggcattt ggaggcgggg   74160
ggagcatagt aagccctttt atgggctctc tgtgccctgg gcctcacttt ttccatctgt   74220
agaatgagaa gactggacca tttcagcagg gattcttttt gcaaagggcc agatagtgaa   74280
tattctggac tctgcgcaat ctctgccgtg ttgctcagct ttgctgtgga gcacgtaaaa   74340
gcagcatgga caacatgtaa atgaatggtt atggttgtat ttcaataaaa ctttatttgc   74400
aaaaacaggc agtgggccag tgctaaccct tggttagctg gcgtctctcc agccctggct   74460
ttctatggtc ccctgactgt tttgagaggt gtaaaggacc cagtcatggt tctgatttcc   74520
atgcattgat ggtgagcctt ggcaggcagg agcaactcaa ggaagagaac ctgtaccagt   74580
accagtcgga gcccgtgtct ccctcgccgt gtggatgggg tggccacacc ttcctcaccg   74640
tgttttgagg agcgagtggc cggaggctca gtagggccta gcctagtgga catgcctggt   74700
gtgaccccat ttctgcccct tccttcctgg cctgggtgac aaagggaagt gggtgaaagg   74760
aggtgggctg gcagggagca tggggtggga gagggtcgga gaatctggag gctgactggt   74820
gtctggcttg caggtgggga agcactacct gcagttggcc ggcgacacgg atgaagaact   74880
caacagctgc accgctgtgg actggctggt cctcgccgcg aagcagggcc gtcgcgaggc   74940
tgtgaagctg cttcgccggt gcttggcgga cagaagaggt gggtctgtgt gaggcttaga   75000
acagcctctg gagggttgag cagcttgtaa tgctgcttgc taactgaaca actaaaatct   75060
taccaaacct aacgctggtg atgctgttgg gaaatttcag tttctgtttt gctggtggcc   75120
ttctcatttt agacactgtt tctggactta acatgggata tttaacagac caagccattt   75180
tcattctctt tggcttgtgt tggtatctcc aagtggtaac tatacatcct gcttccctgc   75240
tgggttctga tccaaactga gacatcgatc ctgggttcag ctgagaggca gtttccctga   75300
ggcaaagctg gagactgtaa tgtggcctgc agtcagagtg gcccatgccc ctgagctgat   75360
gtccgtcgag tctgggcaga ccagctgagg ggctgtgggc ccacacagac ctggacaagc   75420
atgttcactt tgggaggagg caggctgacc cttcatagat aatctctttc aaacagagag   75480
gcagggagg aaagggacgc agctcaggcc aggggtggtg agttaggacg ttgtcctgcg   75540
caagggaagt ggctgtccct ggtgccgtgg ggcagtgtgc ttcctgaagg ttccacgcct   75600
cagggaaaga tgaaagtggg tgtcacaaag gtgtttttc taatgatacc ttttttttca   75660
gattgtaaga gtattttatg cttatcatag aaaacttgga ctatgtagaa aacataaaga   75720
tacaaattac tcataacctt gaagcccaga agcaactccc catattttgg tgtatttcct   75780
tctgtgtttg ttgttgttgt tttgagatgg agtctcactc tgtcgcccag gctagagtgc   75840
aggggtgcga tctcaagtca ctgtaacctc cacctccctg gttcaagcaa ttctcctgcc   75900
tcagcctttt gagtagctga gattacaggc gtgcattacc acacctagct aatttttgta   75960
tttttagcag agacagggtt tcatcaggtt ggccaggctg gtcacaaact cctgacctca   76020
ggggatccac cctccttggc ctcccaaagt gatgagagta caggcgtgag ccaccatgcc   76080
cagcttgtat catattttaa gagttacatt tattatacag agtcttctct ttgaaaatta   76140
aactgatgat tttgaaaaac taacagtggc attgttagcc agaatttctc accaacccag   76200
cctgctgatt ccagagcagt tggaatgacc tggagggggc tcaggcggcc cacacggctc   76260
attgttgggt gccagggata gcccagaggc tgctggggca gagcgtgcaa gggaggaggc   76320
cggttggccc cgtgttcccc cagctgcaca caccttctga tgtgcagttg tgctttctga   76380
tttgaaaaga aatacatgct catgtggaaa attttggaaa tgttcaaaag gagaaaaaca   76440
tccagacccc cgtgccagtc ctcctgccct ctgcttggtt gtgccagtgt cccaggccgt   76500
tgggggtaaa gggaggaagg cagctgctga ccagcggtaa aacctgctct ccctctcccc   76560
gctgtccaag ccttccttag aaagggctgg gctgtgtgtg agacagagga aagctctgta   76620
gacacagggg tggccctgcc agtgcaccca ggctggtgac tgcagtgagt ccaccctggg   76680
ttcaagacag ctctgcctct ttctgactgt gtgaccttga gtgagccaga acacaggcct   76740
gtgcctccgg gtctgcacct ctgagagagg ggaggaacag gaagaggctg ccttcttccc   76800
gccagcatgt aggggcact tggggggcgtc tggtgggaga ccagtctggc ctcccagctg   76860
gagagtgggc gtggcgcgat gtcctcttga gtcagatgtc catgcatcct tccctggtaa   76920
ccaagtcctg acaccttcta tgagtctcgc tcgaaagcct tccaggcaga gttggcaggg   76980
tcagagtggc accgaaagcc taggcagggc acacaaggcc tttgaccaca tcctatccct   77040
caggcatcac gtccgagaac gaacgggagg tgaggcagct ctcctccgag accgacctgg   77100
agagggccgt gcgcaaggca gccctggtca tgtactggaa gctcaacccc aagaagaaga   77160
agcaggtggc cgtggcggag ctgctggaga atgtcggcca ggtcaacgag cacggtgcga   77220
ggattcaccc tgggcaccag ccttccctgg gcgccagcct tcccacagga gccaggacct   77280
tcccataggg gctgggacct tccctcaggg gctgggtctt cccacaggag ccgggacctt   77340
```

```
ccctgtgagg acagggccct tccttgtggg gaccagggga ccagaacctt cctgtagaga  77400
ccgtgccota gtggtgaggt gtgtgggtgg cattttgaca gcatctgccc tggctcaagt  77460
gctcactcat tgaataaacc agagggtatt ctgcccagtg ctctgtgacc acgtctacca  77520
atgggacgga ctgtgtccat caccaagtgg gagcacgcta cgtggtgctg agtccacccc  77580
agctactgga ggtacagagg tgtggccoct gctctgcctg ccctgggggc cctatgatcc  77640
ccagaacgta ggatgcccct ggaactggcg tgccctagga acagtcgcc agtttctggt  77700
gggctgcagg gcacgaggag atagtcaact tgtctgactg ttaatccacc ctgtcccctg  77760
cagatggagg ggcgcagcca ggccccgtgc ccaagtccct gcagaagcag aggcgcatgc  77820
tggagcgcct ggtcagcagc gagtgtgagt gcagccctg ccccgtctca cccatgcctc  77880
ccagcctgca cctgcagggc gacctctcct tctgtgcga ctccatcctg gcctgcccta  77940
tctcacccgt gcctcccagc ctgcgcctgc agggcgacct ctccttcctg tgcgacccca  78000
tcctggccct gctaggatct caggcggtcc gtttggggct cagtgttctg gacgctggga  78060
gtagaccctg cccacctgga gcgcacgcac tggaggaag gcagacccag gacagaaacc  78120
atgatgtgcc agtccctctt ggacaaggaa atactggggg tggggactgg cggggggtc  78180
ctgagtgggg aaggatgagg agggcattag gggaaggggc tccgggcaga gggaacagca  78240
tgagcaaagg cccaggagac ccagcagggt gtggaagggg ctctgcccca gcgtaggccc  78300
tttgtaggta ggcagggaac agagtgggca gagcctaggt tgggggatag agtctctggg  78360
gcacactgag ctgggggtgc ctctgggatg tttgtggtca aagactgaga agagacgtca  78420
catcctccac gtgcagctgg ccagcctcac tgtcttccat ccacgtgggg tagactctgc  78480
agtctgaggc actgggagct cctgtcctgg agaagataga caggcaggag gcttgggggc  78540
tcagtatcaa tgggggatg ggccaagacc caggtctgcc acagactctt cttgtgacat  78600
gggcaggtct cattttctt tctgggtgtc agtttcccct tctgaacagt gagatgatca  78660
gacaagggga ctgaaggacc tcgcccatcc tagaagcctc tgtggcatgt agggcagagt  78720
acaggtggga gcacagatcc caccttccca ctgggcccgt gaggaaaccg tccatagggt  78780
gtggtcagag ccctcgcctc tgcgtgggcg gacatgggtg cttgcgctgc tgttttcctg  78840
ctccatttgg gggagacaaa gaaacacctc acatggaagt gggaagaaat ctgtgactct  78900
aggaagcccg aggaccagag aggctgtgac agtgtcctgc caccgaggtg gcatggtgcc  78960
tgctgtcctg aagtgaggtg cctctgggca ggagcagccc agcctgggtc tccatcctgg  79020
ggggcactgc aggcagagtc tggaccccaa cctcacttcc cagtcccaca ggggtttgtg  79080
atgagccggg cacacctgct gctgggccct gtcgctgttg ctgggggcga gttaggagtc  79140
agcgctgcca gcctgtggtc ccctccgcca ggccctcagg gacagggccc cagcacccc  79200
attgtttccc ctctatcaga acgttcccat caggcatcat ctgtttctct gccagctttt  79260
ccaacagaac tcccagaaag gggcgtctgt catccccttc tctcgtcctc cgtcctttgc  79320
tctcaggcct ctgccatgtt attccaccaa agcggctcgt ctaggccatc agtgaccccc  79380
cttgctcagt cacttcttgt ccttgtctga cttgatctgt cagcagcgtg ggcagagatg  79440
actgctcttc tccttagagc cctctcccc accaggcccg gggcccttgc tgccacactg  79500
gctgctcctt cttggggtcc ctagactgat gtcctgtctc tcaggacagg acatcctgcc  79560
caaggtattc atccctatga ggacaggggc cttccttgtg gggaccaggg tcttcccgta  79620
gggactgtgc tctggtaggg agatgtgtgg gtggcattgg tgaccactct cgtgtgtcag  79680
acgccgtcct gaacccgcaa gcccccagcc cgcccaggct gcatccagcc cgtgctcctt  79740
ccacatctcc tgtacctggc tgtcccatgg tcacctcaca gctcagtcta cagtgagcta  79800
ctgaggcctg tgctacctgc cacttgtgtg ggcccccca aggctgcctc atctctttgc  79860
tgcagctaca cctgggtgct gccccgactc ctctcctctt gcacacacag ctgatccatt  79920
aggaggtctg tcagcgccca ctatcacggc tgccatcttg gatgcagcct gcctcctccc  79980
tagggtttct gcagcaccct ggcttgtctc cctctgccct gccccagcat ggtcctttct  80040
ttcccatcct tcccctggag gccctcctgg tcaccatctc accacggcaa ctggggtcct  80100
tcaggggcct cattccctcc tagggatca tgttggatag aggggtcagt gggcacgtag  80160
ctctcgcgga tcacgttgga tggagggatc agtgggcacg tagcaggctc ttggtggaag  80220
atgttggatg gaggggtaag tcggcccatg gcaggacgca tgttgaatgg acgggttagc  80280
aggcatgtag taggcccatg gcagacactt gttggatgga ggtgtcagca ggcacatagt  80340
aggtgtgtgg cagatcatgt tggatggagc ggtttagcag gtgcacagta ggcctgggt  80400
ggatcacgtt gaatggaggg gttggggcg cagatcatgt tcgatggagc ggttggcagg  80460
gtactgccct acaggcggc ttgtcacccg tgctgtgaga agcccacgc tggctgaaga  80520
ggagggtgtc agcatgcact ggaggtgcat gttgtaaggc ttggcaggtg aactgggtga  80580
aaggtgtggg tgagtggccc caggcataag gagctaggca gagagggaca cttggggtgg  80640
gggacagcac acccaggggc cggggccag gagtggaggc tggcacttgg caaacctgcc  80700
cccttcctcc tcacccagcc tggtcctcaa ccctcaggcc gcccagggaa gggtttcctc  80760
cacctgaacc cactcagctc ctttcttagc ttggcoccac gccaccgtcc ccagcccatt  80820
gctctgtgtg agggtggcag tggggctgca gtgtggggcg cccatgctgt tttctctcat  80880
gcttcagcca agaactacat cgcgctggat gactttgtgg agatcactaa gaagtacgcc  80940
aagggcgtca tccccagcag cctgttcctg caggacgacg aagatgatga cgagctggcg  81000
gggaagagcc ctgaggacct gccactgcgt ctgaaggtga gtgaccaaga ccccggtcag  81060
gccggagcct gcctcccaag gactcgcgca cctcaggcag ggcaccttcc aggaagctgc  81120
```

```
aggtggggag gttcgcgcct aacaaagagt gtcttacagc cgtgccgctg gtacctttgg    81180
gtcatcatct atcgtcataa ggatgtgtcc tcgggagaga ggcctttctt ttctgcgccg    81240
tcaggctcag aaaccagggg cggtgttggg caggagtgct aggatggcaa gcaaggggcc    81300
cctgggtctt tctgtgcagt gtaggggcca gtggggcggg ctggacgcag actttcatct    81360
agacttcatc acttagcaga tttctccatg tatggtccag agtggaggcc agtgccttga    81420
agatgccttc cccgaaaaca aagtgccgtg tccgtcaggc cagggaggac gtgcagaggc    81480
gcctactgcc cctggatctg caagggctca gggagcgagg ccagtgtggg agcgtggtgg    81540
gtgacacttg tgcaggdtgc cattgggcac acctggagga catgagcagc tttggcggca    81600
ggaggaaagc ggggagcggg gagcgggaag cccagcagtg cgggccctac tcctggcctg    81660
acagcttgtt ttcttggcca tgtggcccta tggcctctca cagagttgct cacagttcag    81720
ctcgcatggt tgaattagat gtgtgcctgt ctcactctgc agagaacacc aggatttcca    81780
gaagcttggc ctcctgaccc aggatcccca agctgaggcc agcacagggg gccccagcag    81840
atgattgtca cagaggctgc gggcagtatc atgcaggcac cctggggttc tgtcttctga    81900
actgactgag aacctggagg aactgccatc attgtattca gatgggcgcg tgagtcaggg    81960
ccaggaccag gagatggttg ggccaccaac tgtcaggcag gcagcaggct gaaaggtcac    82020
cgtcctcgag ccagggagaa ggtcagagta ggcccgccct ccggtggggg ggaagagcag    82080
gaacccaggt gctgcaggag cagcttcagc ccaaagagca gcaggcacag cagccctgct    82140
gcagggactc ggagccagac aggtctgagt gtgagccccc cgagtgccca gagctgcgag    82200
tcctttaggg tggcaggtgg aaggctctgc tcctcccact tgggacaggc tgtatgtcca    82260
gggtatgaca ccgaccggtc tgcagaggtt ctgagacatg ggccaggatg gccaagaact    82320
tgaaccaagg gagcacatgg tttttactga tggtctgctc agagctggcc ctaggcaagc    82380
atattcacag attgggtgcc atcatctcct tactaatggg agatgaggaa gctggggtgc    82440
tggcatggtt ttggcaaaga cactcccgaa atgagagtga gggtcacagg tgaacgggtt    82500
aacttggaga agacccttgg gccaggcggc catggcccag gtgtcccagt ttatgccatc    82560
tggtgtaagt actattataa taatgcctcc ttgcatatgc gtcctgttcg gaaaattatg    82620
tcacctagtt atggatggtg agtctagtgt tgtgtagcat ctgaaaatcc tatttatta   82680
tgttacttaa tgacagggtc tcgttctgtt gcacaggctg gagtgcagtg gcacggtcac    82740
agctcactgc agcctcaacg tgccaaactc aagtgatcct cccacctcag cctcccaaat    82800
agctggacta caggcatgtg ccaccacacc cagctgattt ttttgaaaac attttgtagc    82860
gatggggggtc tcactattgt tatctacgct ggtctcaaac tcctgggtca agcgagcctc    82920
ccactttggc ctcccacact gctgggattc aggcgtgaga cactgtatcc agcctgaaag    82980
tcctttttag aagggagaga tttaagctgt tttgacaaga agtaaacaag actctgtttc    83040
cctttagttt tggatgctgt cagagcactt cgattccttt gcagtttgtc ttcttagaag    83100
tctcttgtga gggaggcaat gaatcgtcac aagcgtctcc cagggctgag agctgtccca    83160
cctttttagta gccttttgta gaacaaggag aggtcttcac tcaaagtgaa aatgacagac    83220
acctctttgt gagccaccct tactcccaca aagaatgttc cagactccac acagttctct    83280
tctggagcct ggaggtgcaa gctgtcatcg tagatagaat cctctgaaaa caaacttaat    83340
atcttaaaat cgtaacattt ttaacattac ataattggaa gatccgacac gggaacattt    83400
ttgcccacag gtttgagcag aatctcgtct cggctccctt ccccagcctg ccttcttcac    83460
gggtccgctg ggccatcggt gtggtgacgc tgcttcctgg tttctcgtgg cagcagaagg    83520
gccgatcacc acaggcccag acagagagct ctgcagtgtt ctattcatag aggcagactc    83580
ctcatagttt ttaagtttcg ttctttttcc atctcaggag ttgaatttgt ttggaccttc    83640
tttgcagaaa aggagactga acttttttaat cccatgtcag aggaaggtct tgggtgtaca    83700
ttgcagggag cagaaattgg ggctttaaaa aggggatcgt tccctggtca tcgagttcag    83760
gtgggggacc agccccctcca cactgtccaa gcagaggcta gacgccatcc aacgtaatgt    83820
tctagaatat tccttgtctt ttaaaggccc tctcaaccag gtggttgtgt gtgttctagg    83880
caaaagaatg tgcatggctt tgagtaagac aggatttcag atttattttt accaaggcca    83940
ccccccttgct accgtggcgg tcgtgcgtga aactggtggt gagcagtggc gggccaggcc    84000
acctttagtt gtcctgctgt tcgcaaggcc cccatacggg gattaactga gcagcctgcc    84060
ggctgacgca catgttgact cgtgtagctg ttgattttag ccagctggcc tggcgtcata    84120
ctacaggggc ttgccccaaa caaaccctgg agtaggttgg ttttcataaa tgccctctgg    84180
ctctctggca agcgttggaa atgccctcaa accctgtagt gcctggtctt ccctggccat    84240
ctcctggcag tgtgagcgcc tctctgctca tgtagaaggt tgttgacccc agagagagct    84300
aggggagctg ttagctgctt taatcgttta tttgcttgtt ataaaacaga gattaagtgg    84360
actgtcacaa atatacatga agcagcagag ctgttccccc acgtgtagac gtgcatgcac    84420
acactcctaa acacttccgt ttcttccatg agcctgtcct tctcatctgt ggaaggctca    84480
gtctgtgtag acatgcatgc acacactcat aacacttccg tttcctccat gagcctgccc    84540
ctctcctctc atctgtggaa gactcagtct tctggttgtt tccaggtgtc ctggtcctcc    84600
agagctgata gccaggctgt tggcaggtga gggccacatt ctggtgttgt cacctagttg    84660
ccattcacct gggatccctc cttggccttc tggtgggcct ggtggagaga acctgcccca    84720
gggaatttgt ggggtctggt gcttccccga ggcccggagc tgatggggggg ctccagcctg    84780
gatgtgtcat gtagcccctc agtgggccct ggacatgcag ccaggcttcc ctaccccat    84840
gtggggccgc cccctagggcg tccacttcct ggtgttggtc caggcccctg gcacttctga    84900
```

290

```
agatgcacag aacctgcttt gtatgccacg ccatgctgtg tgagcactgg caccatggcc  84960
actttgtccc ccatcccctc cagtccctct gcctggctgc cctgtgttct ggcagggctc  85020
agggcctctg agttctgcac agaccaggaa ggcatgaggg ctggccctgg gtggcagcgc  85080
tgcttcaccc catcctgagg ctgctcccag catgcctccc tcagccctct gctcctcttg  85140
gctgtggtga aggccaagag ctctttctga ccttagcgct gcatgcagag caggggagca  85200
ggacccacag gtcggggggaa ggcagccttt ggccttgact atggggaggt aggggtgcgc  85260
tggtgtgtat gtgtaggtgc acacgtgtag gggtgggtgt gcatgtgtga gggtgcacgt  85320
gtgggggtgg gtgtgcacgt gtgtgtaggg gtgggttgcg tgtgtgtgaa tgtgtatagg  85380
ggtgggttgt gtgaatgtgt gtgtaggggt gggttgcgtg tgtgtgaatg tgtgtgtagg  85440
ggtgggtttg aatgcaggta ggttgcgtgt gtgtgtaggg gtgggttgcg tgtgtgtgaa  85500
tgtgtgtgta ggggtgggtt gtttgcgggt aggttgcgtg tgtgtgaatg tgtgtgtagg  85560
ggtgggttgt gtgaatgcgg gtaggttgcg tgtgtgtgtg taggggtggg ttgcgtgtgt  85620
gtgaatgtgt gtgtaggggt gggttgtttg aatgcgggta ggttgcgtgt gtgtgaatgt  85680
gtataggggt gggttgtgtg aatgcgtgtg tgtaggggtg ggctgcatgt gtgtgtgtag  85740
gggtgggttg tgtgtgtgtg tatggggtgg gtttgtgtga atgcgtgtgt gtaggggtgg  85800
gttgcgtgtg tgtgtgtgca cgtgtgtgta cgggcagaag gtggcctggc agctgcttct  85860
cagggtctcc ggccataggg agggcagctc acccggcagc cccgtgcagc tgaacggtat  85920
ttttgctggg agagtggtgc tgggccctct gcctgtgtct gcactgaact cccttttccct  85980
aatgcttgct ctgccacccc tccggggact gcctgcggct tctcctcctc gtaaggatcg  86040
ccatttccct tcatggaggc tcagggaggt gacatccttg ctgtagtgca gagctgggtc  86100
acaaaaccag ctcccagaca ggcatctcag ggctccgtca tctcttcatg tgggtgaccc  86160
tgaggggagg gaagtgggga gcccgtgggt ccctccagtg ctggaggtct tgcagggaga  86220
gaagcacaca tgcatctagt cacgctggta gaaggtgggg agccaggcac ggggcagagg  86280
ggggctccag gcccagaaga gggaggggctc acagggaccg cgagcatggg gagggccacc  86340
tggagaaggg gggaggggagg accactagga tggggctggt gatgggaaaa cgcaagggtg  86400
cgggttcctt ttgcccagag gcagggtggt cagagggagg cgtgagatgg gagcagtggg  86460
ggtcctgtcc cagcctcgtt cccacgtacc atctttcccc caggtggtca agtaccccct  86520
gcacgccatc atggagatca aggagtacct gattgacatg gcctccaggg caggcatgca  86580
ctggctgtcc accatcatcc ccacgcacca catcaacgcg ctcatcttct tcttcatcgt  86640
cagcaacctc accatcgact tcttcgcctt cttcatcccg ctggtcatct tctacctgtc  86700
cttcatctcc atggtgatct gcacctcaa ggtgttccag dacagcaagg cctgggagaa  86760
cttccgcacc ctcaccgacc tgctgctgcg cttcgagccc aacctggatg tggagcaggc  86820
cgaggtcaac ttcggctgga accacctgga gccctatgcc catttcctgc tctctgtctt  86880
cttcgtcatc ttctccttcc ccatcgccag caaggactgc atccctgct cggagctggc  86940
tgtcatcacc ggcttcttta ccgtgaccag ctacctgagc ctgagcaccc atgcagagcc  87000
ctacacgcgc agggccctgg ccaccgaggt caccgccggc ctgctatcgc tgctgccctc  87060
catgcccttg aattggccct acctgaaggt ccttggccag accttcatca ccgtgcctgt  87120
cggccacctg gtcgtcctca acgtcagcgt cccgtgcctg ctctatgtct acctgctcta  87180
tctcttcttc cgcatggcac agctgaggaa tttcaaggc acctactgct accttgtgcc  87240
ctacctggtg tgcttcatgt ggtgtgagct ctccgtggtc atcctgctgg agtccaccgg  87300
cctggggctg ctccgcgcct ccatcggcta cttcctcttc ctctttgccc tccccatcct  87360
ggtggccggc ctggccctgg tgggcgtgct gcagttcgcc cggtggttca cgtctctgga  87420
gctcaccaag atcgcagtca ccgtggcggt ctgtagtgtg cccctgctgt gcgctggtg  87480
gaccaaggcc agcttctctg tggtggggat ggtgaagtcc ctgacgcgga gctccatggt  87540
caagctcatc ctggtgtggc tcacggccat cgtgctgttc tgctggttct atgtgtaccg  87600
ctcagagggc atgaaggtct acaactccac actgacctgg cagcagtatg gtgcgctgtg  87660
cgggccacgc gcctggaagg agaccaacat ggcgcgcacc cagatcctct gcagccacct  87720
ggagggccac agggtcacgt ggaccggccg cttcaagtac gtccgcgtga ctgacatcga  87780
caacagcgcc gagtctgcca tcaacatgct cccgttcttc atcggcgact ggatgcgctg  87840
cctctacggc gaggcctacc ctgcctgcag ccctggcaac acctccacgg ccgaggagga  87900
gctctgtcgc cttaagctgc tggccaagca cccctgccac atcaagaagt cgaccgcta  87960
caagtttgag attaccgtgg gcatgccatt cagcagcggc gctgacggct cgcgcagccg  88020
cgaggaggac gacgtcacca aggacatcgt gctgcgggcc agcagcgagt tcaagagcgt  88080
gctgctcagc ctgcgccagg cagcctcat cgagttcagc accatcctgg agggccgcct  88140
gggcagcaag tggcctgtct tcgagctcaa ggccatcagc tgcctcaact gcatggccca  88200
gctctcaccc accaggcggc acgtgaagat cgagcacgac tggcgcagca ccgtgcatgg  88260
cgccgtgaag ttcgccttcg acttcttttt cttcccattc ctgtcggcgg cctgaggatg  88320
gtccgccacg aggagcttcc agtgcatgtt gccatgaggc ctttccccag tgtggcccca  88380
gcccgacagg catgcaccag tgccgcctgt gcccacgtgt gcagactgtg ctgcagaga  88440
ccttgcgacc atgtgtagat tgcgtggacc ccgacaaagg gaaggctgct gtgtagctct  88500
gtccactctg aataccaagt gtgttgggaa ttgcatgcca tctccaccct gagcctgacc  88560
tttctgagtg acatgggtgt gccaggctag actaggaggt tccggtgtct ggaaaagcac  88620
tttacagatg agattccctc tcctccccca ccttcaagca ccctgttccc tctttctttc  88680
```

                                              291

```
ttttgtgttg gatttgttta aaaaccaaat aagcatctgt gtaacctcca cagtagcatt   88740
tcttatttgt ttggtcactg ctacacctta gcagctcttc ccctttcctg ggggatgtgc   88800
acggcagctt gagcctgtca cgtggtcaag gcccggcccc atcagaggct gggggaggcg   88860
gcacattggc agtgtgtcac actgagctgg gcaccacagg ctgcctcatg accctcctgt   88920
ccagcaggta gtgggtgaat gtgtgaaggt cttgcctgaa tccatcagga cttgggaaac   88980
agagaaccct gtgggggcgg ctgtggggga ggtccctgcc agtgtttaga agagcctgac   89040
tgtgttcagt gccttggagc agaaagccag ggtcctgagt ggctgaaata aaagcctctg   89100
gtggaacctg cagcgctttc cttcctttct ttaccgaaaa gaagtctttc ttgtacgtgc   89160
gtgagaatca gcagagcctg cactcctgtt gaatgaaatg caagtgcaat ttgagttata   89220
aaagagcaag gttgatgttt cacagttgat ggcttcctgc cacagcgaga ccctggcttc   89280
atctccagct ggaggggccc ctggggcatc tgccgtaact gtggggtggc ctgggcatgg   89340
gctgcctgtg cagagagacc tgtgctgaag gtgaccatgg agtgtcagcc cagccatctt   89400
cagatcttac tgagcggaaa gtgcacggtc ataattatct ttgaattcca gttacccatg   89460
aagtggagcc tacagggtga ttgatggcgt ggggctgct gtccatgcgg gagtgtgttg    89520
tgaaaccacc tcctgtgttc cctaacctgc agtgatgacc ccatgggatt ataatcagaa   89580
cttagtcatt tgggggcacc cgagcagctg caggcccctc agcaaacctc accctcttg    89640
ggcagcctgt ctgtcccagc cccttgggtc tttggtgtct tccctgaggt tgaggacgtg   89700
gcctgtacct gctcctgtcc cccgtaggct gggctgctct ctgctgggca ccaggcctca   89760
cctctttgct gtgggtggga agcgtcgagt ggtcacacga tctggcttgg ccacctggtg   89820
ttgccatgca ggatgtggtt gctccatttt ccttggacga cactgggtgg tggcagctac   89880
acccgacact gtcctctcat cctggtttgt cctgcctgga ggggctgcgt gaaaccacac   89940
gagaggctca ggtggtgtca tcactccgag ccacgggtgg tggaagctgc acccccacac   90000
tgtcctctgc gtgaaaccac acgagaggct caggaggtgt catcactccg agccacatgc   90060
tcgcccctgg gtttctttcc caggcaatga gatgaggttg gggttcagcc tcatttcctc   90120
tccccattct gtggatttgt gaagccatgg aaggccctcg ccctgtgact ctgcccccag   90180
gatccccact gactgcagag gagggaagtc gcctgatgct ttccaagtga acaaagatga   90240
caacacagca tctccctcac aacccctgga tgaggaagat gctccaacat cccccatcta   90300
cagaagacgg caccgaggtt cagagtggag gccatagcac attagcacgt tatcacatgg   90360
cacatagcag agcaggaagg acagagctct gcctgtcccc ttcccctggg ccaccacact   90420
gccactcagc atccacaatt agtttctaac caaccggcag aggcacaggt tggaggagaa   90480
gtggtgctgt cttttgggca gagtccagaa tgggcatggt cccgggttcc actcattctg   90540
ccacaaaccc ctgtgccacc cggcaccatt taacacctgt ccccaggcct cagtgtccca   90600
atctgtaaaa cggaaagcct gggctaagtt agtggttttc aaaacttctt agcaacaccg   90660
tttttgtttg tttgtttgtt tgaaataggg tctcactttg tcacccaggc tggagtgtag   90720
tgctatctcg gctcactgca gcctccacat ttgttctggg ttttacagag aggctccccg   90780
ggccccgccg accaccccac ccaggaaaga acctgccgtc tgcaggaaca gccattattt   90840
aacaccccgt cccggccacc tgctctggtc tgcccccttca ccgtatggag ctgtaggaca   90900
cccagggagg gaccgggggc agggtctcac tttgcttcta cgaagtagta gcatttgaga   90960
gaatgagtca ggaaagaccg aattgggtgg tgccatctca agtgccaaga gagggtttgg   91020
cgccagagtt tccaagccct ctggaagccc agctccctag gggcattctt tcaggggggcc  91080
ttcactgtcc attcttgggt agcgaagcca tcagaaagac ctctctgcct cctttggaca   91140
tgctgttaaa gaccagtcat tcaaagctca atcattcaag tgctctcttc cttttttttg   91200
atcctacatc atgcaagtac actcccaagt gaggtgacaa aaacgcacat ttctgcagat   91260
gcccatgaac caggacctgt ctctcaagtc tgccacctga ggacagaatc ctgtaaccac   91320
cccagctccc aatcagcagg atggggtgtc agggctatta aacaaacagc cacgtggccc   91380
aacacgtctc atccggcagc tcggggaaag cacactttga cagccaggac cctatccgat   91440
aaatggtgct tcctcttcat gacaaagaaa atgaacactc attcactcaa aatattcagc   91500
acctgctgtg tgcttcactc ttcctggcac aggggatgca gaatgaacag agagcccctg   91560
ccccactggg aggggtgttt gtggggagat ggaccaggta ccagtcagtg aatatagcac   91620
aatggcaggt agagaaaagt gctacagtca tctaccgtga gcgctgtgat gctctgccca   91680
gtttcaccac attaatggag cacccactat atgctggaca cataccatgc attttctcat   91740
cctagcggct gttgcaaaat agacacgtcc attgtgaaga ctgcgggcgg tagaatcgca   91800
gcccccaaag gtgtccaggt cctaatcccc aaatcctgtt tgtgtgttcc cttgcatggc   91860
aggagggatg ttgcagatgg gattcagtta aagatcttga taccggggag atgattctgg   91920
actttcctat ccagaagggc ccaaagtaat ttcaagtgtc cttgtaagag ggaggctgga   91980
gggtcagggt gtgagattgg aagatgccac cctgcaagct tcaagatggg ggaaggggcc   92040
atgagccaag gaatgtgggt gtctctcacg ctggaaaagg tgaggagatg gttctcgcct   92100
gcagcctcca gagagacaca gctgacagag tcagactggg ccactgacag ggctctagcg   92160
tcccagattc ccatgccccc acccctctgc atggctcctg agccctctc tgaggtgtct    92220
cctggaaaac ctttgggctc ctgctccctg cctgttatcc ctgaatgttg ctgccttttg   92280
cagcttgtct gtccctctct gaggctcatg atgtcatctg cgtgggcccc ccgcgtaatt   92340
ctaacagcac ccaggtaaag ataaaggtgc tttgttgttt ttctaaaaag gacttcgctg   92400
ttgcttgagt cactcataac ttgatcaatt atttggagct ctaaaagctt cccagttgct   92460
```

```
aggaaaccac accttggagg ctggcaaacc attgttaaag ttgttcctaa agtgctgaac  92520
ttctacagtg actttggaaa gtagcttggg gaacaaaaca aagcaaacaa aacagaaaag  92580
actcgggttc ccttttcttt ccgtccagaa gtgatcaaat cagctaaact cactgtttca  92640
agctttcctc taactagatg tgttttttc tgccgttagc cagaaaggcc ctttccttcc   92700
tattttagtc acagaataac ctgtctcttt aggacagtgg ggtcctgtgc tgaatcccac  92760
ccccaaagat gggaagaact cgggtgctgc gttttgggaa gccccggctg agatgagtgt  92820
ataactgggg ctgagagccg agagcctggc ccagcaagcc aggcagtgag gtgacccggt  92880
atcccgctcc ccatttctgc tggagctgga agagccccaa ggacaccagc cccatcagag  92940
ggagctgggc ccagagctgg gtggggcagc cgactactcc ctgcagaaca cctaccgcct  93000
gcctgacact ggtggctgct ttgtggacat gcttttgaaa acctcgtgag ggtgatgtta  93060
ttgtccccac tttatccagg ggtacctggg cacggagcag ggcggtaact caccttggat  93120
gtctgtggca gcctccaaga tggtcccagc aatccccacc accttcctgc tgctccttcc  93180
atgtagcagg ataggtctgt gcgaccagta gaatatggca gatgtgacga gatgtcactt  93240
ctgaggtttg cttacaaaag gctgtggctt tcagtttggc tgctctctct cggatccatc  93300
actctgggtg aggaagccat gccgcgagca gccccgtggg gaagcctgca cctcaaggac  93360
ctggagcctc aagccaactg ccacatggtg cacttggaaa cagggatggc tgccacggcc  93420
cacactcgcc tgcggctccg gggagacacc cagccagaac ctcctggtga atccactcct  93480
ggattcccta cccccacaga gtataagatg acgaatgtgg ctttaggctg ttaaattcgg  93540
gataaccgat acagtgccaa cactggtaag tgacgaggct gcaatgaatc ccaggtatcc  93600
tgtggctgca tctccacctg catgggccat cctgtacctg gcaggcccca tccttagcct  93660
ctttaaaagt ccaggaacct tggaatgttt ttctgacatc tcctaggctg ctggatttac  93720
caggaaaagg gacggaccca cacctttcc ctgtttgaat ccattgcatt tcttccaggt   93780
gtttcaatcc cttctgactc gatttgcttt aatgaagctt gaggcaagtg caattttctg  93840
cccatggggc tgtaacactg ttcaaagtca tcctggagct aagctaagtg gaaaaaacca  93900
tatggcattg tcgccttctc agcctgacct ggcatgcact ctcaccctca tctgtcatgc  93960
ctcctgcttt tccacctggg gggctgagaa gtccggccat cgaaaccttg gttcctgcca  94020
gccacgggag tttggaagct ttatcagatt cctgaagcct cgtttcctca tgggaacagt  94080
gcaggtgaaa gcaccttcct ctcggaaccg gggggaagat gagaggaaat taaatagatg  94140
tatggccccg cagcaggact ggcgctctcc attgtgtctg aaattggcag gttcttggtc  94200
tcacttactt caagaatgaa accacggacc ctcgcggtga ctgttacagt tcttaaaggc  94260
ggcgtgtctg gagtttgttc cttctgatat tcagatgtgt tccgcgtttt cctccttctg  94320
gtgggttcct cctctcgctg gttcaggagt gaagctgcag accttcacgg cgagtgtcac  94380
agctcataaa cgcagtacag acccaaagag tgagcagcaa ttagatctat cacaaagaac  94440
aaaagaacaa agcctccaca ccacagaaga caacccgagg gtgtcaacat tactggctcc  94500
agcagcctgc ttttattccc ttatctggcc ccacccacat cttgctgatt ggtccatttt  94560
gcagagagct gattggtctg ttttacagag agctgattgg tccgtttttgc agggtgctga  94620
ttggtgcgtt tacaatccct gagctagaca caaaagttct ccaagtcccc actagattag  94680
ctagacacag agcactgatt ggtgccttta caaaccttga gccagacaca gagtgctgat  94740
tggtgtattt acagtcccctt agctagacac aaaaggttctc caaatcccca ctagactcag  94800
gagcccagct ggcttcacct agtggatccc ccaaccgggc tgcaggtgga gctgccgcc   94860
agtcccgcgc cctgcgccct cactcctcag cccttgggcg gtcgatggga cccggcgtgc  94920
cgcggagcag ggggcggcgc ttgtcgggga ggctgggccg cgcaggagcc cacggccagg  94980
gggaggctcg ggcatggtgg gctgcaggtc cccagccctg ccctacgggg aggcagctga  95040
cgcccggcga gaattcgagc gcagtgctgg cactgctggg ggacccggcg aaccctccac  95100
agctgctggc ccgggtgcta agcccctcac cgcccgtggc gggcggcgcc gaccggcttt  95160
tccgagagcg aggccagctg agccccgcc cacccggaac tctcgctggc ccgcaagcgc    ·95220
agcgcgcagc cccgttcccg cccgcgcctc tccctgcaca cctccccaca agccgaggga  95280
tccggctccg gcctcggcca gcccagaggg atccggctcc ggcctcggcc agcccagaga  95340
gggggctccc acggtgcagc ggcgggctga agggcccctg aagcgcggcc agaggggcg   95400
ccgagagcga gcggggctgc cagtacgctg tcacctctca ccatcactgc ccttgcttgc  95460
tctacggctg ctcagaccca aggggcaagt ttctccaggt atttccaaac cagggagggc  95520
tttgtgttta gtttaagtca aggaggctgt cccctttcg aggctgtttg gatttcttc    95580
agcaaaaact agcagaagtt attacgcagg aacttttgt agcatataaa gaatgaatcc    95640
cgataggtac tgtgatggtt accgttaggt gtcaacttga ttggattgag agatgcctag  95700
aaagctagtg aagcattgtt tctgggtgtg tctgtggggg tgttgccaga ggagactgaa  95760
atttgagtca gtggactggg agaggaagac ctctcctcca tgtgggtggg caccatccaa  95820
tccgctgcca gcgcgcctcc aactaagcag gcagaagaag gtgggagaag ctggcttgct  95880
gagtcttcca ccttcatctt cctcacatgc tggatgcttc cttccactcc tcctgccctt  95940
ggacatcaga ctacaggttc ttcggccttt ggactctggg acttacacca gtggtttgcc  96000
gaaatctgtg ctttctgcca cagattgaag gctgcactct tggcttccct acttttgagg  96060
cttttggact cgggctgagc cactactggc ttccttcttc cctagcttgc agacagccta  96120
tcaggaaact ttgctttgtg atcatgtgag tcaattctcc ctgataaacc ccctttcata  96180
gacacataga tcctataact tctgtcactc cggagaaccc taatatagtt accaatagaa  96240
```

293

```
accttacaac tttccctaga ttctgcaggc tgggtggagt tcaccaccct ttgctttgag  96300
gtatcagtgg aggaagaaca gaggcactgg ggtcaggaca gaatggggcc agaccccagc  96360
tccagaacct atgaccgcat aggtttgaga gacctgcgtt ccagcctggc ctctgccttt  96420
actgtgtggc cctgggcagg ttccctaacc tctgaagctc aagttcctta cctctagaac  96480
aggagcaata ataggacctg cctcatgggt ttatgtagaa tacgatagag tgcaaagtgt  96540
gcgacacaag gcccagcaca cagtaggtgt caatcagtgg tcacacttgt cactatccta  96600
taggatgggc cttgggcaca cctcctaact tttccagcct cagttggctc ctctgtgaga  96660
tcaggattat aaagatctgc ttttcagggt ggctatgatt tgttgagaaa tgaagtatct  96720
atcacaccat catttacaca atcattcatt catggagcca ttcattcctt caatcattta  96780
ttcaatcatt catgaattta tggatttagt ccatcatcca ttcattctcc agttctcaag  96840
gctcctgtgc tgggcatggt caagacacgc tcccttccaa tgggcagata ggtaagcggg  96900
ggcctgagga agtgcaggga ctgtcatcag caaaccctgc tccagagtgg agacagagca  96960
gagcatgttc cacccaggaa ccccttggtt tggaggcatc tccatctcct gccagcccag  97020
ctcaggttct gccagtccct gaacccttct cacactctcc accccaccca tcaggagtca  97080
tatggcaggg ctgtcgaggc gtgtgaacca gagcaactcc atcttgaata ggagatgggt  97140
aaaatgaggc tgaaacctac tgggctgcat tcccagacag ttaaggcatc taagttacag  97200
ggtgagatag gaggttgaca caaaatacaa gccatacaga ccttgctgat aaaacagttt  97260
gcagtaaaga agccggccaa aatccaccaa aaccaagatg gccatgagag tgacctctgg  97320
tcgtctttgc tgccacactc ccaccaccgc catgacagtt tacaaatgcc atggcaatgt  97380
caggaagtta ccctatatgg tctagaaagg ggaggcatga ataatccgcc ccttgtttag  97440
catatcatca gaaataacca taaaaatggg caaccagcag ccctcgggct gctctgtcca  97500
tggagtagcc attcttgtat tcctttactt tcctaataaa cttgctttca cttttctcca  97560
tggacttgcc ctgaattctt tcttccacga gatccaagag ccctctcttg gggtctggat  97620
tgggacccct ttccggcaac atctttgctt cctttctctt taaattaaat taaatgctca  97680
tggttttttaa agccctatc cctttgctct caccccagt tgccatgcct cagaggaacg  97740
gcctccaccc ctttcagctg tttcttctgc taattacctt catgttttgg aataacatgt  97800
tcaaatgcta tttctgattt tccagtttga gataatatgt gtagacacca tgaaagaaaa  97860
atcgtctctc atatggcccc tctggcctcc ttcaacgaga ctttaatgga caagccacct  97920
tcccagtatc accatctcac tgggtcctgt taaatcagtg tccatcattt ctgtgctgtg  97980
taaataggat tcactgctgg gccacggaag gcactatgat tatgtttctt tcttttttttt  98040
ttttttttgga gactgagtct cactctgtca cccaggctgg agtgcagtag catgatctca  98100
gctcactgca acctccgcct cccgggttca agcgattctc ctacctcggc cttccaagta  98160
gctgggatta caggcacaca ccaccacaga gacaggtttt catcacgtta gccagtctgg  98220
tcacaaactc ctgacctctg gtgatccacc cgccttggcc tcccaaagtg ctgggattac  98280
aggcgtgagc cactgcggcc ggcttatgat tacttttgt ttatgctgtg cctaataatt  98340
atctagtttt ttgtttgtct agttttctcc acattgacca ctaattcatt tgtgaaaaat  98400
agaaaatttt tctcaatgtg ttaaaactat cagataagct ctcaatttct gcttccccag  98460
ccccgtagat ttgttgtttg gaacttccca tcttcctgtg tcaatctgga ctgttcactc  98520
tctaggccca ccacccagct gtcaccctgg ggactccctc actgtcaccc gggtgttcct  98580
tttgtgtctc tcctccgtgg tatccctgtt tctgggatcc cagatggatt aactgggaaa  98640
caggctaggc tgctataaca aagagacccc ccaatacaga agtttatgca aaccagaatt  98700
gtatttctct ctcaggtcac catctgagta ggtggcctag gctagtgtgc tggctccagg  98760
caggtttctt ctctcttgtc gctctctctc ttttgaccca cattttctat cttgagatct  98820
aaactagttg ctccaggtcc tgaaaccacc tttacaaaat tataactgag gaaattatga  98880
cagtgaaaaa aatcagacct aaccgactcc atcttccttc taacctttaa gctgtccttg  98940
ttcattcctg gacataggcc aaactaactt tggaaaggaa ttcagttcat ggtttgactg  99000
aaacaaaatt gataacagcc ctttcccaaa aagacccccc ttcttgccta gggtccagtc  99060
tgcctttgca ggactaacaa attagctaca agattagaaa tcacagttta gaggtcatgc  99120
agcctctggc tctaagagtc tgaacctcgg catattgctc ctggggataa catcattatt  99180
gtaaaaccta agatcagtgc ttgagatatt ttgcaggccc tgtgctcgat ggattagcca  99240
acaccaccca gaccagtaat ctggctcaac cagttctacc attgcaccta ggaagagaag  99300
acattaagaa aacctcactt caacccacta tgattccatc tccaacctga ccaatcagca  99360
ctctccactt cccaagcccc tacccaccaa attgtcttca aaaactgtga tcccggccgg  99420
gcgcagtaac tcacgcctgt aatcccagca ccttgggagg ccaagatgag cagatcactt  99480
gaggtcatga gtttgagacc agcctggcca atgcagtgaa accccatctc tactaaaaat  99540
acaaaaatta gccggtcatg gttgtgggtg cctgtaatcc cagctactcg ggaggctgaa  99600
gcaggagaat cgcccgaacc caggaggtgg aggttgcagt gagccaagat cgtgccactg  99660
cactccagcc tgggcgacag agtgagactc tgtctccaaa ttaattaatt aataaagtta  99720
taattgaaat taacactctg atccccgaat gcttggggag actgatttga gtaataataa  99780
aactccagcc tccctcacag ccagctctgc ataaattacc ttctccattg cagttcccct  99840
gtcttgataa atcggctctg tccaggcagt gggcaaggtg aacccactgg gtggttacac  99900
tttcagcact gtgtctacag tctggccagc ctttaggatg ggagggcagg tgaaagacag  99960
gcttctcccc tcttacagta gtgcctggag cagatcactt ccattgtcct cgctgttggc 100020
```

```
cccacctggc tctgggggac aatcctgtgt ccagataaca actccaatgc gacgtacgaa 100080
gggaaggtca gatgtcaggg acaaccagga gtccctgcct catgtgtttc cttctttcct 100140
ggtttcgtgt tagtggcgca caccctccag caacttcctg agaaattgcc tttatgtgaa 100200
cgggagccag tctgaaaact tcccaacata ggtccatacc tttgggtcat ctcccctcac 100260
ggtgacctgg gcttgctcct gtgacttgtt ttggcccatg agacgacagg aaatatgaca 100320
caagcagaga cttgagaggc aggtgtgcct tggggcttat cttactgaca ctgggggctc 100380
cagtgtcaga gacattggaa ccagagtgac tccatcttga ataggggctg ggtaaaatga 100440
ggctgagacc tgctgggcta tattcccagg aggttaggca ttcttagtca acaggagatt 100500
cacagatggg gaacaagtga acgatgttta ccaaacagac cccggactta acagatccag 100560
gagatgtcct gatgtcccga caccttaaga acaaaagcat tcttagttca aaaataagtt 100620
tggtggctgg gcgtggtggc tcacacctgt aatcccagca ctttgggagg ctgaggtggg 100680
cagatcacct gaggtcaggg gttcaagacc agcctagcca acatggtgaa atgcatctct 100740
attaaaaata caaaaaaata gcaaggtatg gtggctggca cctgtaatcc cagctacttg 100800
ggaggctgag gcaggagaag tgcttgaacc tgggaggcgg aggttgcagt gagtggagat 100860
cgcaccattg cactccagca ctccagcctg ggcgacagag caagactccg tctaaaaaaa 100920
aaaaaaaaaa aaaaggtttt tgctttaaag attcttgcag aagacagtag ttgcacaaag 100980
atgaacaatc cttagtcacc agccctagta gcagagcaca cctcccccag gattttgtgc 101040
ctttgtctta tatatgaaca agcactgtac ctaaggcaca tgtgttcctc atcttgctct 101100
tgggaacacc gtacgctgcc tatggagtag caattccttc ttgcctttac tgtcttaata 101160
aacttgcttt cactttactc tgtggactcg tcccgaattc tttcttgtgc aagaaccaaa 101220
aaccctctct tgagtctgga ttgagaccgc tttctggtaa caactggggc gatcacaggg 101280
ctggcctggg agagcccgct gggtgagaga gatgcctgct gatggcatct gtgttgtcct 101340
gagccaacca gcaaacctgt gagtgaggcc gttctaaaac attcatcctc agctctgcct 101400
cccagcccac acacggaatt gtaagaaata gtcaatgttt ttactctttt ttttttaaga 101460
cactaaattc tggggtgttt cattacacac caaaagctaa ttggtacaaa accttgcatg 101520
ggtaaaaagc cttcatttcc ctctcacgtg taatcaatag tttgaagggg catagccagc 101580
attcgaggtc caagaatttc ttcttagagt ttgaaagcag cgctcccttc ccttattgct 101640
gctgggaagc ctgaagacat attctgattc tcctaagcta tcgtttacag tgttctcagt 101700
ctccctgagt tctgatcctc aaagggatgg ccctggaagt gggtaggctt tccaccattg 101760
cgccgggcac tgtagtttct tttcatctgc aaagtttgat tcttcaggtc agaaacattt 101820
tgaatatttt atttcctcca ttttctttgt tgaactcctc atatctgtgt gctgaggcct 101880
ctttgaggag gttagctttg tttgtttgtt tatttatttta tttatttatt tattttgaga 101940
tggagtctca ctctgtcacc caggctggag tgcagtggca tgatctctgc tcactacaag 102000
ctctgccttc cgggttcaag ctattctcct gcctcagcct cccgagtagc tgggattaca 102060
ggcacgtgcc accacgcccg gctaattttt gtattttttag tagagacggg tttcaccatg 102120
ttggccagct tggtctcaaa ctcctgacct caagtgatca gcctgccttg gcctcccaaa 102180
gtgctgggat taacaggtgt gagccaccac gcccagccga ggttatctct ttttctcacc 102240
tattttcttt gggattctct ttgatatttt ttgttctact tcctgagaaa tttcctcaac 102300
cgtatcttcc aatctttgca gagatcttta tttttgcaat catgcttcta atttccatgg 102360
tttccttaga gtctccacgt gtttccttgg ctatgttttc catattctct tatctctatg 102420
cagatatcca ttatccgagt tttgaaaacg gtattccacc tggcactgta gctaaaggtt 102480
gcagcttctt ttccttcctc tttgcttgtt tgcttgtttt tgtcttggtc ttttccacag 102540
cagggctgtc cttgagtgtc tggcattctg ggctgtctgc ttctatctca gcagctgcct 102600
ggaatctctg tgtgcctgtg gcagagtggg gatgcgtgtc aaactgccag cttcccagtt 102660
ggatgctttg gtggagcagt accttttttt ttttttttt tttgagatgg agtctcactg 102720
tcgcccaggc tggagtgcag tggtgtaatc ttggctcact gcaacttcca cctcccatgt 102780
tcaagccatt ctcctccctc tcagcctccc gagtagctat gattctaggt gcatgccacc 102840
atgcctggat aattttgtg tttttagcaa cgacagggtt tcgccgtgtt ggccaggctg 102900
gtctcaaact cctgaccact ggtaatccgc ccgccttggt ctcccaaagt gctgggatta 102960
caggggtaag ccaccgtgtc tggccgatgg agcagtatct cgagggacct ccaagtgtcc 103020
aaacctaggt cttttctctc cagctggcca gtttcccagt gagggggcct ttaaccttcc 103080
ccggggtgtg ggtgggttgg gtgtgacctg ttctcagttg ctgcctgcc gccaggtctt 103140
cctggggtcc cggtccccgc agcctctcgc acaatccctg gggaatgaac ctcccgcctt 103200
ctgcagggct gggagaggga tgcttgctga ggaagacatt cagaaaacct caattttctc 103260
cccacctca gaggtccctg gtgcctccag gcccagagcc tttctggggt tctatgatgc 103320
aaaccagttg ccttgtggtt gcccccaccg cgggcttggg ctctgctctc tcagtctcta 103380
agctgtttcc actcccccat gtgccttctt gcttcccatc ttcaaggcca cggtccagct 103440
cccgttctct ttgttttgat cccttctttg actctcgagc ctgtgggagc gagggtgttt 103500
gatctgcagt gttgagcagg gttctctggg ctcctgcagg gacccagtg ttgagcccac 103560
atacacctcg ctcagtaagt agtccctaag gactgtgcag ggcaccaggg acacggtggt 103620
gagtgaatga tggtccctgg tctcacatct gtgtccgtgc cagtgccagg gggcctgggc 103680
tgtggggaaa ggaggaatcg aggcgctcag ctcaggaggc ttttcaggag caaagggtgc 103740
acagttggtt tcaggcaggg aaaggtgtga gcagcggctg ggaaaacaca caccagaatg 103800
```

```
tcaccttccg aggcctgagg ccccaccagg tagccagaag gtccaggata cagtttagta 103860
attaagacct tggggctctg cggacacgct gcctggggtc agaccctggc cccaacactc 103920
acagtttgtg gccatgaggg actcacccac ctcttcacgc ttcagtttcc ttatttataa 103980
aatgcgcgga aaaatcacag aatcctcttg atcaggtggc tgtgtggatg gatgagatga 104040
tgtgtacaca gccctccgta tagagcctgg tgtgtcctct gtgaatacta ggaatgacat 104100
ggagggcagg tcagggagga agccaggtca cccaggcttc ccccacccccc cgccaagcca 104160
atccctggac ctagccagt gggtggaggt caggtcgggc aggagggtag gtcacccagg 104220
ggcgccccg ccaagccaag ccccggacct agcccagtgg gtgtcaggaa cgtcaggacc 104280
cgctctccgg agatgagctc cggagagatc cagggaggga aagcattgag catcatttct 104340
cccagccctc tcaaggccat ctctgcctgc cacagctctg agcgcagggc ctggtgtgga 104400
gtgggggccc atccatgtgt gcagaccccg ctggagcagg ccaagctgtc cctggccagg 104460
ggccagctcc ccaccactcc acaggctcca gccctcacac gcctggccct ctagaagccc 104520
tgctcactac ctctgccacc atctggctgc ccctctgtcc tctgcagccc cataaaccac 104580
caccagaaac tccccaggaa agagccctac ccttgccctg ctcaagaaag gcaacgtggt 104640
gccaccaggg ctacaggccc cgctttgctg cttccctgcg tgctgtggac ctcccaaggg 104700
cccttgcctg tgagcaggga aaatccctac ctaaaggggt ggctttgtca ccaggacgaa 104760
gtgcccaggg atatggggtc cctggcgctg ccatgacaaa tgactgcaaa ctgagaggct 104820
taaaagagca tatttattat cttccagtct ggaggtcaga ggtctgacac aggcctcact 104880
gggctgaaac caaggtgtgg gcagggctgg ttccttccgg aaggtcccag gaggatctgt 104940
ttccttgcct tttccagctt ctagaagctg cctgtgttcc taggctggtg gccccctcct 105000
ccatcttcac atccagcacc gctggtcgag tcttcatgtc atgccttgct gagcctttt 105060
ctgttgctac agctgtctcc aatacaacca ggaacggtcc tacactttca cggacttggg 105120
tgattagatg ggtcccacat ggataatcca ggctaaattc catcttcagg tccatgacct 105180
taatcacatc tgcaagatcc cagagctggc aattggtcaa tgttggctga agttgggttt 105240
ggggaggctg aggctgcagg atccatcacc accctgggcc tccgcacatg cctgccactt 105300
ccaccccctgg ggtttgaatc ctgacccctc cacttattaa ttctactaac ttgggtatca 105360
gttaaattac ctcatctctc taggcctcct gttctccatg tgtacaatgg gtataacaat 105420
agcaacccc atgctctgca gaaaggatag catgcagcca caatgagaca tcccttccct 105480
gtaggggccg ggtgacctcc agcacagcag gactgcgggg ttcagtcgag tcaccccaca 105540
gtactgagga ggagcggcat gccctcccac tatgtacaca cacagtcaga gaggttagtg 105600
agtggccagt gacgcacatc caggaagtgg ccacctcctc cctgtgctct gtcctggagc 105660
tgtggaactg agcgccaatg aagcccctgc cagcagaccc gcagaatagc acctgccttc 105720
ctcctgctga acctgaagcc cagaattccc tcctgaaagc cagaggcagg gcctggctcc 105780
aggcagggtg cagggaaacc caggcgtgcg tgggacactt acccacacac tctcctgttt 105840
agctcagcca ttgtggcagg tggggcgggg cctctctggc ttcctgaaga atccaggtac 105900
cctgtggttt ctctcccccg caggcttcca ttctctggga ccctcaggca cgtctgtggg 105960
ggagcactgg atgaggagtt atgtgctacc tgtgtgattg cgagctaatt ctttaacctc 106020
tctgaatcag tttcctcatc tgtatcatat tctcatggag agtgtgagtg tgtgtggaga 106080
tcatgatggg ctatgcacac ctgctgccag acaaaacaag acaactatca ttacggagtg 106140
tcatgtgcca agcactgtgt tttgcactat ccaagttaat cttgtccttc ctctcccacc 106200
acaaacctac aagataggtc gtcttattag ctccatttcc tcagtgatga attcagagct 106260
agggaaagtt aagagctgca ttaggagcta gagggagcaa acccttgacg tgaacccagc 106320
ttcccagtgc aaagcccatg ggcatcccca cccactgtat tgcctcctga tgggctccac 106380
ctccatgagg ttggactcac taaaaacaaa cagcattctg gacctcgttt ttgatgtaac 106440
atttgttatt ttattggaaa aagctggtat taacatattt atagttttat tcaacaattg 106500
ggtaatttgt gagacaccaa agaaaaaaag aatgcaccta tgagttacag agtccaaact 106560
gatcagggct gacaacttga ccaccatgta tcccacacca ccaccccac caccaccacc 106620
accaacagct tcgtcctcag agaagagcta aattaaaaac aaaaccaaaa aaaccccaac 106680
aacttcacaa tgactatgtg aacgcccgta cattcgagag taccaggaaa tgtaagcaga 106740
gccaggatgc aagtctgtga ctattacact ggtccttcca ccgtttctgg ttttgtccct 106800
cccctcgaca cctttctta acacacattt gatcttcaca atttgctttg gacatcatta 106860
ttttccaggg atccagagac atacttttct tcaaagaaga tcttttcctt tcttttttct 106920
tcttttggt ttggtaccca aagtttaaaa cagaagtaag gaactaggaa ctgtattaag 106980
acctcctttt gaaggacatg taagatttgt actttgaaga tggtaaatgt taaatctatg 107040
atgtgacagt aacctctagc tgcaaataca agttcttct cttaacattt gactcacaaa 107100
gggagatgga tcgtagcaaa tatccaagta atgggtaagg ccctcagagc tgggtttgg 107160
ctttaacacg ctatctatac aattgaccac attctcgaac ctctttacaa gggggaaaaa 107220
agtaatccaa tcctttgatt gttaaattta attagaatag atatgtacat ataatactgt 107280
ccaggtcaac tggatttat agtgatatat aaacaaacat tcttcattca cgttgattaa 107340
aaaaaaatca atgatccatt tccctgtgta aatgttatat ggccagaagt gagtacacat 107400
gcactttgtg cttttacaca cacaaagta tactgtaatc cactgagaat aacctcagct 107460
gggtctgttt cctgggttat gttatatctt gtaaaaaaca aaacaaaaca aaaccaaaaa 107520
aaaagtttgg atttggctgg gtctctgctc cccactttct gaatcaaaat gccaaactac 107580
```

296

```
gtggctctgc tgcaagtcca tgagcaaaga cgactcagag gggtgggcag gtttggtatc 107640
accagaacag gagcatctac catggaaaca ccaccttctc tgtggccctc attgtcagag 107700
gggcagagtt cccgagggat gtgtcctctg ggactgtgtg gtccttaaag taaaggtatc 107760
ctaaaatggt cagaacatgc aatttccttt caaaggcagt tcagtgcatt ggctcaagga 107820
gggtgcaagc ccaggatgaa gtggagtcct ggggagggcc acactcctga agccaccaag 107880
cagagcgagg agctccgggg ggtcttctct gtcttccatc ctgcgtctca gttctcctgg 107940
acccttgtcg tcgccaagtc tgccatgtcc tacttcacaa gacagaggca ttcctttcca 108000
aaccttccat ttgaatgtcg ctctaacatg agccgcccac gagatggact ggagagaacc 108060
ttgtgtgaag acccggacgg gttcctgaca ccactgcacg gcacctgcca tgggtgacct 108120
gtgcatccgc tcagagcctc agcttcttct cgtggacaga ggggatccta agggttcccg 108180
cttatcccca gcatccagcc cagagcctgg cacgcttcga gaagttggtg tttatggagg 108240
aaatgaatga acacccacct cacagtcagg aggaagattc caaaaaatcg tgcatgggag 108300
tcagtgtccg ctccgggaag gtgcccagtg aatgctgaag ggtgaggcgg cagggagggc 108360
tgcagrgggt aagtcaactg cctctagggc tgagcaccac gcctggtaca cagcagaggc 108420
tcagcaaatg gcaggtgaat cagatgagga cacaggcaca cagaagacaa accccactcc 108480
gctcctctcg ggaaaccgca ccagacctgg gacctgggat gtttcaagac attcagaaga 108540
cctaggagag gagcttgcat ctgcaaattc tcagcatgaa ttcaccatcc aaaaaacaac 108600
ggtgaggtca tcagctctga gacagggcga attgccccat ttataaccaa aagaacccct 108660
ggctggctcg tttgagactc atcatctgtc cctggagccc tgatctggga ccagtgaggc 108720
atgggggaga agcagctccc atcagctccg gtccctgcaa caggacgcac tggagtgaaa 108780
aattaacccg gacgcataaa aagtcctatt gatgtggtaa agaccgcaga ccgagacagg 108840
aagggacgtg aatgaaagaa ccctgaactg taagactcca cagtcatgtc cattttatga 108900
tttgtggcgg tgaacgcttc ctttcctttt tatttttta aacagacaat tactgccaaa 108960
cacaattctg gcctaggaaa gctggggcag ggaggggggcc caaacttcct gtgtccacac 109020
actgccacct ctgcagctgt cctcatcagt gctgtgactt tcttcccctc cttgcattgc 109080
ggtcgtgaag gtcatgtcgg ggatgacttg catgaggctg ggtggcaggg ccgggaact 109140
gcacatacct agtgcatgtc agagtttacc ttgtcctgga agatgtacag gttgttggtg 109200
gcggcgatgg caatgatgtt ctcagccggg tgccaggccg tgtgcaggat cttcttggtg 109260
aagtccaagc tgtccacact gatgtcatca cgccggcgct tgcccccac gcacacgcgc 109320
cgtggcttga gcacagcccg gggcttgctg ctttccctcg aggcctccag ggtcacgtcc 109380
cgcttggtgt tccgatcgaa catgcggaag aagttgttgt aggccccggt catgatgacg 109440
ctggtgggag aaggagaggc atcaggtgag gaggagcaca agccccttct cgagaaataa 109500
gcccaggtgt gggggctcac gcccataatc ccaggacttt gggaggcccc ggtgggagga 109560
ttgcttcagc ctaggagttc aagaccagcc tggacaacat agcgagactc cacctctaca 109620
aaaaaaaatt aaaaatgacc gtagtcccag ctattcagga ggttgaggca ggaggatcac 109680
ctgagcctgg ggaggcagga ggatcacctg agcctgggga ggcagagact gcagtgagct 109740
gtgatttacc actgcagtct agcctgggtg acagagtaaa actctgtccc aaaacaacaa 109800
acaaatgaaa aagcaatccc agagcctaca gagccatcac tccctggaaa gggaaccac 109860
acctgcctct attccctgt atcttggggt ctcttatacc ccctcacatg tcagctgcca 109920
ccaacatgca gactttgggg ccaggagcta agatcctttt tatcctctgc cccaatcatc 109980
atgaaaatac cctcctggcc aggcgtggtg gctcacacct gtaatcccag cactttggga 110040
agccaaggcg ggcagatcac ctgaggttag gagtttgaga ccagcctggc caacatgatg 110100
aaaccctgtc tctactaaaa atacaaaaat tagctggaca tggtggtggg cacctgtaat 110160
cccagctact caggaggctg aggcaggaga gttgcttgaa tccaggaggc aaggttgtag 110220
tgagccaaga tcgcgccact gcactccagc ctgggcaata agagcaaaac tccgtctcga 110280
aaaaagaaaa gaaaagaaaa gaaaagaccc tcctgtaatt tctgttagtc caggagagaa 110340
agctctggcc ttccaaacag actgtgcaac cacagcagga ggtagacatg gaagcagctg 110400
ggacagaaaa ccaccaggcc ctgcttccct ccaggggccc gcctgtcccg aggactcggg 110460
cgaataaaca aacatgcatc gccatgaggg tcggggcgag cagtgctgac gtgcaggggc 110520
tcgctgccct caccgtcccg ctaaagagaa ttccacacca tttctctgct ctccctgctc 110580
ctaaggagaa ggggttcctg ccggtgggag gaagggtaag ttcatccaca tagtaagagg 110640
caggagagaa agcacagttc tgtgggcctg cgcccagagg gagggttttg gggtttggcc 110700
tctgcagggc cctggagcag ctgtgaggtg caaggtaact ggggaggaag aggatgttac 110760
gaaaagcgac cataaagaag ttgtcctgct gaaggctctt cagggaggaa atcctgtttc 110820
cttttggaag ctgagctggg cttcctgagg gtgacactgc tctgtgacag aaccaggtgg 110880
atccctgggt ctccaggggt tatgcacaga ggacaaaagc tcacacgtga gctccggcac 110940
tgcagtcagg ggcttgggct ctggccagtc cgcctgggtc cggatcccag ctctgcccta 111000
ccctgacatg cgcactctct tagttttcta taagaactgg gatcaacaag gaacgcagc 111060
ccctggtgag cgtgaatcag gggacatagg ctgaacaccc cgcacagtgc tgggcttgag 111120
gcactttgct tcttgttatt taccaggtac tcctcgatcc taatcgtcca tgtgaccaaa 111180
gccgcacccg ctttatatgt gactcagagc ctgggacaag gaagcagca tgcgagggggg 111240
gccgggtgaa cgagtcccac agaagggccc tgcccaggcg ccacaggctg actgggggag 111300
gccacaccct ccccgcgcca gcacagtggg gaggcagccc cctttgttct tcagggaaca 111360
```

                                    297

```
gttcacagaa tgaacctggg tgatttcaca caatgctggt tcttctgatc catttagtgg 111420
aaggagagcg acataattaa agtcatttgc aacccacaca gttcctgatc ctcccctgt 111480
tcgggtgtgg aattcagctg acacgtgctc tgggggagag ggaggggccc ctctcatcct 111540
agagcaccag gccgcaccac catgagagcc attcctcaca ttcaggcagg tttcttaaat 111600
tccagaaggt tcccttaaca gggaaaaggg caggggagct gcttcacctc tcctagcctc 111660
atctgcatgt gggaccacaa cgccggctgc tttcagcccc agtgctccgc tcctctttcc 111720
tttggggaaa gaaaggctcc tgccctcgcc acccgtggcg cctgtaatcc cagctacttg 111780
ggaggctgcg gcaggagaag tgtttgactc caggaggcgg aggttgcagc gagccgagat 111840
ggcgccactg cactccctat ccctgtgagc ggtcaatcac agtgctctcc tcgcccttg 111900
gcctggccaa cttgggcatg tgatatccct gtccatgctg attggtgcaa aaagtgggca 111960
agtgacccac acagagccaa tcagatcctt ccatgagagt tttacacagt ccctgggagg 112020
ggttggctgg ctgaggataa tggaaagggg aatgatttgg gggtcatctc tgaagaggga 112080
gaggatgagg ccagtgtgta agaagaagca gggaggagcg gagatgggga agcatggaga 112140
gaagaaaacg gccggagaga aaaaaacagc cctagggata cagcatgggc ccctgggga 112200
gccttgccca ggactcctca gagcaagtgt aggtgtgttt gactcccgca cccgagcacg 112260
ctcggctggc acaaatctct ccccccaggc aggacagatc aaggagaact tcatggagga 112320
gggggcgttg aagcctgttg tgggagggcc tgcgggattc ctccgggtag gtaacctggg 112380
gaagggcagg cctgccaata ggatagtcca cgcaggatca ctgcggcacc cctgcgcata 112440
cgaactggga tcttgctgaa ggcatcacac atggtctcat ccccaaagcg gccacgaagg 112500
ccagtttcct agaaccactt tccagccgag ctgacttagg ggcttcctca agcacacggt 112560
ggcgagggta gaatgtggac cagagactga gagagtccag caggagagct gctgcctctc 112620
cacagcacgc tgcccatctg cgttctgccg gtgctaggaa gccccacggc agggggccatc 112680
gggcagccac cacgcggcag cagcggcgct ctgcgggccg gaccaactgt cagagggggt 112740
caccaggaat aagagggcag caactgggag cctgccagga ttcgagtttg ctttggtctg 112800
caaggatgtg ggaacctggg gggaatcctt gcttctctcc tgagcctctg aggccctgga 112860
aggcaggacc cagggtctgt ttatcttggg acccctgacc atggggcatg ttgttctcag 112920
aacagtgctc aaagtgaact gggaggtggc acacctctat gccttctaga aacacccaca .112980
gccactggac acacctgagg tccccagtga agggctcaga acaggttgag tcatagtagc 113040
cccccagggc accccaccca ttgcgggagg caaacaagga cagaggttcc agccgggcag 113100
agcagagcca gctgtggagc gagagacagt gaggcgggtg ggggaccact aggacagggc 113160
gtggctggcg tgtaaagtgc acgcaggaag tggcgggtgg gaggcaggac aggagagccc 113220
aggcctagac accactgtca gcctggggat gcttggcggc ttctccagtc ctgggagcag 113280
gcatcacctg gccgcgggtg cccctggtg gcagcttgaa ggaaggacgg gcagtgggtc 113340
gcagccagcg gggacctacc ccgcaaaacg cacataaaag ctggaatcag cttgttacag 113400
ctgcaggtcc ctctcgtccg atttggatag accctcttgg gacccactgc accagggaac .113460
cccaaatgca gctcagcagc atgggaggag ccctgtctgc tggggggtgtc tgggatctat 113520
ctgggggcag ggcctagaga gaaggtcctg tgtcctgctg acccagctgt gccagcccag 113580
ccccgggtcg ggcctccatc ctggtttct aagcatcctt tagtggcccc ctgtgatcac 113640
catgccagcc ccttgcctga gctcgggctc tgctgagaga cccctgcggg ctggggagc 113700
tccaggatgt tggcaactct ctcagaaatc tccttccctg gacacaatga cttggcccc 113760
cacttggatc cagccctgct tccagggggc tccctcctgg tcctgtctct gccatgtcca 113820
gccctcccct catcccacac accaaccctg atggtcccag ccctatgccc agagccacag 113880
agagtcatag tgcggcagct ctcacatgac caccacagtg ccagccaccc tcagaggtct 113940
gggagagccc agacctgtca tgttgactga tgccatccac agggtggaca gcccccccacc 114000
aggtgatgcc caagtcaggg ctgctggctc tcactccacc ctccttgccc accacactgg 114060
acaggactgc ggggaggagg tgacagtaca tgggctcctg acaggtggta ttctgatcta 114120
gcagccagtg tagtctttat ctccacactg tgtatcatct ggagacccac ttctgaatct .114180
gggcggctgg acaaagaggc atcctgtcct tgaggaagca gctgtaggag acactgagag 114240
gccacctctc agcttctgag atcgaaactc acagatggag agtaggcttg tccatttcag 114300
aatcttacgc ctggcaggac cctgagcaca aagctgatgt gatttgggag ggcagaagag 114360
ggatttccc acctccagaa tggaggaaga atcccagaga agagacacag aggtaaggac 114420
ccacgggtag aggtcaggtc aggagcccct gccacagccc ccttgtccat gcccgccctg 114480
ggctgagccc aggctaggga gacacaggaa ctcacttctg gcactggggc gccactttcc 114540
aggcaggtgg ggttgagaga cggctggact tgtggattgt gacaagccct ggagggtgta 114600
ggagctccaa ggtgcccctg agcctcagcg ggcccgagtg gggtgtcacc aggaagagag 114660
ggagacagta gtggtgatgg gaggaggggt gagtagaccg atggtcaaag ccacaggggt 114720
gcagggctgt ctcaggacat acaggtgtgg atggatgatg gtgaccgggt gctgggctat 114780
agccctcgcc cccgacaagc tgggagaggg gagcacatca ccggggaccc tgaattaact 114840
aaacatgttc ccactactgc ccatagggca ggcgccaacg tggctgtgag gttcagtgac 114900
agaagatgaa gaatttcatg tcctgcccct tgaatctgag cgctgagagt tggacctgct 114960
ctggaaagcg tgggcttcac ccagacacct ggacccattg aggctgagta gccccatgct 115020
gcgggtcacc ggaatcccag cccagacccc tgcagggcag aaaccctccc tacggtgagg 115080
tgaggtgcgg gctgaggtca gggcttacct gtcgctcccg ttccaggcac attcaaactt 115140
```

```
gtcgaaaatg cagtcgttct cgtacaggga acagagcttg ctccgaaggt agtcatggac 115200
ctggtgggat aagggatgag gtgagtggac ggggcgtccc gaccatcctg gcccttccac 115260
aagaagggtc tcaaagagca gcgagggtct gcatgccctg acatggccca gcgcagacct 115320
gctcatctca gcgagggtct gaatgctctg acacagcccg acacagccct gctcatctca 115380
tcgggaggcc catgaccagg cacacggctg accccgaccg tgacacagcc caatacagcc 115440
ctgctcatct tatcgggggg cccacgacca ggcacacggc tgacctccac cgtgacacag 115500
cccaatacag ccctgctcat cttatcgggg gcccacgacc aggcacacgg ctgacctctg 115560
agctgtggcc agagacggga gtagcaccag ggagcagagt ccactgtgac aaacagaacg 115620
ctcacagcac aggggccagg accacctggg gtccagatcc tggctctgcc ctcccagctg 115680
tgtgatcttg dacaagtgat ttcatctctc tgagcctcag tttcttcaaa cttaaagtga 115740
taagagggcg aacctcacag tggttctggc attaagtgca gggcaggcct tttgagggta 115800
atgatctccg agaacacagg gtggcggcca tcaagaaagg ggaagaggga acccacagag 115860
gtttctcatc catccacagc acgaggcact gaggctcaca gggtcacaca gcctctaaga 115920
ggctgaccag gacccttccc caggattccc gtacccacca ggagagaggg tgacacccca 115980
ggacctgcat ccacctgact gcagccggtc ctacaagccc tgtacccgga gggccgcatg 116040
agtgccagcc ctctgctgag gctggagctg ccaggacaac agggcacggg ctctgccctc 116100
tgggtgcgga agggaaggta actgggtgcc atggagcctg gtttcaactc ccaggagttg 116160
aaattaacaa ctccaacgaa cacagaaaat gtgaagggtg gtgtgaacgt caatttcgtg 116220
tgtcagcttg gctgggccaa ggtacccaga tacttggtgt ttctgtgaag acattttgta 116280
ggggaggtta acatttaagc tgatatactg agtaaagcag gctgccctcc atcatgtggg 116340
gggccttgtc caatcagtcg aaggccctga tagaacaaag acagacctcc ctgaggaccg 116400
ggggattccg ctaacagatg cgtgtgggct cgcatagtca ctctcccctg ggtcaccagc 116460
ctgccgcct gctctgcaga tttagaacat gccacgtgag ctaattcctt caaatctccc 116520
ttctttctca gtctctatcc ccatcctgtt ggttctgttt ctctgagcca tctgactaat 116580
atggtggcaa ggactacaca ggaaaacaga gtggcactag gggaagcagg attgggagga 116640
agggcctgct attcactgca cacaggatgg ttagacaagg ctacctgact cccgcctggg 116700
gccctgctca tccctcccca gcccccgtgt cctcctggtg acccttgcct tcccccttggg 116760
cccctgggct gcagccccac caagctgagg gtcactgtgt tcctgtctgt ctgggaccct 116820
cgagggtgag gccgaggttc ttccttctct ctgggtccag ggtctagcac tgtgttgggc 116880
acagggtact ggctcagtat gtgtaacaac taaaatcaag ggggatgaat ggcagcaggt 116940
tttagtgttc gtgtcccacc cccggctctg cattttgtgt tgtcctcctt actcagctcc 117000
cagcagcctt ggtgatgcac gcgtccaaat gcgcatgctg ttctctctgc cgtgcactaa 117060
gcatctcctg ccctctagtg gcagggtgag gaagagctct ggagaaagac tgtcaatcta 117120
aggtccgctg cttgctggct ctgtcacaga tttgccattt aactcaattg tcttccaata 117180
aaatgggatg gggagaatac cggccccacc tcccaggaca gctgggaggc ttagatgagg 117240
caaagcatat tatggactta cctcagtgtg gctcattcaa caaccgtccc cagccccttc 117300
acccttgcct tcttcaacca cagaggctgt taaaccatta atcttcccag ccactatggt 117360
ggctgccagg gacccattct agacaatgag gtgtaagaag tcttctgaga agcattctgg 117420
ggaagatttt acaatcacag tgaaacacgc aacagacccc aggggtgaga tctagtgcat 117480
ttcctatttc ctgcctggaa tgtaggcaaa gtgcttggag gtgtggcagc cactttgcca 117540
ccatgaggta ccacatgtga aggtggaaaa ccaacgccca aatgatggtg gactggatca 117600
cagaaggaac cactgtggcg ctgccggggt catggagccc ccccaccttc ctggactgcc 117660
ctctccagac tccctgttgt gggagaaaaa tagccccgat ttgttaagca ccgcacacca 117720
gccgaacgca gtcctgctac acacaatttc tagcacatca caagccacca aaaaatgttg 117780
gttgttgtgc tgctttatg tagttattgc tattattta gcatcaatag gtcagctggg 117840
ccagatgcca agtgcccagc ttacggcctc acgctccaga acagtcattc ccctccttcg 117900
tggggtcctt catgagaatt tcagaaagct gtgtccccct cccctgaaa atgctcatag 117960
aacacattcc acgtagtttc aggggttcat gggcctttgc tgacctcagg gatggaggta 118020
agtgaccgga caaggggccg gaggggttg gaaatgttca tttccctgag ctgcctccag 118080
agggagccag agagttgctc ctgcaggctt gagccgggct tatcctgtcc ctctcctagt 118140
ctggggtctc tgccattccc acagggacag aggagggctg agtcctgcct ggggtgtgca 118200
gtgtgaggag ggggcctgag ggaggagctg gggcagtcgc aagaactcaa gtaaacacac 118260
gtggctgaca aacaggcggt ccccatagcg gtccttgtgg gtgtgtggct tccaggagcg 118320
tgagctgttc ctctggggcc caggtcagat cagagcagcc caccctctga gctctgcacc 118380
agttcccagc gaggcctgcg ccacccagga cgctttccta ctaggtcttc gcacggagga 118440
aaggaaagcg tagggctctg agcctgggct ctgaatctgt caccgcccag ccgagagaca 118500
cctccctcat ctccctacct ctcagtgccc gagttccctt tccaccaaat aggatgatgg 118560
ctccttgtca ccggacagta aagaatggag gtgacagatg tcaagcacgt ggcacccat 118620
gtgtgaggag tgacacggtg aggaaccggc tggggtttct ggtggggtgt tttcccaccc 118680
atgtttgcac ggccagatct tacccatcct tcaaggccca gcacaaatgc cacctcctcc 118740
aagaagcctc cctgatctcc ccacctaact ggaaccagct ttgaagccat cccacatttc 118800
tttcaagtcc acattttatt ttaacatcac atgagtttgt ttgtctaccc cctaacatat 118860
ctgaatggat gataatagca agataataaa taatactgtc caagaagggc ccaggcttca 118920
```

299

```
cctagactcc aggcttatag gcctgtgctg aggatctgga aaggaaacat gtgctcagtt 118980
cacctctgcg tgcactgctt acggatgcac cctgggaggg caacgcttaa ccctctttaa 119040
tggtacagct ccgatgcagg ctcccaggga gtggggaggg aagccatcgt ctacatgctc 119100
cactggggcc cagcctgacg ctcatctctg ttcccacatc tctttcctcc ctggaattga 119160
ggcccctggg ccctggactg caggccttgc tcagggacat ccaaagctcc ctgtgaggca 119220
agactgagca ctcctgccct ctgccaagct acgtgtgggg atgagttgct ggatttcttc 119280
agcctccgtg tcttcaccta cataccgggc atatgaaagc cacgcctggc taggaaggcc 119340
ccctccatgg ggatctcagc atagggaaaa aagacccggg attgggggtc tcctgctgtg 119400
gtgcccacct ggtaggtctc tatgggtctt gcctccatgt tcaggtccca gaccttgact 119460
gtaaggtagt cccgggtgag catgtagcgg ccgctgtggc tgaacttcac gtcggacacg 119520
gaggagatga tttccgagaa gaatgagcgg ttactggggt cctcaggctc ttcaaagact 119580
gtggagacag agaagcaatg gccgtcactg cgctgctccc gcccatgggg ttggcacgac 119640
ggatgactct gttttgcacc tgggcccatg ctctgtttat tcagtcattc attcattcct 119700
caaacctaga actaaacact taccagggaa caagcctggt aagattctgt gctgtgcaga 119760
aatagccatt actatcccca ttcatagcca agaaaatgga ggagcagctg gctaaaaccc 119820
atgcctgggg agtcagtgct ggaagaaggt ggtagagtcg ggatttgaag ccaaagctat 119880
acttgatgtg ctgccctcta ctgcccccta ctggtgatgc tgaatgccag attgcaaagg 119940
tgtcctgaca ttctcaaatg tgctggacaa tgtcctctac cagactgggc actgcttgtg 120000
gctctggcac taactggccc tgggaccttg ggccagtagt tatctctgtt catggtgtcc 120060
tgggcaggca tggctgagcc ctacttatag gtgggttttg tttcattgcc atggggtttg 120120
taacaaaatc aaatctgact gccacagagt tggtacagtc tcctgtatgc catccactga 120180
ccatctcctt ttttcttgga gcacctgctc tgcacaggaa gttgcttatc tggtccctaa 120240
aggcaacggt ttgctgccca cctggacaat tatagactgg gacagagtgg gcaatgagga 120300
ctccccagac agtgtcccct ccccactgcc cccataacct ggccttcctg agctgcagaa 120360
gttcccaaag tgggacaagg tctctaagct catttctgct ggtatctgtc tcactggtag 120420
cagtgaccct ggggctgaag tagcgtgggg actaggaccc ctgttgggcc aggcactaac 120480
tccctaggac ctgggccaca gagagaccca gggaacgatg ggaagagaac agggtggtgg 120540
agttgacagc cattcaccag ccaatctgga aatacctaaa cctatgacaa cctgtccagc 120600
tgtccccatg gaaaccggct gagtggcagc cttgcctgct ggcctgctct ggtctctacc 120660
ccagaaacag ggaagcagag ctgatcacag caccctgagg ctcccgagag gcccctccct 120720
gctggcccct ctcagccaca agggctcgtg tcctgcctcc caggtctgtc ccagccccTt 120780
atcccctcat gggaaatggc agcaccccat tctccctcct gtccaaggtg gacactgtac 120840
ctggccactg cctctccaga aatacaactc ctgtccagct cccctctgca gggcccactg 120900
gatgccctga tggactcatt cattcattca ttcatttatt cactcagtca accaatgcaa 120960
acagcaccta ctctgtgcca ggccctggga tgatgcagtg accagcataa agccactgtt 121020
cctgtgcagc caacattctc cttgcagata cagacaataa aactaagtgg cgccctccac 121080
cgccagggag cagcaagtgc tggggaggaa gagccagcag gcagataggt gctgggggct 121140
ggtagtttag gtgaacaggg cctccgtggg aggtgctgtt tgaccaaggt ctgagtgaag 121200
ttggggagag attggtggcg atgcctggag aggggtgtgc tgggcagaag ggacggcaca 121260
cgcaagggcc ctgaggcagg gacacgccaa gggccgtgca ggcagagaaa ggagtgagca 121320
gggggaacag ggacgcaagg ggccacccac gcaggatctc atgggccacg gagaggggtg 121380
aggaagtcac cattagggaa acgggagcca ctgagggttc agagacaggg aggatgaaat 121440
ctgagtcaag gaggtaggga ggggcaggca ggaggctgga gtccccctccc gacggaggaa 121500
ggaagttcca gcacccggtg ggccagggct gcagagccca ggtgtcacca tcctgatccc 121560
aggccactgc atgcagggag gtgaggggag gtgagaggag ggggagggaa gctgcttaca 121620
gggcaggaaa aggctcccac gtttatgttc atgcctctgg tatcccccca aatcagagca 121680
ggcagcagga ggaaggtccc ccccacctct cttgagagca aggcctccaa acacctgtct 121740
ctgaagcaga cccctgaagc tcaggagatc tatatccctg tccttagcct ctccacagcc 121800
tctggtgagc agtggcagcc ttcaacccca cacctctgcc ctcaaagcca tggcactgca 121860
ccgggtatcc tgagggcagg tggtcgctcc ttccagtcct ggcgtcaaga tcaggaagga 121920
gggagggagc ctagtttatc.cactaataag tggtgtcata ttttggaatt agaatgctat 121980
caggctggca ggtgtttaac gaaactcaaa actgacagta ggcgcctccc tttccaggag 122040
cccaacccac ccctccacac gcccccagtc cccaggcctg cctgcgacct caatctccct 122100
ccatcgttca caggggcgcc cttctcagtg gcccgagctt tcctctttcc acaagggcac 122160
attgaaggga ggaccagaaa gaaaatcagc accatgggaa ggaagggtga ggccgctcgc 122220
agagggagct gggagagaac aggctgccag ggtctcaatc cccgagcccc tcgtgtggcc 122280
ttgaacgcct tcacctccct gagccctggc cttgctcctc cctacaacag gagccaaggg 122340
cgcttttcag gaaggggcag gaggaggggg ttgcagccag gcctggcacc accctgggta 122400
caggcagggc cgcaggcagc aaagatgctg tacagagtga gcccagtgca cgatgagtgc 122460
tgcagcccta ctgacttact tccctccctc cctmccttct taacgaactc ctttttttctc 122520
ctccctcctt tcctccctt ttttctttt ttctcctcct ctctctccct cttcctcctc 122580
tccctctctc tctctctctc ctccctcctc tcttttcctt cttcctcccc cctctctcct 122640
ctcctctttt ctcttcttct tcccttcctc atttccttc ctcttcccc ttcttctcct 122700
```

```
ctccctcttc acacactccc ttcctctctc cccccctttt tttttttttt ttctatcctc 122760
ttccttttc ccctcctcc catcttctct ctccccttc cttcttcctt cctccctctc 122820
ttcctccccc cccccccctc ccttcttcct tcctcctctt ttcctcctcc ttctcctctc 122880
tttctcccct ccctccctct ctcctttctc tttcttctct tcttctcttc tttcttttct 122940
ctctctcttt cttttcccctt tcccctttctc ctcctcttcc tctcttctct tctttctctt 123000
ctcctctctc ccccctttcct cttctttctc ctccttcctt ccctcctctc tctttctctt 123060
tctcctcttc ctcgctctcc tctcttcttt tctctcctct ccccttcttct ctctctcttc 123120
ccctccccc tactccacta tccccccctc ttccttcttc cctctctatt ctctctcctt 123180
tcttctttct tcccgtctct ctccttctct ttctctctc                      123219
```

<210> 544
<211> 160755
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> 19206..21206
<223> 5'regulatory region

<220>
<221> exon
<222> 21207..21387
<223> exon 1A

<220>
<221> exon
<222> 21864..22188
<223> exon 1

<220>
<221> exon
<222> 34799..34930
<223> exon 2

<220>
<221> exon
<222> 37172..37409
<223> exon 3

<220>
<221> exon
<222> 50385..50523
<223> exon 4

<220>
<221> exon
<222> 57261..57395
<223> exon 5

<220>
<221> exon
<222> 59355..59458
<223> exon 6

<220>
<221> exon
<222> 60623..60747
<223> exon 7

<220>
<221> exon
<222> 61570..61682

```
<223> exon 8

<220>
<221> exon
<222> 63244..63372
<223> exon 9

<220>
<221> exon
<222> 63817..63916
<223> exon 10

<220>
<221> exon
<222> 64902..65002
<223> exon 11

<220>
<221> exon
<222> 65487..65654
<223> exon 12

<220>
<221> exon
<222> 67211..67282
<223> exon 13

<220>
<221> exon
<222> 67671..67928
<223> exon 14

<220>
<221> misc_feature
<222> 67929..160755
<223> 3'regulatory region

<220>
<221> allele
<222> 31547
<223> 99-32148-315   : polymorphic base G or C

<220>
<221> allele
<222> 50558
<223> 19-51-347   : polymorphic base A or G

<220>
<221> allele
<222> 63270
<223> 19-56-140   : polymorphic base A or G

<220>
<221> allele
<222> 65025
<223> 19-44-251   : polymorphic base C or T

<220>
<221> allele
<222> 67348
<223> 19-46-322   : polymorphic base C or T

<220>
```

302

```
<221> allele
<222> 67963
<223> 19-47-315   : polymorphic base C or T

<220>
<221> primer_bind
<222> 31412..31432
<223> 99-32148.rp

<220>
<221> primer_bind
<222> 31844..31862
<223> 99-32148.pu complement

<220>
<221> primer_bind
<222> 50215..50233
<223> 19-51.pu

<220>
<221> primer_bind
<222> 50613..50631
<223> 19-51.rp  complement

<220>
<221> primer_bind
<222> 63131..63150
<223> 19-56.pu

<220>
<221> primer_bind
<222> 63543..63561
<223> 19-56.rp  complement

<220>
<221> primer_bind
<222> 64775..64793
<223> 19-44.pu

<220>
<221> primer_bind
<222> 65176..65194
<223> 19-44.rp  complement

<220>
<221> primer_bind
<222> 67027..67045
<223> 19-46.pu

<220>
<221> primer_bind
<222> 67435..67452
<223> 19-46.rp  complement

<220>
<221> primer_bind
<222> 67649..67667
<223> 19-47.pu

<220>
<221> primer_bind
<222> 68051..68070
<223> 19-47.rp  complement
```

```
<220>
<221> primer_bind
<222> 31528..31546
<223> 99-32148-315.mis

<220>
<221> primer_bind
<222> 31548..31566
<223> 99-32148-315.mis complement

<220>
<221> primer_bind
<222> 50539..50557
<223> 19-51-347.mis

<220>
<221> primer_bind
<222> 50559..50577
<223> 19-51-347.mis complement

<220>
<221> primer_bind
<222> 63251..63269
<223> 19-56-140.mis

<220>
<221> primer_bind
<222> 63271..63289
<223> 19-56-140.mis complement

<220>
<221> primer_bind
<222> 65006..65024
<223> 19-44-251.mis

<220>
<221> primer_bind
<222> 65026..65044
<223> 19-44-251.mis complement

<220>
<221> primer_bind
<222> 67329..67347
<223> 19-46-322.mis

<220>
<221> primer_bind
<222> 67349..67367
<223> 19-46-322.mis complement

<220>
<221> primer_bind
<222> 67944..67962
<223> 19-47-315.mis

<220>
<221> primer_bind
<222> 67964..67982
<223> 19-47-315.mis complement

<220>
<221> misc_binding
```

```
<222> 31535..31559
<223> 99-32148-315.probe


<220>
<221> misc_binding
<222> 50546..50570
<223> 19-51-347.probe


<220>
<221> misc_binding
<222> 63258..63282
<223> 19-56-140.probe


<220>
<221> misc_binding
<222> 65013..65037
<223> 19-44-251.probe


<220>
<221> misc_binding
<222> 67336..67360
<223> 19-46-322.probe


<220>
<221> misc_binding
<222> 67951..67975
<223> 19-47-315.probe


<220>
<221> misc_feature
<222> 11925,11927,11929..11930,11933,11947,11975,11989,12068,12278
      12350,12475..12574,12622
<223> n=a, g, c or t


<400> 544
gaattctttc ttctgaggag gcaagaattg aggttgctgc aggcccgtac agattcactg      60
ctgctaacat aatcaaacat gcctgaccct tgccttcccg tcatggcccg aactagtttt     120
tcagatttac ttgggaatct ccttggccaa gaggcagggg ggctccattt agtagtttgg·    180
taggcttaga attttatttt tggtttacac tccaaacacc aggtttgcct gatgtttgta·    240
cagtgatgta caatgtccct tcctgagtgg tgtcactctg gagttcattt ctgcttcgtc     300
caggacacca taaatgtgaa cacacattga·gactctacag tcctttaagg gtagcaattt     360
caattatttt atcagattat ataatcttct gtttcacgtg tgtagatctg agatcacact     420
gcctgcaggg gctctgcttt ttcttctttc ctgtgggaaa gatgctaaag catgaaaaga     480
tgcaaacaca taaaaacaac aaaaaaagta tgctaaggga gcccagggaa gtgaaggtcc     540
acaccacaac accacgcact cagagaaagg gacatcaaag ctgatcctgc aggatggata     600
ttcctttatc agacaatggg gtgggcagtg gggtacggtt gtggaggtgg ggaagggtgc·    660
cctaggtgga gagaatggca tgtgcaaaga cgagtagggc agggaacagc aggcaacact·    720
cccacaggta ggagttcagg tggatggcca gcaatggcta aggaggttgg tgggaatgga     780
gaatcctggg tgttcatata gaggcaaagt gatagtccct tcccacacag tgatagccct     840
ttccaccatc atcaggtcag tgctggtgca aagagatgga agtgtccagg gcagggatta     900
caaactctca aacatcacag aggctggtca gaaacataac gcaggtagga agtaaggagc     960
ctgaggccca ccagaagagc ttgtgccctc tccaaaactc aagagtggcc agacagccgg    1020
gcacagtgac tcacgcctgt aatctcagca ctttgggagg tggaggtggg cagatctttt    1080
gaggtcagga gttcgagacc agcctgatca acatgacaaa atcttgtgtc tactaaaatt    1140
acaaaattag ccaggtgtgg tagcacaccc ctgtaatccc aactactttg gagcccgagg    1200
caggagagtc acttgaactg gggggggcaga ggttgcagta agccaagatt gcactattgc    1260
actccagcct gggagaccct gtcaaacaca cacacacaca cacacacaca cacacacaca    1320
cacacacaca cacacacaca tacacacaag agtggtcaga cagagctcct gatgctttat    1380
gagaagccag aattgcaggg gttttatgtg aaatttcctg gattgcaaag cactgggtgt    1440
accaaataaa caccactggg ggctgtagct ggcccacaag gcactggctg gtggtgactc    1500
ctgctaataa aggtaactcc ttccatgatc cgccttgaac attgggctct gcaatgccac    1560
agctgcccta gtgacccttg gcaggcacct tcttgagtga ttccaaatag ttatgacctg    1620
tccttggtga gagaggaggg gcaggtctct tgagggtagt gaagcagtac aaatgtttgc    1680
```

```
atttctcagg gatgcaatcg atgtaaacca gataaatgaa accacagaaa gtcagtagct    1740
gaggcaggga tgaaatgtgt ccccgtggcc tcttaagcaa ttagctttga tgtccctggc    1800
agctgctgaa ttccaaaggc aattccaggg gctttgattt gaagccagtc tcttaagacc    1860
cacttaaagg caggggtac ccagagaaga gcaaacccag ggtgggtggt ggtgatgggg    1920
gtggggagag ggagtggttg ttcctgtcct caatgtctgc agagttgctt tgtttaaagg    1980
tgagtaccca cttcttttgt gtagatctag gagctaaacc cagggccagc tggtggaagc    2040
tacagggagg cagatcttga cctaaagaac tccctaacaa tgagagatgt ctgaaggtgg    2100
aatcagttgc gtttggaagt agcaaacact tcgtcatggg aggccttcaa gcacatggga    2160
aatggccact cttagggcta caatggtaaa gagaagtgtt gttttggata aactctgaag    2220
tcctttctat cctagagatt ttgtgattta tcttattagc aatatttcat ggtgttcaac    2280
tgaccgttt atttggggtc ttgacttttt attttaagaa aatgtgcaga aacttcagaa    2340
ctctctttct actccggaaa tgagactctc tgcacgtaaa atataacaag tggcaggtaa    2400
tccagaacca tgatacttta gaggcacagg taatagggag tgactggcag tggcttcatc    2460
tgtgtctgcc tgggaagagt taaagtatta tataagccag acttctgaaa aacgggaagg    2520
ggaatggaca gatgggatac gggagactgg aattaataag aagtcaaatg gctgagtcat    2580
tgaactaatt tcaaagtctg aaggtaacag gaaaacagaa aatcagacaa ttggaaagta    2640
atgaaggttt tgtaaagacc ccaggtggcc aaaacaacag gagaagtcag gaaaacgtaa    2700
ttacaacact gatgtgagcc ctctgagcca gaccatcctg tctctggccc tcccctctca    2760
cccgagtcct gcctggtcag tagcagctcc ccactgcagg acacagttag aggggtgggg    2820
ggctcaccat tcactcaaag cactctcggg taatgccgcc agtgatagtg tctgtaagtc    2880
caccatggcc agtcactccc tcttggtaag aatctgtctc cccgtgacaa agaaagtcag    2940
aacagatgtg aatgctagga attgtttcac ccattacaca gagggaaaaa ctgtggcccg    3000
aagagtggat cgtgtgtaaa gtgcaatggg gaggattgag gtatatgaga ctcaattcat    3060
ttctacctcc tgaattaaca gaaaaggccc atactggcaa agttagagct ttagcttgtg    3120
cttctgcttt aaaaagcatc atctctgggg atgaatgtag acagtctctc aaactcaata    3180
actggctttt gaggaacaga gatttctcat gttccacatt ctaaaaagcc acctttttgt    3240
tgacagggtg aggtttgagg acgtacttaa gaaccatcaa aatctgtgct ctctcctgtt    3300
cacagactga tgaagagagc cagcggcctt tgaagctgct cgtgtttgtc tgattttaag    3360
aggcagagaa aggcccaaag atggtttccc agcaggatgg gacaagtcag caagtttcct    3420
gagccagggc aatcgtatct ctaacgaact agagagagaa tgttcattta gtctttaaat    3480
ttatttcttt atatttttttt ttagaatcag aaaatgtccc cagatggtcc ttgtgtgatg    3540
gactttagaa agtcattaca aacactttg ttttctggcc aatctttctc ctcctgcctg    3600
ggagaagagc ctcaactctt ctcacactct cccctcctgg gtggctccag ggcctcctga    3660
ccagtccctg cttcacccct gcccaccgct ctacacacgg cagtgggaca gacccttaa    3720
aatacaaact tgatcacact accgagctat gaagtcttca gtggctttcc cactgtcttg    3780
agagtaaaag ccatcctcct tacagtggcc aaaaggtggc ttaaaatcag gtcactgaca    3840
cttcttcatt cactctcatc tgcccttgct cacaacttgg gtggcactgc ccttctttct    3900
cggctcaggg cgccttcctc caacccttac cagtcctttt gaacctggtg ctgccacttc    3960
ctaactcact cctccctggc tctctgcagg gctgagctca actcaagaga acttgaagag    4020
gacatttctg agcacctggc cacagatcct tcccagacaa tcggagtcta actcaccact    4080
ctggggactt gtcaatatct atccacatct tacttatttc cttgtttatt tgtttctaga    4140
cttttctcct ggcttgactt taagcaggaa tctcatctgt attatttacc actatagccc    4200
tggctcatag aattgttcct gatacatagg gatgactcaa gaaatgcttt tgagagggaa    4260
ggaaggaagg gagagaagga gggaagaaag aagataggaa ggagggagga agggaaggag    4320
agaaaaagaa agattggagg gagagaggaa atctctctct ctctctctct ctctcttttt    4380
ttttttttaa catattctag ttggtttta gccagagaag ggtgatactt aaaacaagag    4440
acttaaccat ggactttatg gcctaagaac aacaatgttt gggacaaggt aagaatagct    4500
ggggactcct caagtctcac cttgcaagca gccagctgtg ttgcctaggg gtgggacaga    4560
cagatgctag ggaaggcaaa gggagccacc agttggggca gaagggaatc agtggaggac    4620
ctgggaaatc ttagccctta taggtttgca ggacctcttc ctgcttggga gactccagca    4680
tctgcctttc aatgaatagc atcaggacta gcattgcccc caaggaacct ggaatcaatg    4740
agagggttgg tggagtgtaa atgtttgggc cagagaaagt gagcaccttg gagacggagc    4800
tccgaagttc tgcaaatgca atatcttcat ttaaagactg gtctgtaagt ggcactccgc    4860
acacagttgt gcaatttata gatgatggca tggggtgtct gaggctggct ccaggagat    4920
gaggttgcat ggaccttagg cattgcagac cacaagactc ctatggatgg aaataaaagc    4980
agctacagcc accagcagag aaatctcttc ttgtttgttt gtttgtttgt tttgttttgt    5040
tttgagacag agtttcattt ttgttccca ggctggggtg caaggcatg gtcttggctc    5100
actgcaacct cttcctcctg ggttcaagcg attctcctgt ctcagcctcc caagtagctg    5160
ggattacagg cacccgccac catgcctggc taatttttt gtattttag tagagatggg    5220
gtttcaccat gttggccagg ctggtctcga actcctgacc tcagatgatc cactcaccat    5280
ggtctcccaa agtgctggga tagagaaatc tcttctaagc aagagagttg tgcacacagc    5340
actgacaat ttgccgggtg gggcatgagc tggctaaggc attgggaagg ggctggtgag    5400
gatggtggtc agaggcgcct ggcaaacctc agattctata acattcagac caggtccatt    5460
```

```
tcctgctgat gaccaagtgg actctcagaa gccatcagga gggtgctcgg ctcatcaggg   5520
gaaagtcaat tccctggggc tttcacttat aactttgttt gcagatagca agccttttcc   5580
gcccggcttc tcatcctgag cctttctgcc tgtaacaatc acattattta atttagatga   5640
gtgaagttac cctagatcaa ttatacttat ttttcctgtg taatttccaa agcttaatat   5700
ctccattcgg gcccagcctg ggggacaggt tgtctagcag agtcctaaac gatttcagcc   5760
tttaattcaa ttgtactttt accatagccc agcagcgagc ataattcttt tatccctaag   5820
atgtctcatt agcaataatc taatagcaca tattaaaata taggtcactg aggtgggctg   5880
ccaagtggaa ggcttgtcat aactttgaag gttggacagc tgccttggtg ggacttggtc   5940
ccccaataac acaccaccct gactctaggc ttaattctaa aatgatcaat aaaacacaac   6000
aaaaacagct tactttctgc agttcaaggt taagaaccga cgttggctag gaaatagagc   6060
tgtggggtag ggtaagggag aggggaatgt tcttgccaac atgacgtagt aggaaagatc   6120
tccgacctca ggaacttggg ctggaacctc atcccagttg tgccgtgaac atgcagactg   6180
acctgcagta cagctgttat ggcccttgac cttggtgtgc acacctgtaa aaggggaaga   6240
tactgggctt aaagccaatg tttcctgaat tctggcactc cctgatcaac ttgtcctagt   6300
atgcatttga tgtttttcctt taaatcaact cattcttctt aattaaacac atttgtttta   6360
aaaaggaagc tcaagtatca acatggaaaa acctcaagaa tatttgcagg aggattcatg   6420
cggaataagg ccaactgtat aaactttaaa catgcacaaa agtgatgcgt aaaaatggtt   6480
tagacaggca aaataaatct aggggttca aggtccagat agcagttacc tttggggagg   6540
agggagatgt tgacagggag gggcaaccag ggggactcct cagattctgg tcattttttt   6600
aatggcctgg atgtagtttc atgagcgttt ttactatgta aaaagtgcag ttataattac   6660
ttcaatttc tgtgtgttaa gcctcataca aatatatata tgtttatat ataaaaattt   6720
atatatatgt tttcatatat agtttatatg tataaaattt taggaatata cgcaacattt   6780
taggtatatg taaatgtacg tgtgtaattt taagtaataa tatatacata tcgtgtatac   6840
ataggtacat atgcagtata tgtatatatt gagtatgtgt gcatgtgtgt atatagtatg   6900
tatattgatt attcttaata atatatattt atatttaata ataaatacat attgttatat   6960
aattatgcat tatatgtatg tataccatac atttaatatg tgctattagg tatgtattat   7020
gtatgtattt agtgaggatt attcccaaat gtgtatctaa gctttcacta tctggcacct   7080
atgaacacta gagagcaggt atctagtgag agcagaaata ctctatagtg acagtgtaga   7140
tacatgcttg ggaataatcc acattttta agttaacagt aagaaataat gaaagaaatt   7200
ttatactgtc atcatgtaat aaataaaaaa ccaaaatcac atgccataaa tagataacta   7260
aaaataaagc aacgaaaaga aagcactgat aggagattct agtttcatgc ggtttgggcc   7320
tgaaagttct gacccaaagc ctggcttcct tctgttgaac tggggattag taagttagag   7380
tcattacaga cacatgaaca ccagattgag actcactcct tccgtaatca gggctaaaaa   7440
agcatgaaaa gcagtggaac tttctccctc tgtgattcaa agtaattcaa atcagggcct   7500
gcatagccct gagccattgc cccttttcct tggggctgta cttctctact tcaggagaga   7560
tctgcaaggt ccctccaagc tccaactatc ctagcttcta agggatgcgg gcatggcgaa   7620
aggtcttgtt acaggtgggc tggaggatag ggagaaaaaa atgggagaga cgctattagc   7680
aaaattggaa aattttgaaa caaagcccca ttcctttctc cagctccccg gactggttct   7740
cacaaagcct gagccagagg caggggtggg caggcacaca ctccttggag ggcagcccc   7800
agccttccca gacacagccg ttccacctgc ctcctgggct acactgagct ggagcctgac   7860
tccttgaagt gcgtgtttgt ggctctgggc ctgctcttgg gccacacgga atatatgtgc   7920
agcacccct ggtgactgca tgtccactcc tgaggccagc aggtctgtcc ctcagtcttc   7980
tcctaaggcc taagtctctc caccaactgc ctgacctgac tctccccagg acatgcactt   8040
cagctttagc ttcatggccc acatccacac gtgggcagtg tagaccagct gccagtcccc   8100
ttacaagaga actgcgtgtg ctggagggct cagtgaggat tcctgtggcc cttggaacag   8160
gcagggtggc ctcatgatga cctctcccca cctttgttat caccaaggat ccttcccagc   8220
ctggatcctc ccctcactgc tgccccaacc tggaccccca agtcttccca gcctcctcat   8280
caaaacctat cttccgtgca cctccttcct tcagagtgat gccaggcaa tgttcaacta   8340
tctgctctga gaaatgttcc aaagagagga cgtaggtgtg ggaagaccct gggaccacgt   8400
gtcggagccg gttctgatct cttgctctgc tactaccctg tgtaattttg ggagtggaag   8460
tgaggcaggg aggtacaaag tggggcaaag aagtggaggg ttcttctgcc agctacctgg   8520
gaggaagggc aaacctcatg acacacagca ttgaggggag actggcagtg gatgctgaag   8580
acctggaaga tgcgcaggac aaaggcaaag ggggcagaga agaaaaatag aagagaaaca   8640
aaatgggcct tggggcagat cccagaactg gtgggagggg tggatctaag ggcttgaggt   8700
gggaggtgag ccttgaagag ggaaggactc tagctccttg aggggaaagg gccagaggag   8760
atggtggctg acaaaccaca atgtctgggt tcagaaatgc atcagccatg gcctcaagtt   8820
tcccagccaa aaagagtgag cagccctact gagaatagggg agctcgagca gagagatgga   8880
gtgaggcaaa tgaggcccaa actggcaacc gctgagccat ggagatagaa caggggtgaa   8940
gagcgtaagc cctggagcct gccaggatct gggctcaaac cctaccctct gtccctctct   9000
agccatgaag tccaggacag gacgtctaac cactttcagc atggtcttca atctgtaaaa   9060
tgagaataat gattgtcttg tatgaaatga tacttagcat agtgcccaca cccagtttgc   9120
taagtgaata gaactgccaa gtgtatagca aatgtctatc gtgtttatag tacgtgctaa   9180
tcactgctga tgcactttgc agtcgctgat gcatttaagc cctccaactc ccccaacaga   9240
```

```
tagatactat cataagccca attttattat cattattatt attgcccagg ctggagtgca  9300
gtggcatgat catgcctcac tgcagccttg acctcctagg ctcaagcgat cctctcatgt  9360
cagccttcct gagtagctgg tactataggt gtgcaccacc acgcccggct aattttttgta  9420
attttttgtat ttttttttgta gagtcagggt cttgccacgt tgcttaggct ggtctcaaac  9480
ttctgggccc aggcaatcca cctgcctcgg cctcccaaag tgctgggatt acaggcgaga  9540
actaccacac ccggccctaa gacccatttt ataagtgaga aaactgagcc acgcatcagc  9600
tcgaggtagc aaagcttgta agtgaaagtc aggatttgaa ctcccaggca gtacagaagt  9660
tgagtgccac tactcctgct gatcacatta agggagccag agatcaaggg cctcctaaga  9720
aactaggaag ggagggtggt ggtattacca gaaagagggg tagcaaatca ttaccctgca  9780
ccctacctcc tagttcccct gtccttaccc aaagaccacc cagctttcat tttgagggct  9840
gagaatacaa aggaggcaaa cttctgaaga acatgtttca ggtaggtgtt ctctgtatgt  9900
agtccacaga gggtgaacta ctgcgtgtac caccatcact aaacaactta gtaggttcag  9960
gatcctgggc acgaatgcag agcaggacca gcccagacta ggtgcatccc ccaggccttg  10020
gcttcattgc agacaacctt gagccaaggc ctcatgattc ccttgaagag ggtgcaattc  10080
acacctctgt cccttcactc ttccacgcct ctgttctggg gtattgatgg atgctcctgc  10140
tacctcctag atggtaccct agacagtgaa cgtgaagcag cttttctccc ttccatgtct  10200
cagaagggac ccattcatga cttcatggaa tagacagccc aggcaggaaa tggctatgtt  10260
ttttgccaag cagtcagagc aaaaggagga cacaccagtt tgaggggaga aaggcattca  10320
aattgggcaa agctgaattg cccacaaatt gccacagcca ctctcaactt gggacaaagg  10380
ttatgaaaca cgtcactaat actggagttg ttattttttt aaagagcaac aattatttat  10440
tttactcatg agacttcatt tggggcaggg tttaaaggga atgacttgtt gatgttccat  10500
gatgtcaagg gtctcagctg ggataacttg gttggctgaa gctaaatgg ctgggggacg  10560
gctggacatt tctttctctt cctgtggtct cagagcctct ctctctgcga tctctccagc  10620
atggcaacct cagggaagtt ggacttcaca catggagact gaaggttcca agagagagtc  10680
atgggcagag ctgcaaggct tcttttactt acctcacttg gaaagtccca gagcattatt  10740
cctaccacat tccactgctc acacagagcc atccctgaca tggtgtggga gggcattcca  10800
caggggcctg agtattggga agtgcagatc actgggaagc catcgtgggt gctggctata  10860
tgatttcttt gctttgggca ttaccttact gaatagattc tgttgtgatt tcacgtttac  10920
cattttatta tagaggctat tgcaaaggtt atagatgaag agataagtag ggtggctttt  10980
gggggaaggg gattggagct tcatgctctc cctggtgcac aaccctccag gaacctcccc  11040
gtgttcaact atctgaaagc tcaagttatt ttttttaaa caagaatata catgccacaa  11100
acatgcagat tcctggctcc cactgcagac ccactgaatt caaatttctg ggttgggggcc  11160
caggaatctg cacttttaac aaatctgcca gaggcgtgag ctgtaaaagt ggaaaagagg  11220
caaaaggcca ctaggaagaa agagtgactt tgaggactca actgccactg cattgtagag  11280
gctaaagaaa tgtgacccctt catacagtgc tacccgctaa ttatcttcac aggtgttgtc  11340
atccccattt tatagttggg aacgctaagg cttagaagcc aaaagtcacc cagccagcaa  11400
gtaatgaagc taggctttca acccagcttt tattttttaa gtccaaaggc cacagttgta  11460
atagttatgc caacccatat ttgctatttt atcccagtct tgtaatttga agtcagataa  11520
atctaaatta aaattctgga gaagatccct gcctcccaca gacatagaga aattaaatgt  11580
tttgataacg acaacaataa gaagtaacat gtatgtgata ccaggcattg tctaggtgct  11640
ttacatgtat ttactcattc aattctctca gcaattctat gagctaagtg cccttatcct  11700
cctcatcatc ttatccattt cacagatgaa gaaactgagg ccaggtctgg tggctcatgc  11760
cagtaatcca agcatttcaa gaggctgaga tgggtggatt gcttgaaccc aggagtatga  11820
gaccagcctg ggcaatataa caagacccca tctataccaa aaggaaggaa agaaggaaaa  11880
aaggaaagaa ggaaggaagg aaggaaggaa ggaaggaagg aggangngnn ggnaggaggg  11940
gagggangga aggaagggag ggaggaagag gggangagag ggaaagggng aggggaggga  12000
gggaaggggg gggagagaga gggggggaagg aaaagagggg aagggagggg agaggagaaa  12060
gagagganag agggagaggg gaagggaaag gagaaagaga agggagagga aggagggaga  12120
gggaagagga gaggggaggg ggaaaagagg aaagggaggg gagaagggaa aggaggagac  12180
gaagggaag aggaaaaaga gagacggaga agcagagaag gacgagcgcg cgcaggaagc  12240
gggcaagacc gagaacggag gcgagcgagg ggcgaagngc agagcgggaa agcgacggac  12300
ggcacagagc ggacgacaga taacggggcg agcgaggcgc gcagcacagn acgcgagcgc  12360
cgccgcacca acggagaaag agcgaagatc gaagagagat acgagagaga gaggcaagag  12420
cacgcgaaga gaagagagga gagcgcagcg gccaaaagga cggacagcga ggcannnnnn  12480
nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn  12540
nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnngttcag gcaccctctc tctcgcgcgc  12600
cgcctatccc cccccttcccc cnccggttac atgtatggca gacagggaaa accggtgctt  12660
atgacatacg cacatagccg ggggtttgaa gggaggggaga aacagctcaa gccaaagaat  12720
gcaagagaga aagcaaagcg acacgaggag agaaaggagg aagaagtacc ggaggaggga  12780
agggaaccag agagagaaag aaaaagaaga aagaaataaa ggaaagagag aaaggagaga  12840
gagagaaaga aagacaaaag aaagagaaga aaggaggaaa ggaaagaaag aaggaaaaga  12900
aactgagaca cagagaagta ggggaacttg gccaggattt cacagatagt ccacagtgga  12960
gtcaggatta aaattcaggt tagtggctcc taagttcatg cttttagcct ggataccatt  13020
```

308

```
ctgcctctcc aggctccaca aaagcttaat ttgctgtttc ccaagaatag acatcagaag   13080
gccagtgaga caagtaagaa agaagtggga agatagctgt aagaatcact ttggtccaaa   13140
tatattcctg gtgaagccat tggaaagtgt tttctgagca aaaagaaaag agctcagaca   13200
ctagagggca atcattttaa gagactctga gatggatttc atgcaggagt ttgcaaattc   13260
tccccaaact ctatttaaaa tgctgtgtac attagagaag acaaatacat ggaaacatgt   13320
actgtgttct tggatgggaa gactaaacac tgtgatgatg tcagttctcc ctcaaattga   13380
tctgtagatt taatgcaata acaattgaaa ttccagtggt gtttttcatg gaacgctgca   13440
agatggttca gaaatttgta gggaagagca tggccaagat atttccaaag aaaaggagct   13500
cgagaatctt gctccaccag ataggaaagt gtattataaa acaatgttaa ttaagactgt   13560
gtggtaattc ttgggcacag ataaatagac caacagaaca gaagagagag tccagaaaaa   13620
aacccaactg tacaaggaaa cttggtttat gatagagaat tctctgatga ttagagcaga   13680
gaaggtgtaa ctacttaagg actggggcag gacaatttgt tatctgttat tcaaatgaaa   13740
aataatgaag tggaatccct acctcacacc ctatacaaaa atcaactcca ggtggacatc   13800
aatatgaagg acaaaactgt caaattttaa aatataactt tggaaaatat cagctaggga   13860
cagatttctt aaaccagaca taaatataga aaccaaaaga aaaaattgct acattaaatt   13920
acattgaagc taataacctc tacttaccaa agtcacccaa cagagcaaaa agatttacaa   13980
tgcagccaag aaaagatgtt ggcaacattt caaagattag tacccaggat atattattaa   14040
gtactgtgaa ttaataagaa aaacattaat aagccaatag aaaattgctc aaacaatatg   14100
tatcatcatc tcatagaaga aaaagaaaca caaatgaccc atatgtattt gtgagaagat   14160
gttgaacatc attagaagtc agggaggtgc aaatgaaaac tacagtgaga taccatttca   14220
cacccaaaag tttggcaaaa gttaaaagcc taggtaatac caagggttag ggaggatgtg   14280
gagaaattag atgtgaagaa ctgacacggt gctagaggga gtttcaattg gtacaaacac   14340
tttagagaat ggtttggcat tgcttgataa agctaaataa atacatactc tacaaaccag   14400
caattcactc ctaagaataa accctaggaa aactcttgca catttgtgta ggtgacatcc   14460
taaagcgttt atagacagca ttgttcaaaa tccaaaaaga aaaaaaaact ggaaacaatc   14520
caaatgtcct tcacagttgg atgaataaat aaattgttat tattcataca atagaatgaa   14580
tataaacaac actgaaaaca agtgaactgc agccaacccc atcagcaagg atgaatctca   14640
gaaacatatt gggccaaata agtcacagaa caatatctgt agtgtgattc cttttacata   14700
aaatttgaag aagaataaac taacaatgta ttgtttagaa atatattcat agatagtaat   14760
attataaaga aaaaacaaag aagtggtgtt tgccaaactc aggatagtgt ttattttaga   14820
gcagggaaca ggggtgaatg tgcttagggg gcgtggggtg catgtgggct tgtcaggtat   14880
gggatattct atttcttaac ccggaagggt aggtgggttc ttgtacgttc atattattat   14940
tattatttga actgtgaaaa agataataca tgttttattt taagagattc cgagatgaat   15000
ttcatgcagg atttgcaaat ctgccccaaa ctctatttaa aatgctgtgt acattaaaga   15060
agacaaatac atggaaagat gtactgtgta cactttttc ttaagtacga gaaatttcac   15120
actaaatttt aaaatgctgt gtgtgtgtgt gtgcgcatat ttctgggagg aaattccatg   15180
tctcatcaga ttatctaagg aatacctggt gttctaacag agtgacaact ggatgtaagg   15240
tttctgagat tctgtccaga tattctcggg tggatagagc ccctgtgcag gctggcagcc   15300
aggtcaactg gccaaacctc cctctgtctt agagaggaac ctaaaccagc tgtgagtctt   15360
ctccctccat aactcacatg actatcttaa ggccaaagga tgtatctggg gtctcatgta   15420
ggggagggca agttcctctt tttctcctgg gagactgagt cccctttgcc tgggcacctc   15480
cttccctttc tccttccctg gctcttcgac atgtgctctg cctctttctt cttttctatgg   15540
tccacctgca tattgctaat ggacttggcc attattgcac agcctgagaa cagcaaagcc   15600
tgagtcagga cccatggtgc tgtctcacag cccagtgctt ttctgccatg ccactggtca   15660
ctcctattct cttctccccc aacacctctg tctctgtcag atctggcttc ccatggggac   15720
tgcagggctc agctgggctt gcattggcaa gtccaccaaa gaatgcattt atccattcat   15780
ccctgtcacc cacggaagga ctttgggttt tgtttgcttt tgagacaagg tctcactctg   15840
tcacttaggc tggagtacag tagcatgacc acagcccact gcagcctcca cctcctggat   15900
tcaagcaatc ctcccacctc accctcctga gtagctggga ctacaggtgc gccccaccat   15960
cctcggctaa tatttttttta aaaatttttg tagagacagg gtctcactat gttgcccagg   16020
ctggtttcga acacctgggt tcaagcactc ctcccacctc agccttccaa agtgctgaga   16080
ttagacttcg gatttttattc tgaaggagat aaaagccatt ggggagagac agtgataggc   16140
tctgaacttg tttccaaaag gtgtttctag ctgctatgtg gaacttaaac ttcatggaat   16200
aaggggagaa gtcaggaagc ccattcggag gctatgacat taatccaggc aagaggtgac   16260
atggcttgga acagggacac caccatgagg tggggaggtg tgatgtgatt ggaaccagt   16320
catttgcagt aggattggat gatggtcaag agaaagagga gtccaggctg actccaaggt   16380
ttgtggccca aggaactaga aggaagaaga tgccatcacc ttggtaggga gactgtgggg   16440
aagcaggtgt ggtgtgggtc aggaagggga ggccaaggat cttactttgg acatagtgac   16500
ttccaggtgc ctttgattac ccaggtagtg atgtccagtc tgcagtttga taaaggcaca   16560
tgaagttcag gggagcagcc cagggagagg atgtgaatgt gaagtcagca ggcaacagat   16620
gctctttaat gccagtgcct gaatatggtc agctgggcta ggaattaaga gaaaaatcta   16680
aggactgagc cacaccgcac agatcggaag tctcaggtat cccaagggca ctttagtggg   16740
tggtgtcctg aaggaggcgg atttcagttc atggaggtct tatgctattt gtaaatccag   16800
```

```
cacaacttat gccaatgatg aatgaattca gggcaggtca gctgcagtgt aatatatgcc   16860
tattgtcccc tgatcaagac agaaagacag aatgaaaagg aagaaggaag gaaggaaggg   16920
agggagggag ggaaaaaaga ggaaggaaag aaatcaggga gagaaagaag gaaaggaagg   16980
aaggaaggtg ggaaaggaga gagaaagaaa gggactaagg gagaaagaaa aaaggaagga   17040
aggaaagaaa agagaaagaa aaagaaagaa agaaaaaaga aaagaaaaga aagaaggaag   17100
ggagggaggg agggaggaag aggaaggaaa gaagtgaggg agggaaagaa gcaaaggaag   17160
gaakkyaggr maggwsagmk aaagmarkgk arkawakgms wawkrwmmmm kgawsaaaga   17220
maagararas agaawgaaaa graagaagga aggaaggaac ggaggaaaga aaagagggat   17280
ggaggaaaca aatatgtagg caaacctctc ctcctttttt tccttagtct cctcattggt   17340
gccatggagg tgtaggttct gatagcgtcc tcagcggaca caggcccttg gattctaaat   17400
gtgtcccagc ccagctgttg tgtgtcaggg ccccagtgtc tgtggggaga tggccagaga   17460
tggactcaca gcatcagcca ttgcctttta ccccatggcc tgtgtcacca agtgccatgg   17520
taagtggaag tgatggctcc ccagagatca cattagctct gataatgctc cagcctccca   17580
tgcacaactt gccctcaggc cacctggctg ggcaggaaga agggctccca gagaagccac   17640
atggccccat ggcggtgagt ctgggcgaga gatggagaga gacgccttcc cttttagccc   17700
agtcccagcc tagtgtcctc actgctgacc cccggtagtc tctgaaacca cagatggagc   17760
tcccagactt gctgattggc ccccgtgatg gcgtgcgcat taggaggaaa tgcctccctc   17820
cacccttgta gcaaacactt ccagctccat gcccacaccc cttatcatcc actgttcctg   17880
ccagtgcaga cccaacccaa tggcttcstg ctgccagtac ctggggctct gctgttagcc   17940
tttctctggc agcaggacag gctcatccct cttatcagac aggctggact tgstgggaag   18000
ttgacactct gggggcggcc ttcatggata aatactstag ttttcttgcc cctcaagtga   18060
gacaacccca aggcgtgctc tgtgcagtct cccgaggccc ccaccagggc tgagcaccwg   18120
tttccccagc agcaagtgct ccttaatcta ctttctcctg gtttccttcc ctttgctgtc   18180
tcacttctcc tctccccaac gattgcttcc aggattatct cctaaataaa ttacttgtat   18240
tctaatcttt gtttccagtt gtttcttgag gaatccaata caaaacgaaa ccaatcaaag   18300
acaccaaacc caacaaaaga aagagaactc ttctggttct gtattgtaca tgtttctgga   18360
gcaccattta agtaacagaa tacatcacgc actgtctttg acgctggtag ggaggtctca   18420
caaataactg tacaggcaaa taaacagcag tataaaagag gagtttgact ctgttgtagg   18480
aggtggttat cagggaaggc ttcacagtga gggtgactgg aggttttgga ggatgggtag   18540
gagttctcca ggtagaaaaa agaatgatgg aaacagcata ttaaaaaacc cagaagtgta   18600
aaaaagcaca aggtactcag gggaaccact agtagtttag tatctctcat actactggag   18660
aataaagcat attttggaag tgataaagga tttgtaggaa aaatgaggag agaattagaa   18720
tagcaggagg tgtggttaaa tagccagagt cttgtctata ctcctcaaag tgtttaggca   18780
ttatcttgga aaggttggag gattttttaa aattgtgggt tatcttttc tgattgcata   18840
aatatcaaat gctcattgtg gaaaagttgg catatacaga gaagtataga gaagaaaata   18900
aaattacctc aaatccagag ttaattaaat cacatttatg tgttggtgtg tttcagagga   18960
gtttcaggca gaggagtgag gtggtcgcac ttgagttcta ggtagagctc tggcagctgg   19020
tgacgatcat gcagctggaa agatactgaa cgtggggtga ccagctagga ggctgctgca   19080
gtgaggggtg atgagggtcc tctgttgtgg ctttgcaggg tgtttcagag gtgggattct   19140
cagcacttga aaactagttg gatggggtgt ggggtagagg agagaagggg accatgacta   19200
ctagagagat tctgagtgtc tccaccatga cttggtggag ggagcagagg ctggaggcca   19260
ggagacttgg gttctcattt ccactctgtg acttccaatc tgtgggacct tggacaagtc   19320
cctttagtcc acagagccac agtttcctga cctgatacgt ggaaagatga ttctcttcct   19380
gctttcctta caggattgtc atgatcgtcc aatagatcaa aggagataaa cacctttcat   19440
gtgtggaaac ctacagttct gaagctcttg tcctcaaacc tctgctcaat cttttccctc   19500
acctgccttc tgtcatcttc cccagaagcc aggggggaacc catacccctc taggtttccc   19560
ttcctctccc ctctgcatcc tgcccagagg acatttgtca ygattgtccc tctggtacag   19620
atgctctaaa caccgccaca caccaccatt ctttcattca ttaactcatt cacttcayag   19680
gctggttgat gctctagtac gttccaggtg ccagaacacg tgctgtaaaa gacagacaag   19740
gtccctgtgc tcatggagct cacataccac ccaagggggg acataaartt aaacaactag   19800
gacaaattcg gatagcgatg taacaaatga ataaatagg tgataggata gagtgagcgt   19860
gtattttcga tttgagtcgt cgggaaggga cctctggact gagacctgaa caactcaggc   19920
agagaaaaca gcaagtgtaa aggtcttggg gtgggtttga gcttaggatg tttacagaat   19980
ggaaaggtca gtgtggctgg gctgatccaa gccccaccca acccacttag cacggccacc   20040
tctctgaagc ctccttggat caacaggatg cttcccttgc tgattcagct ccaccctact   20100
tccacacatc tgtggtcaca acacatcctg accacactgg gttgtgatag actctataca   20160
ctggtctggg agctccttga aggcagggc tatctcctct ctagccagca ctgttcacgc   20220
acacagcaga tgatcagcat ctgctaaagg gattaataca ttaatcaata gatgagtgaa   20280
tgaatgagaa aacgactctc aggtccaaat ggctcactcc tttacttgtc taattgttac   20340
cttctcaaat tccctgaccc cgtatgcaaa ctgcagcccc actgtccccc sattccctca   20400
cccatcatat aacgtgtgta tttattatgt ttcccgtttc ctctgtctcc gccagcagaa   20460
tgttaaactc catgaggtca ggaatctccg agttatgttg cgccagtgta atccaagagc   20520
ccggaacagt gcctggcaca cagcgggcat atggaagaac aaatgtgtga aggtgtgaat   20580
```

310

```
gaatgaataa ttgaaagaat aaatagtagt tctcagcctc acagaacacg ggtcacaacc 20640
tcaaatgacc tgctaccctg cccataaata acagagatgc aggagtaagt gctgggctgt 20700
gacctgtcaa catgctaagc cgctcaaaca aaactgccca acagcccgct ggccgcctat 20760
ttgcagcact gggccctgag ccgcacattc ccatttcgtt gataaagaaa ctgaccagat 20820
agtttaagtg gcctgctgcg gaagacagrg ctggtgctgc accggtcgct gcttccccag 20880
tccttttttg gcctcctttc tgacgcgacg cagaccccag ttctggagag tctgtcactc 20940
gctccccgtg gtgggagatc agaggcctgg tgtccttggg agcggcgagc ggtgctcggc 21000
gcaggataga aagggagtgc gcgcccgagt cccccagatc cctgggaacc cgcgccaccc 21060
tcccgcccct gcccatcccc ggccgcgctg tcagtctcca ttagcgctaa caggctccag 21120
acggagcggg ccgggcgctg ggttaatgca atcggcgcgt tacctggggc gcaggctaca 21180
ttaccagccc ggcccccgcc aggcacggcc agaaccagtc agcccgcgcc ctgccggccg 21240
ccccgcgcct ccagctcttc cccgggcccc gcccgaacgc cacacggcgg agcccagccc 21300
cagcccgcgc cctagagcct gccaaggcgc cgccggtcgg gggccggcag ggcgcaaggc 21360
accagggatc ccctcgccgc cggacacgtg agtgcgccct gagcgcggga cagggctagg 21420
tctgcctggg aggcccgggc cgagacgcgc cagcagaggg ctagcgagtt tgtagtgcag 21480
tgacgttaag tgtccgagaa ggctcctgtg gctgttgaag tgtcgcggac ctgagcttgg 21540
ggaggggggtc ggcacgctgc cctcagcctc ggtgagttca atcccagcca tttggggcag 21600
gcgaragtgg gtgaaacgag gaaaagtgct gcarggtctt cagccgcccc casarggctg 21660
tcagaagtct ccaactcttg agttccggcg tgccccaacc tctgtttccm aatttttcca 21720
gcggacgcgc gctctttttct gggaaccctg cgtccgctca gcgcgcgctc atcccagtgt 21780
ctaaggcgct cccgggtggt cttgggagtt gcaagtaggg aggaacggcc gggtaaccac 21840
ctctttttcc tttatccaag cagagcctcg gcgtgccccc aggaccggta aagttcctct 21900
cgccagccgc atccatgctt ctggcgcgga tgaaccgca ggtgcagccc gagaacaacg 21960
gggcggacac gggtccagag cagcccttc gggcgcgcaa aactgcggag ctgctggtgg 22020
tgaaggagcg caacggcgtc cagtgcctgc tggcgcccg cgacggcgac gcgcagcccc 22080
gggagacctg gggcaagaag atcgacttcc tgctgtccgt agtcggcttc gcagtggacc 22140
tggccaacgt gtggcgcttc ccctacctct gctacaagaa cggcggcggt gagcgtgggg 22200
tcgggctggg aatttgaatc tgggaggtcc actgtctgca gcggtggctg ggacaggagc 22260
tggaatacac acggaaggga ggcgaggaga caggggcaaa tctggggcgc agaaagaact 22320
ggacagggct aacgggaaaa aaaaaagatt ggagtcctct ggaaggtcat tttcccaggc 22380
tctttgcaga gtacctcgag ctcattccag cggaagtgtc aggattgggc accctggaag 22440
caaaacagca gaagagtgaa atcgagtcat gaccctaaag tcatggtagg ggtatggatg 22500
gaaaggacag aatctggggt gccaggttgg gtgggggagc ctgacctttt gatggtctgc 22560
tggaagggag gtggagattc caagagctct tgaaggggca ccagaagtgg gtgggatttg 22620
acaaccaggc ccacagtgac cctaaatcta gcactctgag cctggggca ggaacctttg 22680
ggccagaagc agtgggaata cttcggtttt ctgaaggcac ctggggaggc cctgtggtct 22740
tggggataga aacacacaag aagaagccag tatcagaaat aatgccattc tcagggagca 22800
cagcccaggt ggaatcaggc cagtaggtgc caagaactgg cctggtcctc aaggcaggag 22860
gcccagatga ttggggtgaa acctctacct cctcaagttc tagccgcatt gcagggagga 22920
gtgggagagg ggcctgaaga agactccagt ggaacagcca cactctctcc cccttctgct 22980
ggatggtcca actggccacc tgcctgaaaa tgagagccta gagatcacct acagccaatc 23040
caggaagaat aacatagaac cccgggccag ggaagcggtc tggaagtcag ggtgctggcc 23100
cccacccccct agctccttcc tgaggggctt tgctcctgcg gtgcccagtc ctgccacttt 23160
tgctgggatg agctcagagg taccctgcaa agagtgtggg aaaatagacc ttttgaggaa 23220
gaaattggag aaggggggacc cagctctgaa agcctctctc tctccactgg gctgcattgc 23280
ttggcggtag ctgtgactct ggacttaagg gaggtcagag ggaggaaggg caagaatttg 23340
gagctgggta gagggaaagc tcatgacctg ttcacaggct ctaggactta caactctgct 23400
tctatgtgta ctctggacac ttgctttggg acggcaata cttggtgttt gcaaaaaagg 23460
agtggggccg ggcatggtgg ctcatgccta taatcctagc actttggaag acaaagtgg 23520
gcagattgcc tgagctcagg agttcgagac cagcctgggc aacatggtga gaccctcgtct 23580
ctactaaaaa tacaaaaact tagctgggcg tagtggtgca cgcctgtaat cccagctacg 23640
caggaggctg aggcaggaga atcacttgaa cccgggatgt ggaggttgca gtgagccaag 23700
atcacgccac tgcactccag cctggaccat gggtgacaga gcaagactct gtctcaaaaa 23760
aaaaaggagt gggatcacca tagagcacag gtggctctga gcagaggatc ttgagtaaga 23820
aagcagttag ctcttccaac gagaaagtta acccaaggtt ggagctgaca gatggaggtt 23880
tgcgtccatg gtctccctga cacctcctga gatgggtctg tcattgtcag atactctgag 23940
accagatagc tgggacagca gtcctgagct tcaggggcat ctgaggtctg gggcctgatc 24000
cgtggggaaa caacttgtga ctctgcgggc tcaatgtttg tgtctggccc tgggatggtc 24060
atgggcagag agagaaaggt gagaaaagga gaagctaatc cagaggtgaa actttcccac 24120
ctttggcggc tgcagcctct caggcgttac tgggcaggtt taagcatggc tgtttgggcc 24180
caggaaggga gaaaatgcag attctctgta tcttttaaga ggcaggagaga tgatgaatga 24240
gagaccttaa gacccgccat cccgcctgtc ctcagtgacc gccccagact gcttgtctct 24300
agacagtgga aggctctgtc attaatcagt aatatttttc tggttcctct ggcgtgagg 24360
```

```
cacaatgcta ggctctgcag gggtcacggt caccaagagg catgaaccac cacttctgcc   24420
tgccaggagc tttaatcacc cgagtcttta ttgtcatgct gctagaagtt cttcccattg   24480
ctctatgtgt ttgttgaaac taaaagcatc cagatggcca atttgacaag tcagctagat   24540
ggatattcca gggctttcat tgacactgtg tgctctttag tcattgccag caaaataaag   24600
agcacctgtt gtatgcagtg tactataaac caggttctta ggatgcaaaa tggagcaaac   24660
ttgtcacgag ttccagtctt taggtgaagc tgaccgaggg cacttctccc cgggcttgct   24720
atctcaaaac acagctcact ccaagttgtt tggtggtttg tctctttgtg ggtctgtctc   24780
ccaaacagga aaaggcacaa tgagggcaga gactgtgact tttaatctc tgtgtttcta   24840
atgcccaaga taagtcctag atcacaggaa tgtggtagaa ggtgcccaag aaactgctgt   24900
tgaataagct aatgaaatgc tccaagccct caaagacctc caaccgtatt cagaaacaac   24960
aacagaaaca ctcagtggta actaataaag tgaagccaca tacaacagtg gggcaggggc   25020
agcctattca ttagtggtct tagctgtgga gtcctgggtt ccagtttcta gctgtaaggc   25080
tttggcaagt ctccaagcct cagtttcctc acttgtcaaa tggaaataat ggtgctcagc   25140
tcagaacatt gttgtgggga ccaaacataa taactcatcg agagcctggc atggattgtg   25200
gccttaggaa aggtggctgc tgattttgtt aatgtcatta tgatgatgta tgaaatggat   25260
ggagagacaa gtgctttaga caaatgctct aaaggcctga ggaagggctg cttaggaagg   25320
gctgggagga ggtgggctgt ggttgaagct cagctgctct ggatggggaa ggtgcagaca   25380
agcggtgaga agggaggaga tctccagctg tgcacctggg gcaggaatgt acatggaatc   25440
atctcagaga acaggagtgc aggctggctg cagggcaagc caggagagat aagggtgcag   25500
gggcaagttg gggccaggct gcagaggcct tgaaagccag gctaaggggt ggggatatta   25560
taccagtgaa tttcccttc tggttaggat gttcacagtt ggtgtcaggg agcagtgcag   25620
ccctccatct cagactatga ggtaactcct tctctcactt accctcatc ccttcagaca   25680
tgctcagcta gctccctctg ggctttatct ctgcggaggc ctcctggctt ctctgtcttt   25740
ttgtggatca attctcatcc agtaattccc aaattagccc cagagatgag agtgagtggt   25800
caggaaggtg ggtctttgca gttgcagaag cagccgttta agactggagt ttgagtctga   25860
gctctgcctc tcactgtgtg atctcgggca tagtacagcc cctctctgag cctcaagttc   25920
ccagccatag gtgaacatga cctgagataa caccacaaga tttattcctt tccaatgccc   25980
tggctcaggg ttacactgaa gccaggactc acccagtctg ttatttaaca gccctcagtg   26040
tgctcttctg gtgccagtat taacactgta acctctgcaa ttctgactgt tcatgctggc   26100
ccagaatgga ggatattttg aaatgatgaa ggtggcaatg gtttaggccc ctggctaatg   26160
ttttctgaat gaattactgg aaaagatcag cctgtctgaa catcttcccc atggccagct   26220
gctgggatgc acgggctgca ggaggctctg ggaggggaaa gccactctca gaaattccgg   26280
agctttgttc agaaccttct caaatagctg gtctccatga ggaggcagta tcaggcagtg   26340
attctagagt ttccctttgc acctgtgatc ctggtctgtg ctgatccctg gggaagagca   26400
ggaagattga ctgggtgctc attttgcct ttcttccagg gaagtggcca ctgtgaatta   26460
acctttgcac atggctgctt ctgtttgagt cctgtcctga ggccagctta gagctgtgca   26520
ttgtagagaa atatagtctt taggttcagg gtctgagtct aactttgct agaaaggtaa   26580
cgatagacaa atcactcacc tttgctgatc tgagcttcag tttccttaca cagaagagga   26640
gaataaccac agcaccttct tgcagggtga gatggcatca gagacaatat atgtaaactc   26700
cttgaaatga tgtcacataa taggggctcc ataaatgtag tcattagtat tttgttattg   26760
ttcaatgata ttaactgcat gctagactta ggagtggggc aggatcctga ttttggaagt   26820
agcagaattc atcctaagat gaaattgata aaaggaaata aggctggaaa atagtcccac   26880
ttgggtctgg agcccaagca tgatagactc aggaatcagg ggatgggctt tgctccattt   26940
cctaacagcc taaccttatc tcaaaataga ttcatcacct ggtaaatggg gtttataatt   27000
cctgcatggg gtcccatgac cttctgtgat tctgcgtccc cagcggactc tctcctctcc   27060
ccaaggaagc tcagagtctt agggacccc agccctttgg gagcccttgt ggccaaaata   27120
tctgggatcc ttaatactga gtatgaagca gtagctgcta cagaggtcag gagtctgcaa   27180
actcagtgct cttatatctg gcctggctgc aggggctat ctacaccctg ggcttgccaa   27240
gccagacact gattgtcagc tcagatgcac aatgagccag ccagctggtg tggcactcag   27300
ctgacaagtc tgtacatccc ttggcagaaa tgtggtgctc atctgggacc ctgatctgag   27360
gtcactggca tggtttggct tgttactcca agcttgtcaa aaggatctga aaggggctgt   27420
tcctgacaag attgggattt aatagggata aatgttatat cctgccctgc agtcccaaac   27480
ctaactgcct aagtaaggat taggccacag cacaagtgga gaaaggcccc agggctttca   27540
ttagctgcat ccttcatgtg agtcactgct gagatccatt atttagccaa aaaaaattta   27600
ctaaatgcct atcatatgcc aggaatatgg agatgagcaa aagaaaatcc ttgcctttaa   27660
ggggctcatg atatgctgca gatctcgtaa aagtttgtca tttttgattc caatattgga   27720
ggtattaatc ccaaatgggg gaggtgaggt cctgctctgt tatttgtggg tcatatttcc   27780
ctctgtgatg tagttctgag caaccctctg atgtgtttct cttaaagaga ctaagatgga   27840
ggaaatggaa accagaatct tcacagagat tttactaaag ccacagcttt attaggaaaa   27900
atcaagtcca gatcctccaa agtgacgagc agatggagaa ttaccacatg aggagggta   27960
gcccggcgcc agtttccctg aattccaccc ccatttttct acttagagca gctgggttta   28020
atccatcagg ggagtgggtg tgttccctca gtgggcctgt ttccaggtct ttcactcagc   28080
aacaacaatc aacacagaag acgtctgtga ccacatgttt gggggtttct cccagcacat   28140
```

312

```
caggcaagta atcaagtctg cagcagacac cagctgagtg cctccgattc aattcaattc  28200
tggtgctgtc tacctggaga tagcatcaga tcccacaggt tgaggcattc ccacaagaat  28260
gcccctcact ttgtgttcct ataatgagcc ccaggttgtt ttactgtgct tctgacccac  28320
tgtctataaa tcagggttcc ccccacccct tgcttgggtt tgattaattt gctagagtgg  28380
ctcacagaac tcagaggaac actttattac attttctgct atggtttaga tatggtttgt  28440
ttgtctccac taaaactcct gttgaagttt gaaccccagt gtgggagtgt tgggaggagg  28500
ggcctagtga gaggtgtttg ggtcatgaga gtggatccct tataaatgga ttaatgtcct  28560
ttggagaggg taagtgagtt ctcacgccac tctcttggtt cccctcttgc catgtgatct  28620
ctgtacccct gatccccttt ccttttctgc catgagtgga agcagccaga ggcccccacc  28680
agatacagct gcccaacctt gaactttcca gtcaccagaa tcatgagaca tataaacctc  28740
ttttctttat agattcccta gcctcaggta ttctgttata gcaatgctaa acagaccaag  28800
gcactccctc accttcacct tgggtccctc cagctgaggt cttaccatag ctctgtgtac  28860
tactatgaaa cctatctgtc tatctatcta tccatctgtc tatctattgt tctattgttc  28920
ctggctcaaa ataccaatag cccttgttgt aacattgggg cacgttaggc ctcagaaaac  28980
agaacctctc tctctttgac cttctcctgc cctccttcca tctgctccct tatctctcca  29040
aggtaggatt tttccctggc ttttctttct tggagctggc agtaacaaaa ttctctgacc  29100
cactttctaa ttgtgagtca taaaacccc atttcagaag gagtcctgcc ccaggccctg  29160
ggggaaggaa tgctgcacag ggagaccgag aagaatctga acagacaggc cttgctgggc  29220
tttcccactc agcttattag tattacatca tactccattc aatcatggtg gccaaacatg  29280
cctatctaat gacatctcca tagaaggccc aagaggacag ggttcaggag cttcaggaga  29340
ggcaaacaca tggaggttcc tgagtaggaa atgtctgagg ggccatctca gcttcagaac  29400
tcttctaggg tcagctaagg tttggcctgg cgtatcctgt ccccccgctct ggccggtgct  29460
tccattccct aaatctcttc actgcatgca tcccccctccc actaccttca tgccatcctt  29520
catgcagcac tacagggcat tctttctagg taatggggct ggctgtggcc tggggggcatc  29580
ctttgtcctg catttgctca tggtcagcac tcttgtttgc acacaagagt agagtagcca  29640
gccccacttg ggacagggac ttggggatcc cagagcactg ccgcagagtc ctgtgtgtgg  29700
cctccagctg gcgttcatgc tgtgctccac aaagggccca gccaccctcc accacacaag  29760
acagccttta cttcctgttt ccagtggaca gagctgctgc acatctgctc ttgagtataa  29820
tgacaagaca tgagtcccat ttacggagca cccactaagt gcctggcact tcacctctgt  29880
catctctgat tatcacagca aaccagtgac acaggtatta ttatcgcatt tacaaagggg  29940
gagctaaggc tcagagaagg cacatttaga caagtcacat agctatacat agcagggctg  30000
agggacagga ttatctttag gtccaggcat gaaggcctgc cctacctcca tgcttcagag  30060
agcacaactc tgcccccttt ccatctcatg ggagccaagt gtgcctgccc acccagcaca  30120
ctccccatac gaataccccca ccacctcca ataccggac ggtggaattc cctgcccaaa  30180
cagcctcagg caccttctg ggtctacatg aacatcttgc tgggttccct cttctgtggt  30240
gtgggctgtg ctgcgggagg tgggggtgtc tgcaaggcgg gtggacatag cttggacacc  30300
tatgtgcaag agccctgaca tggctagatt gagctgggag gaagtagggg caggcaaac  30360
gggtcttccc ctgtacctcc acattccagc ctggagctcc aagagctgag aattccaacc  30420
ttgaacttta taatagaact actacaaagg tctctttgtc aaagtaggaa gacagaacat  30480
gtttatttta acagttgttg atttgtcacc tttaaatgtg tcgaagtgtg agcagccttg  30540
tctcctgact aaagtttcac cttctcctga tgcctactgt gctgttaggg cacccttggg  30600
gtgttggggga aggggacaa atctagcttc cctaagtgtg gaccaaggtt ttcttggggg  30660
ctctggtgca tgacaccagc agcgacagcc tgtagctgag ctgtgtgtat caagggaact  30720
attctgtgga ttggcacttc ttgcatatat caaggtgtgg ccagaattca cagttcgagg  30780
aatcctgtcc tcaacaaact aggtgtcagg ggagcctctc tccttcctga agctcctctt  30840
tgaccacact acctccacct cccccgagat cctcagcagg tcttggccac tgcacccctc  30900
actgaaccct tcctccaggc tttccagccc tctacctggg gtcctcctca cctgctgggg  30960
gctgctccag cacatcccac tctaaaccta atgacccccgg gcttcccttc ctgggtactt  31020
ggcatttgca cagaggcttc cagagccctt ctgtacccag aagagtttct ctctaacagt  31080
gggatgggag gcagtgtggt tgggccagag gtgatgggac taatgctttt cttactaaat  31140
tcatccaaag gccactgttc agagtttctt tcatggtcga cagttctttt tctcatgtgg  31200
ttgtgtgagt gcgttgacat gcaaaagtgt gtgtccattt tgcatgagta tgcacaggtg  31260
tgcatttgtg tgcatgcata tggttttttgg agactcccag gcactgggca ctgagctcct  31320
catgaggcat gccctgcctg tgtttttcca ggtctgccct caccagccca gcacccatgc  31380
agccagggca ttccaagata agattctggc cttgcagttc tgagactctc ggaccctgtg  31440
tgaggctggt tgcagctggc actgccacac atggagatgg agcaggacca cacaagtatg  31500
gcagttacaa gccttgcaga gcagtacttt ttaggggggtt tgcaacsagc ctcggtttcc  31560
agagaaccac tgcagagctg tttataaaag aggcaacttc agttgacttc actcatccct  31620
ggagctcctt cctgactctt caacctgaag agtttacttc tgcaagagga gaaggaaact  31680
ctcccaggtt tccttctgca agagtccttg ggcaagctag ctgtcctctt ttagaataag  31740
gcactggcca cgggtagctg gctgtttttt cattcctact tagccatttc accactcttt  31800
ggtcttctta atctgtttcc acctgaatga agctttggct ggcccacatc aaatgcactc  31860
acagagaaga gccgcaggca catgcagacc catcatcttc cctccttttc tcatgttact  31920
```

```
gtgcctccca gccagcagag gaagaataac tccaaactgg gcagtttacc tatgtgttgg   31980
cagtgtcacc cagaggttta gagttgagga aactggccaa agtgagatgc ctggttaact   32040
ggctgatgct gcttttcccc ttccttggcc atgcagcaga gtattgagtc gctggggggca  32100
acccacagtg gcgaggtcgg agcagcgact cctagctttt tccttcccca cgttcccttg   32160
ggccactgac ttccatcttc aggcctatca aagatttttt gtttatttgt ttgttttgtt   32220
ttcttctctc tttttctctc tctctaaatt ttttttttttg agtcagcatc tcactctgtc  32280
acccaggctg cagggcagtg gcatgatcat agctcactga gcctcaaact ctgatgccca   32340
ggctgttctt gagttcctgg gctcaagtaa gcctcctgcc ttggcctccc taagtgctgg   32400
gactacaggc atgagccact gtgcctggcc ctattaaaca gtttaataca gctatctaac   32460
tgcccttgc cctggctcta gatcctcaag gggagtagca gttggccaca aggcagagtg      32520
gggctgcgcc agatccaggt ttgaagccaa gcttcatact tgctagttgg acaagcaact    32580
taacctttct aagcctcagt ttcctcatct gtaaaaggga ttgtggtaat tctctctcag    32640
gggtggtttt aaataaataa ttatgtaaaa acttgtgtgc agcttggcat ataacaggtg    32700
ctcaacaaac ggtacttgtt actttcacca accccactgc ctacctccat ctacatcagc    32760
acaccagcac caccattact gtcagcaatg tgcataggga catgggtcag gtggcaaacc    32820
agccctttct atgtgggaga gggagaaagg aagagaatga aaggaagaaa tgaggaaggg    32880
gagaaatagc acatggccac tccagagact tccagcctgg agcagtggct gtagcattgg    32940
gccagcctat gaccaataga ccacatggct tagctggtcc cagatccccc atttcagaac    33000
aacctaccct ctgatcctat tcagactcat gtccttcatc taggctggaa tgttccagaa    33060
tctgtggggc atgttggaaa cagctctgga gctcttgagc caggcagacc tggacccaaa    33120
tcctagatcc acaacttatc agcaggataa ggtcggtcag gtcatttaat ttctccaacc    33180
ctcagtttcc tcatctgaaa aatgggtata gcagttgcta tgtcagaggg tttctgggta    33240
gtgtaagtgg gatcaagccc aggtcctgct tgatacacag gagatgttca tttcccagta    33300
gtttttacctt ttccccccttt ctgccctgcc ccccaccact gatccatctt ctactcacaa  33360
gggactaggt ctctcagcat tagggccaac acttcatgct tcctacttag gagaggcacc    33420
ctgagaaaca agtggagact gatagtctga gtagctgagt gagtttgacc ctaggtatca    33480
tgtgactttg ccacagttct ttgctatctt gaaaccttag tttccatatc tgtaaaatgg    33540
aaataataat gatctttgat cttttgtggtg aggattgaat gaaagtgctt ggagctcaga   33600
aggggacgag caagtgtgag ctgctggtat ccattgttaa tattgctaat gttaccattg    33660
ttaaagtatt tcctgttttc ttgatgtggg taggtcagag agtatttggt ttccagggtt    33720
acaacacctt agctaaaggc cagtggtaac aggagtttgg atctggcctg gccacctcca    33780
gctgtgcgtg gaaaggagct ggtgtgttgc tttgggcaca cttgcaagct ggggctcata    33840
tgacatgtgt cccagtgagt cacctcgcag agtcagaatc cactaagcac atcccggact    33900
gccagggtgt actgagaatt gtctctgcaa ctcagacacg tctaagtcca ccaggaattc    33960
tcccaggaat taattgctgc ctggtgccca gggacccat caagtttctg tgatgttctg     34020
ggtgggtgac ttccctggtc agagacttga acctctgccc ctttgcttca gccacctgta    34080
acagtggggga cctagtgggt cgcaaggccg gaatgtgaat ccggcttcca tcacctacca   34140
gcagcaccaa aaggagccat tagactccct tctctgcccc tcagtttgcc ctgggggtac    34200
gtaatgaccc tgactggtta ttatgtttgc aggctgttgt gaaactctaa gaagaatcca    34260
gtgagatcat gcttgggaaa gcaagccaca tataccccta tgtgatagga tgccagcaaa    34320
attagaaact ccgtcatgta aatttaggca ctgtctcttt ttctctggtc tcaattttct    34380
tgcctgtaaa aggaagggtt tgggttagat tggcattccc agagtgatga ttcataaaag    34440
aaaaagttca gtgtttaaat aaatctggta aaggctacac ctgtgatccc cctcctggca    34500
catcacagca tgcacttgtg tatcaaaggc taggagaagc ctgcaagaag caaacctatt    34560
ttgctttgct taacctagat tttactaatt tgaccacaga acctcactat tatggttatg    34620
attattacta ccacaaatat tcttactctt atgataatta gwattgattg ctgcgcgtcg    34680
cctttggaaa cagccagctg agcagacgcc caggatcttt gcagctcttg cagacacgga    34740
tccaagactg ggaggggcag gggtctgtca ggtcacactc tgcccctgtg tcctccaggt    34800
gccttcttga tcccgtacac actgttcctt atcatcgcgg ggatgcccct gttctacatg    34860
gagctggctc tgggacagta caaccgggag ggggctgcca ccgtttggaa aatctgccca    34920
ttcttcaaag gtaaagaagg ggtgggagaa agtcacggtt gttcataaag gcttccctgt    34980
tgcccttggg gaatctgctc cagtggtgag atctaaggta gacctcctgt catgtgggat    35040
tcacaggtat tgacaaggtc aacagtgtcc cccattccaa gttacgtgga gagcattcag    35100
tgtgttggga atagcattag catagaaatt ctggaaacct gggttctaat ccagcttacc    35160
tgctgagtac ccagagaatc tatttcctgt atgggaaatt tttacgtaag tatcagaagt    35220
acccagcaca tacaccacta ctctctcctt ttgctcccat ggcaggcgtt agaagttgat    35280
catggatctt tttgagccca gccggaaagc tgattcaaaa tccttagtac aatagccaca    35340
actagttgat tgcagctgaa atacaacatg aagcctactt gcatttggga ctaagaacac    35400
atctgcagaa agtaggcaga gcaactgcta tttcttggcc cctatacagc tgggagaagg    35460
gcatggagga agagttagtc tctcccaagc actggttgga gaactgggca cagatggcaa    35520
cgagggccag tgtgactccc atgagcctct tctccgctgg cacgtgcctc ctgagtacct    35580
cttgtgtact cagtcctgtg ggagatacag ctggtgcaag agtcttataa gacatgtgca    35640
ttcgttactt ttttttgttgt taattgtcag aaaattcaact caaactggct tcagtataaa   35700
```

                                      314

```
agagaattga cttctgttac agtaaagtcc ggggattggc ttcaggtata gatagatcca    35760
gatgcccaaa taatgatgtc tggaatctat cgctcttctt gtgtttcaga tctgttgttt    35820
tctgttagca tcagtctcag gtaaattctt ctcaagtacc tgcaaagatg gccatcagca    35880
accccaggct taaattttac caagtttaaa ttttaccaaa agcaaacaag taaacaaaca    35940
aaaaccctta tagagtcata gtttccttaa aggtcccaga gaagattctc attggtttaa    36000
cttgagtcat atgcccatct actaaccaat cactgtggct gtcaggaagc agtgctctga    36060
ttggccaggc atacatcttg cgatggagga agagtgggga gtagcctcgc caacacctca    36120
caggctaatc atagcttaag gctaattcct tgaaaagcaa tgttgggcag gtaaacaata    36180
catctaccct agaaaaaagc tatagaacta cccctaaagg agcttgtgat acattgagga    36240
acacgatact ggcacccgaa gcaggtggct gagagtagga cccagaaagc acacagggct    36300
gaagttccaa tcagggagtg cttgcttggg tttccccaga agcagttcgg agacaaggat    36360
ataagtgtaa agagttagtg cgggaagtga tccttaggga gcagcaactg gggatanggga    36420
aggggaggca gccataaagg gtgtgcacca agtcaatgcc actctgggca gggagctcag    36480
tcccatcagg ggagaatgtg aacacctgtc agtgttatcc tgcccagggg gcgagggagc    36540
tggatactca cgatccagct cctaacgtgg ctgcccactg ggggcaagca ggtggtgagt    36600
gggcagggga gctccagtgg aaagagagag ctctcgggca aagagatggc aggggcctat    36660
ggactctggc aatctgctat agcacgtttc ctcaatcccc gggccacgga ccaataaccg    36720
gcctgttagg aaccgggcca cacagcagga ggtgagcagc gggtaagtga agcttcatct    36780
gtatttacag ctgctcccca tcgctcgcat gaccgcctga gctccgcctc ctgtcagatc    36840
agccgctgca ctagattctc ataggagcgc aacccctact gtgaactgcg catgcgaggg    36900
atctaggttg tgtgctcctt atgagaatct aactaacgcc tgatgacctg aggtggaacg    36960
gtttcatctt gaaactaccc ccaccccaaa atctgtggaa aaattgtctt ccatgcgaca    37020
ggtcactggt gctgaaaagg ttggggaccg ctgttctgca ggaaacgaga gacagaggga    37080
atgggagtgc agtggtggag ccacacccaa ggagaggtgg ctgtggggct gggcctggga    37140
gactcctacc ttaccccctg tccctgccca ggcgttggct atgctgtcat cctgatcgcc    37200
ctgtacgttg gcttctacta caacgtcatc atcgcctggt cactctacta cctcttctcc    37260
tccttcaccc tcaacctgcc ctggaccgac tgtggccaca cctggaacag ccccaactgt    37320
accgacccca agctcctcaa tggctccgtg cttggcaacc acaccaagta ctccaagtac    37380
aagttcacgc cggcagccga gttttatgag taagtcacag accccttgtg ctgggcctgt    37440
tgaggccagt gcttggtatg acctgagcca aacactaagg aaagtcacag accaaggaga    37500
cgcatgccgt caggatatta atgtttactg agcagccact ggcctgatgc tgggtgagag    37560
gctgaggaca cgccacggtc gaggtagttg gagaagcttg cgttctgggg cagggaagtg    37620
gaggcgggca agataataca caaataaaca ggtaagggag tgagaatgtt ttagagtgtg    37680
tgmmcttcag ggaatgcaac actttctggg gtatgtaact gctcttaaag aactgaaacc    37740
aggtatgtgg gaaaaatcaa tcatggaggg aaaagaacgg ttgcgtgggt agtcaggaaa    37800
ggcctctctg aggaggtgac ataggaactg atgatgtcag agaagggaag agctggggct    37860
ccagggcagg cgatgagctg caggttgaac ccgagttgat ttgaccctga agctgtagtc    37920
tgactcaccc tgggctgctg tccttctgga gttcccatgg gggaacataa tcagagcttg    37980
gagaaaattc aagaagcggg aagcaggcca gctgtatgca gctctgagaa attatttgga    38040
ccatgtgtgc acgagaagca ctggccattg gtgcaagaca gaatatcatt taaaaaaaga    38100
aacttttatg ttgaaatacc gttatacatt aaaagtagta aaaatagtgc atatacccat    38160
cacccagttt cccctaatgt tgacaactta cataaccatg gtctgagttt gaaaccggaa    38220
aattaacatt gatacactgt tagctaacaa gctgcagacc ttacttgaat ttcaccaatt    38280
ttcccactca tgttcttttc aggtatttag ttgccatgtt tctttaatct tctccaatct    38340
ttgctcttcc ttgatttttca tgaccttgac acttgaaaag tacggtcagt tactttgtga    38400
aatattgatt tgagtttgtt tgttgttttc tcataattaa actgtggtta tgcattttgg    38460
cgtgattacc ctaggaatga tgctgtgccc tcctcagtgc attccatcag ggggtgggga    38520
gacatgctgt caatatcttg ttacttgtga tgttaacctt gcacacttgg ttaaggtgga    38580
gactgccagc ctcctcctgt gtagagagag ttattttcct tttttaagta atgtgtcttt    38640
taaggacata cactgaattt atgcaaatgt cttgattctc atcatacttt tgtccacatt    38700
tcttagcatt tgttgatgat tcttgcaagt aaggactatt accatgatgt ttatctagtt    38760
ataatttcct atttccatca tttcttctat tttattttat ttttttgttt tttgagacag    38820
agtctcggtc tgttgcccac gctggagtgc agtggcacca tctcagctca ctgcaacttc    38880
cacttcccac atttaagtga ttctcctgcc tcagcctcct gagtagccgg gattacaagt    38940
gtgcaccacc atgcctggct aatttttgta tttttaatag agatggggtt tcaccatgtt    39000
ggccaggctg gtctcaaact cctggcctca ggtgatccac ccattttggc ctcccaaagt    39060
gctgggatta caggcgtgag ccaccacccc agcttatcat tccttctaga ttaattggaa    39120
ttcttcttta aggaagaatt gtcccttctc ccctgtttat ttatttttc agttattcat    39180
ttatatcagt atgggctcct ggatatttat tttattccgt agtcttaatt cataactatt    39240
attgttgttg ttattattat tatttatttc aactttcatt ttagatttgg gggtacacaa    39300
gtaggttgtt acatgggtac attgcatgat gctgaggttt ggggtgtgat tgaacctgcc    39360
acccaggtaa tgagcatagt acccaatagg tacttttcg actcttgtcc ccctccctcc    39420
ctcactcctc actcttgttg tccccattgt ctactgttcc tttctttatg tccatgtgta    39480
```

                                                315

```
ctcaatatt   agcttccact  tataagtaag  aacatgcagt  atttggtttt  ctgttcctgg   39540
attaatttac  ttaggataat  ggcctccagc  tacatccatg  tccctgcaaa  ggacatgatt   39600
ttgtcctttt  tgtggctgca  tattattcca  tggtacatat  gtaccacatt  ttcttttct    39660
ttttcttttt  tttttgaga  ccgagtctct  ctctgtcact  caggctggag  tgcagtggtg    39720
tgatctcggc  tcactgcaac  ctctgtgtcc  caggttcaag  tgattctcct  gcctcagcct    39780
cctgagtagc  tgggattaca  ggcacccacc  acaacgcctg  gctaatttt   gaatttttag    39840
tagagacagg  gtttcaccat  gttggctagg  ctggtctcaa  actcctgacc  tcaggtgatc    39900
cacctgcctt  ggcctcccaa  agtgctggga  ttacaggcat  gagccattgc  acccggccac    39960
cacatttct   ttatccaatc  catcattgat  gggcacctag  gttgatgaca  tgtctttgct    40020
attttgagta  gggctgcaat  gaacatccac  gcgcaggtgt  ctttttggta  gaatgattca    40080
tcttcctttg  ggtagatgcc  cagtagtggg  attgctgggt  cgaatggtgg  ttctattttt    40140
agttcttaga  gaaatctcca  aactgctttc  cacattggct  taactaattt  acattcccac    40200
caacagtgta  taagcattcc  cttttctcgg  cagccttgcc  agcatctgtt  attttttga    40260
tttttaaat   aatagccatt  ctgttgggtg  tgagcttata  accatcatta  tttaatttgt    40320
ggcttccctg  aatcctctca  gcctctactt  catccattta  tgtccttgag  gagggcgatg    40380
actgacttgt  tttcagccac  ctgatttaaa  atgtttgcat  agcactctgt  tcacaatgta    40440
gcatccattg  tcttcatccc  tcaggcgtgg  gtcaattcca  ttttatcaat  ccctacacaa    40500
acatgctagc  aggtaagcag  aaagtacctg  atacaacttg  tggggcagac  aggatagatt    40560
ccaccagaac  tccacccttca ggggcattcat ggtctagagc  agaggtcccc  aaacttttct    40620
gcttaagatc  atagagtaaa  tattgcagaa  tttgcaggcc  acatatgttc  ctgttgcatg    40680
ttctttgttt  tattttacct  ctggaaagta  aaaccattct  tagctcacag  gtcgtaccta    40740
aacagtccat  agctcagatt  tggcctgggg  gccgtggtgt  gctgattcct  ggcctagtgc    40800
aagatttccc  aataaaactt  cccgccatga  tagaaatggt  ctatatctgt  gcaatccacc    40860
agagtaccca  cttgccacag  gtggttaccg  agcagttgaa  atgtggctag  tgtgactgat    40920
gagatatatt  tctaatttaa  ttttaatta   tttacctta   aatagacatg  tgtggccagt    40980
tgctactgta  ttgggcagtg  caaaaaagtg  tggaaaaaaa  aaacatattc  acaaacaaca    41040
aaactttagg  gctcctctcc  ttcagtccta  tggattcccc  aagcccagaa  cctgggaatg    41100
agtccagatt  atctggagat  tggggttatc  ctgggaccaa  ctctttccct  gccatcttgg    41160
tgcagcaggg  ccaggggggat ttagtttggt  tgaaagagac  ctctggaaag  tctactgcct    41220
cctggggctc  aggggagtca  gtgttctcag  gatccaggaa  ataccctcaa  tggttcactg    41280
cagagaattt  gctaagggtc  ctgtacctgc  atccacctgt  ctccatccat  gattcccatg    41340
gacttctaac  aggcatatgt  aaaaattatg  tgttttagaa  ttttcttgg   agagggtctg    41400
cagttgtcgt  caaattctca  aatacctctg  cagccctccc  agaggatctg  aatcactgct    41460
gtcactgaac  atcagcatct  gctgtaagaa  acctgtcttc  ctcaccatca  cattaatagc    41520
taacctctta  ccatgtgtat  gaggttttct  gctaacttcc  tcctatgtat  tattttgatt    41580
taagcctcac  ccacctaatg  aggttttgt   aactcttatc  ctcatcacac  tcttggggag    41640
gcttcatttc  acagttgaga  caatacagtc  cacaaccaca  caactattac  tgcacagagc    41700
caagatttgg  acccagccag  tgtgcatttg  caaaaccctg  agagtcgcca  tctcccattt    41760
tgcaccgtag  gagcttactt  ctcctcactc  taaccccagc  cctgtctggc  agggaaactt    41820
cacagcatgc  acccttaacc  tctgtgttat  gttggcctct  acccattata  catgtttgtt    41880
attatgcaga  aatattgtca  tggtcacaca  tcacatttac  ccagcttgga  ttgtattcca    41940
gccatagttc  aaagcaccct  ttctatacta  cattttaatc  ctgaccactg  tggtataaga    42000
ttatttttat  gaatgggaaa  acaggcacaa  atcagtaagt  gacttgtctg  aggtcataga    42060
gtttataagt  ggcattaaaa  gtctatttgg  atccaggcag  tctatctcca  aagcccaagc    42120
tcttagccca  gggttcaaaa  ccttgactgc  acatcagaat  cacctggaga  gcatggatgc    42180
ctggattcta  catccagaga  ttctgatttc  attggtccgg  gtacaaccag  ggcatagaaa    42240
tttccatcag  tagctccccc  tgcaattcta  acatccagcc  aacgttggaa  gcccttgttt    42300
acacactgcg  ctcttctgtc  ttggagtagg  actcctactg  gaatcaggct  gacatctcta    42360
tagactcatg  tcatggaaaa  tctagggcct  ccttcactct  tctgaggagg  agtatggcct    42420
cagaaaattc  ccgaaccatc  agagagcttg  caggtggggg  ttttaggcct  ttctgtctta    42480
tgaacatggt  ttggagggga  aggtggtaaa  gatagtggag  cagagtgctg  ccgacacatg    42540
tgattggttg  caccctctcc  ccctcatcct  cccataaagg  aaaaagcatg  attttttctt    42600
ttgctctcgg  caacccttgt  tttacaaatt  aaaatgggaa  atgatagctt  tgcctctagt    42660
ccagttagca  tttgattcct  ccgctgatgt  cttcatggct  agtatgtcgg  ccccagcaga    42720
ggccccagca  gagacaccca  gccagaggga  gaggtgagat  aggttttgag  accctactta    42780
ctttaattac  agccctaagc  ttcctccagg  ctcagctata  aggagagtgg  tgggaaaaga    42840
tggcatcttc  aggctgaaat  ggttggggga  tgcaggtaga  actgaatgca  gagttgtttt    42900
ttgtttgttt  gtttgtttgt  ttgttttaaa  aaagacgggg  tcttgctctg  tcacccagtg    42960
gcacagtctc  ggctcaatgc  agccttgacc  tcccaggctc  aagtaatcct  cccacctcag    43020
catcccaagt  agctgggact  ataagcatgt  accaccacgc  ctggctagct  ttttatattt    43080
tttgtagaga  tggggtttca  tcatgtttca  caggctggtc  ttgaactcct  gggctcaggt    43140
gatccaccca  cctccatctc  ccaaagtgat  gggattacag  gtgtgagcca  cctcacccgg    43200
cctacagggc  ttatttttagg agccttctgc  cctacagatc  ttccctctttt ttttcctctc    43260
```

316

```
cttaaccttc cctccactaa ccatgcaaac cttcattgct accatcagcc aagcactgag   43320
gatctcctca catccaaatc ccatttaatc ttcacagttc atggaggtag aaattattcc   43380
cattttacag ataagagagt gtaggctccg gtttttaggta agtggcagag ctgggagtgc   43440
aggggcctct gcaagtagat aggagttctt ctcatgctgc ccttgccctt tctggcctgg   43500
agcctgcctc tgtgctttgt aatgcacagc actgtcatca gctgcctctg gactttttt   43560
tttaatggcg tgatgccctt ttgtctaaat gtttctgctt gaaaaacatc ccctcaactc   43620
agtttgggga cccagtgagt gggactccta gtgccaaccc tgaggaaata gaaaattttt   43680
tctctttctg ccaacctgct ggccaatttt gttaccatcc tgtactcatt taggctgatg   43740
gactgagcat atcattcaag ggaacaaaac tgctattctc cccaggctcc aggcctgaag   43800
ccaagcagcc ccacagctaa aagaaactct gcagctctgt aactttatgt gtaaaaggcc   43860
acctttggtg aacatgtgcc tggcaataga aaacttccac cccatgccgg tccctggtga   43920
ggaagaaaag tctccctcca gcctagtatt aatcatctgt gctaaatatc aagtgagaaa   43980
ttgagctttt ttagtgtgta gacttcggaa agcctggaca gtacacttaa cgatgattca   44040
ttttcattaa acttctggaa aactaaaact gacgtaagtt tcttgtacta aaccccaagg   44100
tttgggcctg ctgggggaag gaggctgcat tctcattgat tttcttgggt gtaagcttgg   44160
gagtccagat cttttcactg atgaaatacc tagacaacct ctacaaccct gaaagtggac   44220
tttgaatgca tgggacatca gctgggcctg ttggggggca tttcaaccat gagattggac   44280
accagaggca ttttggcaag tttcagggca aggatgattg gttccatgcc tttttattcc   44340
cattatttgg atagtcaagt caaccaaatg acaattgaca caattcaaca cctgtcccat   44400
aaaggcacag gaagaagcgg aattaagcat cagatagggt cagtacatgc ctctggtttt   44460
cttttttctt tttctttttt ttttttgag gcagattctc actctgtcac ccaggctgga   44520
gggcaatggc tcaatcttgg ctattgcaat ctccacctcc caggttcaag tgattctcct   44580
gcctcagcct cccaagtagc tgggactaca ggtgtgtgcc accacaccca gctaattttt   44640
gtattttag cagagaggcg gtttcaccat gttgaccaga ctgatgtgga actcctgatc   44700
tcaagtgatc cacccgcctt ggcctcccaa catgctggga ttgaaggcgt gagccaccac   44760
acccagcctg gtcctctgtc tttttaaata tgcgtacgcc ctgccaccct ttcctcttct   44820
ttttctctct ctcttaggac atagcagagg ggtctaagtc aggggattgt tttgagttag   44880
gactaacagg atgagaagtt agccaggcag acaaattgag ctcggacgtg tgttctggct   44940
gaaggaacag aaggtcccaa ggcccagagc catggatgca ccctataact ggggactgac   45000
aagtagcttg ctgctgctgg ggtgaaaggc agggtgtggc aaggccaggg atgaacttgg   45060
cacgggatgg actgtggaag gcctcagatt ctgagagact ttcattgtta tcctccggac   45120
ctcgatgctt tcgactttt cggttggatg attctttgtt ggggacagg ggtgcacact   45180
gtcttgtgta tctgtgatgt ttagcagcta gcagcatccc tggcctctac cctctagata   45240
ccagcagcat ctccctcctc tccagatgta acaaccaaaa atatctctct agacatgcca   45300
aatgcctctg gatggcaggg gcaaagttgc ctccagtgag aaccactgtt ttaggtgcta   45360
agaagcctct gaggctttgg aggcaggaga gtggcaaggt tagaacagca ctttggatgg   45420
atggttctgc agtggcacag acagtggatt taaggggggct gacaggaggc agagagactg   45480
ggtttgggag agggtgggag tcatttacaa tagctctgga aggacagtgt attagtcagg   45540
gttctctaga gggacagact aatgatatag atctcatatg agtttattaa ggagtatcga   45600
ctcacacgat aacaaagtga tgtcccacaa taggctgtct gcaagctgag gagcaaggaa   45660
gccagtccaa gtcccaaagc tgaagaactt ggaatccgat gttcgagggt agcaagcatc   45720
cagcatggga gtaagatgca ggccagaaga ctaaaccagt ctagtctttc catgttcttc   45780
tgcctgcttt tgttctggct tcactggcag ctgactagat ggtgcccacc cagactgagg   45840
gtgggcctgc ctttccgagt tcactgactt aaatgttaat ctcctttggc aacacactcc   45900
cagacacacc caggaacagt actttgcatc cttcaatcca atcaagttga cactcaatat   45960
taaccatcac agacagaatg tgggtctggc ctgggatgtg dacagtgggg gtggggtag   46020
agggagcaac caagagacag gattagcggg gaccagacat ggcaactgat tgcatgggga   46080
agatgatgca gggtgagagt ttaaggccac aacagctggc ctgggagctg cagggatggg   46140
agccattctg gggaggggc attggtctgg gtagaccttg atgacccacc caactctgct   46200
cattcattca cgcatgctca catccctct ccccattgct ccctcccta cacctgtgca   46260
cctcctgtca gctttctggc cagcagagaa ggcacctgcc accttcacag cggagtctcc   46320
ccagccgacc ccctctactg agttttctgg gtacccttga ctctcttgct gacacctgct   46380
gctccttgaa gcctaggact caaacataat gatcattata attaccattt attgagcatt   46440
tcctgggtat tattatctga tattctgtaa ctcagccctc atcacagccc tttcactgaa   46500
aagagaaaga ctcagtgatg ggaaatgctt acacgcacta ctgtcccctt gcctgtgatc   46560
cccagggggc tggagccatc acctgcttct ccacagccat gccaccagcc cccggcacac   46620
tgcctggctc agagcagagg tgcagagaga gtttgtggaa tcgatgaaag gattcgggtc   46680
acacaggatc tggtggtaag ggctaggatg ggaagccagg tctgtctgac cccagagctc   46740
agacaatttc tgtgccacat ttttctgttt tccttcatat tctttcaaat aacatacatc   46800
tattttgagt ggataaatga tgaaagagtg aatgaaacag catcgctggt ggtcttcagc   46860
ctttctttca cctgcctgga aacaaatttt aattcctacc caagggtaag ctaagtaagt   46920
ttccagactc agggtatatg ttttccttac aagcctggaa tcttcctgca tcattcggga   46980
tgattccagc aagggctgtc atctgcctct ggcagacaga caattgatct tatcccctgc   47040
```

```
aggtgtgtac aatgttgcca ttaatgtgtg ttttggaatt aaagccacct tccagggaag 47100
gacgatatat taagctgttt gcctttaaca ctttagtgta aatttgtttt gttttgtttt 47160
gtttttgaga tggagtctcg ctctgttgcc caggctggag tgcagtgaca agatctccgc 47220
tcactgcaat ctccatctcc caggttcaag caattctcat gcttcagtct cccaagtagc 47280
tgggattaca ggcatgcact accacaccca gctaattttt gtattttag tagagacagg 47340
gtttcgccat gttgaccagg ccggtctcga actcctgacc tcaggtgatc cgcctgcctt 47400
ggcctcccaa agtgctggaa ttataggcat gagccaccat gcctggctat ataagtctat 47460
taagcagctg ctttctgaat ggacctctag ttgagcgcaa atgcctatag aatgagacag 47520
ggaagtttcc gtatgggaaa atgtgtggtg ccctgggcag tatgaaagat ctgggcaaaa 47580
gggttagaaa tttgccacaa gtgatgggag gagttgctaa gagaaagatt gagagtgtgt 47640
gggaaactga ccctctttcc ttactcgttc tccttggggt gatcctggga tctcattttc 47700
tatagttaga gggattgttg ggtttagcaa gaaaggctgg gagcatttat ctgtttctaa 47760
tcctatgatc tctcatgagc taacaggtct aactgccagt tctgggctta gcactgggga 47820
ccaggaatgg ttaattcacc tcctcatcct gggagaccct tgtatacagt tagccctgac 47880
cttgcagaaa caggcaggct ctccttgcaa ctgagtcaag agccacagga actggaagag 47940
ttgaaagatg cctatcaagg atgattgggg ggcctcccag gagaggtgac actggatctg 48000
ggctttgaag ggtgttgggc aatgtgcagc tgactgttgc ctctgagtgt gaggcacaga 48060
gaagaaccca gtgggatctc gtttgggggg cccctgcagc tcccttgaac ctcccaacat 48120
gtgtcatgct ttattgtgaa tttgcgtgca gtgttgcctc ccatgctacg atacaagccc 48180
accaaggcag agtcaggacg gtgcacgagc agttcctgtg tgtgtccgag gcccagatgg 48240
gctggctcac agccggcctt cagtgacaaa tgaacgatta gggtgcagag caaataccac 48300
accaagttgt tcccatttct gcttgctttg ccttgcaagg gtgcagagtg gtcagggaaa 48360
cccttctctc ctgggacttg ctgtactgtt tcagcagtca gtcttacttg acctttcctt 48420
agctcctaac caactttgat tagattctca ttagcaaacg gtcattttgt tttcaattct 48480
ctttatcatt tcttcattgt agattgtaca agggacccca atattctcag accaccttgg 48540
attgtttgtt tttcttactt ataaaaaacc aggcctggcg cagtggctca tgcctgtaat 48600
cccagcactt tgggaggcca aggcaggtgg atagcctgag gtcaggagtt caagaccagc 48660
ctggcgaaca tggtgaaaca ctatctctac taaaaataca aaaatttagc cgagtatgat 48720
ggtgggcttc tgtaatccca ggtattcagg aggctgaggt atgagaatca cttgaacttg 48780
ggaggcggag gttgcagtga gccgtcatcg caccattgca ctccagcctg ggcaacagta 48840
gtgaaactcc gtctcaaaca aacaaacaaa caaacaaacg aaacaaaaca aaacaaaaga 48900
aaaaaaaccc aaacacttta ttgatagcta acatattaca aaggagtgac tatcatcaag 48960
cgacaactca gcaaatgtta cccgttgaac gcatccagta acctcaccca gctcaggaaa 49020
gagcatgatg aatgtcctga agtcctcatc atgtcctctc ctagtcagta accccctcaa 49080
ccccatccca gggtacacct ctcctgactt ctaatccttt aggtcagttt tgcctgttgt 49140
tgaatttat atgactggag tcagacggaa gtgctcttct ggctttgact tctttctctc 49200
agcagtgtgt gctagagcca tccctctgga ggtaattgct gtataatact ccacttaggc 49260
caggtgtggt ggctcacacc tataatctca gcactttgag aggctggagc agttggatca 49320
cttgagccca ggagttcaag aacagtctgg gcaacatggc aaaacccagt ctctaccaaa 49380
agaatacaaa aattagccag gcatggtgat gtatacctat attcccagct acttgggagg 49440
ctgaggtggg aggaccacct gagcctgggg aggctgagtc ttcggtgagc cgtgatggtg 49500
ccactgcact ccagcctggg caacagagtg agagcctgtc tcaaaaaaaa aaaaaaaaac 49560
aacaacaaca aaactccact ttataaatat atcctaattt atccattcca ctgttgatgg 49620
atgtttgagt actttgcgat ttggggttat tatgaaataa tgctgccata aacattctag 49680
agcatgtctt ttggtgaaca tgtgtacaat attctattga gtcaatacct agggcacagg 49740
ataagcctat cttcagcttt agtagctatt ccccaatagg agaaatgttc acttttgtct 49800
cagtctctag accaggtatt ctcagattca gcaatatgga ccttttgggc aggatcattt 49860
tttgttattg gagactgtcc tgtacattgc agtatgttta gcagcaccca tagtctctat 49920
gccagtagca ccacctctcc tcaagtcatg acaatcaaaa acatctcaga tattgccaaa 49980
tatcctccgg ggtgggggtc agggacaaaa cagtcttccc tcctgctgag aactgctctt 50040
tatagtgtga gttctgtgag gacagaaacc ttccctattt attactccaa ggccaggcga 50100
gcaataggca cttaagagat ttttgtcttt taaaagcagc catgagcgtg gaatctcccc 50160
agatgatttg cctcttctag gacagagtgg tcctgggcac aggccatggc tgaccaggtc 50220
gggcccatgt ggtgcatggc agtggctagg gtccctgagt tagggggagag tggccaggtc 50280
ctgtctccat cagcatgcat ttgcagggac tggtctgtgg tcacggcctc tgtcgtcctc 50340
cctgacgaca tttaccctgg tccctccccc tctcctctgg gcaggcgtgg tgtcctgcac 50400
cttcacgaga gcagcgggat tcatgacatc ggcctgcccc agtggcagct cttgctctgt 50460
ctgatggtcg tcgtcatcgt cttgtatttt agcctctgga aaggggtgaa gacatcagga 50520
aaggtaatat ctctgtgttt ctctttcact tacttggrtg atcaaccttg ggggtgtga 50580
ttatttctag caataattat gtagctggtg gacaaaaaag atggagctgg aagtgcaagg 50640
cctgggttca agcccctgtt ctgccactga cttggacaaa tcccttccct tcctttcctt 50700
tcccttcccc aaatctgtgt ctccaccaca ataggttgaa ggggtataag tggatcagag 50760
ttcctcatat tttcctgcca aaacctccct aatagcagag accagggact gggatactgc 50820
```

318

```
caagggcctc acgacaaagt ctagagatac tatcaacatg cccttgataa atcttgaatc 50880
ttgacctaaa tcttcatgca aatgttgcat cctactctgg aatatgacca taaaatcaat 50940
aaatcccccc tctgaatttt tgagaaaaaa ggatgctcta gaagatattc agatgtatgc 51000
tggattttgt gtttcctcgg atacagaaat aagtgccccc agggttccag gtgccttgga 51060
gagaagagca taggtttaga tgacccatga gggccagtcc ggagttggca ttctgaactt 51120
gggtgacact gtcctcctat agtcagcctc tcatgggtgg gaatattcag gaaatggctc 51180
ctgttgattt ttagcccaag gaacatcatg ggaacaacaa ccccatttgg actctacagg 51240
gtctatttag aagcttgact attaaagagg atatggatgg gaaattttct ttccagtgtt 51300
gtggtgagct aatgctgtgc aacaaaccac cccaaaatgt agtgactcaa aataacaacc 51360
attttattgt ctctcacaat tctatgggtt gattgggatc agctgggtgg ttcttctgct 51420
ccatgtgata ttccctggac tacatggctt cactgggctg gaatattcta gatggtgcat 51480
acacattgct agcatttggc actagctggg agctaagttg gagctgccaa ccagagcatc 51540
ttgggatgtt tccatatagc ctttctatgg tgcttgggct tctcacagca tggcggctga 51600
gttccaagaa catgtcccaa gcagacaagc cccagtgatg tacaagtagc tcttccagtc 51660
actgcttgca tcattcttgc tattgtccca gtggccaaaa caagtgttga ggtaaaaccc 51720
accgtccata tgggaggggga ttacacacag gtgtgagttc attggggggcc acagcgcaac 51780
agtctacctt aatcaggtgg gtgtcaattt gggagaatcc tcattaggca actgattttg 51840
gaaagggggg gtgcaccaga gttctctctg atactcttag agttcttggt catgccattg 51900
agagcaaaga aagtagcagg ggagcagcag ccagtagaga tgaaatccat caagaactgg 51960
agagagaact tcctatcagc atgttgggga cacagtgtct accctaagaa agcactcaaa 52020
caaaatgcag accagggctt ggagaaagtc tagcgttgag caaaaccagg ataggaccac 52080
taacattctg atgcctggca cctagtaggt cttcagtaaa tatttattgg gtaattgaag 52140
gatgggtggg tatataagtt tggggaactt cattaagtat tcttttgaat ttagttcaaa 52200
atatcaacat aggagaccta ctgtgtacca ggcttgatgc taatactagt gatgcaagaa 52260
taagacaggt tccttcttca attgctttag tctatgtgta ttacaggcag gttatggatc 52320
aaccaatgtc actagcttct tgggtctcta tccagagaac atatgtgtgt gtcctcattt 52380
aataaaaacc tgtggtcaca aactatgtgc actattatat atcttgctat ttttaatct 52440
taactttacc ttgaagtcaa tttcacatcc agtagtcgaa ttacatttca atagaaatac 52500
aaactgtggg tttcaaaact gtaattaaat cagcttaatg ggtcatcaca tacacttttc 52560
aaaaatgaaa aagtctagat aataagagtt cattgcacaa gtaaagtaag agctgtttct 52620
tgggattttt gtttcagtta cagcaatctc taagtttatg tgtagtttgt cttgatattg 52680
aaggcatttc ttagcctgag ttgtggtcaa aaagtgtgag atgctgcatt agtggagaaa 52740
ggaagctctt tcaactgaaa gtgtctccaa agaccataga gaaggtggca ttcgagctgg 52800
gtctacaaag tcaggtgcag gtagaggtgg ggtggaagga agggattctt agcagaagga 52860
actacatgag caaaactgta gagatgtgga agccccaggc cagccttgtc tagcactctc 52920
tgtgcctttc ctgggtacca ggagcagagt tctcctggcc tctgcaggca cagacagaga 52980
ccctgagggg agacagggct caaccctgtg aattgcagaa gatatatgag ctttatactg 53040
cttctggcct tggcatagga ccaccacaaa cttctaacat tgcaccccaa gattgggttc 53100
cccaatgcca tcaccaaaga gggtagagcc tgccccgtct agtttagctt ctgagtagag 53160
tggagtatat gttgtctgca ggcaggctga tgcaaaagag actgggagga gtaaggctga 53220
gcatgctcag ttctttccaa aatacacctt cagagaaggt aatgaggggc gaaccagagt 53280
gttacactag gaaagccccc atgtagaaac acaatgagag aggaatatga gtcccctctg 53340
catgtgtcat ccgaaaccac agcccacatt ttgcataagt ccctcagtgt tctgaccact 53400
aagcaggcat gccacaggca gtccatggag aggagatttt tagaatgggg agcttcactt 53460
aggacattac tgtgctctgt ctttaattgt ttttataaac tggcttatga gaaaccaaga 53520
gtgttgctta tttctttcta gactgaacct ggaacaggac attgagcctt cttagcagg 53580
cttccatagc ctcagagctg gcctcaaatg aattgcaaat gttcatacct ccggtcttgg 53640
caagtgaagg ttgtgctggt cctggcttgc tttagtgact tgattggact caattataat 53700
gaacagcatc attcacacat gagtgaggca tagactaaaa tgtttgtagc ttggtgtttt 53760
cttcagtaac atcagtgcat accccacacc ccataaatct ccctttttaa aatcacaaat 53820
tctaaatcag taaagggtaa attaatgcag atttatagtg gtaaagtgcg gacatttatc 53880
atctctgttt tcaagtcaac cttagagtag gtcctgggca gtgtttttca aactctcatg 53940
ggtgtaagaa tcactgaaat ggcttgctga aactcagatt gctgggtccc tctttgagag 54000
agtctgattc agtggggatg aggtgagaat ttgcatttct gacaagcacc taggtgatgc 54060
tgatgctgct ggtctatgga gctcaccttg atctaggcag ccattttctc gatgcctgga 54120
ttcatagcaa ggcttgcaca acttcagtga caagcacctc accaccttcc tgggcagctc 54180
tttcccttga gagagctcta tcaatttgaa aattccttct tttatggagc caaggtcctc 54240
attttgattg tgagccattg gcttgaattt ggtaccctgg aaccacacag attatccata 54300
gaaataccag caggtatgga tttaaagtga tagaaagcag tgacctccct tagggactaa 54360
ggacatttgc caagaccaat gggctgctca ttgctttctt gatgttgtgc tcaaaattgg 54420
accaagtcta ggttctcatg gccagagctg tgttgcaagt tgaaatgctg agagctgaga 54480
agcctggggt ggagatgaca gagcccaagc ctttcttctg tttacccatt gtgcattcag 54540
ggcacatttg agcatgagtg aactgttagc caaagatcca ggaatccttc tttcaacaca 54600
```

```
agatcttagg cagctgaagt aacacccact gccaattctg agaatcttca acaagactca   54660
gatggtttag cttttgaacac atgggcacag acaaaacaag ttccctgctt tcttgatgct   54720
tgaactatag tcagggtctc agctcagtca tggcctgatg tattccttag ggaaactgaa   54780
tccatggcca acaaacatgg ccaatgcagg accacctcca ggccccatgg gagattccct   54840
gaagtcagag gtcaagatac ggttttctga tgggaggagt gtagtctcac ctgatttgct   54900
gggctgggca ttgcagcagg gctgcagcta ttgacatgag ttttaggaga ccagagcagt   54960
taggaccagt ctcaaggaga tgtgagagct ccttcttgtg cctttttgcca agggcttaca   55020
cctatttgtc ccagatcagg agactgaata caagattgat taacgtgagg tcacccagat   55080
gcaacagctt cactttccag ggcatgtttc cctccttatt tgttatgcaa tttgtccttc   55140
ctgttcttgc ctccctgaaa gaaaacaagt ggaaatccca tttccataaa gaccttctta   55200
gaacaaggga gtgatggaga aacaagtgga taacatgaaa cagaggaggc tttcctgatt   55260
ccttctgagc ccagaagatg tgactaccac tatgcattta ctcgctccca tgctgaccca   55320
gttactcatt cattcacttg ttcatgcatt tattctttga cttagtcgtc cactaacttt   55380
ctgatttatc acttacccac tcattcatcc atccatccat ccatccatct actcaaccct   55440
ccacccacct aatcatctta tccatccttt taaccagcta cccaatcata atccagccat   55500
ccactcatcc atccatttac ctaacaatcc aatcattcat ctacaccact gcccagtcca   55560
atcattcgta caataaacat ttatttggac tcacatgtgc cgggttctgg ggattcaggt   55620
ttgaaaaata taggatttta cttctaagga gctcatgatc tagtgggaaa gacaagtaaa   55680
gaaagaggat aaatccccat ccttaaacat aagtttgaga agcatatggc tttatttct    55740
atatccccat tttttgttta gagcccatat cttttagcc tggcaaagaa ctttcgtgtt   55800
tcaaggtttc cactttcccc ttagggatat gggaagattc ctggggctac gtagttccag   55860
ggatttgagg ggtggaacca tctggcattt aagttatagg ccttctcatg tttcagctga   55920
gtcctccttg agtctgacta ccttgacctt agcctgattt ttcacttggg acacagcctt   55980
ctttcagcaa ggctacccat ggctgcctct gcctaaagtg gtgatttctc accttggctg   56040
cacaatttta tcatctgggg agctttaaaa aaaatactca tttcaggcct accccctgacc   56100
aactaagtca gaaactccaa gaataggatc tgagctttaa cattttttacc tataacttcc   56160
cccagggtat ttgaatgtgt agccaagggt gagaaggaat agcgaggaaa cctatataac   56220
acccccatcc ctgtctctac ctttcttttc tgttcctcca acctggacaa ggggatgggg   56280
tgtttctttt tagtttggag taatctcttc ctttgtgtgt ttctgaataa ggtacgttgt   56340
ctgtgtccca catctgttcc cactaagata aagaatggtc agaggttctg ctttctgccc   56400
agccacatcc cttcctaggc aatgtgctta ggaaagaaaa tatgcttaaa ggggggtaaa   56460
gaaaaaaagg aagagataaa cataagggag agagtggagg agagggagat gagggagggg   56520
agagcaagaa gagggaggga ggatgggaag agagaaaaag agaggggggg aggggagagg   56580
gggagagaga gagagagaga gagagagaga gagagagaga gagactgaga tttctaaata   56640
tcctgccagt cagataggtg catgcagcaa ccagtagcaa tggtgtgatg gacacaggac   56700
tgatggggaa aggggagagc acaaaggtgg gtgtacttag ttctgtctgg ttcatgaacc   56760
acgccttgat ctaggcaatc ctttgccaat gcctgtattc atagcaacac tcgcacaact   56820
tcaatgacag gtacctcacc acctctctag gctctttttcc tttagagagc tctatatatg   56880
ggaaagttct tcattttatg gagtcaggag tctttccttg aaggagtcag gagaggtggc   56940
tttgtagatg aggaggcatc tggtgctatg aggacctagt ctttgccctt ggctttcatc   57000
atagtgctat ccccactgtg gctgactctc accctgggtt ctgagcttct ctagggtgtg   57060
acctgtgtcc gtttgctggt ctagccctgg attctggctt cagggccttg cctagagctg   57120
gaacttgtag catgtgcttt gggtaaagga aggtgggaaa gagcatgact ggctccctgg   57180
gaaagggctc tgtgccccac cagcccgcca cgggattggg gccagagcga ggctctcacc   57240
tgaacttatc cattgcccag gtggtgtgga tcacagccac gctgccttac ttcgtgctgt   57300
tcgtgctcct ggtccatggc gtcacgctgc ccggagcctc caatggcatc aatgcctacc   57360
tgcacatcga cttctaccgc ttgaaagagg ccacggtcag tgctcrgtga ccaccaagcc   57420
ttgggccagg cttgtgggag ggttttcagg agaaggtgat gatggaaaat ctggtcccag   57480
ctctgccaca aatgtgcagt gtagccttgg acaggatcct tccctgtctg aggtgcagct   57540
tccccatctg accaatgcgg atttgcacct gacagtctcc ataagcccac ccatgtctgg   57600
aggcctggga ttctgtggtt gcatctggtg gtcttcacag actactcttt ttgaggagag   57660
aaattccctg tgaagaggac atgatgtctt gggaccttgc tcttgccctg tgcccacagc   57720
tccctagtcc accccagcca ttccctgccc tctttctact cttggatccc caaacctagt   57780
ctttgccacc atcctgtgat gtcagcacaa ggatagtctt agccaccagg gaggccctgc   57840
caactctctt ccccaacacc ctcatccaac cactcccct gtccagaggc ccaaactatg   57900
gtgaaagtgg gtgaatttgg tagtggagtc cagtgcagag cagtgatggt gggagcagag   57960
acaatcacag aggtactcag taccttgagc atcttcagat aactgctgag attacttcta   58020
gcctcctctt gcagggcccc tcagtgagaa cacctcaaca tgctatctta caattctcca   58080
gggtttcttt atttgaaccc ataataatcc tggcaggccc cagcagcaca ggatgaagag   58140
ggatgcatcc caatatacat ctccatagtt gtaatgctcc aacacactgc aatgttatag   58200
accggtaacc aagagaaaac ctattttcat agtaacagcc agaaagataa cagagcataa   58260
gacatgaatc agcctcgtaa attgcaaaat aagtcagact tctatttgtt ctgtgactgt   58320
ttatgccaaa cctttcagat gtgtagaagc taagccctca gtgcagtctc aaggagcaga   58380
```

320

```
tctgtcttcc cccatcagat catgctgccc tctgtttgca caggcatctc tgaaatctga 58440
attgcaaggc tgggcgcggt ggctcacgcc tgtaatccca gcactttggg aggctgaggc 58500
gggcggatca cttgaggtca ggagttcaag accagcctgg ccaacatggg gaaaccccgt 58560
ctctactaaa agtacaaaaa ttagcggggc acggtggcac gcacttgtaa tcccagccac 58620
tcaggatgct tgaacccagg gagtggaggt tgcagtgagc caagatcatg ccactgcact 58680
ccagcctggg tgacagagtg agaccctgct taaaaaaaaa aaaatctga attgcagctt 58740
agtctgagtg tgtgaggtat aattatcccc attatacaga tgaggaaaca gacagagaga 58800
agtgaacttg accagggcta gaacatgagg cagagaagtt aaaaaggaat tcagatcttc 58860
aggcctccgg ccatgtgcct ttatcaccca acggattaaa tacgtaagcc ccattggccc 58920
ccaaggagtc accattgtct atggcttgta gaagcctcct aggaatggtc ctcgctttct 58980
gaaaatgcca tctccgtaac tcctaagatg gccataaccc tctgttcttg ccccattcac 59040
actctagcct agaacttttc attttgttaa ctttctttga aaatcagggc atgaaattga 59100
gtgaatgagt tcctacaggg tgagctcact cacgactacc caaggctggg agatgctaga 59160
gaggcccagc ctctctctgc agttgttttg tacaggatgc aggggaggga gttgccaggg 59220
ctgcccatct ctggttcaga ccatgtttcc tctggtctca gagcatcccc agggtttctc 59280
agcccttccg gaccagtgag gtgttccagt gttgtaggaa gcagaggctg atggcttttg 59340
tctgctggtt tcaggtatgg attgatgccg caactcagat attttttttcc ttgggggctg 59400
gatttggagt attgattgca tttgccagtt acaacaaatt tgacaacaac tgttacaggt 59460
aagattcttc tcagaattct gagaagctct aaatcctggg gattgactct tgtggggtgg 59520
cagagagggc tctggtctgg aagccaactc tccctgggca agccaaattt tcttcttgtg 59580
aaccatcctg ggcattctat aaactgcgac atggcctctg agggtcctga tgaccacatt 59640
tcatttcagg atgcctctta aacaaatgtg aggtgtggaa ctgggaaaat tgaggttacc 59700
accactgaga gatgggtagt tatgacagag gagaactgtg aagatttcag tatggactct 59760
gtccatcaga tgcccaggca ggcaggggtg gaatatcgca gctgctgagg gcctggcagg 59820
gtcagaagtg agactgcagg ggagactgag actcagaaga ccatgatcta gctcagttca 59880
ggaagcagtc aatgctacct cctgctggcc cagtgctgtg gggacttcag gcacaggcac 59940
aaatttgggt ccacttccat tacactccat ccaaggctta aggcagaatc acagtgtctt 60000
tggtacatga cagagtccag tgaattcata ccagcgggac aggctatagg gaggtaagga 60060
aatggggtga tcagcccccct gatagaagac aagccagtgc atggaggtga atttgagatg 60120
agccttggag gatagttagg attatgctag gcagacgtgg agtggactgc atgcactggg 60180
gggagaagcg ggacaacaca ggcaaatgca aggaagtggt ttgtttatgg accaatttat 60240
ggtttgttca gagtacacct tgggagtcat ggaagataaa tatataagga aggttgggtc 60300
ttcttagcaa agctcttgaa tgacaggatg aggagttggg aggcactggg gagcagccat 60360
ggaaggtttg ttgaaggaag ctggtgactc aattccctgg caggagtaga ctctggtatc 60420
aggctgttgc atccataagc agttagccta cttcctgcac cagtgatggt gaggccctgt 60480
atccatgtgg cagcaggagc cactgaaggg gggatggcct ttgaggctgg ggccaggctg 60540
caggttctat agccagccca gcagtcaaaa cacagggttg agggtgtcaa gggacttgac 60600
ctcactgtgc ttcttccccc agggatgccc tgctgaccag cagcatcaac tgtatcacca 60660
gcttcgtctc tggggttcgcc atcttctcca tccttggtta catggcccat gaacacaagg 60720
tcaacattga ggatgtggcc acagaaggtg ggtgggcagc ccacctgggc cccagcccac 60780
tgaggcggga gctgagaagc ccaccttatt cttggctgca tggctcttcc gtggctgtag 60840
gaatactggg ttgtccatgg aggtgtccaa accacccatg tgattgactt tcctttgagg 60900
ttattagtgg gcattccagg cagtcacagt ccccatgcat gtaggagaac cttcctctga 60960
gtcagggtgg aaggaacgga ttttggactg tcctctctgt accagccctg ggctaagcac 61020
ttgacatacc tccacttagt tctcacaagg ctgccgggca agtgtcaata gactcacttt 61080
acgaatggga agactgagat gcaagctaaa tacattgtct ggcgtcaccc agctagtgag 61140
caattgtgca atagtattca caccccaatc aatccagctc tggagcttgt gtccttccct 61200
gcagcttccc atatccttat ggccacagag aagctgagac ctggggaagg gctacctcta 61260
atgcactccg aggaccccaa gctttagtga gtaagagtgg atcccttata gagtatagta 61320
ggtggggttt gcagcatgta gcctgtagct gtccaggcag ggaactgctc tccagactgg 61380
ctgttggggg tcaacctctc cgatgcacag gtgagctgta agttcatgct gatttcatct 61440
gttatctcta aacctgtgtt ctgtccgccc acacatgacc kaacaattgg gccccagat 61500
actcccctat catgtgcagc tcagaccaat ggtttcagcc attgatgagg tccttgatgt 61560
ttcttacagg agctggccta gtgttcatcc tgtatccaga ggccatttct accctgtctg 61620
gatctacatt ctgggctgtt gtgttttttcg tcatgctcct ggcgctgggc cttgacagct 61680
cagtgagtga ccctgcttag gatacctatc ccccatccca ctgggcctga ccccccttccc 61740
caacacacag tgctgggcct gaagttccca ctattcaaac accaggttaa cagttgtttc 61800
ccagaaggcc ctatttaaat tgcagacaaa aaagtgagt cctcactcaa aaagataaga 61860
cttaggccaa agccaagaac cataggaacc cctttgacat cttggaaatc caaaagaaga 61920
ggcttcagat aagccagccc cacactgtcc tcttgcaggt ggggaaatga ttcagaggca 61980
acacagataa aatcttgtgc tctaaacaag cattttctca ttatatttta ttatcaataa 62040
tcaataggcc aggcatggtg gctcactcct ataatcccag ggctgtggaa ggctgaggtg 62100
gaaggattgc ttgaggccag gatgtcaaga ccagactggg caacataggg agaccccat 62160
```

                                    321

```
ctctataaaa aatttaaaaa attagctgag catggtgttg tatgcctgta gccctagcta 62220
ctcaggaggc tgaggtggga ggatcacatg agcccaggag ttggaggctg cagtgagcta 62280
tgattatacc actgcacttc aacctgggta gagtgagacc tggtttctaa aaaacacctc 62340
aaaacccaaa cgaacaaaca aaaacatttt gaacccagta gtttcttaca tccttttatt 62400
ttatccaaat gtaagattgg atttactgac atctttttaa atctatgtct acccttagta 62460
cctcatgcct ggacatttgc aaaaaatctt atggaagggc tggcacttgg ttttcctccc 62520
actgcctttt gctttcagtc agcagatctg ccaggagcag ggagttgaga aggattttga 62580
ggctgcttct gggcttataa tgaagaatac tgattttgat taacagtgtc tgccaagagg 62640
aggggagagg agaggagagt ggtagcttgc attcttcttg tctgccctca cattgtcctc 62700
ataaggaagc aatctgccca tagcagtggg atatgagacc ctttcagact ctaagagtct 62760
ggagtttgaa gtgaccactt tgcttgatca ttagaaaggc agccaaaaat ccttatcaaa 62820
aactgctgcc tgaagttccc atcactagaa gctcttctgc aggagttgtt tccagagaca 62880
cttattgaca tgtaaacgta tgacatgggt tttggtgttt tactgctttc actccactat 62940
cagcttatct gtacccactc aggctgagtg agtgtcagga gacaggtagc tgttgcgtag 63000
gggagacagg tgttgactta accctcaccc tctcccacgt agtttctgag ttctgagttt 63060
gcctgagaac aggacagaaa tgtgacgaga ggatggggaa ggaaggacgt gctgatttct 63120
cgagagaggc aaggcagcct acatgagtcc tgggctgcag gaggctctag gaaccctggg 63180
gcctgagact gaggtccagg gagaccctaa ttcctgcacc ccacccctcc tggttccctc 63240
cagatgggag gcatggaggc tgtcatcacr ggcctggcag atgacttcca ggtcctgaag 63300
cgacaccgga aactcttcac atttggcgtc accttcagca ctttccttct cgccctgttc 63360
tgcataacca aggtgagtag gggctgggct ctgggtcacc tgggggcctc tgaggccgca 63420
tttcaataaa gtcaaacatt cctagcctta gaactggggc tgagctcagg gagaacaatg 63480
caggatccag catcctcaat tcagcggcct gacccactag ggttaggccc agtagtcttc 63540
ttccatctct gatgctgagg attccattca gccctgttaa ttgccttatt gacttgaggg 63600
gcagcaaaag tccctttgga acccatctaa ctctttattg gctgaaactg aggtgactgt 63660
aacgtcaata caacagcacc acagccctat gccctgggtt ttcaaataga gctccgagca 63720
agtgggacag ggggcaggta agagttgaca gacacaacaa tcagttccca cgtttgacca 63780
aagagggcct cttggcttct tctctccctg tgccagggtg gaatttacgt cttgaccctc 63840
ctggacacct ttgctgcggg cacctccatc ctttttgctg tcctcatgga agccatcgga 63900
gtttcctggt tttatggtat gtgagtgtgt ggaaaagcct cagctcccag tcctcctaga 63960
atcctgcacc tggaggtgtg cagggaggcc ttccatttcc aggacagcca cctaaaattc 64020
cagagtccag caagtcactt attgggaaca aatctyaatc ctcggctcat ctttggatga 64080
acctgccctt aacaggaggc tgcaaaggcc cctgggcatc aactcctaaa agaggaaccc 64140
ttaggaaaat gctgaccccc aagtcatata attcatccta ccaggggggtt gtcagattta 64200
gcaaacacaa cacgggttgc ctagttaaac ttgaatttca gataaataac aaataattat 64260
ttagtataag tatagctcaa atattgcatc ggacatactt accctaattt ttttcattat 64320
ttatgtgaaa ttcaaactta actgggtatc ttgtattttt tctggcaaac ttattctgga 64380
acagaactga gagaatattt tacaaaccct taaatgtgtt aattgtttgt ttttccccac 64440
caagtgtcac accaacatgt tagtcctgtt ctcactctgc tgccactcag aaagagattc 64500
aatggaagag tctgggctct cctatcagat tgaagtcagg gaatgtgctg tatgcatagt 64560
tgttgttatt ttcagagcaa gagtaaccaa gaggaaagag ctgggctttg gagtcaggcc 64620
aactggctct ggaatttggg gcaaatcccc tcacctcttt gagcccaggt ttccctctga 64680
caggtgaatt ggggtgacac atgaaagggg atactgtcct agagtttgtc ctctccctca 64740
ttctgcatta caaagggccc atccccgagt ctccctagtt ccakkkkatc agcatcttgc 64800
ctcactgccc tgctctccac ctggggccag aacctcatgg gaggacctgg ccctggctat 64860
catgggggcc atggtaacag gcctgccctg tgtgtgcaca ggagtggaca ggttcagcaa 64920
cgacatccag cagatgatgg ggttcaggcc gggtctatac tggagactgt gctggaagtt 64980
cgtcagtcct gccttcctcc tggtgtgtag tgtctgcagg gaagycctgc atgtggggag 65040
ggggctgtgt ccaggatgga gctgggtgag gatatttgct tcttagggga ggaggctctg 65100
ggatccagag gccctggtca tgcagagggg tcacttggga tgcttggccc tgtggataac 65160
gtggtagaca tccaccttac taggggttc tccagctggg gccaggtccc cgggggctgt 65220
tatgccttct ccaaagtcac cttctgttct tcctctttttc ttgctccctg tcatatctgc 65280
ctccttttga ttatcacttg cttcttgaat tctttcttat ttctccatct ctttctcttt 65340
tccactcctt ccttatttcc tcccttttgct gtgatgctca cttctcttca tttctctccc 65400
accttttcttc cacctcccttc tctctttcct ttcttgtctc tcttctgtcc tgtcttcctt 65460
tctctcccttt ctctgcccat ctctagttcg tggttgtggt cagcatcatc aacttcaagc 65520
cactcaccta cgacgactac atcttcccgc cctgggccaa ctgggtgggg tgggcatcg 65580
ccctgtcctc catggtcctg gtgcccatct acgtcatcta taagttcctc agcacgcagg 65640
gctctctttg ggaggtgagc tctggtcctc cccaggggaa cagggtggga gggggctgag 65700
ggggaagacg gacgactct cattcctgtt ggggtggggg aagggacaga aggacacaga 65760
cactagggtc aaacggaccc acctcattgg ccaggttatt ttccccatg agcctcagtt 65820
tccacatctg tatattgagg ataatattac gtaccccaaa acaaaaaaga agtacttagc 65880
acagtgtctg gcgcacagga ggtgttcagt acatgttact tgggggtgag ctcagccctg 65940
```

```
gagttcacta aggattgatt agacagactg cctgaaccca gctcactgtg atgtctctgt  66000
ctaagatttg tcatttccca agatgtccca gctctcccca tccaagccca ctgtgatctg  66060
ctccttctgg ttttcacctg cctctttcca gaacctaata atctgatcag cctaaaccag  66120
agatttctga actatttctt tctatgcatt ctgcatatat gtcaatattt atacatatgt  66180
atatatgtac atgtgtgtgt atatacatac atgtatatat acacacacac acacatttat  66240
ataaatattt aggaaactgc cctttattct gaaattatgt cactcctatt tgattaaaat  66300
atcctttctt tcataaacta atagtgataa tcttttcctc atatccttac tttacaaaac  66360
aaagatgatt tcattccttc attcctttat ccactcactt ggaaggtatt tattgggacg  66420
cagatatatg ctgggtagta ttcgaggcac tagacaaaaa ttcctgccct tatggagttc  66480
acattctaat caagggcagg taaacaaaat gaggatggaa ggcatccttg ggagccacaa  66540
ggaaactcaa ggaagggagt aacagacaga cagtccccat cctcattctt tgtgatacat  66600
ttcctgtctg tgaaatccct aagtctggtt ccgggtcact gggaggatca gtgttcagtg  66660
acctcattct agacatggga actgggacct gagccttcta ttcttcacac tttgggagtg  66720
gagaggcttc ctgctaccag tgatcaattg ttggttcaga acacatggct tgagacccca  66780
caagtgcctc cactgcagga gggctttcct gattccctgc agggccagag gcttccttcc  66840
acactctccc tgctgcactt tctccattct gggtctaaga tgatgtgtgt gtttgttcat  66900
tgccagtccc ttacatgggc ggtaagctcc cccaaagtag agactgtgtg ggtctccttc  66960
aagtctggat ccatagggcc tagccccatg tctgaccaca gtaggcagct caagaaacag  67020
tgtctggatg agtgactcaa tggaccagct ccacaaacaa agctggaggt gtcttgtaca  67080
gaccccaaat gctatccatg tggggctgca ggatcaaata gcaggtggcc ctcatctgsr  67140
ggtgcagcca ggctgccaga agggtgtccc tgggccaagc tgaggcctcc tcccttctc  67200
ttcctttcag agactggcct atggcatcac gccagagaac gagcaccacc tggtggctca  67260
gagggacatc agacagttcc aggtggtga agcctagacc cctggggtgg agattacaag  67320
ggcgggccct ggctgttccc tgctgtgyac tgcccaaggc tagacatcac atccagaaaa  67380
cccagaaacc cagtgtgagc tgccttttcc ccttggaaac atcgggatgg gggacaggga  67440
ggctcacctt gagcccatgg cctcaggctt gccctgtgac tttggggagg ttctgctgcc  67500
ctttctgggc ctctgtgaca attagggaat caacttgcac gttccctgag gtccgtgaag  67560
gaaggggggtg tttttctgcc ttctctctac ctcctgctgc ccccgccagc tggccccttgc  67620
tcctttctgt ccccaccatg tcatcaagtc ctcgctgtct ttctctgcag ttgcaacact  67680
ggctggccat ctgagcctgc ctggaggaga aggaggaacc cccatgccaa tgtccaggtc  67740
acaggcatcc gctgcgctcc cacctcggac accatcttgg gattcctccc ctggaagttg  67800
tcctttctga tcctctcttc ttttcccatt tacaaatgat ttcgtgactg tagttttttgt  67860
tcaccttctg tgcatctggc ctgggggctg ttagctcaga ggagaggagc aaacaggaaa  67920
atgacttctg ttctgtcccc gctgtttttgg gggaagtctc tcycactttg ggatcctgct  67980
gaagctaggt tcatgaggtc ggaaatcccc accacatttg cctagacttt gggcacagga  68040
gttcttagtc caccaaatca gagagaggat gggctttttga tcagataccc cccccccaaaa  68100
aaaaaaaaaa acaaaaacta aagcaaaaat caaacaaaat ctggctgagt ttagtggggt  68160
ggttggggaa ggtacataga ccctcctctt gcccaccctaa gacagccctc tcatgtctga  68220
acctcagcct gggagttaga tttatttgtc tctaaaatga agtcagtgga tagatgcttt  68280
gagggatttt gagtagaaac attcatagtt aattttcact ctggccaatc tgagtttgat  68340
gtgtgtgttc tggaacattc ctccagcttt tggtggtcag atgggcagaga gatatggggg  68400
acaggaggaa gagggtaaat gaaccacagt gagcaggttc taggaggtac ctgcatcaga  68460
caagctggtg gaggccacgt ggcaagccac atctactgag gcctcatgct gctcttgctc  68520
tgtaagacac ggagcccaga aacccatctg cacttcctga gacctgcctg gggaaacggg  68580
ggcagggacc aagtgaggcc tcatgtgtgt cttcaccgtg ctgtcctcac aaggccaggt  68640
gggtgcccaa agggagcctg acaggctgtt gtgttaattt attgttcttg cacacctgca  68700
cagcctccct ctggggatcc cacctggagt ggaccagggg tcttgagaaa tggagagttg  68760
gctgcaaaaa ctctcatgca ctagatgtgg caccttggag ggcagggtga dacaagcagc  68820
ccagaaatac tctctcaagt ggaggggaga attttgagag tggatggaac agttggtgg  68880
tttcagagaa tttctaggtt tctacttgga tctacttctg atacaaactt gcacttggtg  68940
ccctctggtg gtgtttagtt ttagttccgt aagagaaatg attcctagtt tgctaaattg  69000
gtggcatctt tgggaggggt ttctgtttat ggttagagtc tcttacaccc ttgttggagg  69060
gattcttatt ctgactgtgg gagctcctgt tgcaggatct tgggaaaaaa taaagaagcc  69120
gctgcattcg cacgtcaaga aggtgctttg cctcaaattg gggtgttgtt gagcctggtg  69180
gttcctgcat gaagaggatt atgaggggac cagggtgggg cagggagatg gttttgtctc  69240
ccagggtcct gaggtttcct tgctgggtcg gggtcctcag gtcattctat agataaaaga  69300
gggaaaatca ggagactttg aatctttctg tataaaaagg tcagctgaat gcctgagaca  69360
gcccaggtgg caggtgtctt ggagccctgt gaacagtgag gcttaagaat ggagaacaat  69420
caggtcgggg tctgggcccc attagtgact ttatatcctc ccataaaagg taacttcttc  69480
ctaggtgtta ccatttttct tttcgttttt tgttttttgtt tttgtttgtt tgtttgtttg  69540
tttgtaataa agcactttaa tgcacattac ctgccatctg cccagtgagg actgcagggc  69600
tatagcttct atctccccat ttcccaggtg agagaaccaa ggcccagcat tttagtcact  69660
cttgctcaag gttttttagc aactaacaga tcgagttggg ccttcaattc acatccactg  69720
```

```
actctcagcc cagattattt tgaatattcc ctgcacaata gggttcaccc cacccaggac   69780
tgtcattttt aaaaaactca ttcaaaccgc aaaggaaaat ttcttagcaa aagaacaatg   69840
tgttggagga tgggaagggg cgagagaatg ccatttattt tcctctagct ggtttccaga   69900
gaggaaatta tttagctgct ctcttttgat gaaaataatc actctttgga atagttggat   69960
gtgaaaagct gagtctactt ggttgaaatg agagcaaaca gtcagcaaag ccttttgcat   70020
tagagcaggg tcgtgcttcc gagagagcct gccatttcct ctttgccatc tgcatgtggc   70080
cccttctgcc tccagacatt tgtcccgggg tgaatcggag atgtggtgct agctgaacca   70140
acaccaaacc aacgcagtgg tgctgccttg cggcggaagt tggctcctga atctgggatg   70200
ggaacctggc tccaagcctg ggtcccctgg gagggtgggg gtacccagaa agcccttgga   70260
agttctcggg gaggtgcttg gagatcattt gggtttacct ttccacccac atttaatgga   70320
gagagagtat gggctttatg ttaagtcatc tttgacttcc tttttgtagc ttgttttttaa  70380
tagcagaggt cacccgggac aagggtgctg tgtactgtat atgacacttg acgctttttga  70440
tattttttca ggtttttaaa gaattattat ttttcatgaa atgtaaaata tcagtttgag   70500
aacatcacat ttacgtctac tcaatgtcta gttatttagc acccaccttt tagctttcat   70560
tctagatgaa aacgagacaa gggagaagga gagctaccaa ctcttgccag atatcctgct   70620
gaacagaaat ccctgaagct gccttaattc tcaaaaggag ttaccgctca gctgggagcc   70680
agttcctgct atatgatctg ttttctagcc tcgctaatgt gagactgaag cattcttacc   70740
aaagaaatca tttcctagta aagaagccca ttgaactcac tttatttgtt tatttccttc   70800
gaaagccacc gaagagagaa aaacagagaa ggtgtgtagt gtggcggaaa aagcacagca   70860
tatagtttta cagacttggg tctgcagctg actagctggg tggcctgggg atagtggctt   70920
catcttttgg ggcttcaaga ttctttgtct ttaaaatcag gggttatatc agatcatcaa   70980
agttcccatt ccattaaaga aaaccctgca tgtatccata atgatgctct cctgttaaat   71040
ttacaatgaa ggaaacacat cacttaactg taagaatttc ccaaaatgaa ctgatgacca   71100
gtgatctctc tatcagagaa atgtcagatt tctagcctcc agaactttga ttttttctgga  71160
cattcaatag ttcctctttc tcagatattt ttcaactgat gccagaaaca cttggtattt  .71220
gtttttaatc caaccctttt gttttgaggc tttggagggt aacacatttt cataccctgt   71280
gagtcccagg atccacagct ctgctgtggt ctcagaagcc actgaaacat tggtgaatgt   71340
gaagtcactt ttggggtgcc tgccctcatc cctctgtctc tctgcttccg tgtaaataaa   71400
gactgtttca attgtgtcct ctctgtgtca tggactgttc caatgtcatg cagatttctg   71460
tgtctgatat ggattttaaa agttgttctc tttgtggaat ataagtgtac agaataataa   71520
ataatgtttc ctgggctgtg tatctggtag cagagttctg aatgctttct tccatgaagg   71580
tggaatgcta caaattatgt aagggaggtg ggtgtatcta tgatcagctt ccaactagta   71640
aagaagagcg tctggtcata gtgacccacc ttttaatcaa ataactcttt ttataaccta   71700
tggaaaagga gattggaagg agttaaatct gtaatcttag ctttgagatt aacatatatt   71760
tttaaataaa aagagggcac caagtgatac caggtttagt ttagtttagt tttcatttct   71820
aaggctgttt caaggagctc agaacctcct gttggattga attaaataca caatttggtg   71880
catgtgtgaa tttttctggg gagagggata cattcacatt tagaccttag aagatctaag   71940
tctttgtttg gggaagatgt aagctgagta ttgtcattgt ttggagaaga tgtgaactta   72000
taggtaatta tttttaatgc aagccagcaa atagatagtg ataccaatgt aaaaggggtg   72060
ttgtcaaata actgttcagt caatgtcttc aaatatctaa aggctgtcag agagtgtgtg   72120
gtgggcccaa gtgctgaaat ggtgccaatg gtaggaagtc caggaagaca gcttgcaaga   72180
ttctaccaga atagagaatg ggctgttgct ggaagtggta actccagctc tagagatatg   72240
caagcagata gcaggcagtg tctcctgggg atgcaatgtc aggtggaatt gggggggaggg  72300
aggttgcaca acctctaaga ttccttccat ttggagttcc tagggttgtt ttttttcttt   72360
tttcttcttc tttttttttt tttttttttt tttgacagtc ataagcctgc cttgtacagc   72420
agcactggga gatgcaaata cattcatgcc aaggaccctg gggtaggagt ggtttggcct   72480
cacaaattag agttgggaag atatcccaga gaggctatta tcattctgat cattttgttt   72540
caacccagaa ttggagttgg gctttattat agtgaatcaa acagaagaca gctgcacttc   72600
tggcattccc ttgtgcctga cgagatctgg taagcagtgg tcctgtggga ggaggggagg   72660
gaggctggtc cagagaagga aagggcagct gtttgtgggg ggtgatggag aatctggtgg   72720
cccaggcttc caccctgtcc cctaggctga caacacagta ggagaagtcg gagcagcaca   72780
gataagcctc accttaggca cttagtgggc ttctgaattt tccccaattt aattgcaccc   72840
catcctactt ctggagattg gatagcttca tttttatctc ctccccaaag gcactgatac   72900
acgtagtctc tatctggggc tcaatttgtt cctctacagc ggatcgggag tggtcagaac   72960
taagtgttca tgaatgggtt tcaaaatttt tcagaatctt ctgagattaa attcaaactt   73020
ctgtttgaat gaatttgtgc tcatttttgg ggaaaaagga tccatacatt catcaagttt   73080
tcaaatattt aaaacccaca agtatatatt acttttgggg gcctctctct tctgatgata   73140
catggcatcg gtctctgccc ttcaccccaa actaaatgag gatgacaata gaccttattt   73200
ctgaatctca gtcaccccgc attatgttga ctttgttttt ttgtctgttt gtttctgaga   73260
cagggtctca ctgtgtcgcc caggctggag tacagtggtg cgatgacagc tcacagcagt   73320
cttgacctcc tgggctcaaa gtgatcctcc cgcctcagcc tcctgagtag atgggattat   73380
aagtgcatgc caccacagtt gtctaatttt atttttggta gaaacagtga ctcactagat   73440
tgcccaggct ggtctcaaac tcctgacctc aagcaaacct cctgccttag cttcctgagt   73500
```

324

```
agctgggatc acaggtgcag gccactgggc ctggcttgac ttttcatatc aatcatccca   73560
cagcaaatac ctcattttat cccgtgacaa tgagcctgca agataggcag caacaggaac   73620
accgtgccca ctggacagat gagacaactg aggctggagc tgagaagtga cccgcctaag   73680
gtcacgcagc tactgaaggg caaagtcagg tcccctcatg cctgggtcaa tgctcttcac   73740
attatattca ccgccctatg gaaataaggt agagtgggga ccagacaagt cctgacgggt   73800
accacagaac tgtgggaaga gactgcaggg ctataaggac ttggtcacct aacaggagct   73860
tgttgcaggg tactgggaac attgcttcgt cacacagtct caaacaggac tggaaggatc   73920
aatgctgtta gggatcaatg ctgttaggga tcaatgctct ggaaaagttc tggcccccca   73980
gtgtccactt gagaccaact actctgatgt gatgattgag tcatgttgga aaagtcattg   74040
ctaagccttg gctctcccag ctgtgaaatg agaatgttgg attggatgat tctctaaagt   74100
cctttctgtt tctgactcta tgagatacac tcagggagcc ggcatgaagt tgatgggcta   74160
attcatatga agatgtaaat gactactttg tcaggcagac agtgacagat aaaggtggga   74220
gttgctgcct tttgttcatc ctataagttt agtgcggggc ttggtaaact atttctgtaa   74280
aggtctctgt cacaacttct cagctgctgt tgtagcatga aagtaacctt atttataagt   74340
atcaggtggt gggttggatt tggcctgagg tctgtggttt gcagatctct ggttaggtgg   74400
aaagagtgaa gggtctggag ttggactaga cctgggtttg agtctcagct ttaccactga   74460
ctgctgtgaa atcttggaca agttatgtaa aacttccgaa ggctttcttg tttctgaaga   74520
gtgagaataa gattcccaca agagagtttt caggaaggtg aaacaaggtg atgtacactt   74580
acagcaactc tctggggctg cagtacctgg attcaagacc tggttccatc actccacagt   74640
gtgaatccct gggcaagcca cataacttcc ctttgcctcc gtttatcatt cataaatggg   74700
aaagacagta gtgacccctg ctagggtcat ggggagaatt aaatgttaat attgtattca   74760
gaatagtacc acctacacag tttatccttt tgtatatttg gttcatgtca gctataggat   74820
gaatgtatat ttcctcctct catcacctct gcccatttca aaggcatccc agctaccact   74880
gtgttttcac gaagccaaat cagtgtctgt ttcctcgtcc tcttggatcc cctccttagg   74940
atggtgccct ccttaggatg atgtccttga acttgggtct gggtagccaa atccaagttt   75000
ccctgggcct gagtgcatgc aaccacctgg gcagaagttc aagcttctgg aaatcccagg   75060
ctccacagac cttgcctcct gcaggaaccg gcttccctgt aagccctcag ctgtcagccc   75120
ccattagacc actggcatgg gagatattac tctaggctgg ccctggtctt ggctatgacc   75180
tggaaaggga ggagaccaga gggagactcc tcgaagagct ggcacttgtc tgggtcctgg   75240
agtcctgctt atcagctacc ggctctgcca gcctcaggcc tggggaaagc tgggtcgggc   75300
cagactagca gggcatgagg gtaagggttg ggctgcagta catcgaggag gaccaccctg   75360
tccccagaga aggcccagca agggtcacag cctggaatgc ccaggagcca caaagccacc   75420
atctctgcag cagagggtag ttgttaggtg gggagcactc cacacacccc tgcagctcca   75480
ggctgcaatc cagaccccag ccccggaggg gcagacagga gtcagaagaa gagaggccta   75540
acacagcagt agcacctggt cacagtcagc ccagcaacag ggcacctgcc tgccgtccac   75600
ctcgagccat tcccaggacc ctgctaaacc tcttttcttg caccacggca accaaactgc   75660
ctccttgtag tcgcctttga cccctgaccc acatctgcag tcacttggtg gtaacaatcc   75720
cctatcatgg ggagaaggga cagggtaggg ctggcattcg aggcataccc actcacataa   75780
gagcattgca gctctggcct gtcaaatgga ctgcagagcc aaaccaggga gtgtcagaga   75840
caagattagg ggatctgggc tccacagtta catttgtgga acccttgccc ttgagttttg   75900
gaattggaag gacaacaaag cacaaagagt gtgtggcttc atcaaaacag ctgagaggat   75960
gaggccacat cctggccaca caagccctga agttccagga ggaccaaggc tttaggagca   76020
tcagcacctt ggacaaggcc aattggctga tctgccttta attagcaaac aggttggttt   76080
accttttgtc agttactatt ctgagtgctt tacaaatatc agtcactgaa ccctcctaac   76140
gactccatga gatagcatga ttattcgcat ttataaatgg gggaaactga gacacaaaga   76200
gctgaaataa ctagttgttg gaactgggat ttgaacccgg taagtctggc tccagtctgt   76260
gtctttaacc attgatctgc ccccttccct ggttcccggc cacatggaca tgacatggtc   76320
aggctggtgt ggacatgagt cctcctctac ttccatccct tcttcaattg caaatgcata   76380
atactaaata aataacttat gtgtatacat atgtaagttg tacacatata tgtaatttaa   76440
cacacatata tgtgttatac acatatatgc ctatttttaa caaaaatatg taaatgtaaa   76500
tatatatgta tacgtgtgtg tgtctataca tatatatata catatatata catatatata   76560
catatatata catatatata tacatatata tacatatata tatacatata tatacatata   76620
tatacatata tatatacata tatatatata cacatatata tatacatata tatatacata   76680
tatatatata cacatatata tatacatata tatatatata cacatatata tatatattta   76740
agtgcctaca atgtgatagg aagcaaacaa cttgctctag atcacatagt aagagggaat   76800
tcagtttgga cagaggctcc ctatctccta ggaaaagtat ctatcctggc tttctccaga   76860
agccccccag tcctgtactc tctggttctt tatgccaaat acaggtttag tctgggctca   76920
ctagccaaaa gcaaaaagat taggcacata tatgttagga tgcaagtgac tgcatctaac   76980
agaaatgtaa ctatagtttc ttcataaatg gacttttctt atcctcttgt aacaaacagg   77040
caatgggtca gggagaaggt gttgagcagg aagaagatgg agaagtaact ttggtcctag   77100
agaaggactt caacagggcc ccctgcctgg atgtgtccag aagccccaga tggctctgga   77160
gctgctttaa aaagtaataa aaaaattgga tgccttccag cttcttgttc cactatccat   77220
agcatgtggt actcatcctc atggagaaaa gatagtgaag ccacctgcag atgccttgcc   77280
```

325

```
cacctttcag gcaggaggaa gggggaggga gagaaaaggt aaaggcagaa gacagttgag   77340
tcatctcttg tcatgctgga ggagcatggc ttccccagaa cccctccgca gtctgcctac   77400
accccattgg ccaaatctgt gcaacacaga acccgtgact ataagagagt ctggagaagt   77460
aagaactttt gctgggtacg ttgctgccct gaacagaatc atggttctct tagggagagg   77520
atgggaagga cattgaggag atgctgatcg ctgcctccct ctctgcagct tcctcacccc   77580
aggttccctc atctgctgag aacaagaggg tccctgtgga aagcaccctg gacagaaagg   77640
ccacagataa gggcatctat gttctatggc ctgatattag ttactccctt gggctcaagt   77700
tgtggggact caggactcag gtcttgcagg aggaagacag acagacctgg ggttggcatt   77760
cacagaggca ccactgagct ggcaggtaga tatgtccatt gagcagagta tttctgccca   77820
ttctaggttc cctctcctct tccctggcct gacaggtgcg ttagtaacaa cggagggaga   77880
tttctaattg ataatatgag cactacgacc accaggtggc accaacacac acttctgctg   77940
ctaagcagag gctgaaccca gacccttctc agagcctgtc tgaatcctca acactctctg   78000
gaaccagggg agtgaaaagc agttttgaat aaatgaaaag atccatcttg ttttgttact   78060
atcatatctt ggttgcactc attcgttcat tcgtttattc attgatcaga atcatacatg   78120
gtcccactat gttccaggaa agaacaatgg aaaacagaga aggaatattc ctgcccggga   78180
ggagctctca gtctaatggg gagagggatt gtgtgttgat aacgaaacat ttattgagca   78240
cctattgcat gctcatggaa agccctttag tggctcctca tttccttcaa ggtaaattca   78300
agtcctcagc ctctctgtct tcatctcacc ccacctctct gcaccatcac cctacactag   78360
ctgcacataa tccaagcaca ccctgtctcc ctgagcctca gccttaggct cttccccctc   78420
tttcatctct ctgaacctga ataacttctg tttgtcactc aagatatcag accctaaaaa   78480
atgcctttcc taacctatcc atcaccacgt ttgccacatt tatttaaatg atctttcagg   78540
ggaccagcaa attttgagac aggaggcaat aactgcttat tcatatttgt atgcctggtg   78600
cttagacaag gatctggcac atgtaagcct taaggggatg gttgggttta tagagatgaa   78660
tgagacaagg tcatctcata acctagcaga gaaatcatgc acagagctcc atgtggggag   78720
atcagagagg gctccccata gcaggtggtg ctagagttgc gtcttaggga aattccaggt   78780
catgagaaca gtgaaagtgg cagcacagag gcatgaatca gtagcagaga gtacaatatc   78840
tacagaaatt tgcagggtcc aagcagaggg gctgtagaag agcataaaat tcagaatatg   78900
gagacatcct gtgctgagat aaggcagtgg aacttttttcc agaaggcaaa agggagccaa   78960
gggttttaga tgggtggaat gatataatca taattgggtg tagatggtgc attagtgaac   79020
gattgtggtg tagcgaacta cccccaaact tataaagaca accatgtatt taactcgtaa   79080
atctgtggcc catctaggaa gttctgcaga tactgaccaa gctccgcatc ttgattgggt   79140
ttcctcatgt gtctgtagct ggcaggccag ttggaaactg gctggtctta gatcgcctcc   79200
cctgggatgt tttccttcca tgcagtgtct cattccccag ggaaatcatg tgggttcaag   79260
ggagtgagtg gacatgagta aggcctctta aggccttggc tgagaactgg ctcaggcacc   79320
gtcacgtctg ccatacatta tttgaaacc acatgtaaaa gctgatatat agagaggtga   79380
aaacaattgt ggccattcag atggctcact ctgcctctgt agtgtggaga gtagtgatag   79440
agagaccaat taggaatctt acaccagccc aggtgggagg caaagggtgg gtttaaaaca   79500
aatattttat tttttttaagt tcaaatttaa cttttaattg acatatagta ttaggttctt   79560
tcaaatgtaa ttgcagtttt tgtactgttg aaatgtgctg tttgatattg gaatacatcc   79620
ttaaataaat gtggttatgc tatacatgat tttaatgcac atatttcgct ttaatttttt   79680
tgctaatgac ttattacttg ctgtttattt catatttatt ttaggctatg gaaataatgt   79740
tagacaaaaa gcaaatttga atgatttttt tttagttgaa aatgggttgt aaagcagtgg   79800
agacaactca caacatcaac aacacatttg gcccaggaac tgctaatgaa catacggtgc   79860
agtggtggtt caagaagttt tgcaaaggag acatgaacct tgaagaccag gagtgtagtg   79920
accagccatc agaagttaac actgaccaat tgagaacaat catcgaagct gatcctctta   79980
cagctacggg agaagttgct gaagaactca acttgaccat tctatgatcg ttcggcgttt   80040
gatgcaaatt ggaaaggtga aaaacctcaa taagtgggtt cttaatgagc tgagcaaaaa   80100
tttaaaaaaa gtattttttga agtgtcatct tctcttattc tatgcaacaa caatgaacaa   80160
tttctcaact ggattgtgac atgtgatgaa aagtggattt tatacggcaa ctggtgacaa   80220
ctaggtcagt ggttggactt agaagaagct ccaaagcact tcacaaagcc aaacttgcac   80280
caaaaaacaa aaggtcatgg tcactgtttg gtgatctgct gccagtctga tccactactg   80340
ttttctgaat cccagtgaaa ccattatatc tgagaagtat gctcagcaaa tcgatgagat   80400
gcactgaaaa ctgcaatgcc tgcgaccagc attggtcaac agaaagggtc caattctcca   80460
caacaaccaa ctgcacatcg cacaaccaac acttcaaaag ttgaatgaat gggctatga   80520
agttttgcct catccgccat atttacctga cctctagcca attgtctacc atttcttcaa   80580
ggatcttgac aactttttgc ggagaaaatg cttccacaaa cagcaggatg cagaaaatgc   80640
tttccaagag ttcatcgaat cccgaagtat ggatttttac gctacaggaa taaacaaact   80700
tatttctcat tggcaaaaat gtattaattg taatggtttt tattttgatt aataagtgtg   80760
tttgagccta gttataatga tttaaaattc acaatccaaa accacaatta cttttgcacc   80820
aacctaataa ttgtacatac ttatgggggc acgtagtgat gtttcactac acataatgta   80880
cagtgatcag atcagggtaa ttagaatagc tatcatctca aacatttaat atttctttgt   80940
gttgggaata ttcagtattc tcctagctat ttggaactgc atagtacatt attgttaact   81000
atagtcattc taaagtgcta tagaacatta gaatgtattc ctcttattta actgtaattt   81060
```

```
tgtctccctt aacaaatttc tcactatctt tgcctttccc tacccttccc agcctctagc   81120
atcctctgtt ctagtttttt cttttatgag atcaactttt taaagcttct caggatgagt   81180
gagaccaagc tttgtttgac tttgtgttcc taaaacaaag gttttaataa aacaatacaa   81240
aaggttgggc aggccaaagc taccccaaca ttaaaggccc ccaaagaagt ctgatctatt   81300
taccctaaaa gccagaaagg aaagattaca atgagaaacc cgaccaaaaa ttgcttgggg   81360
ctatgattag gcaggttaat caactgacaa aagggccaag gtccctttgc taaacacctt   81420
gctggaaacc caagctttgt gcacatgagt gggtgaaatg gtcaggagtt ggagaagaga   81480
aactccaggg ctccttgata ccaaagcccc tatgtgctgt ggtgaagccc cagtgtgggc   81540
tatatacaga attgtataca gaatatataa ttgtaaaggc tgatagggtt atgaaagttg   81600
gaatatttga acaggcttta tgtaagaaag cagtgtctcc tttgcctgag tgttttgtgg   81660
gaatggatat tgtctggctg gagaacactt cccttaccta gtattataaa actgaaatct   81720
gttgatatag tcctaatgga gactatagtt aggaatagaa gagttgaggg aattaaggtg   81780
aacatttgga tgaaaactaa tatgtttggg caggctttat gtgaagtgct tgcatctcct   81840
ttacatgatt gtattatggg actagacatt gtatctgact ggggaatgtt tcccctacct   81900
agtactgtaa aacagaaggc atatatatcc aacctccaag caatattaat tgaacacact   81960
aaatgagaac cagtaagatt gtctgagggc agacagtgta gactggaagc tggagcactg   82020
gtaggaacaa attctcagcg tgatagtcct ggcggggcgg gggcggggggg aggggacata   82080
aaccgggact tatggcaaaa gcctgtgagt gcctcccagt gatgaacact gggactttga   82140
actagagaat ttccacctga gggtcaatta ttaccttgtg attggacatt aattgaagct   82200
acctcagtga ctgaaggaca taaaacgatc ttaaatcctg aaatacccat gatatcttgg   82260
gtgatgtcag agaaacactc tactgggggtt aggggggaagg cagtgttcag aggtattcca   82320
tgaaaatgag ttcaatggaa atagaattca gtggaaatgg tttatacagg atcatgctat   82380
ctaggagtgc aaggaggaga cactcacaaa cagagagtct ctttcaccct aggactgatt   82440
ccagagctgt gtgaggagct tctgaattat attagttgta cagtgcccta taaaccattc   82500
ttaactgagc actaagagct gcttgttctg tggacagcaa ttccaaggtg aacgaacatc   82560
ctgtttggaa ggccaccact ttgtttgaag aaagcaaaaa caaatcagct caatgggttg   82620
aattgcatgc tgtttaccta gcatgatgga agaattgaac agtgggaaaa gcccccatgt   82680
tggggccagt ggcctggcca cacactcagg caagagggta atggaaacct ggcctagtaa   82740
aaggttgctc acaggggggca cagtcctacg ggaatttgag gggtgcatta agtaggaca   82800
tgtcaatgcc cttcagaaga atcgctttcc agatttgaaa ggtagttgga attggcaaat   82860
agatgtccct gtgtgcttgc ttaaggtgga cacctggttc catgaaatga actgacactg   82920
gggtagggca gccacgcagc tggaatgaat ctaggcatat tccttttgca tcctctgagg   82980
cacaaaatgc caataagaac tgttctgttt gccagcagga gacagaggtt ccagagggct   83040
atgtggcaga ccctggtggg aaggccctga acatagctgg caagtgagac tgatggtggt   83100
agccctggca tgggggtgct aaaaaggggt cttgaccaga atagatgctg tctctagact   83160
gggtttgct tacctggtgg aagatgcaaa tactcagaat gccataaaag aagtggaata   83220
gaagatattg caccaatttg gatggcagat tcacatttct tcaggccaag aaatacacaa   83280
tatagcctat aatgtccaac aatgggcaga gagatctcct cctcagaata atagtttgat   83340
agaaaattgg aacagacaac taaaacattg gttgtctgaa atggagggag ataaatgcat   83400
gaaaggctgg cttgcacatc ttcacaagtg tatgctcaca ctcagcagga ggagatgaag   83460
aagtgccccc actagataga ctcctctgtt ttcctggtgg atctgggaaa gaagagatgg   83520
ggagaatgct ggtgtgacta tgcaattctt agtagggaaa gaatatgctg atactatgac   83580
tatttttta tcttcttcac actatatcaa cttttttttt cttttttta tctgatgcag   83640
tggttataga accagggctg attccaacga caacaaaaat gtgtaaattc ctaagggcct   83700
gatggggcag attgtgctct gatcccatct gtaaaaattg gggttcatag taaatgcatt   83760
tatattttac caggtggtag aaacacccca ctagttctgc acctgtgtaa ctttacccta   83820
tctgaatggg agtggactaa gtgggaggca cttgctagac tagcattgct gcctgcaatc   83880
tggaccagca cagtggccaa aactaatgta ccttccgaaa gatggaaagt ttaggcaaaa   83940
atggggagaa ggaggaagag tagctaaggg caaaggaatg aataaatggg ttgtgtgatg   84000
acggaaatcc aatatatatt aacatctcaa aagaggctca gagcaagtga tgatattgtc   84060
tcttagctcc attatacaga tgcctaaaag gctaaagctg tatgtttgca gagtccagtc   84120
ttgctttttgg aacccagcaa gatctctcca acaaggctac cagcccaagt gctctctccc   84180
tgggagacat tttcatacaa tatagcgatg aagtgagact aattattaat gatggaatgg   84240
gattctagta atgcgccagt attttttttga gttctatatt gtttgctgta aagggtttct   84300
ggccagagtg acccagaggg atgggctgtg acatcataag aaacacatat tagggccctg   84360
gcctcagcca gggacccctg cagtctggaa catccaacaa aagaaacaca ggcacagcac   84420
cagtgacagg aggggcttcc tccaaggtcc aggagtgtac ctggtaaggg ggttaccttt   84480
ctcctccact gcaatgcaga gtatggctgc aaatgaaagg aaatacagag aagccatgct   84540
gctaagagcc tatctactgc ccattaccct taagccactc tgtatctttt aagatctagt   84600
ggatcatagc ctaaactata acatcaaaaa tattttgata ttatgccctc ctgtgaaacc   84660
aagggcaaga atttagccac aaataaagac cctgaacaga accttgacct tctgaaaaca   84720
cccagaagcc aactgacaat actcaactta caccacagta aaatgaacac aaaccctccc   84780
agatgagaaa gaatcggtgc aagaactctg gcaactcaaa aagccagagt gtccccttac   84840
```

                                      327

```
ctccaaatga gtccactaga tttccaggaa tggctcttaa ccagactgaa atgacaggca  84900
tagaactcag aatgcagatg gcaagaaagc tcatcaagat ttaggagaaa gttgaaacct  84960
aacccaagga atccagtaaa acaatccaag acctgaaaga caaaatagcc gttttaacaa  85020
agaaccaaac tgaacttcca gagctaaaaa attcactaca ataattctat aatataatta  85080
aaagtattat caacagaata gaccaagatg aggaaagaat ctcagagctc aaaggccagt  85140
acttcacatc gacacagtca gacgaaagtt aaaaaaattt tattttcaag agaattaaat  85200
cgtttattga ttacacgtga taatggatga tacacaagct tcattcccat ctataatttt  85260
atctggtacc attattcaat ttagatatat tgcataggat gtgccaacaa tcacttttat  85320
aaccattcca tgatttttgct tgggtaatcc cttttaatgg tgaacttcag gtcacaacag  85380
taactatcag ttcaactaca ccaaggtttc caaagacaat ggcttctcca cccaagcagg  85440
ttgtatataa attccaaata gaacctggca tcaccctgaa ggaattctaa cttcacactg  85500
ttggggaaat ttaccaagat ggcttcagag tagactaact ttacacagca cattaaaaaa  85560
aaagacattt attcagcatc acgatcagac tattacattt agcaatcaac agcatgggtg  85620
caaaaaaaaa aatctacatt aaaacccttt gttggaatgc tttacacttt ccacagaaca  85680
gaaactaaaa taacctgtta tacaattagt cacaaataca gtccttgagt tttttgccca  85740
tacacatgag tatttgtcta aaacatgtct tctttgtagc agctaggccc tgccaccact  85800
gtgcttggct gagttcacaa atctgtcgta acctgtagct tccctgtcac ttctctggct  85860
ctcctctcct gctaagcttt gtttcctaat taaaatcttc aatgaacaaa acttccaaga  85920
agtatgtaaa gagaccaaat ctgcaattca ttggcattcc tgagagaaaa aaagagaata  85980
agcaaccttg caaaatatat gtggggatat agtccatgaa agtttctcta atctcactag  86040
agaggttaac atgcaaattc gggaaataca gagaactcgc tagatgctat acaacatgac  86100
catcctcaag gaacatagtc atcagattca cgaacatcaa cccaaaagaa aaaatcttaa  86160
aggcagctag agagaagggt caagtcacat acagagagaa ccccatcagg ctagcagcag  86220
acctatcagc agaaatctta cacctcagaa gatattgggg gtctattttt agtgtcctta  86280
aaggaaagaa atttcaacca agaattcata ttccttcaaa ctaaacttca taagtgaagg  86340
agaaataaaa tccttctcag ataagcaaat gctgagggac attgtttcaa ctaaaccagc  86400
cttacaagag gtcattaagg gagtgctaaa catggaatca aaagagtgat acttgttacc  86460
acaaaaacac actaagaata tagcccgcag gtactataaa gcaactacac aaccaagtct  86520
acataacaac aagctagcaa cacagtcaca ggctcaaaat ctcatatacc tattctaacc  86580
ctgaatgtaa atgggctaaa tgcctccact taaaagatat agagtggcaa gccagataaa  86640
aagacaagac ccaaccatct gctgtcttca agagactcat ctcacatgta atgacaccca  86700
caggttcaaa gtaaagggat ggagaaatat ctaccatgca aatggaaaac taaaaagaac  86760
cagtcactat ttttatgtca gataaaatag atgttaaacc gatttctatt aagaaggaca  86820
aagaagggta ttacgttatg ctaaaatgta caattcaaca agaaaaatta actatcctaa  86880
atatatacac acccaacatt ggagcacccc aattcatgaa acaattcttc ttggactaca  86940
aaaagactta gataaccaca caataagagt gggagtcttc aacattccac tgacagcatt  87000
agacagatca ttgaggcaga aaacaaacga agaaactcta gacttaaact tgactcttgg  87060
ccagttagac ctaatagaca tctatagaac actccaccaa acaatggcag aacaaatact  87120
cttctcacct gcacacagag ttccgctgtt gtcgtccagg ctggagtgca atggtgcgat  87180
cttggctcac tgcaacctcc gcttcccagg ttcaagtgat tcttctgcct cagcctcctg  87240
agtatctctg ggattatgac acccatcatc acggctggct aattttgttt tattgtttgt  87300
ttgtttgttt gtttgttgtt gttgttgttg tttgtatttt tactagagac cgggtttcac  87360
cacactggcc aggctggtct caaactcctg acctcaaaag atctgcctgc cttggtctcc  87420
caaagtgctg ggattacagg tatgagccac cacacctgac cacacagaac atattctaag  87480
attaactaca cgctcagtca taaagcaagt gttaaaattt tttttgtaaa gttgaaatca  87540
taccaagcac actctcggaa cacagtgcaa taaacataaa aatattatca agaacatctc  87600
tcaaaactgc ataaatacat ggaaattaaa caacttactc ctgaataact cctgggtgaa  87660
tatcaaattt aaggcataaa tcaaaaaatt ctttgaaatt attgaaaata gggatgcaac  87720
ttaccaaaat ctctgggatg cagctaaagc agtgttaaga ggaaagttta gagcatgaaa  87780
tgccttcatc aagaagttag aaagatctca aattaacaat gtaagtttgc acctaaagga  87840
actagaaaaa gagaacaaac caaccccaaa gctagcaaaa gaaaactaaa attagagaag  87900
aatttgacac tgagttgcaa aaatccatac aaatgatcaa taaaactaca gttggttat  87960
tagtaaaaat aaaccagatc aataggcccc taactagatt aacaaaatca aagaagatcc  88020
aaataagcac aatcagaaat gacaaaaatg atgttacacc tgatcccaca gaaatataaa  88080
agatcctcag ataatattat gaataactct atgtgcacaa attagaaaat ctggagaaaa  88140
taaataaatt cctggaaata atctcctaag attgaatcag gaagagattg aaatcctgaa  88200
gagactaata tggaactctg aaattgaatc agttacaaca acaacaaaaa aaccctacca  88260
atcaaaaaaa gtcctggatc agattaattc acagccaaat tctaccacat gtacaaagaa  88320
gaactgagac caattctact gaaactattc caagaaaatc caagaggagg gactcctctc  88380
taactcattc tatgaagcca gcatcagcct aatgccaaaa tctggaagag tcacaatgaa  88440
aaaaaaaaac ttctggctaa tatccctgat gaacatagac acaaaaatcc tcaacaaaat  88500
accaggaaac caaatgcagc ggcacatcaa aatgttaata aacgatgatc aagtaggctt  88560
catccctgag atgcaataat tggttcaaca agtacaaatc aataaatgtg attcaccaca  88620
```

328

```
taaacagaat ttaaagcaaa aacaatatgt tcatctcaat agacaaagaa agaatttctt  88680
ataaaatctg acatcctttc atgttaaaaa ccctcaacag actcagcatt aaaggagcac  88740
atctcaaaac aataaaagcc atctatgaca aacccacagc caacatcata ctgaatgggc  88800
aaatctggaa gcattcccct tgagatatgg aacaagacat aaatgccaac tctcaccact  88860
cctattaaac atagccctgg aagtcctaac tagagcaatc aggcaagaaa aagaaataaa  88920
aggcatctaa acaggaaaag aagaagtcaa actatcttca ctgacaatat aattctatac  88980
ttagagaacc ctaaagaatc caccaaaagg ctactagaac tgacaaatta ttttagtaag  89040
gtttcaggat acaaagtcaa tgtacaaaaa ttactagcat ttctatacat caataacact  89100
caggctgaga gtcaaatcaa gaacacaatc ccatttgcaa caaccacaaa taaatgaaat  89160
acctaggaat acagctgacc aaggaagtga aagatctctg caaggagaac tacaaaactg  89220
ctcaaacaaa tcagagatga cacaaataaa tggaaaaaca ttcaatgctc atggatagga  89280
aaaatcaatt tcattaaaat ggccatgctt cctaaagcaa tttacagatt caatgctatt  89340
tccatcaaac tacctgcacc aattcttcac agagttagaa aaaacaattc taaaattcat  89400
atccaaccaa aagagccaga atcatcatag caatcctaag caaaaagaac aaagctggag  89460
gcatcacatt acccaacttc agactatact ataaggctat agtaaccaaa atagcatggt  89520
actggtacaa aaatggactc atagaccaat ggaacagaag agaaaactca gaaataaagc  89580
cacaaaccta aaaccatctg atcttcgaca aggtcaacaa aaacaagcaa tggggaaagg  89640
actccctatt cagtaaatgg tgctgggata actggccagc catatgcaga agaatgaaac  89700
aattgaaaca cagccatgcc catttggata ggtatcgtcc atggctgtct ttactatcac  89760
agcagttgcc aaagagaaca tggcctgcaa agtccaaaat atttactatc tggcacttta  89820
tagaaaaagt ttgctgatac tctaatttgg atcactgagt gaccacatgg aagacaacca  89880
cattgttgac ctgaacaaca acactctact tctttacata aatgaaaaat aagccattga  89940 .
aattctgggc ctaattgcta ccatagttta tcctggtctc actaataatt cttcctcagc  90000
agtcacaggg tgattgactg atgaatgtac atggcccaat catcagttgt ttgagccatt  90060
gaggtggact agttatgccc atgggagtac agctctctcc tctacgaccc accacgagcc  90120
caaaatttcc tccagatact ctgaccagtc agtcctagga cctgattgac cccagggagt  90180
ctgaccccct aagtataaca cagcatcatg ggcagcatca tgggcctggg aaggtgtaaa  90240
cataatccaa tttctgccca ttgaactgaa tgttaacagg aagacgttcc ctgaagcaga  90300
aggaaatgac cttgatgacg atgacccttg ccaaaggtag gtacccttgc cttgtcacct  90360
acctggtggt catgacggtg atcaaggctg gccctgcttt catgtaacta actggccttc  90420
gatggttcac ttttcccatt gagtgacttt tttcagttat acactttgt aaactagaag  90480
tgtttttact ggcatttctt tatgtacttt tttattttta ccatcatttt aatttaaaaa  90540
atgcagtcac acattttcca tgcatacctc taatttatgg caggttatag aggtcttgca  90600
tttatggcaa tggtataaag tctcctttt gagtgagcat gttgaagtaa aaagagtgac  90660
ttcatttaaa gaaaactgct catggaagta cagatgatat gctgataagg caaaaaacca  90720
tgatattagt atgagactaa ctgaggttcc agaaacactg cgtatgccca ggctgcagtg  90780
gagaatgtca tagaatcctg gattcataga gtgtggagcc atggtgaagg gtgcgtgaga  90840
gggtccctcc cccagagcca caccctgtct ttccacaagg aattcccaaa tgtcacccag  90900
tggattcaga cttctgtctc ccagttcagt gttctccacc acaaaatcta cacctgatca  90960
atcccatagt tcagagacaa agctgagtga ggggcccaga aagacatgtg tttgctgtgc  91020
ccaatgcctg ctctaacatg tgttttccac atatctgctg agcaaactga tggaggtgga  91080
gaagcttggg agagttcatt tgaaggcccc agatatgccc actctcccaa gtcctaccca  91140
acctcctatg taagccaggg gtggctttgg catgtgtcca tggggatgtt cgcctcaaag  91200
tgatgcagga aggagtcaag gcagtcccct gatgggctga tcctttgctc tggaatcctt  91260
aagatcattg tagatcctta agaacattcc agaactctca cagcattctg gagtccatta  91320 ..
tttaacacat gtttattgag cacctactgt gggccaggca tgttcttggg tccttggggt  91380
ccattagtga acaaagcaaa ggtccctaga ttcacggagc gtgcattcta gcagggggag  91440
acagataaga agaacatgca aattactcca tggatcatgt gatatgttag aacgggataa  91500
gtgccttgga aacaaagaag cagttaagca gatgagggag atcagaagga aggatcccat  91560
gaattccgct gtcttgaatt ttgacatagt aggggagagg agtgggccag gaggtgtgtg  91620
agtggcaagt gtactgaggt gtccagtcgg caagtgctca actctcaggt gtgcccagct  91680
ccctaatgct gaggagaaaa atggcaggtg tgtccattca ccctggccaa gctgggaaga  91740
aaagcccaaa ggttctaatt ggcctcacca cctctcccca gggtacaaag gaccctacag  91800 .
gcatcagaga agaccccatt catctcagca gccaggcatt tggagggttt ccagcagccc  91860
acctctagct gccttctttt ctttcctttt ttaaaaaata atatttactg tttttatttt  91920
ctgactgcaa atgtaatgca tacttattac aaaaaaggta aagtattatg atttaaattt  91980
tgtttgtatt ccagtttttc tgcctgttgc tatactttct tcctttaaaa tggaatgtta  92040
agttcagata atttggatgc ttgctttgct cattaagtat atcatgagca tcattctatg  92100
ccattaaata gcatagcctg atattagcag ctgcatcaca tttggtattg caccacaatt  92160
aatttcccca agcttttatc tggggtcatt aggttacata tgaagttttt gataatatag  92220
agagcactgt gatgaatatt ttatagtgaa acctttatgc ccattcataa ttattttagg  92280
ataagttccc agaaatgaca tttctgagtc gaaaagtgta tatctttttgt taaaattcct  92340
tgccaaaata ttccaactac acttctccca ttgaaggatg aaaatctcca ttcatcagat  92400
```

329

```
tttttgctgt gcttgggggtt attaaaattg ttttttggtta tcggataggc aaaatgataa   92460
taataatagc aatattattt tcctatttag tttgcattta tctgaagacc agtgaagttg   92520
agttctttttt cccttttcttc acattggaat gttgtttttta ttattattat tattataatt   92580
attattgttg ttatgccact tgtacttggt gatctgcagg aaaacctccc aagatggaaa   92640
gcatgaaatt gtctttgctg gctctgattc ttgacagctg tgtcatccca gagcctgagt   92700
gcctcagttt cctcatgtac ctagtggggg ccatgaggcc tgccttctgg tactttgagg   92760
tctgggactg ttgcttataa tatacttgtg tataagcacc acatggcatg gatctacctg   92820
gctatgtaaa cttgggcagg ttctctaacc tctctgggct tcagttttct catttgtaaa   92880
atggaaataa tggaacctat gtaatcagag taatctgagg cttaaatgag ttaatacata   92940
aagggtactt gaaacagtgc ctggaacact gggaggacgc aataactatt accaatgttc   93000
atctatgttg tatccttgag atctttcatc agggcaacca acagcacttg cctgggatag   93060
gcagatggta gaatcttggc atgtcagggc tgcaagactc atgcagaaat caatcctctc   93120
acatagacct ggcagattgg gacccagaat gtgaaaggaa ttcacccaag gtcaccctgt   93180
aaatgtgtgg gagagacaaa actagagcac agttctgacg ttgtcccaca aagattttac   93240
ccctaagata ttgttggaaa tgtcacctcc aagggaggat cagtgtattg gtggtctccc   93300
ctcctcaatg ctgggagttc caaagtttcc gggaagaaaa gagctgtgaa gcccttctca   93360
ctctgcttgg tcttaggaga ccttagtgag tcccagcgtc cccacctgaa gcccctgata   93420
gcctcctacc cactacaatg tcgtgagtct gtaaatatca agtccatttt caggcttaaa   93480
cctcccagtc caaggcgctg ccctagaaga cacctcgcct agatctggct gaacttcagg   93540
ggttcttctt tcccccctccg caggtgcacc caagatccca aggtagggca gtttctctca   93600
gaactattga ccaaccgaaa ggaaaacatt cctttcaagc tttctgaaga ctgtctttac   93660
ctcaatattt acactcctgc tgacttgacc aagaaaaaca ggctgctggt aagttgtggg   93720
atcccctggt caagacgtgt cagtgccagt accccagata ttctagtgta gatcggaagg   93780
ggatgaaggc agcttgggga gggagctgca caggccagga ttgtttcagg accccagggc   93840
ctctacagga aacacaggtt ttccacacgt cagttccccc tcgtgacata gggactctgg   93900
gggagtttgc tgtgcctctt taatgaacat cttaattgtt ccaagttccc tcatgataat   93960
agaaggatga gaatgattac ctttagttac tagattaaaa atctgatacc cagattggta   94020
tcagagtggg taagacatga tttttcaataa tgttagcggt cgaaggaact tagagaaaag   94080
ccaacacctc aactcttcct tttcagatag agaaaccgag gcccagacag ggaagggggag   94140
gtcacccagt aggatagttt tggctcaagt cttctgatct tcaaactagt gcttttgaca   94200
cagagtaggg cattgagatt gtatgtggcc tttctccagc acaccaacat ccatctgggg   94260
taactttcac tgtccgggta tgggtgttgg gggcagagcc tgggacaatc ccagaagctc   94320
ttccttttgc ctttggccaa atatctggga ttttttttgta cctaatttcc ctccctaatt   94380
gtgttggcaa agggtgatga cccaatgtgt cagcatatgc caaataaaca aacggcagga   94440
gatggggctg gctgccagct gcagggttgg gagtgtctgc tggcaaagaa ggccacccca   94500
aggtgaaaga ggaaggggtg tcaggtccag tcagtctccc aggggcaccg tagcatggtg   94560
cctaggagtg gcggagcagg tctgcgaaca tgggactaga agttggccct acatgtgctt   94620
cgtgagacac aggaagtggg agaaaggttt actcattaat tcattcattc ttctattgtg   94680
tactcagggc cccatataca cagttagacc tggggcttca cggaaaggag gaacatgaac   94740
gcactccaca ctgcccctgc cttcaaggat cttgcctttt gtgggggtaga ggcatatcct   94800
cctttcagca tgttattgca ggtcagcact cgggctcagt cttcacacaa agatgaatgc   94860
acactcaatc cctccacagg aggcaggcag ggattagagg tgtgggagaa acaggagctc   94920
tgggaacctg aaggcaggaa aacctccagg aatgccaca ggttctagaa ctacacgtgc   94980
ttagaacagc acttcgtaca tagtttatgt tatgagttct tttatatttc atgaataata   95040
ttattacaat actattattt tagccactct cacttcttcc ccactatgtg gacttttaaa   95100
atgcaagaac cttgagttag gaattgtacc tactctcatc ctcgggtatt agcagagtcc   95160
ctggcacata gtaagttctc agacagtgtt agtccattga ttgaaggcat cctgaagagg   95220
gtgggtttta ggctgggctc tgcaggtgg ataggatttg gggatgcaga ggcataaagg   95280
aggcatttga ggaagagaca ccatcacagg catgtgtgct tctcgagaca atcattcatg   95340
cacagagaag tttacttcac catgaaagag ttaactgaga tgaagctgag atacaagggc   95400
tgccccatgg gtacgcggag tgcttgaaca gtccaggctt gagggtgatg ggagtgaggt   95460
ggagaacatg aatccttagc gtttgctatg cccatgatga tgttctcagc gtgaagagcc   95520
ttgcgaggag gaggcactgg agactgggta gaaaggaagg ggcagccagg gtatgtgcag   95580
tggggtggtg gcttgggccc cagttgggag aattatggag gagagagact gccttttgca   95640
accttgctgg gcacttgtga aatttgggta acaacctccc tcagttgtga ccaacaggca   95700
ggtcaccaaa caagatgccc tctgagtgct ccctggcctt gtgtcctgta acgagtatgt   95760
tgcttccccc ctgcccaggt gatggtgtgg atccacagag ggggctgat ggtgggcacc   95820
gcatcaacct ctgatgggcg ggtactcgca gcccatgaaa acgtggtggt ggtgaccatt   95880
cagcactgcc tgggcatctg gggattcttc aggtaagaaa ttagactctc ctcactgcac   95940
ctttggcccc caacatgagg ctgctaggac cagctctggt catgtcagcc ctcaggagac   96000
cttaactggg ttcctcattg tagcagacaa gcaccttcat aattggacac tacctaccct   96060
ctcactcccc agccacacta gtccactagc ctctgagctt ttgtatgtgg tgttccctct   96120
gcctggaatg cttagtctac ctaaagaatt cctcttcatc ctgcaagacc cagcccccag   96180
```

330

```
ttagctccac tgaaagactc atctcctttt catctgtgct gctcccacac attgcatttc   96240
tctgtcatgg cagctagcat gcagcccagc tgttgaaggt tgacacatct gacttctcat   96300
ggaaaggagg gaaggggcag agtcatacag ggagttcagg gcatattgtg ggtgaaggaa   96360
tgggcgctgc agaaggtggg gtgtgggagc atctgactcc ttcctggagg agtgttggga   96420
cccactcacc ccattttctg cttgaaatct ggcaagtgtg ggaagcaaag atggagtcct   96480
cctcatcagg tctccatggg gacagaagtc cccatggcgt ggaggaattt ggtagctttg   96540
agagcttgtt tggggaaagc attcaaactt aaagggctgg tacattggag gagagaaaat   96600
ggggatgcca agaatttta gaatttttga gaatgttttt agaattcatt ggttataagc   96660
aacagtttcc cagtgaccag atttaagtca agacggacga ttggctaggt gtggtggctc   96720
atgcctgtaa tttctgagag tgatgtggcc ctcactcctg ctctggtgga gaagggtgac   96780
gtcaagcccc tggctgaggt aggtctcccg ctggatgccc ccaacccctt ggctctgtgc   96840
ttctgaattc tcagaggtta ttcttgccat gggttctagc tgatgttctc ctagaatcac   96900
tgaagcgatt gggaggtaga ggcggaagcc ttgcttgagc ccaggagtta gagaccagcc   96960
agggcaacaa agtgagatcc tgtctctaca aaaagcaaaa aattaagctg ggcatggtgg   97020
tgcaagactg tgggcccatc tacatgggag gctgaagtgg gaggatcacc tgagcccagg   97080
aggtctatgc tgcagtgagc tgtgtttgca ccactgcact ccagcttggg aacaaagcaa   97140
gaccttgtcc caaaatcttc tcttgaaaag gagaatttat ttttcaagga aatagagatc   97200
tgggaggatg ggctttgtgc aaaaacagga agcagaaatt acaaaatgat gggaatccta   97260
gactctgtta ctcttgttct ctctctgtct ctttctctct gtctgtctgt ctttctctct   97320
ctctctcacc ctctacttct ccctgtccct gtttatttat ttgagaaaca ctctgggcat   97380
tgattctgtc cgagatcctg cacggggctc tgggggcatg tgcgcttgcc ctgactcccc   97440
gactgtggag cctgcctgct ctccctctgt gcccttcttt ctggctgcac tttgcttcca   97500
atctgcatga gcaccctatc tgcccctgag cttaaggact ctccttggtt ccagaaagta   97560
gtcaggctgt ctttcctgtt gtgaaaaatg agtgttttt acattagcag ctctccaccc   97620
caattccagg tcacttaaga gagaggctca ctgtcccgtc tttgcttcga tgtccctgaa   97680
ctcttagaaa agtaggaaac cagagtatgc tgggcaaact gaccccaatg cctaggtcag   97740
gcagaaggga ccctgtccct cgggagggct ttttaaattt ttatattttt tacatttttt   97800
taaagatgaa aagaggttct tggtgtatta attattgtta ctttgtggct tgactcagga   97860
caaaggtgca gagaccatcg cccatggcca aatctggatc tatgcctgca tggcccttga   97920
gctaaggatg acttttttta atcatatgaa attcaaattt cattgtccat aaaggaagtt   97980
ttcctcgaac acagtgacac ccattcattt accttgtgtc tctggctgtg tttcatgcca   98040
acagcagtct tgaagttgca gcagagacca catggcccac aaagcctcaa atatttacta   98100
tttggtcttt gatgggcaca ttgctgacct gtggcctaaa gagtcatgtt tgattactgc   98160
ttgggactct agtacacaaa tgtgcaggtg gaaactcctg ctgtgccac agatgcctca    98220
ctcagctgag aaaccccatc tatgtcttgc aagggacgag accctgtttt tctttagaac   98280
tcaccattaa agcacatttg ctactttctg aagtggtcct gtgtgaatca tcttatctag   98340
gcctcctgca attctgcaca tctttattgt gtggaagaca tggcactctc ccacatgtat   98400
taactcatga ggtaggtgca gtcattatta ccatccatga gtggagaaac caaggcccag   98460
acaaatcagg tggactgcct gtggcctaat ggctggtaag tggagcagcc aggatttgga   98520
agcagacaag taaattcaag attccatcat ctcaacccca gctccacctc acctttcttg   98580
acacattcag cttgagatga ttatgtccat ttcaatagag ataaggtagc agagataaga   98640
gactgggtaa ttggctcata ctacaattgt gattagtaat agaggcaatg ctctgcggaa   98700
tccagaaccc acacatgtgg gtctagagtt tcttctgctg ccccctgcca cttgtacaag   98760
tcaggcttag ttaggataga acatcttttt ccatattgat ggagggaagg gacttcgctc   98820
ttgaactctg ttgttgcttg tgatctttgc agcaaattgc taacactgtt gggtgtgaaa   98880
ccaccaactc agctgtcatg gctcactgtc tgcggcagaa gatggaagag gagctcttgg   98940
agacgacatt gaaaatggta ggttgcctgt cccgtagcc caaaccctgt aaacttggtc    99000
ccagacttct tcatttcagc tgtcctcttg ccctgggaca gttacctggg gcaatttctc   99060
aagtctcagg agtctcagta tctgaatggg gaatctaatt tgtccttttt tttattgaaa   99120
aatgacacaa atgtaaaaac aaagtccaaa aataacatga taaaaaaact gaccaaattt   99180
actatttgac caaattttaa tattttgcca ttcttgtttt cagatgtatt tttgagaaac   99240
taaacattac atattcccag gggacaccat cattctgaat tttggggatg gagttattaa   99300
gctcaaagat tttcagaaag atgtcacaag ttatcttggt tgacttagaa actgtctgta   99360
ttagacctgg tagtggtcca gttttctaga ttttctgaga ctctgactca gttgtcattc   99420
taggatagtc gttcgtccac tcaatcatta atccatctac tatgatcttc ttatgcatct   99480
atgtgttcac taattcatcc cattcattga tatattttta tcaatctaat atcaacctgt   99540
tcataacttt ttattttct attttcaatc tatccactgt tcatgcatca tccagccacc    99600
atatatctta actctatcac cccattcctc caaaaccaac aatccagtta tcacctatct   99660
gttagttttc acccactatt catgtatcca tccaattcaa ctgtactcca gctattggtg   99720
aagccatcca tccctccatt tatccaccca tccatccatg ctaagtatgt aggggtgggt   99780
gttagaggta gtgaaacaga catgaagtgg acatagtccc tgctcacata tacttttcag   99840
gttgagtatg gtggcagcac agaggggaag cattcattgt agtcatcagg ggtgcttcac   99900
agagaaggtg gacgagccga atttgagacc agacagcgga attcgggaat tcatgccctt   99960
```

331

```
aaccctgact ccaccttatc tttcttgaga aattcagcat tgagatcatt gtgcccattt 100020
taatagaggt aacagagaca gagaaatttt gtaattggct catgtcacag ttccagttag 100080
tcagaggcaa cacagttcca gttaggaccc agaacccaca cctgtgggtc tagaatatct 100140
tctgccattc ctgctgtcct cacatattag gacttgggga cctttatgat tgacggacag 100200
ctgtggcagt ctctcaacac agggaagccc agcaggacaa acacccagat gacacagcac 100260
ccagggccat tgggaactat tccctttgag ggagaagggt gtgaattcca agctcatgag 100320
tagcctgatc tctggaatcc ctccttggac ctgaggctac tcctgggtcc caggtccggc 100380
tgctaccact ggactctgct tgtgtttaca tgggttgagt ccaatgtggt cttggagctt 100440
aggtcttggt tcaagctcta aatgaccaaa gtgttcaagg aattaaaaca caactgcttt 100500
ctaatgcctg gaaggaggca aacattccag caattctgca tgtggcatca gaggacccag 100560
cttaaaagga aaaacttggt aactttgtga aaatccagcc ctaagatcct gggacatcct 100620
tctgagattt tctgagatct tgtgggagcg cctccatgat tacccactgc ctccagtaca 100680
cacacatgca gacacacaga gaaacacaca cacatagaca cacacacaca gagaaacaca 100740
cacacagaca cacagagaca cacacaaaca cacacacaga cacacacaca gagaaacaca 100800
cagacacaga cagagacaca cacaaacaca cacacagaca aacacacaca caaacacaca 100860
cacacacaca cagacactcc tggctagtgg gactacaatc cttaatggag agacctgcac 100920
tggttacttc ctgcgaacag gccagcacg tgagctacag tgcagcgata caatcactgc 100980
aatcttcatg aacacacacc aaagagaagc atggggtagg gtaagtttca gtgagttgta 101040
tgagtcagag ctgtgtaatg ggagatgaga aaactccccc aaggtgcctt gaatggaaaa 101100
aggaatgtgt tggaataaca tccttgtgtt aactgaaaaa ctcaggagtt gacagtttca 101160
ggcatggctg gatccagatg cctattgaat gttattgaga atctaccatt ctctatcctt 101220
cagctttgga caactctgtg ttgacttcac tcttcagcag atacatcttc tgggaaggtt 101280
aaagacaaca gcactctaga gttatatcct atctgcttcg aaaccctctg tccaaacaat 101340
tcctacaaaa gttctggggt aaactctatt ggattgacat ggatgtatac ctatccctga 101400
actaataccc gcaatcaggg aaatggagcg ccccaggtca catatagatg cctgaattca 101460
tggagtgata gggaaagaaa gagatccctg aaaaagaatg ggggtattct tccctgggga 101520
acaggaaggg gagagggatg ggggacaggg aaggctccaa aagcaggtgt cctatccaga 101580
gctgtagcaa tgctggctca gagttcctgg cccatccttc ccgtgccagt gcccactctt 101640
tcgttctatg ccttcacccct gtgctcaggc ccagcagagc cagagtccgg cccacttcct 101700
ctgggcccag ccagctcggc accaggaggg agaacctgac acctctgctg ccccactcac 101760
ccagctcagt gttctcctgg gaagcctctt acccacatcc tctgcttttg tcttcacaga 101820
atttctgaac tctagactta catggagacc ccagagaggt aaggacattt tgtttctcga 101880
ttgcgggttt tgagtcttag cacctttaag ctccaattaa ctataagtga aagaatcctc 101940
tctcgggtaa ttataggaac tcctgtgtgc ttgatgctga ggcccagaga ggggcagtca 102000
ctcacctggg taacacagcc aggaagacta gtggctggcc tggaacccat tttcctgact 102060
cccagtccag tgctcccagg catcacctct gtatgccctg ggctctgccc actcccctgc 102120
tttttttacat tttctgctcc ccaaaatggc actatgggag gaggttgaac cagaacattc 102180
cactatcggg aggcagagat aacagggatg attagccacg gagaggggaa gcctgaatct 102240
cagtccaagg acactcaact cctcccagca cacaggagtc tccaacaata tcctcgtgat 102300
ctcctcacca cccccaccte ccaatgggtt gacagtttct ggtgacatca cctctgacga 102360
atcttacaat cctgtcctct ctgctgcctt aatggaggtc acagcactct cctaaatggt 102420
catgggcgga gtacatgaga atcattccag caaaagactt attaacactt tctatattcc 102480
aagaacttgt ttaaggagct gtgatatagg agtaaaccaa gaaagactcc ttgcctttt 102540
gggaccttcc attacagtgt agggagagtg caataaaaaa gcaattctag tatgtattct 102600
gttggatggt gtgcatgcat tagggggtaga gtttgcaggt ggattcaatt taagtcgcag 102660
gatcagggaa tggctcaata agaaggtggc atttgagcca agctctggag gaggcatgaa 102720
gccagctgtc aggaaacctg gggaagccta ttccaggcag agggaacagc cactgcaaag 102780
accccgatgg aagtggcagg tccagctgga gaggatggag tgtggggaca gactggcttg 102840
aggctgaaga ggtaatggga agtgggagag ggatcattta aagtagttgc atttggattc 102900
tgagcaagat gggaagcctt tggaggtttt gaacagagga gtcacatgat cttagatttc 102960
acaaaggtct ctgcccctgg tgatcaaata gactgtagga aacgggcaga gtggatgcag 103020
ctgaccagct ggcgggccac tgcattgcca taatccaggc aatggctcct ggctgcttaa 103080
ggctgtagta gtggggatgg gaggaatggt tggagtctgg atatctttga aggaatagct 103140
gagaggattc gctgatggac aggatgctag gggtaagaaa gggagaggag tggaggatgt 103200
cctgagtttt cgggcagaag caaagtcata cccacacagg gcagccactt gaaaactcta 103260
agtggacaac aatcacttgt cattgttgct gatggcagtc ttcccacttg gctgccaccg 103320
aaccagggca atcctgtctc tctcctcaac ttttatcctt ttctacttca tatcctctac 103380
ccaattccgt gtctcatggt gcagccagat tggccttcct taacagagtt agagtgcgtc 103440
accccacctt cttaaaagcc tgaccttcct tatgagacaa attcccttcc ctccatggag 103500
ttagtccttc aaaaacacacc tgcgtgcgca ctatgtgcca gactatacag aaggtaggct 103560
ctgcacctgt ccctccctct aaaacctgcc ccacgataat tttccaagcc cagaactcct 103620
gagtgtttct ggaatttacc ctgcatagtg atatctatgt ccctttgctc acgtggttcc 103680
cgttttttag aaattctcac tccttccctc acttgtcaat accagtcact gcccagagcc 103740
```

```
cactgcaggc aggcggcacc tcctccacgt agcctgccct gcatcttcct tgcagagaag 103800
ctgctcctct tgctggcctc ccacggcagc cctgcctgaa ctgcacagcc tctcaaggag 103860
gccggacttg caccccaatc ctgttccgta ttgtcagcca tattggatta ggatctgcac 103920
cttgtccagc tggttctggt ccacttcaca gaacatttcc cccaggcagc ccgaactagc 103980
tcgtcattca ttggcttttg tagagcagaa caaaggtcct ggaagccata gggtctcaaa 104040
aaagctagga attgtccagt tgcatctgat atctgggagg gaaaatacca gcccataggg 104100
gcatgggagc tgggaagatg gcccagaagg actgggggtc tattgaaagg ggacccacag 104160
caacctgact aacaggtaat acttacagtt attcagccct tccagacacc aggtgctgcg 104220
ctaagtattt tgcatgtgtt cagccattta attcctcaca ataactcacc tcttagatga 104280
gaaaactgag gcccaaacag gtgaaactcc cagccagtaa gtagcagagc caggcttcag 104340
atccagttaa tctggtttca aagtccatac tctgttttaa ctgtacccag aaccagctgc 104400
cctgatggca atgcgtgaat caggctctcg ctaatctgtg accatacaaa aattattcat 104460
caaaggtaaa acctaaaatt aggacatgga tcaatatact gtgagttcat cactgattct 104520
tttattcatg attttctctc taataggaa tctcgtccta gtctaggctc cttgagtgat 104580
gagggttccg tacctcctca aagccaccca tggatcaata acagctctca tttaaataga 104640
gatagatagc acaatctctc ctcattaatc atggattctg cgttataaa ttcacctgct 104700
tcctaaaatg tccttataac ccccaaatcg atactggtgg cactttcatg gtcacacaca 104760
ggcaggtaca gagtagggga atctggattt gcatgatggg cacgttccat ctgagatccg 104820
gcaaggcaac ctctgtcttc ttgtttcatc tctcaagcta acaagtgtcc tcttcgtggt 104880
caatttagtg ccatgtgttc tgcatttttg tgcttttttct ggtgatgtca ctgttcagag 104940
ttgcccgcaa gagtagcgct gctgtctagt gttcctgagc taagcaggct gtgctgtgcc 105000
ttaccgggaa ggcgcctgtg tgagataagc ttgggcagtg ctgctggcca tgcgttcgtt 105060
gttgaaaaat ccacaaaact gcacatacag gaaaaggagg aggaaattgg ccagttcata 105120
catgaggctg tgatgggaag tgctaaagta acacctactg tgtgtgatgc agctgtggaa 105180
agatggaaaa gaaactgcat tgggagattc atgagatgat gaaggaattt ttaaaaagca 105240
ggatggacag cactgttgtg aggttgaaaa caggaaattt acactcatct tacccagggt 105300
caaaaaatgg gaagggcttt tcagctggtg ttttattaaa agtaatccta cttataatta 105360
actctttgta agacttatgt attatataaa gtgtctttca acagaaaccc acacataaaa 105420
gaaggttgat gaaaatgttg tggccagagg tttgcaagaa cctaacccag tatttccct 105480
ttgagtgatg accctgtatt ctctaattca gcactcgtgg gagctttgtc ggaagcaact 105540
gctgggacta ccgaaaacaa ctgtggacac agagagggaa atgcatgtac ttcaaattga 105600
agtatataga catgtaattt tatatagata atacatgtat ttcagtctga gtgaagattt 105660
cttcctctcc tcgtcacctg accagtgtca gcctctgcct gaagttctgc ccctgagtca 105720
cacatctatc ctccttagtt aggaccctgt gtgtgcatac ccatggccca aagtcacgcg 105780
ggtctagggt gctggtctca ccctcagaca ggcagagttg gggacacggt tgtgacctag 105840
ggtgggaatc acaggcgctg tgttgctctc tcccccagag ttacccccac acacccacgg 105900
tgattgatgg agtggtgctg ccaaaaacac ccgaggagct tcaagctgaa aggaagttcc 105960
acactgtccc ctacattgtc ggatttaaca ggaaggaatt tggctggttt cttccaacag 106020
tgagaaggcg caggcctctt ggagggactc acccaccccc atcagccctc ccacctctga 106080
tcccaggagt gcttccctct ccaagcactg.ctctgagtcc tgggcagctg ttcccttcag 106140
caggaggtaa catttccatg gaaaccttct ccaggagggc acagttgtca ccgggatatc 106200
agggccctgg gatcccctct ccccagactc tctgattgtc ttcctattga agaatcctga 106260
agtgtctgtg ctgggaggac cagtagataa aataactgtg cagatgggaa aactgaggg 106320
gcctaggagg ggaaaggagt tgaggagtcc ggagaggcag tcgggggctt cctggcttcc 106380
cactttgggc tgggtatgca tagttccccc ataaatcact catgctcttc atcacctcat 106440
tgaaaagatc caaaaaagtg gcttcttttg atttcccatt gacttctagg aacagtaga 106500
caccagggtc tacttgaggg atgacggtca gaggagggtg aggatggaca agttacctaa 106560
tcgggtgctg tgctcaatac ctggtgacaa aataatccat acagcaaact ccagagacac 106620
aatttaccca tgtaacaaac ctgcacctgt accccaacc ctaaaataaa aattgggaat 106680
aaaaagtgga agaaagaaag attgacttct aaaattgaaa aagcgttctc cttccagtcg 106740
aggacacaca aagctgacca tgattaaagc agtaggacag aatttattca gtaacacaac 106800
tgcacagagg aaagaagagt ccagtatgga ttggactcaa atccccaaaa ctaactcctg 106860
gcactgtttt aaaggctgag tgtgcaaaag gataggcact gtgtgctgtg gagagggact 106920
tggtccatgt gactagaccg cctggatgtc ttcatcctgg ctcacctggg gcagaaacaa 106980
actcctctta tcgtcaggac aggaagccat gcattagact gcaggaagaa cccactgaag 107040
tcaggctcta ctctttccac agggactggg aagatcagga gtcagctccc tgaatgtttg 107100
cattgcaaag agaaggctct aaggccctca aggaaatggg gttgggtggt aaattccatc 107160
ccaaagggca gagaaagtgt ttatcattgc aggcttctaa actaactgct ctagttgggt 107220
tcaggggcct gtctgcttct ctccaggttt tggctggagc agagtaaatt gttctggcag 107280
agttgagcct tcccaggcaa gcatgttaag gatactggag tcattctagg gacacagcct 107340
taagctgcta gaagcgatgc tagagtttcg tcgagtctct gagtgcagag gtttgggcag 107400
agttgttttg tgtgaagaga tatgaagttc gcccctcaga aggattcag aggttatacc 107460
aaagaccaaa gccatgaagg caggctctaa ggctttcagt gtcatctgtg acaggtgggg 107520
```

333

```
gtactaggga ggtctgcatc ctcttcccca gaaccctcta ttccacactg gcttggcaga 107580
caccttccct caccatgtca ctggccactg taggtatccc agcctgacac acacacaaaa 107640
cacacacaca cacacacaca cactgcaaaa cactgccaca gcttctccac atttttttt 107700
ttttttgtaat ctttgcaatg cttgagtttc tggatataag cccatttgat tcattgattt 107760
tgcccatttc agtaaaaacc catgcctta aaagcccaaa atattggagg actttcagtc 107820
tgcattgatt tggttggttc gtcagtttgt ttcttctcgt taattcccaa tgattcataa 107880
atgcttaact tttttttttt ttttaacagt tgatgagcta tctactctcc gaagggaaac 107940
tggaccagaa gacagccatg tcactcttct ggaagtccta tcccttttgtt gtaagagtct 108000
aggaatcacg ggaattggct aggacccaca gagcgacaag gattgcccaa attatagagc 108060
aattaaatgg ccgaatgaag actggggcct cagggtttct cccatctttc cacctttccc 108120
acttcacttt ccaccctagc ggggagttgc acagggcttg tgggattcac cattgaggca 108180
gcccttcctg gtgggctgga gaagctacat cgctcaccag ggggtggttg tcactttatt 108240
gatctatttt agcgcattcc taaggaattg attccagaag ccattgagaa gtacttagga 108300
ggaacagatg accctgtcaa gaagaaagac ctgttcctgg acttaatggg ggacgtactg 108360
ttcggtgtcc catctgtgac tgtggcccgg aaccacagag gtgagtccta gaggtcgaac 108420
aggggaggga tatggacccc accagcttct gtatctgact cacctacctc ccagcataga 108480
cagatgtgga aacagccgag ggtcaggcct caaaggctga ttccatatgg catgggatga 108540
ggtgctgtct tattttggtt tatgccagta gcagcctgtg aaaaaaaaaa ccagaggcaa 108600
gcggtttttt taaggtggtg atcccagata tcagcagtag ggcggtgggg aagtgagaga 108660
ggaaagagat ggaatccaat ccaaggtgcc ttgacaaggg agtatcctct gtggacaact 108720
ggagctggga aactcaagga aacactgaga atacagcact caggggcatc ccatctgagc 108780
accaagggag ctggggtatt tatccaccag ctcccacttg tcattgtttg aaggctcttg 108840
caaggagttg tttattccct gtgactttga cctgctgcac acaagggcag agtagtctct 108900
tgtgaccaga caaaggcctc aggccgggag ctgcagatgc tggaggtaga agtcaggctg 108960
gcatgcccag gaagagggga tatgggtgag acactgacag catctgctgc aagggctcca 109020
tgcctggagt tatcgtggga catagggctg ctgtaggaca aatattgaaa gatgagtctt 109080
ggaaggtttt taaggtccaa gttggctgca aacaagcttg ttaagcattg gagctggaag 109140
aacaatggga gtcctgcaca ggatccagag gattgtccag gaccaagaag gccaaaagta 109200
agagctatgg tgggtgtggg ggaggtggtc ggaagaatgg caatgtctga ggctggcttt 109260
tgtctatctc ggtgtgtgca ggaacatgca agcacagtgc caggacaggg tctatgcagg 109320
accttctacc actgacccaa ggctgtgtgg gtggggcatg aggttaggga tgcgtgggct 109380
cacctctaga gaagtgtctt ctcctgggtg ccaactagag gaggctcaca ggactcctct 109440
ttttcttcca gctctcattc gcctagtctg caagccagga aatgtcctct ctctaaccat 109500
gctggaaagg ttttttaaatt tggaacttca taagctaaag ctaaagctat agctaaagct 109560
gatgtcgcag gtgcccagac acacctttgc acaggaaggg gcaggtgctc ataactctca 109620
cttcttcaca aagtcctgat aaaaccctat aaccaggacc actggagttg aatcatttct 109680
gtcttaaact tggctttgcc ccatgttctg catctgatct atatatagtg ttcccatctc 109740
catcttccaa tggtttgagc aatactgaac ctctgttttt catctgattt cccacaactt 109800
tgagttcaga gtttttttgtt gttgttgttg ttgttgtttg ccaggactac acagatctta 109860
tcaactttca cttattgttg tgtctcactc tttttgataa aaacaacatt tctgaacata 109920
aagttaatat gttaaagtta atatgaagaa agtttcaaaa atatggaaac acgtaaagaa 109980
gaaactacat atcactccta attcccccac ctggaggcaa gtggtataaa ttttttttgta 110040
ctttcttcta aagatttttc atgtcctata tactttaaaa atcaattta tatttcgctt 110100
ttgttcatag aacactatgt tgtgaggatt ttctcaatat tcatataaac tcatcaaaac 110160
attccttatt ccatgaaatg gctgtgttaa atagactta atattcctat cctattagat 110220
gtttagcctg gctgctcaca ttctgatact acaataacac tgagttcagc ctaatgttta 110280
taagtctcta accacatgtc tagtaatttt cttggaattc tttttagaag tgaataacta 110340
ggctggacca aagaaatatt tttgaactct tggcaaataa tgcaaatttg cattccagtg 110400
cataagaacg tggatttctt aatttacttt ctcatttggg ataccaaggt taaagttaa 110460
tgctgccaat ttgccccacc aaaaagaagc acatcaccct gtattctttt gcatgtcttt 110520
catgacatgt ctttcattgt ctctgcttct cttcttgtgc ctatttgtca ttgcccaaaa 110580
ctgtgcccta ctttcctctg aagacttgtg ttgtgactgt aggaattcta tgaatatcaa 110640
tcactttagc caaaaaggtt tgacaaagta cattttgggc agcatgctgc ctataataat 110700
ttctatcatt cacaaaagct ctttcctcta tagttggctc tgagttcctt tggaaaatgt 110760
ttgaatggca aaggcaaggt caaaccctcc ttttagcaag ttttgcttga ccttgaagca 110820
gccatttaac aggtggatta cagagccaca gaaggatggc atcttcccaa gtgcgcttcc 110880
tgctgagcca agggtgcagt gcaggaggct gacaaagatg agtgaataga ttattcttca 110940
ttcttacatt gaaatgacat gtgcgggtgg ggcgtgaggt tagggatgcg tgagctcctg 111000
ttgttaaatc cttttgtggc tgaatattta agaatgttaa gaaatgatgg ctggaggtgg 111060
tggctcatac ctatactctc agccctttgg gagactgaag tgggaggatt gtgagagcct 111120
aggattcaa gatcagcctg ggcaacatag tgagatcctg tctctacaac aaaattgttt 111180
tcaaaaagtg atgatactat attacaaaat aacatatata atatcatccc aagtttatat 111240
acataaaaga gagatatgtt aaaataaaaa agaagcgttc tctgtggtag agttaccagt 111300
```

                                            334

```
gatgttttaa atttgatttt taaaatggtt tttcaaaatg atttttaaat tatataggag 111360
gtggaaaatt caaagtgctg aggcacagga ccaggtggcc catgatgtag cccagaaggg 111420
ccagtgattt gtggctccaa tgagccaatc attgggaaac tggcatcttc ttcgggctgg 111480
aacaggagag ctttgttgtt gggagagaag gcaagcaaaa agaagagagg caagggaaaa 111540
gcaaggtcac ccttgctcag ccccttcttt ggtctgccat gactttactg ccttaacacc 111600
ctaacactcc caggccaggc aggcagcaag acacatggag acagtgagat ataaagcagt 111660
gagtgccgca gattcctgag acacaagagg cagattgttc cctctctgca tatgtttgta 111720
tttaagtagc ctcatgttca gacaagcaac ttggatttgc ttcagtcttc tcaggatggg 111780
tgagaaaaac actggaagtg ctcaaaatga gggagaacag aagacacctg tcagagtgga 111840
gatggcgtcc aagtgaacga agtctgttat caatgaatta catccagtgt aaccagatgt 111900
agagagattg tcttgtgtga gaatgtacca gcaggcaaag gggtttacga ggcagagtca 111960
gtgtccctgc actggcagtt attttgaatg aattgaccca gggtttccac attcattcat 112020
taaacatttg ttcattgaac aaatatctgg ctctaattcc agttccacct caaccagcta 112080
tgcagcccgg agcatgtcgc tgagctttcc tgtgactctg tttctctact gtgctgacag 112140
ccagaggttt cctgcagagt tggagacctt ggtagcctcc aggtgtgtgt ctggcaacat 112200
gaactgtgca tgaatccttg tcttctcaga tgctggagca cccacctaca tgtatgagtt 112260
tcagtaccgt ccaagcttct catcagacat gaaacccaag acggtgatag gagaccacgg 112320
ggatgagctc ttctccgtcc ttggggcccc atctttaaaa gataatggct ccttgctctc 112380
cgtgagcttg gagttaggag atctgggttc ctgtcttggt gtggtggctt tcagcaagtt 112440
tcttctctcc tggtcttagt ttactgattc tctataacag ggttgaatgt cactgggttg 112500
tcccccagct tcctcccact ctaacatatg tgaggcggga tgtgtattca tgtgcccttt 112560
gcacagccac tcagaatcct gctctgtgac atcaacaaga cgggtgtgtg tgggggagtc 112620
ttctgaagga ttcactatac agggttgaat gtcattaggt tgtcccccag cttcctcctg 112680
ctctaataca catgacgggg gatgtgtatc catgtaccct ctgcacagaa actcagaatc 112740
ctggcctgtg acatcaacaa gacaggcggg agggtgtctc ctgcaggatt cagtatgaca 112800
gagttgaatg tcatcgggtt gtcccccac ctcctcccgc tctaacatac ctgagggagg 112860
atgtgtattc atgtgccctc tgcacaggcg ttcagaatcc tgttctgtga catcaacaag 112920
acaagtgttt gggggggtctc ctgcaggatt cactatgaca gggttgaatg tcattgggtt 112980
gtcccccagc ttcctcctgc tctaatacac attagggagg atgtgcatcc atgtaccctc 113040
tgccacagac actcagaac ctgggctatg tcatcaacaa gacaggtggt gggacacatg 113100
caggggtgct ctaggttgag aagccaccaa tcaatttccc tctcccagga gcgctgagaa 113160
tgtgagtgag ggtgagatta gagttggtgt taaccctgag tcaggtctaa tgtgtgtcgg 113220
tttgtctttc tgtctgtctc taacaaaaac tcataaacct ttacatttat tacatttaat 113280
aattgttagt ttagaaatca caggattatg aattacgatt tatagtcagc aggattcact 113340
gtgacaggat tgaatgtcat tggcttgtcc cccagttcc tcctgctcta acacacatga 113400
gggaggatgt atatcatgtg ccctctgcca ccgacactca gaatcctggg ccgtgtcatc 113460
aacaagatag gcggagggac acatgcaggg ccctgctcta ggttgagaaa ccaccaatca 113520
atttccctct cccagaagtg ctgagaatat gagtgagggt gagattagaa ttggtgttaa 113580
ccctgagtca ggtctaatgt gtgtcggttt gtgttctgc ctttatgtct ctaacaaaac 113640
ctcataaacc tttaaattta atataattaa taattgttaa tttagaaatc acaggatgta 113700
tgaatttgga atgggagagg agactttatt tttgatgtgg tttatagtca gcaaagttgc 113760
tatccctcaa gctgggaagg tgcctctggc caagcccaca aacaggctca tcgaacgagg 113820
aggggttggg tagaagcttt atacgaacag attggctaaa catacatgtt caacacgtta 113880
caggggagc aatggatatt catgaagaca gtcctgacac atgtgtatta aacaaacatg 113940
catgtaacat tgcccatgtt cacctggtgg tggagaccta atatttaaat gtattacaat 114000
tagggcttat aaatccaagg gtcttctcag gacacaaagc ccagcaagtg agcagcctct 114060
gtacaccggc caggtccagt ccatggctgg tgatgttctt atctggagaa aataactgaa 114120
atcagtctct tatgcaatca aagccgtagt taaggctggt gggcagggtt ctgttcttcc 114180
gagtatccaa gctgcagcca ttttaattgt tttcattttg cttaactcca ggccagtact 114240
ggtttagctg tagacaaaaa gaagcacctt gcagcaggga gaacagagtg gattctttaa 114300
gggtagagat gcaggcctga acccttgccc ggcatggcct tcgatctttt tttaatttgg 114360
tgtcttattg ccacaaggag tgtgttctgt cagaatgatc acctttattt tattgctgat 114420
actcgtccgg tggtgtctaa accacaaaaa aggggagta tgatgaggcg tgtctgacct 114480
cctgtctgtt tccaggcagg aactcagttt agggtttttc tggggtcccc ttagcccaga 114540
gagggtctgt tcagtgagtt gggggtgtta ggattttatt tttagtttac attatacaat 114600
atttttaaaa atcctttcat gatgtcttct aagccttaac tctcagctgt tacagatcac 114660
atgggactca ccccatggct gctcaggatg caccatcgcc actgggcatg tcccaattat 114720
gcacccttag gaggcttgag ttctgttata tttcagaatg tgaattgtgg gtgtgtgcaa 114780
gagagagcaa ccctgggagg tggggcaagc acatggaatg atgcatgccc attgctgagc 114840
cctaggtcag ccatgcttaa aggtaaagta cacacaaatc caccaggatc ttctaaatgt 114900
gcagacctca gctcagtggg tgtggagcat gcgccaagac tatgtttcta gcaggtttgc 114960
acgtgaagtt gacaatgcag gtccgcggac cacactttga gtaacaaagg cttttttttct 115020
tcttccccac agagggtgcc tcagaagagg agatcagact tagcaagatg gtgatgaaat 115080
```

335

```
tctgggccaa ctttgctcgc aatgggtgag gctcttggca aagacacagc acagctggtg 115140
agggtggggg gcggggcatg cctattggga aggggcagct tctaaggttc tagcgatcaa 115200
acttctgacc ctgtgaccat agcactctga caatgagagc tctctacaaa tggagaggcc 115260
gcccccggag atagtgaact ccccgtctct ggagatatac aagcctcttg acggagataa 115320
cttgggcgtc ctcacacatc tctgaagatt gttggggaca cacagcagct ttggggcaat 115380
tctatttgat tttgtttcca gaaaccccaa tggagaaggg ctgccgcact ggccagagta 115440
caaccaggag gaagggtacc tgcagattgg tgctaacacc caggcagccc agaagctgaa 115500
ggacaaggaa gtagctttct ggaccaaact cttcgccaag aaggcagtgg agaagccacc 115560
ccagatagaa cacattgcgc tgtgaacgga aggtccatcc agcctcggga acctggagga 115620
gcaaagactg gggtcttttg ccaaagggat tgcaggttca gaaggcatct taccatggct 115680
ggggaattgt ctggtggtgg ggggtagggg gcagaggtca tgaaggagca agttttttat 115740
ttgtgacctc agctttggca ataaaagatc ttttgaaagc caaatcactg cttgtgtctt 115800
gtattagaga ttaatccatc ctcctcagag acagaacgat gatgaaagag gcaatgtgag 115860
aaggaagctg gctttgctgg ggatggcctg gcctcaggac gagtacagtc cagagggctg 115920
ggtcatggac agtgctcagg ggagctctgg gcctactgca tgtttctgag cccccaagaa 115980
tttccaacaa taggatttag gattgccaga gtgcagcatc cctatcctcc atttggatct 116040
gcctatggaa atggaaatgg cccaggctga gaatttgcct ggatcaggga agagagagag 116100
gtgccgaggt gatcccgtgg cactgttgga tggcctttat tgactcttgc acaggtctgc 116160
cacaccttcc tcagtatgta cactagcctc ctagacccct ccctgaggct gtctctttca 116220
acagctggtc taaactccct ctgtaacctg gaccacttct gttgcgggca ctgaccacct 116280
tagagcaagt ctccagaggg tcatcctaat actgtgtctt tcagaatctc aggggtgatt 116340
tctggattct gctagaatgt ggaaaactct aaagagtgtc actcctgcct tatcagcaag 116400
agaaaaagct ggattgtcct caaaatcata acttttccta ttgcccagga gaaagattgg 116460
ggtagatagt cagactagag agggccaggc atggtggctc aagcctgtaa tccagcactt 116520
tgggaggccg aggcaggcag atgataaggt gagaagatcg agaccatcat ggctaacaca 116580
atgaaacccc gtctctacta aaaatacaaa aaattagctg ggtgtggtgg tgggcgcctg 116640
tagtcccagc tactcgggag gctgaggcaa gagaattgca tgaacccggg aggcagtgct 116700
tgcagtgagc cgagatcatg ccactgcact ccagcctagg tgacagagca agactccacc 116760
taaaaaaaaa aaaaaaattc gccctgggca gagctgcagg ggagggtggg aagccgactc 116820
aggccctgca cctgggtagc tgccccacct ggtgctgccc caggtaacgc atgtacagga 116880
tgagcctccc ttcccccagc agggacagat cccactcagt cctgccccgc atgctctcct 116940
aaaagtttgt atcaagactg tgcctcatta ttccctgcga tgggaagggc tggggagaaa 117000
aaaacctacc ttaccacttg attgtgtcaa aatacaaggg aattcattgc aaagagcttg 117060
ctgtgctcca tgaacggggt ggagctcaag tctgaaatta aaggatgggt aggaaggggg 117120
atggccagcc acaacgtggt ggaagtgtga ccctgagcag tggggcaag ggggccagcc 117180
cacgggcagc agggctggtg ttggcaaggt tgctggagca caccgtgggt gcctggagga 117240
cagcttttct accttgacat gtaggaaaca gacttctctc tttataggaa gataatgcca 117300
taaaatgtct gtctacctat ctgtctatct attatctatc taccatctat caattatcta 117360
tctatcatct attacctatc taatctattt atttcattaa ttacatttat ttatgtaatt 117420
gtatttcaag ctctatttac ctcctgaact tttcatgtga gagactacat tttattcaat 117480
atatgcttta ggtaagtttc agttggattt ctcttagtac atatgacaga gtcctgatta 117540
aaatcattgc tgcatttgat catttatatt ctatcctgta actataattt atgtgatcac 117600
cagtaatttt atctgtatca atcttgtctc ctgtattaga taacaggttc ttaaggtctg 117660
gtacaaacat ttcagttttt tattgaacat aacatacata taagaaatat atatatac 117720
acatacacac aaacacacac atgctatgta tatattatga cttgataact tcactaactg 117780
atcacactgt gtaattagga cccagatcaa gacacaatat taccagcatc ccagaagcca 117840
catggagctc aattccaggc cctgctcact tcccctcct tgcctatcta cccaaaatgg 117900
tcaccacagt cctgatgtct agcagcaata tttcttttc caggttttgt gctttatatg 117960
aacagaatca catactcttg catctggttt cttttccctca atattatgtt tatgagattc 118020
acgtgtattg ttgtatatgg ctgtagttgt tcatcattgc tgtatagtca ttcattgtat 118080
ggatatgtca taatttactg gtgtagggca cttggagaat gtattagtct gctcgggctt 118140
ctgtaacaaa ataccacaga ctgggtggct taattaactg aaattcgcat ttgcatagtt 118200
ctcaaggcta gaagttccag aacaggacac aatgagaagg cagcagtctg caaacaagga 118260
ggagagccct caccaggaaa tcagtcagct taatcaacta aaatttgcat ttgcatagtt 118320
ctctaggcta taagatccag aacaggacac agtgagaagg cagcagtctg caaacaagga 118380
agagaggcct caccaggaaa tgagtcagct taatcaactg aaatttgcat ttgcaaaaaa 118440
ggaagagagc cctcaccagg aaatgagtca gcttaatcaa ctaaaatttg cgtttgcata 118500
gttctctaga ctagaagttc cagaccagga cacagtgagg aggcagcagt ctgcaaacaa 118560
ggaagagagt cctcaccagg aaatgagtca gcttaatcaa ctaaaatttg cgtttgcata 118620
gttctctagg ctataagttc cagaacagga cacagtgagg aggcagcagt ctgcaaacaa 118680
ggaagagagg cctcaccagg aaatgagtca gcttaatcaa ctgaaatttg catttgcata 118740
gttctctagg ttagaagttc cagaccagga cacagtgagg aggcagcagt ctgcaaacaa 118800
ggaagagagc cctcaccagg aaatgagtca gcttaatcaa ctgaaattcg catttgcata 118860
```

336

```
gttctcgagg ctagaagttc cagaccagga cacagtgagg aggcagcagt ctgcaaccaa 118920
ggaagagagc ccccaccagg aaatgagtca gtttaatcaa ctaaaatttg catttgcata 118980
gttctctagg ctataagttc cagaacagga cacagtgaga aggcagcagc ctacaaacaa 119040
ggaagagaac cctcaccagg aaatgagtca gcttaatcaa ctgaaattcg catttgcata 119100
gttctcgagg ctagaagttc cagaccagga cacagtgagg aggcagcagt ctgcaaacaa 119160
ggaagagagc cctcaccagg aaatcagtca gctgttctca tttaatgttc tcactttaga 119220
agatcatgca agggacaaaa tctccagaat ctttcctggg cggggtcaca gctggggtgg 119280
gaaagttgta gcccctctga aacttcccgc atagctgtcc ttctatggag gccaggagcg 119340
catcggggaa ggtacagtcc acagtccccc tccatcccac cagtcaggct ccaagggggtc 119400
ttcacatcca caaaacacca ttttcataga tcaatagcac acacaccaag atgcgcaaat 119460
tcaaaccaga tacccaaatg gcactcactt attgaatttg caaggatttt taccactact 119520
cttttggtgg tagtgcctag tggcaagaat atagaaaacc aggaagtatt cagcactgat 119580
gtgacagatc agtagctcct gggatttggg cagaattttg tgcagtccag ctttttggag 119640
aagcttatgt catttacgct tgctgagtcc tgtgtaagcc ccaaagccaa gctttcacaa 119700
gctaggactt aggcagcttt gaaaaggaga agtttatctt ctaccctctc aaagagggtg 119760
taggaggttc cccttgagag taaccactgg tccctccaga tggcttggct gcttctgcca 119820
ggctctactt tcagaaatgc ccttcattgt gcaattatca gaattaaagc ctttcagtgt 119880
ctcctcattg tccagggatg aagtctgttc tccttggctt ggcattgaag ctctctgtct 119940
tccattcccc cttccattgc aactggcctc cccaagaagc ccctgaatct gccttgttcc 120000
aatgctaatt tcttctctgc ctctccaaat tttgcccatc tctcaatacc tggtaccatc 120060
aagagtcatc acagctttgg gcattaacat atatgaatat tgatagttct cagggcaaga 120120
aaacacacag aacatgcatc tctatggagg ccactctatt cacctggatg cttataatgt 120180
aatctgtagt ttgagtttcc agggctcttt ccagattata attcaatctt cacttttctg 120240
tgtctaaatt tttacattgc tttctgaatc atcttttttc ccattttatt cttaacaggc 120300
taaaggaagg cttaatagag tagccctaat gaataggatc tgggtttata atcgggcttt 120360
tgtgatttga atcaaagaaa tgcaaaaact tagtgtttat cagagtgtgc tgcacttatt 120420
cctggagtta tgcaagatca ttttagatgg cacacaaact aaaaaccact tatagaatgg 120480
ctgtttattt attttgctgt gtattaggga aaaaaccctt actatcaagt ccatggttta 120540
atggatatta cctgtgacaa ggattgctgg cagtctgtta aaatctgtcc caccttcctt 120600
ggtacacagc cagattacat tttccagcct tcattgcaat tagattgaac acgtgaataa 120660
gttctcacca atgtcctctg agtgggagtg gagagtgcca cagccaggcc tggcccatac 120720
aaatgctcca tggtcacact tctgctcctg cctcttccag gtgacaggca attgacacct 120780
atggcaactt tagaaaccat gagtgaagga aggcaaagcc accatagcct agatcaggac 120840
tgagtaaact acagcctgag ggccaaatct ggcctactgt ctttttaaaa ataaagtttt 120900
attgaagcac agtcatgccc attggcgtag gtattgttta tgggccgcct tactaccaca 120960
gcagtcgcca cagacagccc atggcctgca aagtccaaag tccttactat ctggcccttt 121020
atagagaaag tttgctgata tcctaatttt gatctctgaa tgaccatatg gacaacagcc 121080
accttgttga cctgaacaac gttctagtcc tttacctatg cgaaaaataa gccgttgaaa 121140
ttctgggcct atttgctacc atagtttacc ctactctcac taataattct tgctcagcag 121200
tcacagggtg attgactgat gaatgtacat ggcccgattt ccggttgttt gcgccattga 121260
gggtgactag ttatgcccat gggagtacag ctctctcctc taagacccac caccaggcca 121320
aaatttcttc cagatgctct gaccagttag tcctaggacc tgattgaccc caggtagtct 121380
gacccctaa atataacata gcatcatggg cctgggaagg tgtaaacata atacaatttc 121440
tgcccattga actgaatgtt aacaggaaga cattccctga agcagaagaa aatgaccttg 121500
gtgatgatga cccttgccaa aggtaggtga cccttgccaa aggtagttaa cccttgcctt 121560
gtcacctacc tggtggtcct gatggtgatc agttctttca tgtaactaac tggccttcaa 121620
tggttcactt ttccattga gtgactttt tcaattatat gcttttgtaa attagaagtg 121680
tttttactgg catttcttta tgcacgtttt tattttacc atcattttaa tttaaaaaat 121740
gcagttacac attttccatg catacctcta atttatggca ggttatacag gtcttgcagt 121800
tatggaaatg gtataaagtc tccttttttga gtgagcatgt taaagtaaaa agagtgcttc 121860
atttaaagaa aactgttcat agaagtacag acgatatgct gatgaggcaa aaaaccatga 121920
tattagtgtg agaataagtg aggttccaga aacactgcat atgtccaggc tgcagtggag 121980
aatgtcgtag aatcctggat tcatagagtg tggagccacg gtgaagggtg catgagagag 122040
cccctccccc atagccaccc cctgcctttc cacaaggaat tcccaaatgt cacccagtgg 122100
attctcagac ttctgtctcc catttcagtg ttctccacca caaaatctac acctgatcga 122160
tcccacagtt cagagacaaa gctgagtgag gggctcagca ggacatgggc ttgctgtgcc 122220
caatgcctgc tctaatatta gctttccata tatctgctga gtaaactgat ggaggtggag 122280
aggtttgggg gagttcattt gaagccccca gatatgcccc ctctcccaag tcctacccccc 122340
tgcttagaag ttaaggccag ttcctcagat tttactttcc acgtcatata gttccacatg 122400
ggaaaccaga gggattcccc agggaaaagc aatgacccaa atcaactgcc gcttaaacaa 122460
gagacgtact gcttacagct gaagtgatgc aggggagtta tatgtattaa gcaaaaatga 122520
gatctactgg aaggcttggt aggctccagc ttcacccatc acaatctgca gaatcatcat 122580
gaaccagaaa tgggcagtcc caggagtggc caaaaaattc tctgtttgca caattggctg 122640
```

337

```
gtgtcacaag caggagtgtg attgcgcagt ggttcaggag aagaactaat ccttacatct 122700
tatattttgt gaatacagca ccacaaaatc ttcataggcg aagagccagg actgtttctc 122760
aggttgcaaa ggtcagctga ctaaggcaac agggcaggat ggttaacagg cacgtgcatg 122820
tgtgcacatg tgtgtgcgtg tgtgtgttgt gctgagtgag tgggactagc tttgctttct 122880
acttaggagg accacccaga ttgtcccttg tggatagaga tagggatgct ttttattagc 122940
atgcagttta tcaaccaggt ttctgtcctg gataaaagta agggaggaac cctaagctca 123000
ggtcaacttt tgtagagtcg gttagttctg gggactgatt ctcatgctgt cagagcatcc 123060
tcattcccat cacagaatgc ccctcaccag cctgcacgtg gctagaatga gtgctaatga 123120
gcatcccttt ttgaatttgg gtctccagaa gcttcatttc agatacaact cacggccttg 123180
ggcaagaatc cattagcagg tctgggactg tcatgtgctt tatggctgct cgttgcccaa 123240
tctttcctga tgtcaatcgt ggtctggact ggacaagggc aggcttgcca agtgacattg 123300
ggaaagtaga acatggctcc ccaagtacct ggtacctggc tctcatcttc ctctctttt 123360
cttttctttc ttttctttct ttcttttct ttctttccct ttctcctctt cctcctcttc 123420
ctcctcctcc ttcttagtct tcttcttcct tctttcttat tatttcttcc gtctttcttt 123480
ctttcctctt cttcttcttt cttcctcctt ctcctcctct tcttcctctt tttcttcttc 123540
ctcttttct tcttcctctt cctctttttc ttcttcttcc tttctcctta ttcttgtaga 123600
gatagggtct tactatgttt cccaggttgg tcttgaactc ctctctcaag caatcccccc 123660
accttggcct cccaaagtcc taggattacc aagcgggaag ggttgccaca gtgcccagcc 123720
tcccctggct atttctatcc cttcagccct accatgctca gcctgggtca atgagctgac 123780
aaggcaattt gccttagata aggctaccaa ttagaatatc tccctgatgt ataaaagcaa 123840
gagaaatggc tgccagccac actgtgctgg aaggcagaaa cctcaagtac tggttctgac 123900
tttgccactg agttgctgtg tggccttagg caaaccctcc ccatctctgg gccttagttt 123960
cttttgggaa taaataacgg aattgagttg agcctatgta ttagtctact taggctgcca 124020
gaagaaaata tcacagactg ggtggcttaa acaacagaaa tcaatttaag attgtgagac 124080
agcattaatc tcatgggggtt attttgagaa ctgagactga gttcctgcat acaaaactct 124140
cggcatagtg tttgccacac agtaagctct cagtaaatat ttgtcaatga atgtatgaag 124200
aaataaaagt ggaaaatgca aataagtaaa aacactgaca agattacagc caggaaatgg 124260
ctgttgtaat tctaattagc tatatagcct tccaatattt tcccatgcaa ataaagacat 124320
atgttactac caaaacggga ccatattata cctatctaga ttttcaaaaa tatttcatta 124380
ttttattgaa atataagtca catgtcataa agtttacctt tttaaagtgt acaatctagt 124440
ggtgtttagt atattcccaa agttgcacta acatcatcac tatttaatcc caggacattt 124500
ttaccacccc caagataaaa ctcatgccca ttagcagtca ctcctcatcc ccgtctcttt 124560
cccccttcccc agaccctgtc aaacactttc tgtctctgta gatttgacta ttctggaaat 124620
tacacataaa aagcatcata tgacatgtgg cctttgtgg ctggcttctt tccttacca 124680
taatgatttc cagcttcatc tacattgtag catgttcttc ttatggctgg atgatatgcc 124740
tctgcacgaa tacaccacac tttatttaca cattcatcag gtcatggaca tgtgggttgt 124800
gcccactttt tgactaggat gaatgacact gctctttgtg tacaagtttt ttatggacat 124860
gctttcagtt ctgttcggta gacacctagg aggggaattg ctgggtcata tggaaactct 124920
atgttgaatt tttggaggaa ctgcctacac cgcacaacag tttataacct gttatttttt 124980
cctttcacaa cgcatcctgt cttcattgtt aataagtagc tgtgcacatc actattttga 125040
gtgaatacat catatttcct tagccagcgg tatcacagtg tgtttagtga attccctatt 125100
gttggacatt taataatccc atgaaagagg tttgagtgac ttccttgtgt ccccagcagc 125160
ttgtaaatga cagttttcca ggtgtgccca gagcactctg tatcccctta atttggtgat 125220
ttcacattgc cttgacatca cacctactgc tcctccaccc tatatgtgtt gtctacaatg 125280
gtgaacccct tgagaagctg aaccatgtct tgaattgacc tttgtatcca ttatacatgg 125340
ccaggtgcct ggcatttttgg taaatgttca cagaatggat gggtacatga atggatggat 125400
gattaaagcc aggagctatt gagagatgga atcattttta cattctgtcc aaaaattcct 125460
gctttggaag gtagtgattt acctgagatt ggaagtgtgt gagaaggctt ggctagtttgg 125520
caggatactg tgaagctaat tcaggcatca gaaagtggac tggataaaat ttaggatcgc 125580
ttccaagctt gaaatcctgg aacgctatga aacacaagcc ctgggagctg agatatgtcc 125640
taacttaccc agctgagctg tgaggtgtga gtggctctaa catttttccag ttgtttctga 125700
ggacctcaga tcaaagcttc cctttgccta aaagcatctg cctgctggtg cgggcctttg 125760
ggggccctca gagagcacta aggttagagt cctgcaaggg tgacaccgtt atgccacaag 125820
cagttgggcg agtttacagc tctctgtaat ctgagagtag agtccagatt ggtttgatga 125880
aagagggtaa actgtgagtg ggcgtggctt gaggccccac tggaagccca gggagatctg 125940
gggaaaggga gggcttttct gatctctccc aattagagga ttaggcaatt ggcagtgcag 126000
ggcggtaact gggggccagg gtggcgccag ggctggacag cacagtccct ctgagctgca 126060
cggagacctc gcaggccccc ggaactgtcg cccttccagg atgtggctcc ctgctcttgt 126120
cctggccact ctcgctgctt ccgcggcttg gggtgagtcc ttctgaagtc aaatatgcgg 126180
ggcactttt gaaatccttg ttctgggccg aactgggcgc agatgcgtag aaaggcaaag 126240
acacaaaagg tccggctccg tggcggggcg cgacctccgt acttggaatt ggacttggag 126300
cagctgagcc cagccagcct ggcccgcgcg gagacacagg gagggtgaac atgctgagac 126360
cgccctgcac tgcttgcccc aagaaggccg gcagctggcc cacctcactc cgcacacaag 126420
```

338

```
agaaatttag gcagctcagt ttattgtccc ataattcgtc ccgttatggc tcgataacgg 126480
atagcggctc aggagaatat taagagcatc gactctggag ccagagtgcc tgggttcgag 126540
tccccgctgg gcgcttcctc gctgtgtgta cttaggcaag agactgagct attctgtgct 126600
tgggttaccc cctctctgaa acagaggtgg cagtgctacc tacctcactg ggctttggtg 126660
aggaggaaat gggtggttgt ttctaaagca ctcttggaag cgcctggtat gtagaaagca 126720
tgaaaaaggg gtggataaat ttaaaggcgc tgtttaaaaa cgtagtgtat gaatagaaaa 126780
tttgagctgt ggtcaggcca ctatatcagg acctcttgcc attaaaaaga cagtttctta 126840
ctcatgttct caacaggagg gggacaccag tgcgcggggc acaaggggaa gcagcagagc 126900
ctggggaggg gacagggcgg atctgaggcc aaggggcttt tactgtggct tccaaggata 126960
gaagaggaaa ggcagggcag gcaggctgag gactggcaag ttgggatact tcaggggctc 127020
tgggcacag gggctgttcc taattgtttt gtacctagcc ctggcatgat tagggcaggt 127080
·gggtagtggc cagggcatgg caacccgatc aaagaggcag ttggggtgtg ggctctgggg 127140
tggctggacg ctgggaggga cagttctcc aaggtcaaca aggcctcaga tgccagagta 127200
tcagaataca gaaaacaaaa cacatggtac atagagGGgt gcagcgaggg gcctcgaaat 127260
accccatgc catttatag acagagaaac tgagactcac acagggaaat gtacttgccc 127320
agggtcaacc cgaaaatcat gcctaggtct gtctctgggt cctgaatcct gacagcccag 127380
ccccgtctgc atcctgtctt ccttctggca gcctgacact gcgagagctc tggaactgtg 127440
gggaagggca gagaagagag gaagcctatt tggaactgaa tgttcctta cctctggtta 127500
ctcctggcaa tgccatccat ttccttcctt aggaagacca tacaggctgc ctccacttcc 127560
tcagtttcct cctctgtaaa atgggcatgt tgatgcctac ccagcaaggc ttatttgaag 127620
atggatttaa acaaactgga atgcatgcct ggcacatagt aggtgcccac catgttcgtg 127680
cttcatataa catcagcagc aactggtctt gttctcacac ttgtttctgc ctcccccat 127740
tcacccactt tttcacccctt ggcaatctgg ctgccatcca cctcatcctg ttgaagggaa 127800
tccctgagct gagcatgacc agcccagtgg tttcttctct gacttgactc tcctccacct 127860
ccctgaagtc ctcagcaatc ttagctggtt cctcgccctc ttgctccctg ggcttcaaag 127920
acatgggaac gttctctctc ccctattctg atggatcttt ggtcttggcc gtagtggtcc 127980
ctgtgtttga cctttgtttt tttttctctt ccctctcaca ctggcatctt caatgaagcc 128040
atacacatcc accgtatgta ccctcacagt ccaggagaag attctgccct gctccctcac 128100
caggcttcct tccagctttg aagtgcgctc atcctgtggc atcatcttgc ctggatatcc 128160
cactcacatc tccaccgagc ctgtgtaaac agggatccag cattacaagc cagctctttg 128220
gtcttctttc ccttccattt cccccacctc tggtcaggga ccaagtcttt tcttttcctt 128280
tcttttcttt ccctccctcc ctcactccca cttgcctgcc tgcctgcctg cctgcctgcc 128340
tgcctgcctt ccttccttcc ttccttcctt ccttccttcc ttccttcctt ccttctttcc 128400
ttccttcctt ctttccttcc ttccttccat ccttccatct ttcctttcct tctttccttc 128460
ttctctctct ctggaggagc caggattaca ggcacatgct accacaccca gctaattttt 128520
ctattttcag tagagacggg gtttcaccat gttggccagg ctggtcttga actcctgacc 128580
tcaaatgatc tgcctgcctt ggcctcccaa agtgctggga ttacaggtga tccactgtgc 128640
ctggtctcca agtctttcaa aataccttt agacatcatc atatttctac atatttttc· 128700
ttttttatt taaaattttta aaataattaa gatggggggg aggatttcag gtgaagaccg 128760
gaaatcccat acagtgctga aaaggtggaa atcaccaaga aaacaggcca catgtaatgc 128820
caccacccat tgctatgtcg ataaacatgc ttccaaggaa gttcatctca gtattatttg 128880
taattagcaa caacaacaaa agaaaagaag ctaaatattg acattgcagg gttggctatt 128940
.aataagatga gacatggatg ctgttgtgta actgggcttt ccataatggg tttccattgt 129000
gattggatat tcccctttaa gaccaaatct gaattgttct gttctgctct agccccacac 129060
tttgagggag gtgttgacgt cttgtctgta tccaaagcag agcagctggg aggacaagag 129120
gctggaaatc atttcctagg agggaagctc agagaaactg aggtgactgg agccagatag 129180
gacctgaggg gtgggcagca agatcaagtg tctgaaaggc cacaggctgc agatcagatc 129240
aggccagtat agtcccatga caggtagaac cagaactgat gcggaggctg tgggaaatga 129300
atttcagctc agtgaggaaa cattgtccgt gctgcaagaa tggagcagac ctgcccaggg 129360
ccaccagaag aatcttcctt gacctgatca catcctttat ctggaacggt tcctgctgct .129420
tatttgtcca ttaaagaaaa ctcaagcgct tagcctggca ttctaagccc tccctgacat 129480
gtgcggtctc attccaggaa tattttccac tccccccaga ctccacctgg tgcatgtggg 129540
ccatgccccc ttccccaggc aggctctgca ttctgctgct ctgagcctca gcaaattccc 129600
ttctctctgc tgtgtaccac tctctgcttc tcatctcccc tcattcagtc ctccctgcc 129660
gcaagtccca gctcctccat gatgcccgca atcagaaggc cttgccccct cttctaattc 129720
ctagactgcc ttatgggtac ctctcccagg acatgccac ttccttccca gctgtagccc 129780
caggtgtata tgtgacccctt ccctataatg gtcagtgctt gtgagaatat gggacacccc 129840
tttttcatcc tctcatccag catgcggctc agtgccagga ttctaatgga taaatgtttc 129900
cagagacttc taaggggggaa gctaaatgtc ttgttctttc ctagtagctc tccttcttgc 129960
atttattttt agctggatgt ttttatgcct ccaattctag tttgcccatt aaaccagctc 130020
aatgggttag ggaggacatt gatcgtcatc cctattgtac atcaagagaa actgaggcct 130080
agagggttta ggtgacttat ttaaggtcac tcacttagaa agcggcaaac tccacctgga 130140
atctgggtcc agccttttgc ctctgatgca tcctgattta ttctccatgt ccagcagggc 130200
```

339

```
atccgtcctc gccacctgtg gtggacaccg tgcatggcaa agtgctgggg aagttcgtca 130260
gcttagaagg atttgcacag cctgtggcca ttttcctggg aatccctttt gccaagccgc 130320
ctcttggacc cctgaggttt actccaccgc agcctgcaga accatggagc tttgtgaaga 130380
atgccacctc gtaccctcct atgtaagctg cggcatgtgt ccttgggggat gtttacctca 130440
aagtgatgca ggaaggagtc aaggcagtcc cctgatgggc tgatcctttg ctctggactc 130500
cttaagatct ttgtagatcc ttaagaacat tccagaactc tcacagcatt ctggagtcca 130560
ttatttaaca catgtttatt gagcacctgc tgtgtgccag gcgtgttctg ggttcttggg 130620
atccattagt gaaaaagcaa agatccctag gttcctggag cgtgcattct agcaggggga 130680
gacagataag aacaatatgc aaattactcc gtggattatg tgatatgata gaacaggaaa 130740
agtgccttgg aaacaaagaa gcagttaagc aggtgaggga gatcagaagg aaggatccca 130800
tgaattctgc tgtcttgaat tttgacatag tcggggagag gagtgggcca ggaggtgtgt 130860
gggtggcaag tgtactgagg tgtccactcg gcaagtgctc aactctcagg tgtgcctatt 130920
cctgaggaga acaatggaag gtgtgtccat tcaccctggc caagctggga agaaaagccc 130980
aaaggttcta attggcctca ccatcactcc ccagggtagg aaggaccccta cagacatcag 131040
agcagaccct gctcatctca gcagccaggt gttcggaggc tttccagcag cccaccagtg 131100
gccgccttct tttcttccct tttttaaaaa ataatgttta ctgtttttat tttctgagtg 131160
caaatgtaat atatacttat tacagaaaat ttaggaaata cagagaaagg aaagtaagaa 131220
aattaagatc acatacaata ttccaccacc cagagagaac aactatcagt attttagatg 131280
gtaaagtatt atgatgtaat atattgtttg tattccagtt tttttgcctg ttgatatact 131340
ttctttcttt aaaagggaat gctatattga gataatttgg atgcctgctt tgctcattta 131400
taagtatatc atgagcataa ttccatgcca ttaaatagca cagcctggta ttaaaagctg 131460
cattacattg ggtattgaac cataattaat ttccccaagc ttttatttgg ggtcattaag 131520
ttatatatga tgtttttaat aatataacat catgaatgtg aaacatttat gcacattcat 131580
gaatagttta ggataacttc tcagaaatga catttctgag tcaaagagta tatatttctt 131640
gtttgatttc cctcccaaaa tattccaact acactcctcc cattgacgta tgaacatctc 131700
catttggcag actcttggca atgcttggga ttattaaaaa tatttttggc tattgtatag 131760
gcaaataat aataacaata ccagcaatat tattttcctc tttaatttgc atttatctga 131820
agaccagtga gttctttttt cctttcttca cattggaatg tattattatt attattatta 131880
ttattattat tgttattcct cttgcacttg gtgatcttag gaaaatttcc caggatggaa 131940
tcaagaagtc atctttgctg gctctgattc tgtcacttga gagctgtgtc atcccagagt 132000
ctgagtgcct cagtttcctc atgtacctag tgggggcggt gatgactgcc ttttggtaca 132060
ttgaggtctg ggactgttgc ttataatata cttgtgtata agcaccacat ggcatggatc 132120
tacctggcta tgtaaccttg gtcaggttct ctaacctgcc taggcttcag ttttctcatc 132180
tgtaaaatgg agataataga acctacctaa tgggactagt ctgaggctta aatgagttaa 132240
tatacaaaag gtacttaaaa cagtgcctgg aacactggga gaactaaata actattacca 132300
gtgttcatct atgttgcatc cttgagatct ttcatcaggg caacacaaca gcaactgcct 132360
gggagaggca ggtggtaagaa tcttggcatg tcagggctgc aagactcatg tagaaatcac 132420
tccgctcact tagacctggc ggattgggac gcagagtgta aaaggaattc acccaaggtc 132480
accccataaa tgcatgggag agacaaaact agagcacaat tctcctgatg ttgtcccaca 132540
aagatatcac ccctgagcta ttgtgagaaa tgtcacctcc cagggaggat cagtgtatta 132600
gtggtctccc ctccttgatg ctgggagttc caaaggctct ggaaagggaa gaggtgtgaa 132660
gcccttctca ctctgcttgg tcttaggaga cctttagtgag tcccagcgcc cccacctgaa 132720
gcccctgata gcctcctacc cactacaatg tcgtgagtct gtaactatca agtccatttc 132780
caggcttaaa cctcccagtc caaggcgctg ccgtagaaaa cacctcgctt agatctggct 132840
gaacttcagg ggttcttctt tcccctccc caggtgcacc caagatccca aggcgggca 132900
gttactctca gagctatta caaaccgaaa ggagaacatt cctctcaagc tttctgaaga 132960
ctgtctttac ctcaatattt acactcctgc tgacttgacc aagaaaaaca ggctgccggt 133020
aagttgtggg accccctggt caaggcgtgt cagtgccagt accccgcatc ttctggggca 133080
gaatggaagg gagtgaaggc agcttgggga gggagctgca caggccagga ttgtttcaga 133140
gaccccaggg cctccacagg aaacactggt tttccacaca tcagtttacc ctcgtgacat 133200
aggcactctg ggggagtttg ttttgcatct ttaatgaaca tcttaattgt tccaagttcc 133260
ctcatgctaa tagaaggatg agaatgatta ctttctagtta ctagattaaa aatctgatac 133320
caagattggg taagacatga ttttcaatgt tagtggtgga aagaacttag agaaaagcca 133380
acaccccaac tcttcctttt caaatagaga aactgaggcc cagacaggga aggggaggtc 133440
acccagtagg gtagttttgg ctcaagtctt ctgatcttca catcagtgct tttgacatgg 133500
agtagggcat tgagcttgta tgtggccttt ctccagcaca gcaacattca tctggggtaa 133560
ctttcactgt ccaggtacgg atgttggggg cggagcctgg acaatcccag aagctcttcc 133620
ttttgccttt ggccaaatag ctgggatttc ttttttgtacc taatttccct ccctaattgt 133680
cttggcaaag gctgatgacc cagtgagtca gaatttccca aataaatgaa gggcaggaca 133740
tggggcagcc cgccagctgc aagttggagg gtgggagggg tctgctggca aaggaggcac 133800
ccagggtgaa aaaacaaagg gtgttgtgtc tagccagtct cccagggca ccgtgggcat 133860
ggtgcctatg agtggggagg caggtctgcg aacgtggaac taaaagttgg tcctacatgt 133920
gctttgtgag acacaggaag tgagagaaag gtttactcat tcattcattc attcattcat 133980
```

```
tcattcattc ttctattgtg tactcagtgc cccatataca cagttagacc tggggcttca 134040
gggaaaggag gaacatgaat ccactccaca cagcccctgc cttcaaggat cttgccttct 134100
gggctgtaga gacatatcct cccttcagca ctttattgca ggccagccct caggctcagt 134160
cttcacacaa agatgaatgc acactcaatc cctccccagg aggcaggcag ggattagagt 134220
tgtgggagaa acaagggctc tgggaacctg gagtcaggag aacctccagg aatggccaca 134280
ggctctagaa ctacacggtc tgggtttaaa tcctggttct gcttttgact agctgagaga 134340
cttgggagtt tcttaacttc tctaagcctc tgtttcctca aaatgggaat catcacatat 134400
gatcagtcaa gggtgaccac taagcgtgat ctcagtccct ggctaaaaag gcagaggcag 134460
gctcataccc ctgccctaac agtggactca ctgcactgtg gccggcgcct gcagtgtgct 134520
gggcagctca acatgtggac tctggaggca gactgcctgg gttaaagtcc tgctgctacc 134580
acttttgagt tgtaggacct tgggcaggtt aagtgcctcc attttcccac ctggataatg 134640
ggacattatc agtacctacc caatgtatag tttattttac tgtgcttaga acagcacttg 134700
ggacatagtt tatgttacga gttctttat atttcatgaa taatattatt acaatatcat 134760
tattttagcc actctcactt cttccccact atgtggactt ttaaaatgca agaatcatgc 134820
atgaggaatt gtatccactc tcatcctcca gtattagcag agtccctggc acatgctaag 134880
ttctcgacag tgttagtcca ttgactgaag gcatcctgaa gtgggtgggt tttaggctgg 134940
gttctgcagg gtggatagga tttggggatg cagaggcata aggaggcatt tgaggaagag 135000
acaccatcac aggcacgtgt gcttctcgag acaatcattc atgcacagag aagtttactt 135060
caccaagaga tagttaactg agatgaagct gagatacaag ggctgcccca tgggtacgct 135120
gagtgcatga atagtctagg cttgagggtg atgggagtgt cctcccgaag aggacatcct 135180
tagcctttgc tatgcccatg atgatgttct cagcatcaag agcctttcgg ggaggaggca 135240
ctggaggctg ggtagaaagg aagggacagc cagggtatgt gcagtagggt ggtggcttgg 135300
gtcccagttg ggagaattat gcaggagaga gattgccttt tgcaaagttg ctgggagctg 135360
gtgaactttg gatagcatcc tccttcagtt gtaaccaaca ggtaggtcac caaacaagac 135420
atcttctgag tgctccctgg ctctgtgtcc tgtaactggt atgttgcttc ctctctgccc 135480
aggtgatggt gtggatccac ggaggggggc tgatggtggg tgcggcatca acctatgatg 135540
ggctggccct tgctgcccat gaaaacgtgg tggtggtgac cattcaatat cgcctgggca 135600
tctgggatt cttcaggtaa gaaatcggac tctcctcact gcactttggc ccccagaacg 135660
aggatgctag gacccagctc tggtcatgcc agccctcagg ggagcttagc taggttccac 135720
agtaaggcat ccaagcccct tcgtaattgg acactaccta ccctctcact acccagccac 135780
tcatccactt gcctctgagc ttttgcatgt gctgttccct ctgcctggaa tgcttattct 135840
atccgaagaa cacctcttca tcctgcaaga cccagccccc agttacctcc actgaaagac 135900
tcatctcctc ttcacctatg tttctccagc acattgcttt tctctgtcat gacacttagc 135960
agtcagccca gcaggtgaag gttgacacat ctgacttctc atggaaagga gggaaggggc 136020
agagtcacag agggagctca gggcatgttg tgggtgaagg aatggggggct gcagatggtg 136080
gggtgtggga gcatctgacc ccttcctgtg ggagtgttgg gacccactca gctcattttc 136140
tgcttgaaat ttggcaagtg tgggaagcaa ggatggagtc ttcccatcag gtctccatgg 136200
ggacaggagt cagatctcct tcaaggcgca actgctatga accttttcta aggttctcct 136260
ccatccatgc cagtcaggtt tcttctgaa cacgccactc agttggtctc attgcggtca 136320
tcaatgacct cccctgctc tccacccaac ctctcaggac ctcccagcag cagcagatgg 136380
ccactcagcc tctgtgacat gcttccttcc cagcccctt cctggtcctc cctcctccct 136440
gtccacaggc ctctcttgtc tccctctccc tccttactaa ttcccagtga tcccagggag 136500
cagccagagc ccctgtttcc agcccacctc acctttgaag cccacaggca tcactcactc 136560
cctcctcccc acccctggct gtctaaaggg tgccccactc ttcccaggga caagttgaat 136620
ccttgactcc cactgcccct ccccaacaga gacccccttc tcctcccacc acgcctccac 136680
tcagcttctg ctgccacatc ctcccttggg ctcaggagaa ggccttgtgg acagcccgga 136740
ctgtctcttt tctcacaacc ctcttggctg cgccttcaga atccactcag agtccctac 136800
tttgcacctc ttccctggct cctagcccag ccaaagctct ctgtctgtca ccttgattat 136860
gatctttaac actttcagat ccctgccact tttatataaa gctgagttgc acagtagcca 136920
gagtgatcac ttaacacatg cattgaatca tgcgatgcct ctgcacaaaa ccctgcaggg 136980
gcttcccatg ctccttacca tgacagccga agttcttgcc aggccccagg gccctctcta 137040
gctgcacctc ctgactcaca ctttctttca ctgggcccca ggccctttgc acttgctttt 137100
tcttctgcct ggaattcctt tctttggata tttacaaggt tcatgtgctc attgtgcttg 137160
ttttatgaag gtctttgcct ccaaaacctc aaatgtcact gcctccaaaa agccttccct 137220
gattgggatc tgaaatggca cccctgtcc cactcctgtt tttttcctta ctccattgta 137280
tttacctcag tgcactttga ctacctgaca tcattatatt ctctctatgt atctgtttat 137340
ctgcttgtga tctgtagtgg gaattcagtg tcatcacagg ttttgcctgt tttgctctca 137400
gatgtgctct agctcataag acagcgtcag gcatacagta gatgctcagt aaatagttgc 137460
cagttgtgtg aatgtagaac catacatcac cacaatgctg tactaatgaa agcagggtct 137520
cagagatgct gaagcccagc cttattctta agggttcact gagaaccct agccccatct 137580
gtggtcctga aggtcctgca tgacatctct gctccccacc ctcaacctgt tctcttcctc 137640
acagcacagg ggatgaacac agccggggga actggggtca cctggaccag gtggctgccc 137700
tgcgctgggt ccaggacaac attgccagct ttggagggaa cccaggctct gtgaccatct 137760
```

```
ttggagagtc agcgggagga gaaagtgtct ctgttcttgt gagttttcct gtcaccaggc 137820
ccaacccccac gcttgatgtg atgctgatga gacctcttgg acacctgtca atccagctat 137880
ggatacctct gattacaata cctgaattca ggactggccc tactcacagc ccagcatcag 137940
ggggtagaaa gctaaagacc agctctcctt ggccccagg aagctcagag ctcagcttag 138000
tgtcctgggg ccatatgaat ctccagttgc agcctgcaat ggtggcattc tcctcttcca 138060
gcttggttga gctctctctc tctctctctc tttctctctc tccttcacac tcattttaac 138120
ataaggactc acatcccttc tcttgggaag taggaatagg cataaattat gagtaaggac 138180
aggcagagag aagaggtgga cagaggtcat tgtttggcta aaccagacct acatgtggag 138240
gggacatgga cactgagcag gctgggaatt cctctggggt ggtctgatgg cttgtccatg 138300
cccaagaagg aggcgacagt ctttgtgact gtgggtcca gtgggctagg ggaggcaggc 138360
agaggaagga gggatggagc cgcggatagg gagggatggg gcaggggttg tgggtcatag 138420
acacaacctt gggtgtgagg ggtcctgctg ggattgggga ttgggttcag gagacactgg 138480
gggatctggg atgaaaaccc agatgagagg tgctgggagc tgtaggaaga cttccacctc 138540
cttgaggtgg gcagagggtc agcccactac tggattcctc agtcccgtgt tggttttata 138600
gtggagtaga tctagcctgg aatagcgagt gagtcactga ccccactcct gagcatgaac 138660
tctcctcccc tccactctgc tgtcaggttt tgtctccatt ggccaagaac ctcttccacc 138720
gggccatttc tgagagtggc gtggccctca cttctgttct ggtgaagaaa ggtgatgtca 138780
agcccttggc tgaggtaggt ctccggctgg tacgtctccg gctggacacc cccacctcct 138840
tggctctatg ctcctgaatc ctcagggatc tctcttgtgg tcggttgtag ctaatgttct 138900
cctagaatca ctgaggcacc aatggctgag caggaagggc gaggagacac cttgatcagc 138960
gtcccagttt cacagccagg caaaccgaca cagggcttgg aagggatttg ccaagggcag 139020
caggtgatca gggcagagct gggactccag ctcatggccc tagcagccag tacagtgccc 139080
tatctgtgac cacactcctc ctatgtgcca gggcctggtg ccatgttggg cagtgatggt 139140
gtcttgtgtc tctctgggtc tgcctaatgg ctggtaagtg gaacaaccag gatttgaaag 139200
cagacaagga aattcaggat tccatgctct ctatcccagc tccacctcac atttcttgac 139260
acattcacct tgagatgatt atgtccattt caatggagat aaggtagcag agatgagaga 139320
ttacataatt gacccatgtt acaattgaga ttagtaacag aggcaacgct ccgtgggacc 139380
tggaacccac acccacgggt ctacagtatc ttctgctgct ccctgccact agtacaagtt 139440
gggcttggga tagaatgcca ctttcctctt tgatggaggg aagggatgtc gctcttgaac 139500
tctgttgttg cctgtgatct ttgcagcaaa ttgctatcac tgctgggtgc aaaaccacca 139560
cctctgctgt catggttcac tgcctgcgac agaagacgga agaggagctc ttggagacga 139620
cattgaaaat ggtaggttgc ctgttcccgt agcccaaacc ctgtaaactt ggtcccagac 139680
ttcttcattt cagctgtcct cttgcccagg gacagtttcc tgggacaatt tctcaactct 139740
cagtatctga atggggaatc tgatttgtcc ttttttattg taaaatgcca caaatgtaaa 139800
aaaagaaagt caaaaaataa catgataaaa aattgtgtaa caatccccag tcctgaccaa 139860
aatttaatat tttgccattc ttgttttcag atgtattttt aagaaattaa atgttacata 139920
ttcccagggg acaccatcat cctgaatttg ggggatggag atattaagct caaagatttt 139980
cagaaagatg tcacaatttta tcttggttga cttagaaact gtctgtatta gacctagtgg 140040
tggtccagtt ttctagattt tctgagactg actcagttgt catcctagga tagtcatcca 140100
tccacccatt cgttaatccg tctatctatg attgtcttat ccatctatct gttcactaat 140160
tcatccaatt cactcatatc tttttatcaa tctaatgtca acctattcat aactttgtat 140220
ttatctattt tcaatccatt caccattcat ggatcatcca gccaccttat atctcaactc 140280
catcacccat tcctccaaaa tcaacaatcc aattatcgcc tgtctgctag ttttcaccca 140340
tctattcatg tatccattca attcaactgt actccatgta ttgaccaact ccatccatcc 140400
ctccattgat ccatccatcc atccatgcta aatatgtagg ggtgggtgtt agaggtagca 140460
aaacagacat gaagtggaca tagtccctgc tctcaaggaa ctatccaaag agaaatacat 140520
tcatatactt cgcaggttga gtatggtggc agcacagagg ggaagcattc attgtagtaa 140580
tcagggatgc ttcacagaga aggcggagga gccagatttg agaccagaca gtggaattca 140640
ggagttcatg cccttaatcc tgactccacc ttatctttcc tgagaaattc agctttcaga 140700
tcattgtgcc cattttaaca gaggtaacaa agacagataa attttgtaat tgccccatgt 140760
cacagttcaa attagtcaca gaggcaacac tgtaggaccc agaaccgaca cctgcgggtc 140820
tagagtatct tctgccttcc ctgctccctg ccatcctcac atattaggac ttggggacct 140880
ttaggattgt tggatggcca tggcagtctc tcatcacagg gaagaccagg aggacaaaca 140940
cccagatgac acagcaccca gggccattgg gaactattcc ctttgagggg gaagagtgtg 141000
aattccaagc tcaggagtag cctggactct ctccttggac ctgaggctac tcctggatcc 141060
cagggctggc ctctaccact ggactctgct tgtgtttcca tgagttgagt ccaatgtggt 141120
attggtgctt aggtcttggc tcaggctcta agtgaccaaa gtgttcaagg aatgaaaaca 141180
caactgtttt ctaacgcccg gaaggaggca aatattccag caattctgca tgtggcatca 141240
gaggacccag cttaaaaggg aagagttgag tctttgggaa aacccatccc taagatccta 141300
gaacattctt ttgagttttt ctgagatctt gtggaagcac ctccatgatt acgcgctgcc 141360
tccagtacac acacatgcag acacacagac aaacacacac acacacagac acacacacag 141420
agaaacacat acagacacac acacacagag acacacacag acacccacac acaaagagcc 141480
acacacagac acactcatac acacacacac acacactcct ggctagtggg acttcaatcc 141540
```

342

```
ttaatggagg gacctgcact ggttacatcc tgagcacagg tcagatctgg gaactacagt 141600
gcaacactac agtcactgca atcttggtga acacacacca aagagaagca tggggtagga 141660
tgagactcag tgagcttgcg tgagtcaggg ctttctaatg ggagatgagg aaactctccc 141720
aagtaccttg aacagaaaaa gaaatgtgtt gcaatagcat cgtcgtgtaa actgaaaatc 141780
tcaggagttg atggcttcag gcatggctgg gtccagatga tcataggata ttattgagaa 141840
tctaccattc tctgtccttc agctttgcac atctctgtgt tggcttcact cttaggcaga 141900
tatatctcct gggaaggtta aagacaacag cactctagac ttatgtccta tctgcttaaa 141960
aaccctcttt ctaaacaatt cctgcaaaag ttttgggta aactctattg gattgacatg 142020
agtgtatgcc catccctgaa ctaatattca tgttcaggga gatggagcac cgcaggtcac 142080
atatagatat acgaattcac ggagtgatgc gggaagaacc tgacacctct gttgccccac 142140
tcacccagct cagtgttctc ctggtaagcc tctcacccac atcctctgcc tttgtcttca 142200
cagaaattct tatctctgga cttacaggga gaccccagag aggtaaggac cttttgtttc 142260
tggattacgg gttttgagtc ttagcacctt taagctccaa ttaactgtga gtgaaagaat 142320
catctcttgg gtaattatag taactcctgc gtgtttgttt ctgaggccca gagaggggta 142380
gtgactcacc tgggtaacac agccaggaag actagtggct ggcctggaac ccattttcct 142440
gactcccagt ccagtgctcc caggcatcac ctctgtgtgc cctgggctct gcccactccc 142500
cttctttttt acattttctg ctccccaaaa tggcactgta ggaggaggct gaaacagaac 142560
cttccacaat caggaggcag agataacagc gatgattagc caaggagagg ggaagcctaa 142620
atctcagtcc aaggacactc gtctcctccc agcacacagg aaactccaac agtattctcc 142680
caatctcctc atccccactc ccaccccccac ctcccagtgg gttgacagtt tctggtgaca 142740
tcacctctga cgaatcttac aatcctgtcc tctctgctgc ctccctggag atcacagcac 142800
tctcctaaat ggtcatgggc ggagtacatg agattcattc agcaaagact taataaacac 142860
ttcctatgtg ccaggacttg tttaggagct ggggatataa cagtgaaaaa agaaagactc 142920
cctaccctct tgggaccttc cattacagtg ccaggacagt gcaataaaaa agcaaatcaa 142980
gtatgtattc cgtttgatgg tgtgcagcat taggggatag agtttgtggg tggcttcaat 143040
ttaagtagca ggatcaggga atggttcaat gagaaggtgg catttgagcc aagctctgga 143100
ggaggcagga agccagctgt caggaaacct ggagaagcct attccaggca gagggaacag 143160
tcactgcaaa gaccctgaca gaaggggcca gtctggctgg agaggaccga gtgtggggac 143220
agactggctt gaggctaaag aggtaatggg cagtgggaga gagatcaatt aaagtacttg 143280
gatttggatt cagagcaaga tgggaagcct ttggaggttt tgaacagagg agtcacatga 143340
tcttagatct cacaaaggtc tctgtctctg gtgttcaaat agactgtagg aaagggcaa 143400
agtggatgca gttgaccagc tgggcagcca ctgcattgcc ataatccagg caagggctcc 143460
tggctgctta gacagggctg tggcagtggg gatgggagga gtagttggag tctggatatc 143520
tttgaaggaa tagctgacag gatttgctga tggacaggat gcaaggggta agaaacgggg 143580
aggagtggag gacgccctga gttttctgac acaacaaggt tgtgcccaca cagggcagcc 143640
acttgcaaac tctaagtgga gaacaatcac ttgtcattgt tgctgatggc agtcttccag 143700
catggctgtc acccaactga ggtgctcccg tctcttgcct caacttttag cctcttctac 143760
ttcaccttct ctccccattt ccatgtctca tggtgcagcc agactggcct tccttaacag 143820
aattagagca cgtcaccccc acttcttaaa agcctgacct tccttatgag acaaatcccc 143880
ttccctccat ggagttagtc cttcaaaaca cacctgcgtg cacactgtgt gccagactgt 143940
gcagaaggta ggctctgcac ctgtccctcc ctctagaccc tgccccacag catttctcca 144000
agccaagaac tcttggttgt ttctggaatt taccctgcac agtgacacct atgtcctttt 144060
gctcatgcgg ttcccactgt ttagaaattc tcactccttt cctcacctgg caataccatt 144120
cactgcccag agcccaccgc aggcaggcgg cgtctcttcc acgtagtctg ccctgcatct 144180
tccttccaga ggggctgctc ctcttgctgg cctcccacag cagccctgcc tgaactgcac 144240
agcctcttaa ggaggctgga cttgcacccc aatcctgttc ttcattgtca gccatattgg 144300
attaggatct gatcttgtcc agctaggtct ggtccacttt tcagaacatc tcccccaggc 144360
agtccgaact agctcgtcat tcattggctt ttgtagagca gaccaaaggt cccagaagcc 144420
ataggtctc aaaggctagg aattgtccag ttccatctga tatccagaag ggaaatacag 144480
cccatggggc gtggaactgg gaagattcca cagaggactg gtgtctatga gagggaccca 144540
cagcaacctt gctaacaagt aatacctaac agttattcag cctttccaga caccaggtgc 144600
tgtgctaagt attttacatg tgttcagcca tttaatcctc acaataactc acctcttaga 144660
tgagaaaact gaggcccaaa caggtgaaac tcccagccag taagtagcag agccaggctt 144720
cagatgcagt taatctggtt tcaaagtcca tgctctatct tagcaacatc cacgctctat 144780
cgtagcaact acaccattgt gactaaatat gaaatataac tgtacccaga accagctgcc 144840
ctgatggcaa cacatgagtt gggctctctc taatctgtga ccatataaaa attattcatc 144900
aaaggtgaaa cctaaaatta agacatggat caatatactg tgagttaatc actgattctt 144960
ttactcatga tttttctctct agtagggaat catgtcctag tctaggctcc ttgagtgacc 145020
agggttcggt acctcctcaa agccacccgt ggatcaataa cagctcttgt ttaaatacag 145080
atagatagca taatctcttc ctcattaatc atggattctg tgtttataaa ttcacctgct 145140
tgctaaaatg tccttataac ccccaaatca atactggtgg cactttcatg gtcacacaca 145200
ggcaggtaca gagcagggga agctggattt gcatgatggg catgttccat ctgagatccg 145260
gcgaggcaac ctctctcttc ttgtttcatc tctgatgttt acaagtgtcc tcttcgcggt 145320
```

                                        343

```
ctatttagtg ccgtgtgttc tgcatttttg tgctttttgt agtgatgtca ctgtttagag 145380
cgaacccaag agtagcgctg ctgtctggcg ttcctgagct aaacaggctg tgctgtgcct 145440
tacggggaag gtgcctgtgt gagacaagct tggatgaggc aggagctgca gtgctgctgg 145500
ccgtgcattt ggtgttgaaa aatccacata atagcacatt cagaaaaagg agaaggaaat 145560
tggccgattc atacatgagg ctgtgataga aagggctaaa gtaacaccta ttgtgtggga 145620
tggagccgtg gaagtctctt tcaacagaaa cccacacata aaagaaggtt gatgaaaatg 145680
ttgtggccag aggtttgcaa aaacctaacc cagtatttcc cccttgagtg atgaccctgt 145740
attctctaat tcagtactca cggggggcttt atcagaagca actgccagga ctaccgaaaa 145800
tcaattgtgg acacacagag gaaaatgcat gcacttcaaa ttgaaatata tagacatgta 145860
attttacata gataatacat gtatttcaat atgagtgaag atttcttcct ctcctcatca 145920
cctgagcagt gtcagcctct gcctgaagtt ctgcccctga gtcatggaga cctaccccc 145980
taagttagga tcctgagcat gtgcagccat ggcgcatggc catgccggtc tatggtactg 146040
gtctcaccct cagacaggca gagttgggga catgggtgtg actagggagg gaatcacagg 146100
tgctgcactg ctctctcccc agagtcaacc ccttctgggc actgtgattg atgggatgct 146160
gctgctgaaa acacctgaag agcttcaagc tgaaaggaat ttccacactg tcccctacat 146220
ggtcggaatt aacaagcagg agtttggctg gttgattcca atggtgagaa ggcacatgtc 146280
tgttggaggg actcaaccac ccccatcagc cctcctgtct ctggtcccag gaatgcttcc 146340
ctctccgagc tgcactctga gtcctgggca gctgttccct tcagcaggag ttaacatttc 146400
cacggaaatc ttctccagga gggcacagtt ttcaccgggg tatcagggcc ctgggattcc 146460
ctctccccag actctcttat tgtcttccta ttgaagaatc ctgaagtgtc tgtgctggga 146520
gggccagtag agaaaataac tctgcagatg ggaaaacgga gggggcctag aaggggggaag 146580
gagtggagga gtccggagaa gcagtcgggg gcttcctggc ttcccacctc gggctgggtg 146640
tgcgtaattc ccctgaaaat cactcatgct cttcatcacc tcattgaaaa tatccaaaga 146700
aagtggcttc ttcttgagtt accattgact tctagggaac agcagacatc agcgtctact 146760
aagagagtgg atggtcagag gaagatgagg atggaaaagc tacctaatcg ggtgctatgc 146820
tcaatacctg gtaacaaaat aatctataca gcaaactcca gagacccaaa ttacccatga 146880
tcaaacctgc acagttaccc ccaaacctaa aataaaagtt ggaaacaaat aaatggaaaa 146940
agtaattgag ttctaaaagt aaagaagtgt tctccttcca gttgaagata aacaaaactg 147000
accctggtta aagcagtagg acagatttat tcagtaatat gattgcaata ggggaaatag 147060
tccagcgtgg agtggactca catccctgaa acaaaagcct gatgacgttt cataggccag 147120
gtgtgccaag ggaaacactg tggtctatgg ggagaggctt ggttcatgtg actagaccac 147180
ctggatgtct tcatcctggc tcacctgggg cagaaacaaa ctcctcttat ctttaggaca 147240
ggaagccatg cattagaccg caggaagaac ccactgaagt caggctctac tctttcgaca 147300
gggactggga agatcaggag tgagctccct gaatgtttgc attgcaaaga gaaggctctc 147360
aggtcctcaa ggaaatgggg ttgggtggta gattcacatc ccaaagggca gagaaagtgt 147420
ttatcattgc aggcttctaa agtaactgct ctagttgggt tcggggacct ggctgcttgt 147480
ctccaggttt tggctggagc agagtaaatt gtcctggcag ggttgagcct tcccaggcag 147540
ttatgttaag gatactgggg tcattctagg gacacagcct taagctgcta gaagcaatgc 147600
tagagattgg tcgagtccct gagtgcagag gtttgggaag agttgttatg tgcgtagaga 147660
tgtgcagttc gcccctcaga aggatttcag aggttatacc aaagaccaaa gccacgaaga 147720
caggatttaa ggatttcagt gtcatctgtg acaggtgggg gtactaggga ggtctacatc 147780
ctcttcccca gagccctcta ttccacactg gcctggcaga caccttgcat ctccatgtca 147840
ctgaccactg tagggatccc agccacagac acacacacac acacgcgcgc acacacacac 147900
actgcaaaac actgccacag cttctctgaa attttgtttt ttgttttttt tttttgtaaa 147960
ctttgcaatg cttgagtttc tggatataag cccatttgat tcattgattt cacccatttc 148020
agtaaagact catgccctta aaagccccca taattagagg actttcagac tgcattggtt 148080
tggttggttg gtcagttgt ttcttatcat taattcccaa tgattcataa atgctgaact 148140
ttttttttt ttttagcagt tgatgagcta tccactctcc gaagggcaac tggaccagaa 148200
gacagccatg tcactcctgt ggaagtccta tccccttgtt gtaagagtct aggaatcatg 148260
ggaattggct gagacccaga gagggacaag gacttgccca aatcatagag caattaaatg 148320
gcagaatgaa gactggggcc tcagggtttc ccccatcttt ccacctttcc cacttcattt 148380
tccaccctag cggggagttg cacagggctt atggggttca ccattgaggc aggactttct 148440
ggtgggctgg agaagctgca tcgctcaccc ggggctggtg gtcacttttt gatctatttc 148500
agtgcattgc taaggaactg attccagaag ccactgagaa atacttagga ggaacagacg 148560
acactgtcaa aaagaaagac ctgttcctgg acttgatagc agatgtgatg tttggtgtcc 148620
catctgtgat tgtggcccgg aaccacagag gtgagtccca gaggtcgaac gggagggaca 148680
caaaccccac gagcttctgt atctgaccca cctacctccc agcatagaca gacatggaaa 148740
cagctgaggg tcaggcctca aaggctgatt ccatatggca tgggatgagg tgctgtctta 148800
ttttggttta tgccagcaga agactgtgag aaaaaaaaat ccagaggcaa gtggttttt 148860
taaggtgatg atcccagata acagcagtag ggaggtgggg aagtgagaga ggaaagagat 148920
ggaatccaat ccaagatgcg ttgtcaaggg agtatccact gtggacaact ggagcgggga 148980
aactcaagga aacaccaaga atacagggct caggggcatc ccatctgagt ggcaagggag 149040
ccgggtattt attcaccagc ttctacttgt cattggttga aggctcttgc aaggaattgt 149100
```

                                       344

```
ttattccctg tgacttcgac ctgctgcaca caagggcaga gtagtctctt gtgaccagac 149160
aaaggcctca ggcctggagc tgcagatgct ggaggtggaa gtcaggctgg catgcccagg 149220
aagagggggat ataggtgaga ccctggcagc atctgctgca agggctccat gcctggagtt 149280
attgtgggac atagggctgc tgtaggacaa atattgaaag atgagtcgtg gaagggtttt 149340
aaggtctgag ccagctgcaa acaagtttgt taagtattgg agctggataa aaagtgggag 149400
ccctgcatgg gatccagagg attgtccagg accaagaagg ccagagagag gagccaggge 149460
gggtgtggga gaggtggtct gtagaatggc agtgtctgag ggtggtttt atgcatctca 149520
gtgcgtgcag tagcatgcaa gcacagggca agggcagggt ctatgcagga cctgctacca 149580
ctgacccaag gctgtgtggg tggggcatga cgttagggat gtgtgtgctc acctagagag 149640
gagtgtctgt tcctgcgtgc cagctagagg agattcacag gattcctttt cttccagctc 149700
tcattcgcct agtctgcaag ctaggaaatg tcctctctct aaccatgctg gaagggtttt 149760
taaatttaga acttcataag catgataaaa actagctaac gcttaactag caggtgccct 149820
gacacacctt tgcacaggaa ggggcaggtg ctcataaccc tcatttcttc acagggtcct 149880
gataaaaacc tttaaccaag accactggag ttgaatctgt tctttcttaa acttgccctt 149940
gccctatgct ctgcgtctga actatatata gagttcccat ctccattttc tgatggtttg 150000
agcaatactg aacttatgtt tttcatctgg tttcccatga ctttaagttc agggcttttt 150060
tttttttttt tttttttgcc aggactacac agatttatc tactttcact tattgttgtc 150120
tcactctttt tgataaaata acatttctga atataaaatt aaatatgttaa attatagaaa 150180
ctttcaaaaa tatggaaaca caaaaagaag aaactatgta tcactcattt ccactacctg 150240
gaggcaagtg ctataaattt tttgtgtttt cgtctaaaga ttttccatgt cctatatact 150300
ttaaaaatca attttatatt ttacttttgt tcatagaaca ctatgttgtg aggattttct 150360
caatgttgat acaaactcat caaagcattc cttattccat gaaatggctg tgttaaatag 150420
actttaatat tcatatccta ttagatgttt agcctggcta ctcacattct gatgctacaa 150480
taacattgag ctcagcctaa tgttcataag tctctaaaca catgtctaat aatttttctta 150540
ggattatttt tagaagtaaa taactaggtt ggacaatgca aatgttttag aactttgggc 150600
aaatattgta aaattgcatt ccactgcata agaatgtgga tttcttaatt ctctttctca 150660
tttgggatgc taagattaaa aattagcata acacttccag tttcataagc cttccccacc 150720
aacaagaagc acatcagcct gttttaatct gcatgtcctc catgactagc cctctcattg 150780
tctctgcttc tcttattatg tctaattgtc attacccaaa tctgtgcgct actttcctct 150840
gaagacttgt gttgtgattg taagaattgt ataaatatca atggctttag ccaaagagtt 150900
ttacaaagta cgttttgggc agcatgctgc ctataataag ttctatcatt cacaaaagct 150960
ctttcttcta tggttggctc tgagtttctt tggaaaatgt tcgaggggca aaggcaaggt 151020
caaaccctcc ttttagcaag ttttgtttga ccttgaagca gccatttaac aggtggatta 151080
cagagccaca gaaggatggc atcttcccag gtgcgcttcc tgctgagccg agggtgcagt 151140
gcaggaggct gacaaagatg agtgaataga ttattcttca ttctcacatt gaaatgacat 151200
gtgcgggtgg ggcatgaggt tagggatgcg tgagctccca ttgttaaatc cttttgtgaa 151260
cgaattttta atgatgttaa gaaatgatgg ctggaggcgg tggctcttgc caacactctc 151320
agcattttgg gaggctgagg tgggaggatt atgagagcct aggatttcaa gatcagcctg 151380
ggcagcatag tgagaccctg tctctacaaa acaatttaaa agggaagtga ttacagtgta 151440
ctacaaaata ccatatataa tatcatcccc agttaaatac ataaaagaga gatatgctaa 151500
aataaaaaag aagcattctc tgagtggtag agttatgagt gatactttaa atttgattgt 151560
taaaattgat ttttaaatta tataggatat ggaaaaattt tagaaggaaa tacaaaaaat 151620
gcatggccct tgcctcaggt agtggaatta tgagtgatat ctagtttgc tttatgcgtt 151680
tccatatttt tgtttcttct aattattcct aattgttttt atttttccaaa tttcttactg 151740
tacccaaagg ggaggacatt gtaaattttc tccaccagcc tggcattgcc ctgactcttt 151800
ccgtcttagt gtcacttctc agtgggtatc atgaccagtg caaagtgctg aggcacaggg 151860
ccaggcggcc cacgaggtag ccctgaaggg gcagcgatct gtggctccaa tgagccaatc 151920
attgggaaac tggcatcttc ctggggctgg gacaggagag ctttgttggt gggagaggag 151980
ggcagagccg aaggagagag ggcagggggag aggcaaggtc accct tgctc agcgccttct 152040
tttctctgcc agggctttac tgccttaaca ccctaacact cccaggccag gcagcgagca 152100
agacacatgg ggacagtgag ctataaagca gtgagtgccg caggttcctg agacacaaga 152160
ggcagattgt tccctctctg catatgtttg tatttaaata gcctcatgtt cagacaagca 152220
acttggattt gcttcagtct tctcaggatg ggtgagaaaa acactggaaa tgctcaaaac 152280
gaggcagaac agaagacacc tgtcatggtg gagatggcat ccaagtgaat gaacgcgagt 152340
ctgttatcaa tgaattatat ccggtgtaac cagatgtaga gagattgtct tgtgtgagaa 152400
tgcaccagca ggcaaagggg tttacgaggc agagtcaggg tccctgcacc ggcagctgtt 152460
ttaaatgaat tgacccaggg tttccacatt cattcattaa acatttgttc attgaacaaa 152520
tatttggctc taattccgct tccacctcag acagctatgc agcccggagc acatcactga 152580
gctttcctga gactctgttt ctctactgtg ctgacagcca gaggtttgct gcagagctgg 152640
agaccttggt agcctccagg tgtgtgtctg gcaacatgaa ctgtgcatga atccttgtct 152700
tctcagatgc tggagcaccc acctacatgt atgagtttca gtaccgtcca agcttctcat 152760
cagacatgaa acccaagacg gtgataggag accacgggga tgagctcttc tccgtctttg 152820
gggccccatt tttaaaaggt aatgctcctt cctgtctgtg agctaggagt tagagacttg 152880
```

345

```
ggttccagtc ttggtgtggt ggccttcagc aattttgtcc tctcctggtc ttagtttcct 152940
gattctgtat aacagggttg aatgtcactg ggttgtccgc cggcttcctc ccactctaac 153000
acatgtgagg agggatgtgt attcatgtgc cctctgcaca gacgctcaga atcctgctgt 153060
gtgacatcaa gacaggtggt ggtggggggtc tcctgcagga ttcactatga cagggttgaa 153120
tgtcactggg ttgttccccg gcttcctccc gctctaacac acctgaggga ggatgtgtat 153180
catgtaccct ctgccacaga cactcagaat cctgggctgt gtcatcaaca agataggcgg 153240
tgggacacat gcggggccct gctctaggtt gagaagccac caatcaattt ccctctccca 153300
ggagcgctga gacagtgagt gagggtgaga ttagaattgg tgttaaccct aagtcaggtc 153360
taatgtgtgc ctgtttgtct ttctgtctgt ctctaacaaa aactcataaa cctttacatt 153420
tagtacattt aataattgtt gatttagaat tcacaggatg tatgaatttg gaacaggaga 153480
agagaatatt ttttatatgg tttatagtca gcaaggtggc catcccacag gctgggaagg 153540
tgcctctggc caagcccaga aacgggctca ttggaggagg ggttgggtag gagctttatg 153600
tgaacggatt ggctaaacat acatgttcaa caggttacag ggggagcaat ggatattcat 153660
gaagacagtc ctgacacatg tgtattaaac aaacatgtat gtaacatggc ccatgttcac 153720
ctggtggtgg agacctaata tttaaatgta ttacaattag ggcctgtaag tccaaaggtc 153780
ttctcaggac acgaagctca gcaagtgagg agcttctgta caccggccag gtccagtcca 153840
tggctggtga tgttcttatc tggagaaagt tactgaaatc agtctcttat gcaatcaaag 153900
cagtagttaa gtctggcaag tcagggttct gtttgtctgc gtatcccagc tgcagccgtt 153960
gttattgttt tccttttgct tagctccagg ccagtgctgg tttagctgct agagaaagag 154020
aagcacctcg tggcagtgag aacaaagtgg attctttttt tttttattta ttatacttta 154080
agttttaggg tacatgtgca cattgtgcag gttagttaca tatgtataca tgtgccgtgc 154140
tggtgcgctg cacccactaa ctcgtcatct agcattaggt atatctccca gtgctatccc 154200
tccccctcc ccccacccca ccacagtccc cagagtgtga tattcccctt cctgtgtcca 154260
tgtgatctca ttgttcaatt cccacctatg agtgagaata tgcggtgttt ggttttttgt 154320
tcttgcgata gtttactgag aatgatggtt tccaatttca tccatgtccc tacaaaggac 154380
atgaactcat cattttttat ggctgcatag tattccacgg tgtatatgtg ccacattttc 154440
ttaatccagt ctatcattgt tggacatttg ggttggttcc aagtctttgc tattgtgaat 154500
aatgccgcaa taaacatacg tgtgcatgtg tctttatagc agcatgattt atagtcattt 154560
gggtatatac ccagtaatgg gatggctgag tcaaatggta tttctagttc tagatccctg 154620
aggaatcgcc acactgactt ccacaatggt tgaactagtt tacagtccca ccaacagtgt 154680
aaaagtgttc ctatttctcc acatcctctc cagcacctgt tgtttcctga ctttttagag 154740
atgcaggcct gaacccttgc ccgacgtggc cttaggtctc gtttttaatt tggtgtctta 154800
ttgccacaaa gagtgtgttc tgtcagaatg atgaccttca ttttattgct gatgctggtc 154860
cggtggtgtc taaatcacaa aagggaggga gtattatgag gcgtgtctga cctcctgtcc 154920
gttcccaggc aggaacagag ttgaaggttt ttcgaggctc cccttagccc agagagggtc 154980
tgttcagtca gttggggggtg tcaggatttt attttttagtt tacattatac aatagtttaa 155040
aaaatccttt cacggtgtct tctaagtctt aactctcagc agttacagat cagatgggac 155100
tcaccccatg gctgctcaga acgcaccagc gcctctgggc atctcactgt gcatgcttag 155160
gcgccttgcg gctctgttgt ttttcagaat gtgaattgtg ggtgtgtgct ggggagggag 155220
aaaagaccca agagagagca accctggaaa gtggggttgc tgtagaggaa accctggggt 155280
ggggcatttc ctgtgaccct gagcggggag gaggcaggcg agggtcacag gagacaaagg 155340
cagccagcca atggaatgac gcatgcccat tgctgagccc taggtcagat atgctgaaag 155400
gtaaagtaca cacaaatcca ccacgatctt ctaaaagtgc agacctcagc tcagtgggtg 155460
tggggcatgt gccaagacta tgtttccagc agactcgcat gtgatgttga cgctgcagtc 155520
cacggaccac actttgagta acaaaggctt ttttttcttct tccccacaga gggtgcctca 155580
gaagaggaga tcagacttag caagatggtg atgaaattct gggccaactt tgctcgcaat 155640
gggtgaggct ggtggcaaag acagagcacg gctggtgagg gtgggggggcg gggcatgcct 155700
attgggaagg ggcagcttct aaggttctag tgatcaaact tctgaccctg tgaccatagc 155760
actctgataa tgagagctct ctgcaaacgg agaggccgcc cctggagata gtgagctctc 155820
catctctgga ggtatacaag cctcttgaca gagataactt gggcatcctc acacatctct 155880
gaagattgtt gggaacacac agcagctttg gggcaattct aattgattct gtttccagaa 155940
accccaatgg ggaagggctg ccccactggc cagagtacaa ccagaaggaa gggtatctgc 156000
agattggtgc caacacccag gcggcccaga agctgaagga caaagaagta gctttctgga 156060
ccaacctctt tgccaagaag gcagtggaga agccacccca gacagaacac atagagctgt 156120
gaatgaagat ccagccggcc ttgggagcct ggaggagcaa agactggggt cttttgcgaa 156180
agggattgca ggttcagaag gcatcttacc atggctgggg aattgtctgg tggtgggggg 156240
caggggacag aggccatgaa ggagcaagtt ttgtatttgt gacctcagct ttgggaataa 156300
aggatctttt gaaggccaaa ttggtgcttg tgtcttgtac tggagattaa tactttgtcc 156360
tcagagacag aacggtgatg aaagaggcga tgtgagaagg aaggtggctt tgctggggat 156420
ggcctggtct caggatgagc agagtccaga gggctgggtc atggacggtg ctcaggggag 156480
ctctgggcct gatgcacctt tctgggcccc caacaatttc caacaatacg agttggggtg 156540
gccagagtgc aggatcccta ccctctattt ggagttgccc atggaaatgg aagtgcccca 156600
ggctgagaat gagtctggat cagggaagag ggagacgtgc tgaggtgatc ccgtggcact 156660
```

346

```
gttgcatggc acttactgac cattgcacag gcctgcaaca cctttctgag tatgtacact 156720
agcctcccat acccctccat gaggttgtct cttccaccaa ctggtcgaaa ctccttctgt 156780
agcctggacc acttctggtg tgggcagtga ccaccttgga ggtggtccat tcttctccag 156840
agggtcatcc taaactgtgt ctttcagaat cccatgggtg atttctggat tctgttagta 156900
cgtagaaagc tctaaagcat gtcattcccg ccttatcagc aagaggaagc cggattgtcc 156960
tcaaaatcat aacttttcct gcaccaaaga gctgaagttg caaggcacat ggttccctcg 157020
aaatcgaagg gaagacaagc acctggggga gtggtgggat gtgaacactg gcttacttct 157080
cacctgcagg caggagacgg cgtgaccata atgagcagaa atactctatg aattttattc 157140
agtgctgaag gccaagggtg ggccactgtg agagtataaa acctctggga accatggacc 157200
catggggagt tgactcccat cacagactct actccatggg tatttatcag ggcccatgag 157260
aaagattggg gtagacagtg agactggaga aagtctgcct tcaggaatgc aggcatgagc 157320
cctgctgaca cccttcaccc ctaaagaaca aaatccttca atcattgcgg aatggccagg 157380
aaatcttgtc ctcctcaagg tactggtaga gacatattga ggttgaagat aaggaacctt 157440
ttaaaactct ataccccttg gagagggaca gggagtcatc ttgggcccag attatcggtc 157500
ttttactgct ggggatggtc agtatctctg acaaacctcc atctccaaca gcaagaaatg 157560
aaggtcctgc ctaaggttga ggctggacca cgacaagagc aggcactcct ggctgctacc 157620
atggagttag ccagtcccag gtaacagaaa tctgctgctg ggagagagag caaagcatgc 157680
agatcaaccc tcttgtaaaa gcaggtgcac aggacaggcc taaagctgag agtggaacaa 157740
gacattagga aaatcgttca gaaaaccggc ctttacacaa gcacaccaga accagcacaa 157800
ggtagcactg gaagcatttg aagcagatgg tgcattgatg atagccatag caacaacaaa 157860
actattcccc gatcaccaca ctcgaaatac acacgcacac acacacacac acgcatgcat 157920
gtacacacaa aatcagtcta gcagcagaag aaaagatatg tccacttcct gtcacggata 157980
ctacttactt cagtttcaac tcacttaccc atgatgtcaa gtattgaatt caaaattgca 158040
aaccttataa aggaagcaac acctatgaac aagagacaaa gcagttgggc acagtggtgc 158100
atgcctgtag tcccagctac ttaggaggct gatgcaggag gattgcttga acctgtgagt 158160
tcaaggctgt agtgcactgt aattgcacct atgaataacc acctgcactc tagtcatggt 158220
attatggtga aatagcatcg cttagagtga gagagagaga gagagacaga cagacaaatc 158280
aatcaacaga accagattca gagataacct aggtgttaga ctaacagact gggaatttaa 158340
aataactata tggaatactt ccatgaacag atggctagtt tcagcagaga ggtagaaact 158400
atgagaaaga agcaaataga aatgttagaa atgaaaaaaa atagtaacag aaattagaaa 158460
tgcctctaat ggattcatca gtagatctga cacagctgac gaatgaatga gtgtagcaga 158520
agacaggcca atataaatta cccaacttaa aatgaagaaa atcagtgaaa aaaaaacaaa 158580
acagggaatc aaaagaactgt cagataatat ccaatggtcc aacatatgca taactggaat 158640
cccagaaaga gaagacaaag caggcagaag aaaatatttg aagagataat ggctgagaat 158700
tttccaaaag taatgaaaaa catcaaggca tacgtccaag agcctggaaa accccaagca 158760
ggattcaaca acaacagcaa caacagcaac aaaaacatac acatttagac acacactgag 158820
aaaatattga aggcagccag aggaaaaaga cattgcatac aaagaaaggg attagagcag 158880
atttttcact ggaaactatg caagccaaaa aataatggag tgacaccttt aaagtattca 158940
aacgaaaaaa atctttgcag aattctatat ccagaaaaaa cactgttcaa aaaatacagg 159000
gaaaaatgtt ttcagatgaa caatagagag aatttatact tacatacttg tgctaccaaa 159060
aatgtaaaag gaaattctct acgcaaaagg tatatgatac aggataaaaa ctttgatatt 159120
tatcaaagaa gtgaagctct acatatagct ttaaaataaa ggtaatgtag gctatttttc 159180
ctatatttaa ttactgttta aaacaaaaat agcaccaatg aactgtggat ttagagcata 159240
cgtaagaata aaatatacaa caaaaataat atgaaagatg agagacaggt atttgaagca 159300
cacttttgta agattcttac actctgtgta attggtattg tctgaaggta taaggtgatt 159360
aatgtatatt gtatgtatat tgtatcccca ggaaaaccaa taaataattt taaaaggaga 159420
catgaataat aacacaatag aggagataac atgaaatcat aaatactcgc tacacgagca 159480
agcagacaga agaagaacaa agacacagga acaaatgaaa aagtactgca gaagtgacag 159540
attttaatcc aaccgtatca ataactatac tacacaaaaa tgatgtaaac acaccaatta 159600
aaaatgattt tcagattgga ttaaagaaaa cacaaaacgc aacctaacgc tgcgtcgtag 159660
ttagtccaaa ttcacgtttc agtgtttgac tcctggtggc ttttaagcct cagccttccc 159720
ttgtcccctc ttgctgacac ctggaaagct gataagaaag cctgggtgct tcctcctttg 159780
ttgctggagg aaaattcaaa gcttaccgtg agaaagctga ccacggcccc agtgcggaat 159840
cctcatacca cacctggtcg tcctgtccaa gacagcgtcc cagagctcct tgagcctcag 159900
cgggggggaag aaacagcata tttttttcctc ctggtccaga gagaggggag acgctacaga 159960
gcaggggtcg gtaagctgca gcccacaggc caaacctgtc agaccgtggg atccttgggt 160020
caggaccaag gtcaaactcg ttttgggggct ccccaagaag tgctgggcaa tgcaacctgg 160080
tggatggact gagagctgcc cagcagatgg atctgtaccc agggaagtgc acattggcct 160140
ttggtgaaca gtccatggta cccttgaact ctataataat agcagtaata ggccgggcgc 160200
ggtgactcgc acctgtaatc ccagcacttt gggaggccga ggtgggcgga tcacctgagg 160260
ttaggagttc gagaccagcc tggccaacac ggtgaaatct catgtctaca aaaaatacaa 160320
aaattagctg gacgtggtgg cgggtgcctg taatcccagc tagtcggggg gctgaggcag 160380
gagaatcgct tgaacccggg aggcggaggt ggcagtgagc caagatcatg ctactgcact 160440
```

347

```
ccagcctggg caacaagagt gaaacaccgt cataaaagaa agaagaaaga aagaaggaaa 160500
gaaggaaaga aagaaagaaa gagaaagaaa gaaagaagga aagaaggaga gataaagaaa 160560
gaaggaagga aggaaggaag gaaggaaaga aagaaagaaa gaaagaaaga aagaaagaaa 160620
gaaagaataa tagcagtaat agaaataact aaaactcact gcatagttat tatgtgttta 160680
attataaaat actcttcata ttaactcaga gagtcttcac agaaactcta tgagcagttc 160740
atttggtatc aacca                                                 160755
```